

Table 1. Baseline Characteristics by Penguin Species

Palmer Station, Antarctica (2007-2009)

Characteristic

Adelie (N=XXX)

Chinstrap (N=XXX)

Gentoo (N=XXX)

Total (N=XXX)

p-value

Island, n (%)

Biscoe

XX (XX.X)

XX (XX.X)

XX (XX.X)

XXX (XX.X)

Dream

XX (XX.X)

XX (XX.X)

XX (XX.X)

XXX (XX.X)

Torgersen

XX (XX.X)

XX (XX.X)

XX (XX.X)

XXX (XX.X)

X.XXX

Sex, n (%)

Female

XX (XX.X)

XX (XX.X)

XX (XX.X)

XXX (XX.X)

Male

XX (XX.X)

XX (XX.X)

XX (XX.X)

XXX (XX.X)

X.XXX

Bill length (mm)

Mean (SD)

XX.X (X.XX)

XX.X (X.XX)

XX.X (X.XX)

XX.X (X.XX)

Median [IQR]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

X.XXX

Bill depth (mm)

Mean (SD)

XX.X (X.XX)

XX.X (X.XX)

XX.X (X.XX)

XX.X (X.XX)

Median [IQR]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

XX.X [XX.X, XX.X]

X.XXX

Flipper length (mm)

Mean (SD)

XXX.X (X.XX)

XXX.X (X.XX)

XXX.X (X.XX)

XXX.X (X.XX)

Median [IQR]

XXX [XXX, XXX]

XXX [XXX, XXX]

XXX [XXX, XXX]

XXX [XXX, XXX]

X.XXX

Body mass (g)

Mean (SD)

XXXX (XXX)

XXXX (XXX)

XXXX (XXX)

XXXX (XXX)

Median [IQR]

XXXX [XXXX, XXXX]

XXXX [XXXX, XXXX]

XXXX [XXXX, XXXX]

XXXX [XXXX, XXXX]

X.XXX

Source: Palmer Penguins Dataset (Gorman et al., 2014)

Categorical variables presented as n (%); continuous variables as mean (SD) and median [IQR].

P-values from chi-square test (categorical) or Kruskal-Wallis test (continuous).