Setting up Quarto

Ronald (Ryy) Glenn Thomas 11/30/23

Table of contents

1 Introduction

quarto

Figure 1: quarto

1

1 Introduction

Quarto is an extension of the Rmarkdown ecosystem. It leverages the power of Pandoc. From my perspective it provides a number of useful additional tools for literate programming and blogging.

I'm using quarto for my lab's home page with an embedded blog. (rgtlab).

This post will include some of the most useful and interesting quarto tools presented in the context of a Palmer Penguins data set analysis.

Start with running quarto create-project at ~/prj level

```
quarto create-project qblog --type website:blog
```

This generates a project folder /Users/zenn/Dropbox/prj/qblog:

- cd to ~/qblog/posts/
- create a new directory, say setupquarto
- cd to ~/qblog/posts/setupquarto
- vim index.qmd

The framework for a quarto blog can be quite minimal. For example the following set of files provides is sufficient to start a useful blog:

```
.
|-- _quarto.yml
|-- index.qmd
|-- posts
| `-- firstpost
| `-- index.qmd
```

with file contents:

```
cat _quarto.yml
project:
   type: website

   cat index.qmd
---
title: "Minimal Blog"
listing:
   contents: posts
---

   cat posts/firstpost/index.qmd
---
title: "First post on Blog"
author: "Joe Blogger"
date: last-modified
---
This is the first post.
```

minimal_blog

Nov 30, 2023 Joe Blogger

First post on Blog

This is the first post.

To create a minimal shell of a blog type:

```
> quarto create-project minimal_blog --type website:blog
```

This creates the following file structure:

```
> tree --charset unicode
.
|-- _quarto.yml
|-- about.qmd
|-- index.qmd
|-- posts
| `-- welcome
| `-- index.qmd
`-- sudoku.jpg
```

Now list the content of the individual files.

```
title: "About"
image: sudoku.jpg
about:
 template: broadside
About this blog
> cat index.qmd
title: "minimal_blog"
listing:
 contents: posts
 type: default
> cat posts/welcome/index.qmd
title: "Welcome To My Blog"
author: "Tristan O'Malley"
date: "2023-10-14"
categories: [news]
This is the first post in a Quarto blog. Welcome!
```

Contrast to Rob Heyneman's template blog:

```
> tree -L 1 --charset unicode
.
|-- _quarto.yml
|-- _site
|-- about
|-- blog
|-- header.html
|-- index.qmd
|-- mariecurie.png
|-- publications
|-- quartoweb.Rproj
|-- software
|-- styles.css
|-- talks
```

`-- teaching

References:

Useful archive:

mcanouil/awesome-quarto: A curated list of Quarto talks, tools, examples & articles

Consider some ideas from

- Rob Hyndman Template of quarto website
- Eric Ekholm Modifying the Default Quarto Blog Structure
- Allison Hill We don't talk about Quarto
- Nick Tierney Notes on Changing from Rmark-down/Bookdown to Quarto