



1

1

[Dashboard](#)[Project feature-2](#)[#8](#)[↑ Back to Project](#)[☰ Status](#)[</> Changes](#)[☐ Console Output](#)[📄 View as plain text](#)[✍ Edit Build Information](#)[🗑 Delete build '#8'](#)[🔴 Git Build Data](#)[🔄 Restart from Stage](#)[↶ Replay](#)[☰ Pipeline Steps](#)[📁 Workspaces](#)[← Previous Build](#)

Console Output

Started by user [admin](#)

Obtained Jenkinsfile from git <https://github.com/rgulza01/Project.git>

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [Jenkins](#) in /home/jenkins/.jenkins/workspace/Project feature-2

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

```
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified

> git rev-parse --resolve-git-dir /home/jenkins/.jenkins/workspace/Project
feature-2/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/rgulza01/Project.git #
timeout=10
Fetching upstream changes from https://github.com/rgulza01/Project.git
> git --version # timeout=10
> git --version # 'git version 2.17.1'
> git fetch --tags --progress -- https://github.com/rgulza01/Project.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/feature-2^{commit} # timeout=10
Checking out Revision 0f8d13061e0bf356622d133b399bd186bcfe0f1e
(refs/remotes/origin/feature-2)
> git config core.sparsecheckout # timeout=10
> git checkout -f 0f8d13061e0bf356622d133b399bd186bcfe0f1e # timeout=10
Commit message: "not running create.py on dockerfile to check why cann't connect
to server error like Waqas"
> git rev-list --no-walk 2a6b9e7a6918598b6fd14ae3888da37064c15386 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withCredentials
Masking supported pattern matches of $SECRET_KEY or $SERVER_NAME or
$DATABASE_PASSWORD
[Pipeline] {
[Pipeline] stage
[Pipeline] { (setup)
[Pipeline] sh
+ export DATABASE_PASSWORD=****
[Pipeline] sh
+ export SERVER_NAME=****
[Pipeline] sh
+ export SECRET_KEY=****
[Pipeline] sh
+ sudo apt install python3-venv -y

WARNING: apt does not have a stable CLI interface. Use with caution in scripts.

Reading package lists...
Building dependency tree...
Reading state information...
python3-venv is already the newest version (3.6.7-1~18.04).
```

```
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

```
[Pipeline] sh
```

```
+ sudo apt install python3-pip -y
```

```
WARNING: apt does not have a stable CLI interface. Use with caution in scripts.
```

```
Reading package lists...
```

```
Building dependency tree...
```

```
Reading state information...
```

```
python3-pip is already the newest version (9.0.1-2.3~ubuntu1.18.04.5).
```

```
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

```
[Pipeline] sh
```

```
+ python3 -m venv venv
```

```
[Pipeline] sh
```

```
+ . venv/bin/activate
```

```
+ deactivate nondestructive
```

```
+ [ -n ]
```

```
+ [ -n ]
```

```
+ [ -n -o -n ]
```

```
+ [ -n ]
```

```
+ unset VIRTUAL_ENV
```

```
+ [ ! nondestructive = nondestructive ]
```

```
+ VIRTUAL_ENV=/home/jenkins/.jenkins/workspace/Project feature-2/venv
```

```
+ export VIRTUAL_ENV
```

```
+
```

```
_OLD_VIRTUAL_PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/snap/bin
```

```
+ PATH=/home/jenkins/.jenkins/workspace/Project feature-
```

```
2/venv/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/snap/bin
```

```
+ export PATH
```

```
+ [ -n ]
```

```
+ [ -z ]
```

```
+ _OLD_VIRTUAL_PS1=$
```

```
+ [ x(venv) != x ]
```

```
+ PS1=(venv) $
```

```
+ export PS1
```

```
+ [ -n -o -n ]
```

```
[Pipeline] sh
```

```
+ pip3 install -r requirements.txt
```

```
Collecting attrs==21.* (from -r requirements.txt (line 1))
```

```
Using cached
```

```
https://files.pythonhosted.org/packages/be/be/7abce643bfdf8ca01c48afa2ddf8308c2308b0c3b239a44e57d020afa0ef/attrs-21.4.0-py2.py3-none-any.whl
```

```
Collecting click==8.* (from -r requirements.txt (line 2))
```

```
Using cached
```

```
https://files.pythonhosted.org/packages/4a/a8/0b2ced25639fb20cc1c9784de90a8c25f9
```

```
504a7f18cd8b5397bd61696d7d/click-8.0.4-py3-none-any.whl
Collecting coverage==6.* (from -r requirements.txt (line 3))
  Using cached
https://files.pythonhosted.org/packages/4c/0b/731e558a762ed89478e2badc388443b30ebb0a975c335ae60e24b52d5b00/coverage-6.2-cp36-cp36m-manylinux\_2\_5\_x86\_64.manylinux1\_x86\_64.manylinux\_2\_12\_x86\_64.manylinux2010\_x86\_64.whl
Collecting dnspython==2.* (from -r requirements.txt (line 4))
  Using cached
https://files.pythonhosted.org/packages/9b/ed/28fb14146c7033ba0e89decd92a4fa16b0b69b84471e2deab3cc4337cc35/dnspython-2.2.1-py3-none-any.whl
Collecting email-validator==1.* (from -r requirements.txt (line 5))
  Using cached
https://files.pythonhosted.org/packages/6b/d2/c587a9cd8473041fd138b213fa12581a4e039d260cf24dfa07f5c9de78e4/email\_validator-1.2.1-py2.py3-none-any.whl
Collecting Flask==2.* (from -r requirements.txt (line 6))
  Using cached
https://files.pythonhosted.org/packages/cd/77/59df23681f4fd19b7cbbb5e92484d46ad587554f5d490f33ef907e456132/Flask-2.0.3-py3-none-any.whl
Collecting Flask-SQLAlchemy==2.* (from -r requirements.txt (line 7))
  Using cached
https://files.pythonhosted.org/packages/26/2c/9088b6bd95bca539230bbe9ad446737ed391aab9a83aff403e18dded3e75/Flask\_SQLAlchemy-2.5.1-py2.py3-none-any.whl
Collecting Flask-Testing==0.* (from -r requirements.txt (line 8))
Collecting flask-unittest==0.* (from -r requirements.txt (line 9))
  Using cached
https://files.pythonhosted.org/packages/52/cb/d5217d8341c61081aaec931846e35ced62fbb6b67468e8e6c8db4ada69ec/flask\_unittest-0.1.3-py3-none-any.whl
Collecting Flask-WTF==1.* (from -r requirements.txt (line 10))
  Using cached
https://files.pythonhosted.org/packages/3a/26/3803ee692eb9a8d21bf7balcecd649ce3a55899c65467bdfc1bad13ec50f/Flask\_WTF-1.0.1-py3-none-any.whl
Collecting idna==3.* (from -r requirements.txt (line 11))
  Using cached
https://files.pythonhosted.org/packages/04/a2/d918dcd22354d8958fe113e1a3630137e0fc8b44859ade3063982eacd2a4/idna-3.3-py3-none-any.whl
Collecting importlib-metadata==4.* (from -r requirements.txt (line 12))
  Using cached
https://files.pythonhosted.org/packages/a0/a1/b153a0a4caf7a7e3f15c2cd56c7702e2cf3d89b1b359d1f1c5e59d68f4ce/importlib\_metadata-4.8.3-py3-none-any.whl
Collecting iniconfig==1.* (from -r requirements.txt (line 13))
  Using cached
https://files.pythonhosted.org/packages/9b/dd/b3c12c6d707058fa947864b67f0c4e0c39ef8610988d7baea9578f3c48f3/iniconfig-1.1.1-py2.py3-none-any.whl
Collecting itsdangerous==2.* (from -r requirements.txt (line 14))
  Using cached
https://files.pythonhosted.org/packages/9c/96/26f935afba9cd6140216da5add223a0c46
```

```
5b99d0f112b68a4ca426441019/itsdangerous-2.0.1-py3-none-any.whl
Collecting Jinja2==3.* (from -r requirements.txt (line 15))
  Using cached
https://files.pythonhosted.org/packages/20/9a/e5d9ec41927401e41aea8af6d16e78b5e612bca4699d417f646a9610a076/Jinja2-3.0.3-py3-none-any.whl
Collecting MarkupSafe==2.* (from -r requirements.txt (line 16))
  Using cached
https://files.pythonhosted.org/packages/fc/d6/57f9a97e56447a1e340f8574836d3b636e2c14de304943836bd645fa9c7e/MarkupSafe-2.0.1-cp36-cp36m-manylinux1\_x86\_64.whl
Collecting packaging==21.* (from -r requirements.txt (line 17))
  Using cached
https://files.pythonhosted.org/packages/05/8e/8de486cbd03baba4deef4142bd643a3e7bbe954a784dc1bb17142572d127/packaging-21.3-py3-none-any.whl
Collecting pluggy==1.* (from -r requirements.txt (line 18))
  Using cached
https://files.pythonhosted.org/packages/9e/01/f38e2ff29715251cf25532b9082a1589ab7e4f571ced434f98d0139336dc/pluggy-1.0.0-py2.py3-none-any.whl
Collecting py==1.* (from -r requirements.txt (line 19))
  Using cached
https://files.pythonhosted.org/packages/f6/f0/10642828a8dfb741e5f3fbaac830550a518a775c7fff6f04a007259b0548/py-1.11.0-py2.py3-none-any.whl
Collecting PyMySQL==1.* (from -r requirements.txt (line 20))
  Using cached
https://files.pythonhosted.org/packages/4f/52/a115fe175028b058df353c5a3d5290b71514a83f67078a6482cff24d6137/PyMySQL-1.0.2-py3-none-any.whl
Collecting pyparsing==3.* (from -r requirements.txt (line 21))
  Using cached
https://files.pythonhosted.org/packages/6c/10/a7d0fa5baea8fe7b50f448ab742f26f52b80bfca85ac2be9d35cdd9a3246/pyparsing-3.0.9-py3-none-any.whl
Collecting pytest==7.* (from -r requirements.txt (line 22))
  Using cached
https://files.pythonhosted.org/packages/38/93/c7c0bd1e932b287fb948eb9ce5a3d6307c9fc619db1e199f8c8bc5dad95f/pytest-7.0.1-py3-none-any.whl
Collecting pytest-cov==3.* (from -r requirements.txt (line 23))
  Using cached
https://files.pythonhosted.org/packages/20/49/b3e0edec68d81846f519c602ac38af9db86e1e71275528b3e814ae236063/pytest\_cov-3.0.0-py3-none-any.whl
Collecting pytest-flask==1.* (from -r requirements.txt (line 24))
  Using cached
https://files.pythonhosted.org/packages/09/b4/a84a43b638d7f6d68c2eb092a5b6c8127fc873eac166538b2d0010a4e948/pytest\_flask-1.2.0-py3-none-any.whl
Collecting SQLAlchemy==1.* (from -r requirements.txt (line 25))
  Using cached
https://files.pythonhosted.org/packages/eb/b6/b8579f5a39712fee884db2bdb9e726437b0cc2f2cb57430613651282f3eb/SQLAlchemy-1.4.39-cp36-cp36m-manylinux\_2\_5\_x86\_64.manylinux1\_x86\_64.manylinux\_2\_12\_x86\_64.manylinux2010\_x86\_64.whl
```

```
Collecting tomli==1.* (from -r requirements.txt (line 26))
  Using cached
https://files.pythonhosted.org/packages/05/e4/74f9440db36734d7ba83c574c1e7024009ce849208a41f90e94a134dc6d1/tomli-1.2.3-py3-none-any.whl

Collecting Werkzeug==2.* (from -r requirements.txt (line 27))
  Using cached
https://files.pythonhosted.org/packages/f4/f3/22afbdb20cc4654b10c98043414a14057cd27fdb9d4ae61cea596000ba2/Werkzeug-2.0.3-py3-none-any.whl

Collecting WTForms==3.* (from -r requirements.txt (line 28))
  Using cached
https://files.pythonhosted.org/packages/9a/38/58698b4bfb0e93200af1f8e886cc6eb1ff31232b9224b4ebc12356e2f18/WTForms-3.0.0-py3-none-any.whl

Collecting zipp==3.* (from -r requirements.txt (line 29))
  Using cached
https://files.pythonhosted.org/packages/bd/df/d4a4974a3e3957fd1c1fa3082366d7fff6e428ddb55f074bfb64876f8e8ad/zipp-3.6.0-py3-none-any.whl

Collecting typing-extensions>=3.6.4; python_version < "3.8" (from importlib-metadata==4.*->-r requirements.txt (line 12))
  Using cached
https://files.pythonhosted.org/packages/45/6b/44f7f8f1e110027cf88956b59f2fad776cca7e1704396d043f89effd3a0e/typing\_extensions-4.1.1-py3-none-any.whl

Collecting greenlet!=0.4.17; python_version >= "3" and (platform_machine == "aarch64" or (platform_machine == "ppc64le" or (platform_machine == "x86_64" or (platform_machine == "amd64" or (platform_machine == "AMD64" or (platform_machine == "win32" or platform_machine == "WIN32"))))) (from SQLAlchemy==1.*->-r requirements.txt (line 25))
  Using cached
https://files.pythonhosted.org/packages/76/5a/a6a693096353c1c17932b21ae864a0280e420fadd2f14399a00b085d3d1b/greenlet-1.1.2-cp36-cp36m-manylinux1\_x86\_64.whl

Collecting dataclasses; python_version < "3.7" (from Werkzeug==2.*->-r requirements.txt (line 27))
  Using cached
https://files.pythonhosted.org/packages/fe/ca/75fac5856ab5cfa51bbbcefa250182e50441074fdc3f803f6e76451fab43/dataclasses-0.8-py3-none-any.whl

Installing collected packages: attrs, typing-extensions, zipp, importlib-metadata, click, coverage, dnspython, idna, email-validator, itsdangerous, MarkupSafe, Jinja2, dataclasses, Werkzeug, Flask, greenlet, SQLAlchemy, Flask-SQLAlchemy, Flask-Testing, flask-unittest, WTForms, Flask-WTF, iniconfig, pyparsing, packaging, pluggy, py, PyMySQL, tomli, pytest, pytest-cov, pytest-flask

Successfully installed Flask-2.0.3 Flask-SQLAlchemy-2.5.1 Flask-Testing-0.8.1 Flask-WTF-1.0.1 Jinja2-3.0.3 MarkupSafe-2.0.1 PyMySQL-1.0.2 SQLAlchemy-1.4.39 WTForms-3.0.0 Werkzeug-2.0.3 attrs-21.4.0 click-8.0.4 coverage-6.2 dataclasses-0.8 dnspython-2.2.1 email-validator-1.2.1 flask-unittest-0.1.3 greenlet-1.1.2 idna-3.3 importlib-metadata-4.8.3 iniconfig-1.1.1 itsdangerous-2.0.1 packaging-21.3 pluggy-1.0.0 py-1.11.0 pyparsing-3.0.9 pytest-7.0.1 pytest-cov-3.0.0 pytest-flask-1.2.0 tomli-1.2.3 typing-extensions-4.1.1 zipp-3.6.0
```

```
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] stage  
[Pipeline] { (docker swarm)  
  
[Pipeline] sh  
+ docker-compose build  
#1 [internal] load build definition from Dockerfile  
#1 transferring dockerfile: 359B done  
#1 DONE 0.0s  
  
#2 [internal] load .dockerignore  
#2 transferring context: 2B done  
#2 DONE 0.0s  
  
#3 [auth] library/python:pull token for registry-1.docker.io  
#3 DONE 0.0s  
  
#4 [internal] load metadata for docker.io/library/python:3.8.9-slim-buster  
#4 DONE 0.8s  
  
#5 [1/4] FROM docker.io/library/python:3.8.9-slim-  
buster@sha256:209e8a715aa9b061b4e87f368f9c259471334d769f58f1002f16e46d700ecea2  
#5 DONE 0.0s  
  
#6 [internal] load build context  
#6 transferring context: 1.87MB 0.0s done  
#6 DONE 0.1s  
  
#7 [2/4] WORKDIR /app  
#7 CACHED  
  
#8 [3/4] COPY . .  
#8 DONE 0.1s  
  
#9 [4/4] RUN pip3 install -r requirements.txt  
#9 1.660 Collecting attrs==21.*  
#9 1.687   Downloading attrs-21.4.0-py2.py3-none-any.whl (60 kB)  
#9 1.758 Collecting click==8.*  
#9 1.763   Downloading click-8.1.3-py3-none-any.whl (96 kB)  
#9 2.401 Collecting coverage==6.*  
#9 2.408   Downloading coverage-6.4.2-cp38-cp38-  
manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux2014_x86_6  
4.whl (213 kB)  
#9 2.454 Collecting dnspython==2.*  
#9 2.459   Downloading dnspython-2.2.1-py3-none-any.whl (269 kB)  
#9 2.495 Collecting email-validator==1.*  
#9 2.508   Downloading email_validator-1.2.1-py2.py3-none-any.whl (22 kB)
```



```
#9 2.556 Collecting Flask==2.*
#9 2.566   Downloading Flask-2.1.3-py3-none-any.whl (95 kB)
#9 2.604 Collecting Flask-SQLAlchemy==2.*
#9 2.610   Downloading Flask_SQLAlchemy-2.5.1-py2.py3-none-any.whl (17 kB)

#9 2.637 Collecting Flask-Testing==0.*
#9 2.655   Downloading Flask-Testing-0.8.1.tar.gz (45 kB)
#9 3.030 Collecting flask-unittest==0.*
#9 3.036   Downloading flask_unittest-0.1.3-py3-none-any.whl (16 kB)
#9 3.075 Collecting Flask-WTF==1.*
#9 3.079   Downloading Flask_WTF-1.0.1-py3-none-any.whl (12 kB)
#9 3.113 Collecting idna==3.*
#9 3.117   Downloading idna-3.3-py3-none-any.whl (61 kB)
#9 3.221 Collecting importlib-metadata==4.*
#9 3.226   Downloading importlib_metadata-4.12.0-py3-none-any.whl (21 kB)
#9 3.257 Collecting iniconfig==1.*
#9 3.274   Downloading iniconfig-1.1.1-py2.py3-none-any.whl (5.0 kB)
#9 3.307 Collecting itsdangerous==2.*
#9 3.316   Downloading itsdangerous-2.1.2-py3-none-any.whl (15 kB)
#9 3.364 Collecting Jinja2==3.*
#9 3.370   Downloading Jinja2-3.1.2-py3-none-any.whl (133 kB)
#9 3.500 Collecting MarkupSafe==2.*
#9 3.505   Downloading MarkupSafe-2.1.1-cp38-cp38-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (25 kB)
#9 3.557 Collecting packaging==21.*
#9 3.562   Downloading packaging-21.3-py3-none-any.whl (40 kB)
#9 3.600 Collecting pluggy==1.*
#9 3.605   Downloading pluggy-1.0.0-py2.py3-none-any.whl (13 kB)
#9 3.654 Collecting py==1.*
#9 3.659   Downloading py-1.11.0-py2.py3-none-any.whl (98 kB)
#9 3.700 Collecting PyMySQL==1.*
#9 3.705   Downloading PyMySQL-1.0.2-py3-none-any.whl (43 kB)
#9 3.787 Collecting pyparsing==3.*
#9 3.792   Downloading pyparsing-3.0.9-py3-none-any.whl (98 kB)
#9 3.940 Collecting pytest==7.*
#9 3.947   Downloading pytest-7.1.2-py3-none-any.whl (297 kB)
#9 4.002 Collecting pytest-cov==3.*
#9 4.007   Downloading pytest_cov-3.0.0-py3-none-any.whl (20 kB)
#9 4.047 Collecting pytest-flask==1.*
#9 4.054   Downloading pytest_flask-1.2.0-py3-none-any.whl (10 kB)
#9 4.629 Collecting SQLAlchemy==1.*
#9 4.636   Downloading SQLAlchemy-1.4.39-cp38-cp38-
manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux2014_x86_6
4.whl (1.6 MB)
#9 4.716 Collecting tomli==1.*
#9 4.720   Downloading tomli-1.2.3-py3-none-any.whl (12 kB)
#9 4.784 Collecting Werkzeug==2.*
#9 4.790   Downloading Werkzeug-2.1.2-py3-none-any.whl (224 kB)
```



```
#9 4.830 Collecting WTForms==3.*
#9 4.835   Downloading WTForms-3.0.1-py3-none-any.whl (136 kB)
#9 4.888 Collecting zipp==3.*
#9 4.895   Downloading zipp-3.8.1-py3-none-any.whl (5.6 kB)

#9 5.541 Collecting greenlet!=0.4.17
#9 5.546   Downloading greenlet-1.1.2-cp38-cp38-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (156 kB)
#9 5.610 Building wheels for collected packages: Flask-Testing
#9 5.610   Building wheel for Flask-Testing (setup.py): started
#9 5.906   Building wheel for Flask-Testing (setup.py): finished with status
'done'
#9 5.907   Created wheel for Flask-Testing: filename=Flask_Testing-0.8.1-py3-
none-any.whl size=8174
sha256=2405fd15e38c2f99cc0cfa1felc5eed20e948677b5449ae219fb88dcf0be676a
#9 5.907   Stored in directory:
/root/.cache/pip/wheels/26/4d/a9/43af17400718057df8d0798e01ea4dafa15548261c180aa
7f7
#9 5.910 Successfully built Flask-Testing
#9 6.135 Installing collected packages: zipp, pyparsing, MarkupSafe, Werkzeug,
tomli, py, pluggy, packaging, Jinja2, itsdangerous, iniconfig, importlib-
metadata, greenlet, coverage, click, attrs, WTForms, SQLAlchemy, pytest, idna,
Flask, dnspython, pytest-flask, pytest-cov, PyMySQL, Flask-WTF, flask-unittest,
Flask-Testing, Flask-SQLAlchemy, email-validator
#9 8.424 WARNING: Running pip as root will break packages and permissions. You
should install packages reliably by using venv:
https://pip.pypa.io/warnings/venv
#9 8.424 Successfully installed Flask-2.1.3 Flask-SQLAlchemy-2.5.1 Flask-
Testing-0.8.1 Flask-WTF-1.0.1 Jinja2-3.1.2 MarkupSafe-2.1.1 PyMySQL-1.0.2
SQLAlchemy-1.4.39 WTForms-3.0.1 Werkzeug-2.1.2 attrs-21.4.0 click-8.1.3
coverage-6.4.2 dnspython-2.2.1 email-validator-1.2.1 flask-unittest-0.1.3
greenlet-1.1.2 idna-3.3 importlib-metadata-4.12.0 iniconfig-1.1.1 itsdangerous-
2.1.2 packaging-21.3 pluggy-1.0.0 py-1.11.0 pyparsing-3.0.9 pytest-7.1.2 pytest-
cov-3.0.0 pytest-flask-1.2.0 tomli-1.2.3 zipp-3.8.1
#9 8.540 WARNING: You are using pip version 21.1.1; however, version 22.1.2 is
available.
#9 8.540 You should consider upgrading via the '/usr/local/bin/python -m pip
install --upgrade pip' command.
#9 DONE 9.4s

#10 exporting to image
#10 exporting layers
#10 exporting layers 0.8s done
#10 writing image
sha256:984a63ad09e0e710492ffbe5d6dec9c6d884e0e8149c2c2d32e38f077a0b2968 done
#10 naming to docker.io/radiagulzan/feature_2_image:latest done
#10 DONE 0.8s
```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

[Pipeline] sh

+ docker push radiagulzan/feature_2_image

Using default tag: latest

The push refers to repository [docker.io/radiagulzan/feature_2_image]

7440ecf1b83f: Preparing

12c1aec817ad: Preparing

82323cf521a6: Preparing

0bf7757eb90b: Preparing

5deb24372b40: Preparing

31d3dlb0e2ed: Preparing

8433845af46d: Preparing

7e718b9c0c8c: Preparing

31d3dlb0e2ed: Waiting

8433845af46d: Waiting

7e718b9c0c8c: Waiting

5deb24372b40: Mounted from radiagulzan/feature_1_image

82323cf521a6: Mounted from radiagulzan/feature_1_image

0bf7757eb90b: Mounted from radiagulzan/feature_1_image

31d3dlb0e2ed: Mounted from radiagulzan/feature_1_image

8433845af46d: Mounted from radiagulzan/feature_1_image

7e718b9c0c8c: Mounted from radiagulzan/feature_1_image

12c1aec817ad: Pushed

7440ecf1b83f: Pushed

latest: digest:

sha256:7f780a38b848c55a2b2441466be8637bf6c43c836fe4031522cfaee4345228d7 size: 1999

[Pipeline] sh

+ docker stack deploy --compose-file docker-compose.yaml stack_name

Ignoring unsupported options: build

Ignoring deprecated options:

container_name: Setting the container name is not supported.

Updating service stack_name_app_container (id: q5rvt0yuy8544gslvwpgmdugl)

Updating service stack_name_nginx_container (id: 30no5xgihmwk41lwg50xaj9w7)

[Pipeline] }

[Pipeline] // stage

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

[Pipeline] // node

[Pipeline] End of Pipeline

Finished: SUCCESS

Jenkins 2.359