

July 30, 2026

Malcolm McSporran
Quinkatla Development Planning
2997 W 7th Ave
Vancouver, BC V6K 1Z7

**RE: 3631 Point Grey Road, Vancouver, BC V6R 1B1
Development permit application number DP-2025-00686**

On behalf of the Director of Planning, your application has been approved to alter and convert this existing single detached house to a Multiple Conversion Dwelling containing three dwelling units providing one parking space in an existing garage and one surface parking space, for a total of two parking spaces having vehicular access from Point Grey Road.

This proposal includes relocating the building on this site.

A permit may be issued upon the completion of the revisions and conditions noted below under items 1.0 to 2.9 of this "prior-to permit issuance" letter.

HOW TO RESPOND TO THIS LETTER

1. Write and sign a response letter.

- Explain how you addressed each condition.
- Only changes made pursuant to addressing Prior To conditions are accepted as part of your response. Ensure all changes are clearly identified.
- *Provide a complete response to avoid delays or extra fees.*

2. Ensure relevant documents have digital signatures and seals from registered professionals.

- Review requirements at vancouver.ca/permits-eplan.

3. Upload your response letter and documents.

- Log into your permit account at vancouver.ca/permit-apply.

APPLY FOR BUILDING PERMIT(S)

Apply using the Development and Building Services Centre form at
vancouver.ca/contact-dbl.

Questions? Contact your Project Coordinator madelaine.merkel@vancouver.ca

- 1.0 Prior to the issuance of the Development Permit, revised digital drawings shall be submitted, to the satisfaction of the Director of Planning, clearly indicating:

Urban Design conditions:

- 1.1 design development to reduce building massing;

Note to Applicant: Refer to Section 3.2.2.10 – Building height, of the R1-1 District Schedule and Section 6 of the Guidelines for Additions, Infill and Multiple Conversion Dwelling in the R1-1, RT-7 and RT-9 Zones. The proposed upper storey massing is supported, subject to reducing the lower floor ceiling height by 1 ft., with corresponding reductions to main and upper floor slab elevations and overall roof height.

- 1.2 design development to improve wayfinding to rear-facing unit entrances;

Note to Applicant: Refer to Section 8 of the Guidelines for Additions, Infill and Multiple Conversion Dwelling in the R1-1, RT-7 and RT-9 Zones. Improvements may be achieved through architectural and/or landscape features.

- 1.3 design development to improve Unit C living room livability by enhancing access to natural light, views and ventilation;

- 1.4 design development to mitigate the impacts on privacy and overlook on neighboring properties;

This can be achieved by addressing the following:

- i. use landscape screening or privacy screen at decks located close to building edge facing the side yards;
- ii. provide reflected window elevation drawing to assess potential privacy impacts associated with openings facing the neighbouring building to the west based on the information provided on the survey.

- 1.5 design development to locate solar panels a minimum of 2 ft. from the roof perimeter and ridge;

- 1.6 design development to provide screening for designated garbage and recycling area;

Note to Applicant: Refer to Section 11.5 – Garbage and Recycling, of the Guidelines for Additions, Infill and Multiple Conversion Dwelling in the R1-1, RT-7 and RT-9 Zones.

Development Review Branch conditions:

- 1.7 compliance with Section 4.3.2(b) – *External Design* of the R1-1 District Schedule of the Zoning and Development Bylaw;

Note to Applicant: The sum of the widths of all lowered surfaces abutting the building can not exceed 4.6m or half the building width, whichever is lesser.

- 1.8 provision to remove the surface parking;

Note to Applicant: The surface parking is in conflict with the maneuvering aisle required for the parking space in the garage. Refer to Engineering's condition #1.11.

- 1.9 provision to update the architectural drawings to indicate the following;
- i. re-name the basement as the first storey and the stories above as second and third, as the average above grade exceeds 2m. Update all corresponding drawing labels and references;
 - ii. remove window facing East at the NE projection on main floor to be consistent with the floorplans as well as to improve privacy and overlook;
 - iii. ensure floorplans and elevations are consistent, including but not limited to the door and window placement and sizing;
 - iv. revise notes on the site plan regarding the garage to be consistent with updated proposal;

Landscape Review conditions:

- 1.10 design development to show the architectural plans of the proposed garage;

Note to applicant: Provide architectural drawings for the proposed garage, including section detail drawings of the proposed footing system. Ensure the drawings are coordinated with the project arborist's recommended low impact construction methods, including L-shaped footings, to support the safe retention of Tree #75.

- 1.11 provision of an updated Landscape Site Plan (Sheet 1.1);
- i. clearly identify all existing by-law protected trees with their retention status;
 - ii. provide a minimum of two replacement trees in accordance with the Protection of Trees By-law;
 - iii. include replacement tree species, quantities, and planting sizes in the plant list. All replacement trees must meet or exceed the minimum size requirements of Schedule D of the Protection of Trees By-law (POTB) at the time of planting;
 - iv. label all proposed and existing sewer and water service lines. Demonstrate that replacement tree locations are coordinated with proposed sewer and water service alignments to avoid future conflicts and support long-term tree retention, in accordance with Sections 6 and 6.5 of the POTB;

- v. label the east fence as existing, proposed for removal, proposed for replacement, or new;
- vi. show all updates from the Arborist Report and TMP, including the line of excavation, and any new low impact construction methods, and pruning recommendations;

Engineering Services conditions:

- 1.12 provision of a swept path analysis drawing showing a small car vehicle entering and exiting from both directions;

Note to Applicant: Provide a swept path analysis or remove small car surface parking in site plan as a minimum unobstructed aisle width of 6.1 m is required for adequate maneuvering.

2.0 Condition(s) to be met prior to the issuance of the Development Permit:

Development Review Branch conditions:

- 2.1 Provision to include existing architectural plans;
- 2.2 Clarification of the proposed renovation work for the existing garage included in the design rationale and scope of work.

Note to Applicant: Refer to Landscape condition #1.9.

- 2.3 Ensure the retention drawings are complete and consistent with the architectural drawings, specifically but not limited to;
 - i. all window/ door sizes as to clarify whether each is new or existing etc.;
 - ii. clarify between existing and proposed floor levels on the elevations and sections;
- 2.4 Written confirmation that Building Review Branch comments under 4.4 have been acknowledged and understood, is required to be submitted as part of the “prior-to” response.
- 2.5 Written clarification that the site sign has been removed.

Landscape Review conditions:

- 2.6 Provision of an updated Arborist Report and Tree Management Plan (TMP);
 - i. Provide recommendations for low impact construction methods and comment on the potential construction impacts to Tree #75 resulting from the proposed garage construction within the Critical Root Zone (CRZ). Recommendations may include, but are not limited to, hand excavation, air-vac excavation, and hydro-vac excavation where appropriate;

- ii. clearly show and dimension the line of excavation for the proposed garage to demonstrate the safe retention of Tree #75;
- iii. indicate whether crown clearance pruning is required to accommodate the proposed garage and, if required, specify the extent of pruning and assess the potential impacts to tree health and canopy structure; and
- iv. include any new low impact construction methods and pruning recommendations identified in the updated Arborist Report on the TMP.

Engineering Services conditions:

- 2.7 Provision of a copy of a current title search for each parcel of land involved in the development site. The title search must be dated within one week of the intake date.

Note to Applicant: The title for Lot 17 is missing. Please provide this title also.

- 2.8 Provision of copies of all non-financial charges (Statutory Right of Way, Right of Way, Covenant, Easement, Option to Purchase, and Easement and Indemnity) and legal notations listed on each title search for the development site.
- 2.9 Make arrangements to the satisfaction of the General Manager of Engineering Services and the Director of Legal Services for the consolidation of Lot 17, and The East ½ of Lot 18; All of Block 2, District Lot 540, Plan 229 to create a single parcel.

3.0 Development Permit Terms:

- 3.1 All approved off-street vehicle parking, loading, and unloading spaces, and bicycle parking spaces shall be provided in accordance with the relevant requirements of the Parking By-law **prior to the issuance of any required occupancy permit**, or any use or occupancy of the proposed development not requiring an occupancy permit, and thereafter permanently maintained in good condition.
- 3.2 All landscaping and treatment of the open portions of the site shall be completed in accordance with the approved drawings **prior to the issuance of any required occupancy permit**, or any use or occupancy of the proposed development not requiring an occupancy permit, and thereafter permanently maintained in good condition.

Note to Applicant: In cases where it is not practical, due to adverse weather conditions or other mitigating factors, to complete the landscaping prior to occupancy of a building, the City will accept an Irrevocable Letter of Credit (amount to be determined by the City) as a guarantee for completion of the work by an agreed upon date.

- 3.3 In accordance with Protection of Trees By-law Number 9958, the removal and replacement of trees is permitted only as indicated on the approved Development Permit drawings.

- 3.4 This Development Permit is valid for a period of 12 months from the date of issuance - unless otherwise validated by a Building Permit.

4.0 **Notes to Applicant:**

- 4.1 It should be noted that your Development Permit will be issued when you have complied with all the above conditions. However, if these conditions have not been complied with **on, or before October 30, 2026**, this Development Application may stand refused.
- 4.2 A new Development Application will be required for any significant changes. This approval is subject to any change in the Zoning and Development By-law or other regulations affecting the development that occurs before the permit is issuable. No permit that contravenes the by-law or regulations can be issued.
- 4.3 If this application necessitates the demolition of existing residential rental, per Section 10.14.2 and except as set out in section 10.14.3, where development necessitates the demolition of existing residential rental accommodation, no development permit shall be issued for the demolition unless and until a development permit for the new development has been issued.

Note to Applicant: The requirements listed above may be varied subject to the provisions outlined under Section 10.14.4.

- 4.4 The following comments have been made by the Building Review Branch:

The following comments are based on the preliminary drawings prepared by Quinkatla Development Planning dated Mar 12, 2026, for the proposed development permit application. This is a preliminary review only, to identify issues to be addressed to comply with Vancouver Building By-law #14343 as amended (VBBL 2025).

*** Please note that building permit applications must conform to Vancouver Building By-law #14343 (2025) as may be amended from time to time. Please see the following page: <http://vancouver.ca/your-government/vancouver-building-bylaw.aspx>.**

“To alter and convert this existing single detached house to a Multiple Conversion Dwelling containing three dwelling units providing two parking spaces in a detached carport having vehicular access from Point Grey Road.” Scope of work includes raising and relocating building within the site on a new foundation, and vertical addition at 3rd storey.

This is considered a Reconstruction of the existing dwelling.

The following information is to be included at Building Permit Application Stage:

As of September 14, 2025, all submissions are to be in accordance with the VBBL 2025.

- i. Alteration shall not increase the non-conformity of the existing building or create non-conformity with respect to VBBL 2025. All new work shall conform to VBBL 2025.
- ii. Provide BC Housing registration for reconstruction project or confirm not required.
- iii. This address consists of two parcels; parcels are to be consolidated prior to issuance of building permit to relocate building. Provide updated property survey showing single parcel prior to issuance.
- iv. Per VBBL 1.3.3.2 (2) this building requires Part 4 Structural design.
- v. A geotechnical report is required; ensure the report number, bearing and design values are referenced in the Part 4 design sheets.
- vi. Provide a Provincial site disclosure statement form (required with ground disturbance).
- vii. Per VBBL 1.3.3.2 (3), Part 5 design applies. Provide building envelope drawings, Schedule B (Arch), and Schedule D for building envelope review.
- viii. Alterations in the Reconstruction category shall comply with 11.3.2.4 (3). Provide energy checklist to confirm compliance with either the Prescriptive or Performance paths of 10.2.1.4.
- ix. A CRP Schedule A is required.
- x. ***This renovation is considered a Reconstruction under VBBL 11.5.2, with upgrade triggers of F4, S4, N4, and A4 to the entire building. Provide a code review to clarify existing conditions, and what upgrades are proposed.**
- xi. **Spatial separation and construction of exposing building faces is to be upgraded to conform to 9.10.14, or as permitted by acceptable alternatives of Part 11. All new work affecting limiting distance, including addition of exterior insulation, is to conform to VBBL 2025. Review all eaves and projections required to be non-combustible per 9.10.14.5 (6).**
- xii. **This building is required to be sprinklered per 11.5.4.2, in conformance to 9.10.1.3 (8). See also bulletin 2025-003-BU if applicable.**
- xiii. **Per VBBL 9.10.20.3, Indicate the Fire department access and Path of Travel for firefighters from the street curb to the primary entry of each dwelling unit, to comply with 3.2.5.5 and 3.2.5.6.**
- xiv. Confirm if building is being stratified.

- xv. Dwelling exits, and path of travel to street, are to be protected in compliance with VBBL 9.9.4.
- xvi. This is considered a 3-storey building under VBBL; relabel floor notations as 1st, 2nd, 3rd stories.
- xvii. Separation of residential suites and common spaces to conform to 9.10.9.16.
- xviii. Provision of a subfloor depressurization system for radon is now required per 9.13.4. Indicate location of vent rough-in within sections of basement slab, and location of vertical 4" conduit in interior walls venting to the roof.
- xix. All three suites are to comply fully with VBBL 3.8.5 Adaptable Dwelling units, including 3.8.5.3 *Entrance doors*.
- xx. Ventilation and heating of new suites is to conform to requirements of 9.32 and 9.33. Indicate locations of exterior heat pumps on site plan.
- xxi. Any work to the existing one-car garage requires upgrading as required by Part 11, including compliance with spatial separation and construction requirements of 9.10.14.

*Items marked with an asterisk have been identified as serious non-conforming Building By-law issues.

Written confirmation that the applicant has read and has understood the implications of the above noted comments is required and shall be submitted as part of the "prior to" response.

- 4.5 If this Development Application included a written notification of neighbouring property owners or other interested parties, a copy of this letter will be sent to all respondents advising them of the decision.
- 4.6 The Canadian Electrical Code regulates high voltage overhead conductor clearances from structures and dielectric liquid-filled transformer clearances from combustible building surfaces, doors, windows, and ventilation openings. All structures must have a horizontal distance of at least 3 m from existing BC Hydro high voltage overhead conductors. Combustible building surfaces, windows, doors, and ventilation openings must be located at least 6 m from dielectric liquid-filled, pole-mounted BC Hydro transformers, unless an acceptable non-combustible barrier is constructed between these transformers and combustible building surfaces, doors, windows, or ventilation openings.

Yours truly,

Madelaine Merkel | Project Coordinator
 Development Review Branch
 Madelaine.merkel@vancouver.ca
 T: 604.871.6278

MM/cg