

May 22, 2026

Mitch Sakumoto  
Merrick Architecture  
#300 - 839 Cambie Street  
Vancouver, BC  
V6B 2P4

**RE 222 KEEFER STREET, Vancouver, BC V6A 1X5**  
**Development permit application number DP-2026-00108**

On behalf of the Director of Planning, your application has been approved to alter the existing commercial and residential building (SRO) by upgrading/conversion of the dwelling units and adding additional washrooms, reducing the total number of rooms from 47 to 41.

A permit may be issued upon the completion of the revisions and conditions noted below under items 1.0 to 2.2 of this “prior-to permit issuance” letter.

**HOW TO RESPOND TO THIS LETTER**

**1. Write and sign a response letter.**

- Explain how you addressed each condition.
- Only changes made pursuant to addressing Prior To conditions are accepted as part of your response. Ensure all changes are clearly identified.
- *Provide a complete response to avoid delays or extra fees.*

**2. Ensure relevant documents have digital signatures and seals** from registered professionals.

- Review requirements at [vancouver.ca/permits-eplan](https://vancouver.ca/permits-eplan).

**3. Upload your response letter and documents.**

- Log into your permit account at [vancouver.ca/permit-apply](https://vancouver.ca/permit-apply).

**Questions?** Contact your Project Facilitator (details at end of letter).

- 1.0 Prior to the issuance of the Development Permit, final digital drawings shall be submitted, to the satisfaction of the Director of Planning.

## 2.0 Condition(s) to be met prior to the issuance of the Development Permit:

### **SRO/Supportive Housing conditions:**

- 2.1 Arrangements shall be made prior to issuance of the development permit for the General Manager of Arts Culture and Community Services to approve a Single Room Accommodation (SRA) Conversion/Demolition Permit to allow for the conversion and demolition of 6 SRA-designated rooms.

### **Heritage Conditions:**

- 2.2 Provision of the final version of the Statement of Significance.

### **Engineering Services conditions:**

- 2.3 Provision of encroachment agreements for existing and proposed structures encroaching onto Keefer Street and Lane.

**Note to Applicant:** Arrangements must be made to the satisfaction of the General Manager of Engineering Services and the Director of Legal Services for the existing cornices and bay windows on Keefer Street and proposed steel gutter and drainpipe in Lane that encroach onto City Street prior to the issuance of the Development permit. An application to the City Surveyor is required, for general information see the encroachment guide at:

<https://vancouver.ca/files/cov/building-encroachment-guide.pdf>

## 3.0 Development Permit Terms:

- 3.1 In accordance with Protection of Trees By-law Number 9958, the removal and replacement of trees is permitted only as indicated on the approved Development Permit drawings.
- 3.2 This Development Permit is valid for a period of 12 months from the date of issuance - unless otherwise validated by a Building Permit.
- 3.3 The property owner must fulfill requirements of Section 571(B) of the Vancouver Charter and Section 85.1(2) of the Land Title Act by submitting a complete and accurate Site Disclosure Statement and entering into legal agreements, if required, as follows: i) an agreement to remediate the site and contaminants that have migrated therefrom; and ii) a Section 219 Covenant to restrict occupancy until a Certificate of Compliance or Final Determination is issued by Ministry of Environment and Parks for the site, including any dedicated lands.
- 3.4 A qualified environmental consultant must be available to identify, characterize and appropriately manage any environmental media of suspect quality which may be encountered during any subsurface work. All work on the site must be conducted in compliance with British Columbia's Environmental Management Act and Contaminated Sites Regulation. In the event that contamination of any environmental media is encountered, a Contaminated Site Groundwater Quality Declaration or Waste Discharge Permit Application must be submitted prior to commencing dewatering activities.

#### 4.0 Notes to Applicant:

- 4.1 It should be noted that your Development Permit will be issued when you have complied with all the above conditions. However, if these conditions have not been complied with **on, or before December 31, 2026**, this Development Application may stand refused.
- 4.2 A new Development Application will be required for any significant changes. This approval is subject to any change in the Zoning and Development By-law or other regulations affecting the development that occurs before the permit is issuable. No permit that contravenes the by-law or regulations can be issued.
- 4.3 If this application necessitates the demolition of existing residential rental, per Section 10.14.2 and except as set out in section 10.14.3, where development necessitates the demolition of existing residential rental accommodation, no development permit shall be issued for the demolition unless and until a development permit for the new development has been issued.

**Note to Applicant:** The requirements listed above may be varied subject to the provisions outlined under Section 10.14.4.

- 4.4 If this Development Application included a written notification of neighbouring property owners or other interested parties, a copy of this letter will be sent to all respondents advising them of the decision.
- 4.5 The Canadian Electrical Code regulates high voltage overhead conductor clearances from structures and dielectric liquid-filled transformer clearances from combustible building surfaces, doors, windows, and ventilation openings. All structures must have a horizontal distance of at least 3 m from existing BC Hydro high voltage overhead conductors. Combustible building surfaces, windows, doors, and ventilation openings must be located at least 6 m from dielectric liquid-filled, pole-mounted BC Hydro transformers, unless an acceptable non-combustible barrier is constructed between these transformers and combustible building surfaces, doors, windows, or ventilation openings.

Yours truly,



Jonathan Borsa,  
jonathan.borsa@vancouver.ca  
(604) 871-6021