

Pavilion Hospital - Standard Operating Procedures

Document ID: PH-SOP-EQUIP-001

Title: Med

Table of Contents

1. Introduction

1. Introduction

1.1. Purpose and Scope

This docum

medical equ
incident rep
administrativ
operational
whether own

* Biomedica
medical equ

* Clinical S
faults via the

Any departm
Protocol (NE
for the new
rate. The rec

Upon Depart
Engineering
vendors and
equipment f
reliability, an
technical ap

For any eq
technical as
which conv
alignment w
directly by th

Upon arriva
Biomed will
assign a uni
serial numbe

1.2. Definitions

1.3. Roles and Responsibilities

2. General Equipment Acquisition and Deployment

2.1. New Equipment Request Protocol (NERP)

2.2. Vendor Selection and Vetting

2.3. Capital Expenditure Approval Process

2.4. Asset Tagging and Inventory Management

database be

2.5. Initial Inspection and Burn-in Period

All new critical
must undergo
run continuous
burn-in, a full
deployment.

3. Standard Usage Protocols

3.1. User Authentication and Access Control

Many advanced
trained personnel
Staff must not

3.2. Pre-Use Inspection Checklist (PUIC)

Before connecting
Pre-Use Inspection
minimum check

3.3. Standard Sanitation Procedures Post-Use

All medical
outlined in
hospital-app
high-touch s

3.4. Battery Management for Portable Devices

To maximize
"plug-when-
active use,
countertops.
is placed in

4. Maintenance and Calibration

4.1. Scheduled Preventative Maintenance (PM) Roster

Biomedical
quarterly, se
technicians
"PM in Prog

4.2. Calibration Records and Standards (NIST Traceability)

All calibration
Institute of S
readings, m

stickers indicate

4.3. Software and Firmware Update Policy

All software updates must be tested in a sandbox environment before deployment. Critical security updates must be deployed within 48 hours of release.

4.4. Unscheduled Maintenance Requests

For non-critical equipment, maintenance requests are handled during normal business hours. For critical equipment, requests are handled 24/7.

5. Faulty Equipment & Incident Reporting

5.1. Immediate Actions for Faulty Equipment

If any piece of equipment is found to be faulty, clinical staff must immediately report it to the IT department.

5.2. Procedure for Infusion Pumps

This section outlines the steps to take when an infusion pump displays an error code.

* General Infusion Pump Failure:

1. Remove the pump from service.

* Specific Case: Alaris Infusion Pump Error Code 525

* Problem: The device displays Error Code 525. The device is not pumping medication. The device must be replaced.

5.3. Procedure for Diagnostic Imaging Equipment

For any fault with diagnostic imaging equipment, the IT department must be notified immediately.

System Down
technician a

5.4. Procedure for Patient Monitoring Systems

This section
(critical, Lev

5.5. Procedure for Surgical Equipment

Any fault dis
nurse mana
be document

6. Decommissioning and Disposal

6.1. End-of-Life (EOL) Assessment Criteria

Equipment i
service life),
standards. T

6.2. Data Sanitization and Removal (HIPAA Compliance)

Before any c
process. Al
cryptographi
standards. A

6.3. Safe Disposal and Recycling Procedures

Pavilion Hos
disposed of
handled ac
coordinates

7. Appendix

7.1. Contact List

* Head of E

7.2. Form: PH-FORM-INC-001 - Equipment Incident Report

(A placehol
description o

7.3. Escalation Matrix for Critical Failures

* Level 1 (S