```
▽ Context Object (Context):
    Object Length: 8
    C-Num: Context Object (Context) (2)
    C-Type: 1
  ▷ Contents: R-Type: Configuration request, M-Type: 0
▽ Decision Object (Decision): Decision Flags (Mandatory)
    Object Length: 8
    C-Num: Decision Object (Decision) (6)
    C-Type: Decision Flags (Mandatory) (1)
  ▷ Contents: Command-Code: Install (Admit request/Install configuration), Flags: Trigger Error
▽ Decision Object (Decision): Client Specific Decision Data
    Object Length: 248
    C-Num: Decision Object (Decision) (6)
    C-Type: Client Specific Decision Data (4)
  ▽ MM Transaction ID
      Multimedia Transaction Identifier : 31913
      Gate Command Type               : Gate Set (4)
  ▽ AMID
      Application Manager ID Application Type : 1
      Application Manager ID Application Manager Tag : 1
  ▽ Subscriber ID (IPv4)
      Subscriber Identifier (IPv4): 10.32.115.143 (10.32.115.143)
```

```
▽ Gate Spec
  ▽ Flags                         : 0x01
      .... ...1 = Gate: Upstream
      .... ..0. = DSCP/TOS overwrite: Disabled
    DS Field (DSCP or TOS)        : 0x00
    DS Field (DSCP or TOS) Mask   : 0x00
  ▽ Session Class                 : Unspecified (0)
      .... .000 = SessionClassID Priority: 0
      .... 0... = SessionClassID Preemption: 0
      0000 .... = SessionClassID Configurable: 0
    Timer T1 Value (sec)          : 200
    Timer T2 Value (sec)          : 300
    Timer T3 Value (sec)          : 60
    Timer T4 Value (sec)          : 30
▽ Best Effort Service
    Envelope                      : 7
    Reserved
  ▽ Authorized Envelope
      Traffic Priority            : 0x05
      Reserved
      Request Transmission Policy: 0x00000000
      Maximum Sustained Traffic Rate : 0
      Maximum Traffic Burst       : 1522
      Minimum Reserved Traffic Rate : 0
      Assumed Minimum Reserved Traffic Rate Packet Size : 0
```

```
                                           . ......
  ▽ Reserved Envelope
     Traffic Priority              : 0x00
     Reserved
     Request Transmission Policy: 0x00000000
     Maximum Sustained Traffic Rate : 0
     Maximum Traffic Burst       : 0
     Minimum Reserved Traffic Rate : 0
     Assumed Minimum Reserved Traffic Rate Packet Size : 0
     Reserved                     : 0x0000
  ▽ Committed Envelope
     Traffic Priority              : 0x00
     Reserved
     Request Transmission Policy: 0x00000000
     Maximum Sustained Traffic Rate : 0
     Maximum Traffic Burst       : 0
     Minimum Reserved Traffic Rate : 0
     Assumed Minimum Reserved Traffic Rate Packet Size : 0
     Reserved                     : 0x0000
▽ Extended Classifier
     Protocol ID                 : 6
     DS Field (DSCP or TOS)      : 0x00
     DS Field (DSCP or TOS) Mask : 0x00
     Source address: 10.32.215.143 (10.32.215.143)
     Source mask: 0.0.0.0 (0.0.0.0)
     Destination address: 10.32.0.234 (10.32.0.234)
     Destination mask: 0.0.0.0 (0.0.0.0)
     Source IP Port              : 0
     Source Port End             : 0
     Destination IP Port         : 8081
     Destination Port End        : 8081
     ClassifierID                : 0x67dd
     Priority                    : 0x3f
     Activation State            : 0x01
     Action                      : 0x00
```