```
. . . . . . .
▼ Decision Object (Decision): Client Specific Decision Data
    Object Length: 200
    C-Num: Decision Object (Decision) (6)
    C-Type: Client Specific Decision Data (4)

▼ MM Transaction ID

      Multimedia Transaction Identifier : 3829
      Gate Command Type : Gate Set (4)
  Application Manager ID Application Type : 1
      Application Manager ID Application Manager Tag : 1
  Subscriber Identifier (IPv4): 10.32.104.190 (10.32.104.190)
  : 0x01
        .... 1 = Gate: Upstream
        .... ..0. = DSCP/TOS overwrite: Disabled
      DS Field (DSCP or TOS) : 0x00
      DS Field (DSCP or TOS) Mask : 0x00

✓ Session Class

                                 : Unspecified (0)
        .... .000 = SessionClassID Priority: 0
        .... O... = SessionClassID Preemption: O
        0000 .... = SessionClassID Configurable: 0
      Timer T1 Value (sec)
                          : 200
      Timer T2 Value (sec) : 300
      Timer T3 Value (sec) : 0
      Timer T4 Value (sec) : 0
```

```
▽ Best Effort Service
    Envelope
                                 : 7
    Reserved

    ✓ Authorized Envelope

      Traffic Priority
                                   : 0x00
      Reserved
      Request Transmission Policy: 0x00000000
      Maximum Sustained Traffic Rate : 2500000
      Maximum Traffic Burst
                                   : 3044
      Minimum Reserved Traffic Rate : 0
      Assumed Minimum Reserved Traffic Rate Packet Size : 0
      Maximum Concatenated Burst
      Required Attribute Mask
      Forbidden Attribute Mask
      Attribute Aggregation Rule Mask : 0

▼ Reserved Envelope

      Traffic Priority
                                   : 0x00
      Reserved
      Request Transmission Policy: 0x00000000
      Maximum Sustained Traffic Rate : 2500000
      Maximum Traffic Burst
                                   : 3044
      Minimum Reserved Traffic Rate : 0
      Assumed Minimum Reserved Traffic Rate Packet Size : 0
      Maximum Concatenated Burst
      Required Attribute Mask
      Forbidden Attribute Mask
      Attribute Aggregation Rule Mask : 0
```

```
Traffic Priority
                                  : 0x00
      Reserved
      Request Transmission Policy: 0x00000000
      Maximum Sustained Traffic Rate : 2500000
      Maximum Traffic Burst
                                  : 3044
      Minimum Reserved Traffic Rate : 0
      Assumed Minimum Reserved Traffic Rate Packet Size : 0
      Maximum Concatenated Burst
      Required Attribute Mask : 0
      Forbidden Attribute Mask : 0
      Attribute Aggregation Rule Mask : 0

▼ Extended Classifier

    Protocol ID
    DS Field (DSCP or TOS) : 0x00
    DS Field (DSCP or TOS) Mask : 0x00
    Source address: 10.32.204.142 (10.32.204.142)
    Source mask: 0.0.0.0 (0.0.0.0)
    Destination address: 10.32.0.208 (10.32.0.208)
    Destination mask: 0.0.0.0 (0.0.0.0)
    Source IP Port
                                : 8081
    Source Port End
                                : 8081
    Destination IP Port
    Destination Port End : 0
    ClassifierID
                                : 0x0001
    Priority
                                : 0x45
    Activation State
                                : 0x01
    Action
                                : 0x00
```