
PYTHIA Event 0, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 2, √s_NN = 2.76 TeV
anti-k_T R = 0.2, p_T^Hard ∈ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, p_T^Hard ∈ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^jet [GeV]


PYTHIA Event 3, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 4, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 5, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 6, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 7, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, p_T^{Hard} ∈ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, p_T^{Hard} ∈ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 8, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 17, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 35, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 70, √s_NN = 2.76 TeV
anti-k_T R = 0.2, p_T^Hard ∈ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, p_T^Hard ∈ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^jet [GeV]


PYTHIA Event 72, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 76, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 78, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 80, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 105, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 119, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 140, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 173, √sNN = 2.76 TeV
anti-kT R = 0.2, pTHard ∈ [169,190]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-kT R = 0.2, pTHard ∈ [169,190]
ϕ [rad]
Pseudorapidity η
pTjet [GeV]


PYTHIA Event 175, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 210, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 236, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
10
1
10^{-1}


PYTHIA Event 245, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 280, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, p_T^{Hard} ∈ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, p_T^{Hard} ∈ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 315, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.2, $p_T^{Hard} \in$ [169,190]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]