
PYTHIA Event 0, √sNN = 0.20 TeV
anti-kT R = 0.4, pTHard ∈ [5,7]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-kT R = 0.4, pTHard ∈ [5,7]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 150, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 206, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 226, √s_NN = 0.20 TeV
anti-k_T R = 0.4, p_T^Hard ∈ [5,7]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, p_T^Hard ∈ [5,7]
ϕ [rad]
Pseudorapidity η
p_T^jet [GeV]


PYTHIA Event 300, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 414, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 450, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 493, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in [5,7]$
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 600, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 696, √sNN = 0.20 TeV
anti-kT R = 0.4, pTHard ∈ [5,7]
FastJet ver. 3.4.1
charged jet anti-kT R = 0.4, pTHard ∈ [5,7]
ϕ [rad]
Pseudorapidity η
pTjet [GeV]
1
10−1
10−2


PYTHIA Event 750, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 900, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1050, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1127, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
3
2
1
0
−1
−2
−3
−1
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
0.6
0.8
1
10^{-1}
10^{-2}


PYTHIA Event 1200, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [5,7]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1350, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1500, $\sqrt{s_{NN}}$ = 0.20 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in [5,7]$
ϕ [rad]
Pseudorapidity η