
PYTHIA Event 0, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 5, √sNN = 2.76 TeV
anti-kT R = 0.4, pTHard ∈ [12,16]
FastJet ver. 3.4.1
charged jet anti-kT R = 0.4, pTHard ∈ [12,16]
ϕ [rad]
Pseudorapidity η
pTjet [GeV]


PYTHIA Event 9, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


PYTHIA Event 10, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


PYTHIA Event 13, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 14, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 15, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
10
1
10^{-1}


PYTHIA Event 17, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


PYTHIA Event 20, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 28, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 40, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


PYTHIA Event 200, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 231, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
p_T^{jet} [GeV]


PYTHIA Event 269, √s_NN = 2.76 TeV
anti-k_T R = 0.4, p_T^Hard ∈ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, p_T^Hard ∈ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^jet [GeV]


PYTHIA Event 400, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 597, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 600, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 800, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


PYTHIA Event 824, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 1000, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1137, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]


PYTHIA Event 1200, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1400, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1496, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η
p_T^{jet} [GeV]
1
10^{-1}
10^{-2}


FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1600, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k$_T$ R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η


PYTHIA Event 1800, $\sqrt{s_{NN}}$ = 2.76 TeV
anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
FastJet ver. 3.4.1
charged jet anti-k_T R = 0.4, $p_T^{Hard} \in$ [12,16]
ϕ [rad]
Pseudorapidity η