



Cases 1–3 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 4–6 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 7–9 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 10–12 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 13–15 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 16–18 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 19–21 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 22–24 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 25–27 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 28–30 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 31–33 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 34–36 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 37–39 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 40–42 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 43–45 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 46–48 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 49–51 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 52–54 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 55–57 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 58–60 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 61–63 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 64–66 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 67–69 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 70–72 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 73–75 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.


Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 76–78 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.

Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.



Cases 79–81 of 81. LG and canopy cover are predicted separately; DE is their difference.

Grey: quadratic. Blue: amplitude cap. Black: observed. Training and retrospective tests are reported separately.

Half-widths use held-out training errors and are fixed by indicator and year. Year 1 is not scored; future observations are not imputed.