1. class Main {

```
  public static void main(String[] args) {

    int first = 10;
    int second = 20;

    // add two numbers
    int sum = first + second;
    System.out.println(first + " + " + second + " = "  + sum);
  }
}
```

```
10 + 20 = 30

=== Code Execution Successful ===
```

2. public class MultiplyTwoNumbers {

```
    public static void main(String[] args) {

        float first = 1.5f;
        float second = 2.0f;

        float product = first * second;

        System.out.println("The product
```

```
The product is: 3.0

=== Code Execution Successful ===
```

3. public class AsciiValue {

```java
    public static void main(String[] args) {

        char ch = 'a';
        int ascii = ch;
        // You can also cast char to int
        int castAscii = (int) ch;

        System.out.println("The ASCII value of " + ch + " is: " + ascii);
        System.out.println("The ASCII value of " + ch + " is: " +
castAscii);
    }
}
```

```
The product is: 3.0

=== Code Execution Successful ===
```

4. public class QuotientRemainder {

```java
  public static void main(String[] args) {

    int dividend = 25, divisor = 4;

    int quotient = dividend / divisor;
    int remainder = dividend % divisor;

    System.out.println("Quotient = " + quotient);
    System.out.println("Remainder = " + remainder);
  }
}
```

```
Quotient = 6
Remainder = 1

=== Code Execution Successful ===
```

5. public class SwapNumbers {

```
    public static void main(String[] args) {

        float first = 1.20f, second = 2.45f;

        System.out.println("--Before swap--");
        System.out.println("First number = " + first);
        System.out.println("Second number = " + second);

        // Value of first is assigned to temporary
        float temporary = first;

        // Value of second is assigned to first
        first = second;

        // Value of temporary (which contains the initial value of first)
is assigned to second
        second = temporary;

        System.out.println("--After swap--");
        System.out.println("First number = " + first);
        System.out.println("Second number = " + second);
    }
}
```

```
--Before swap--
First number = 1.2
Second number = 2.45
--After swap--
First number = 2.45
Second number = 1.2

=== Code Execution Successful ===
```

6. import java.util.Scanner;

```
public class EvenOdd {

    public static void main(String[] args) {

        Scanner reader = new Scanner(System.in);

        System.out.print("Enter a number: ");
        int num = reader.nextInt();
```

```
        if(num % 2 == 0)
            System.out.println(num + " is even");
        else
            System.out.println(num + " is odd");
    }
}
```

```
Output

Enter a number: 27
27 is odd

=== Code Execution Successful ===
```

7. public class VowelConsonant {

```
    public static void main(String[] args) {

        char ch = 'i';

        if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u' )
            System.out.println(ch + " is vowel");
        else
            System.out.println(ch + " is consonant");

    }
}
```

```
i is vowel

=== Code Execution Successful ===
```

8. public class Largest {

```
    public static void main(String[] args) {
```

```
        double n1 = -4.5, n2 = 3.9, n3 = 2.5;

        if( n1 >= n2 && n1 >= n3)
            System.out.println(n1 + " is the largest number.");

        else if (n2 >= n1 && n2 >= n3)
            System.out.println(n2 + " is the largest number.");

        else
            System.out.println(n3 + " is the largest number.");
    }
}
```

```
3.9 is the largest number.

=== Code Execution Successful ===
```

9.
```
public class QuotientRemainder {

  public static void main(String[] args) {

    int dividend = 25, divisor = 4;

    int quotient = dividend / divisor;
    int remainder = dividend % divisor;

    System.out.println("Quotient = " + quotient);
    System.out.println("Remainder = " + remainder);
  }
}
```

```
Quotient = 6
Remainder = 1

=== Code Execution Successful ===
```

10.
```
import java.util.Scanner;
```

```java
public class EvenOdd {

    public static void main(String[] args) {

        Scanner reader = new Scanner(System.in);

        System.out.print("Enter a number: ");
        int num = reader.nextInt();

        if(num % 2 == 0)
            System.out.println(num + " is even");
        else
            System.out.println(num + " is odd");
    }
}
```

```
Enter a number: 1
1 is square

=== Code Execution Successful ==
```