

STEVENS INSTITUTE OF TECHNOLOGY

# SYS-601 Homework Cover Sheet

Date:

HW #:

Author:

Collaborators:

# Homework 7

## 7.1 Revisiting Super Bowl Coin Flips

Recall the Super Bowl coin flip problem. Assume the random variable X is defined as:

$$X = \begin{cases} 0 & \text{NFC wins coin flip} \\ 1 & \text{AFC wins coin flip} \end{cases}$$

(a) If the coin were fair (50/50 chance of winning a flip), what is the theoretical:

i) Probability mass function  $p(x)$  (Hint: don't over-think this)

Solution

PMF for all the values  $p(x) = 1/2$

ii) Population mean  $\mu_0 = \sum_{i=0}^1 p(i) \cdot i$

Solution

Mean = 0.5

iii) Population standard deviation  $\sigma_0$  or variance  $\sigma_0^2 = \sum_{i=0}^1 p(i) \cdot (i - \mu_0)^2$

Solution

$$\sigma_0^2 = 0.5 \times (1 - 0.5)^2 + 0.5 \times (0 - 0.5)^2$$

$$= 0.25$$

$$\sigma_0 = 0.5$$

(b) Compute the following for N = 52 observed values of X in superbowl.csv:

i) Sample mean  $\bar{x}$

Solution

$$\bar{x} = 0.3269$$

ii) Sample standard deviation  $s_x$  or variance  $s_x^2$


Solution

$$s_x = 0.473$$

$$s_x^2 = 0.2243$$

(c) Create a plot of the PDF  $f(\bar{x})$  for values  $0 \leq \bar{x} \leq 1$  using the Central Limit Theorem to model the distribution of sample means for  $N = 52$  trials.

Solution



(d) Perform a hypothesis test for the following:

$$H_0: \mu_x = \mu_0$$

$$H_a: \mu_x \neq \mu_0$$

Report the p-value and determine whether  $H_0$  can be rejected at  $\alpha = 0.05$ .

Solution

$$z = \frac{\bar{x} - \mu_0}{\sigma / \sqrt{N}}$$

$$\therefore z = -4.99$$

$$p = 2 \times (1 - F_{norm}(|z|))$$

$$\therefore p = 6.04 \times 10^{-7}$$

We cannot accept  $H_0$

(e) What can you conclude about the validity of the Superbowl coin flip?

Solution:

The value of  $z$  and  $p$  are not normal. Therefore we can assume that the coin flip is one-sided.

## 7.2 GRE Tutoring Service

A \$1799 tutoring service advertises a significant increase in verbal reasoning GRE score. The attached file gre.csv contains a set of  $N = 100$  samples of pre- and post-test scores for participating students.

Sample Space

	pre	post
N	100	100
mean	149.08	150.9
std div (Sample)	8.829107	10.30593

(a) Assuming the pre- and post-test data are not related (i.e. randomly ordered), perform a hypothesis test for the following:

$$H_0: \mu_{pre} = \mu_{post}$$

$$H_a: \mu_{pre} < \mu_{post}$$

Report the p-value and determine whether  $H_0$  can be rejected at  $\alpha = 0.05$

Solution:

$$z = \frac{(\bar{x}_1 - \bar{x}_2) - \delta}{\sqrt{\frac{\sigma_1^2}{N_1} - \frac{\sigma_2^2}{N_2}}}$$

$$z = \frac{(150.9 - 149.08) - 0}{\sqrt{\frac{10.31^2}{100} - \frac{8.83^2}{100}}}$$

$$\therefore z = 1.34$$

$$P = F_{\text{norm}}(|z|)$$

$$= 0.089$$

When  $\alpha = 0.05$  the z bounds are between  $[-1.96, 1.96]$  so we can assume the hypothesis to be correct.

(b) Do the results in (a) support the tutoring service's advertising claim?

Solution:

Yes, the advertisement claim and the dataset support each other.

(c) Assuming the pre- and post-test data are related (i.e. paired from the same student), perform a hypothesis test for the following:

$$H_0: \mu_{pre} = \mu_{post}$$

$$H_a: \mu_{pre} < \mu_{post}$$

Report the p-value and determine whether  $H_0$  can be rejected at  $\alpha = 0.05$

Solution

p-value = 0.0034 {using t test}

The p-value is too small to be considered for the hypothesis to be true.

(d) Do the results in (c) support the tutoring service's advertising claim?

Solution:

The claim seems to be false. There is no significant difference in the dataset.

(e) Are the results in (c) practically significant? Would you buy the service? Why?

Solution:

There is very less significant increase in marks & are therefore not practically significant. I wouldn't buy these services because there are very few people who benefit from these services.