

OpenAPI definition v0 OAS 3.0

/v3/api-docs

Servers

http://localhost:8080 - Generated server url ▾

rider-controller

PUT /api/rider/updateStatus

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
    "riderId": 0,  
    "status": "AVAILABLE"  
}
```

Responses**Code****Description****Links**

200

OK

No links

PUT /api/rider/updateLocation

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
    "riderId": 0,  
    "latitude": 0,  
    "longitude": 0  
}
```

Responses**Code****Description****Links**

200

OK

No links

POST /api/rider/create

^

Parameters

Try it out

No parameters

Request body required

application/json

[Example Value](#) | [Schema](#)

```
{  
    "email": "string",  
    "phoneNo": "string"  
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "riderId": 0,  
    "email": "string",  
    "phoneNo": "string",  
    "status": "AVAILABLE",  
    "latitude": 0,  
    "longitude": 0  
}
```

user-controller

POST /api/users/create

Try it out

Parameters

No parameters

Request body required

application/json

[Example Value](#) | [Schema](#)

```
{  
    "email": "string",  
    "address": "string",  
    "latitude": 0,  
    "longitude": 0  
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "userId": 0,  
    "email": "string",  
    "address": "string"  
}
```

restaurant-controller

POST /api/restaurant/register

Parameters

[Try it out](#)

No parameters

Request body required

[Example Value](#) | [Schema](#)

```
{  
    "name": "string",  
    "email": "string",  
    "phoneNo": "string",  
    "address": "string",  
    "status": "OPEN",  
    "latitude": 0,  
    "longitude": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	--------------------------

Media type

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "id": 0,  
    "name": "string",  
    "email": "string",  
    "phoneNo": "string",  
    "address": "string",  
    "status": "OPEN",  
    "latitude": 0,  
    "longitude": 0,  
    "dishes": [  
        {  
            "id": 0,  
            "name": "string",  
            "price": 0  
        }  
    ]  
}
```

POST /api/restaurant/add-dish

[Try it out](#)

Parameters

No parameters

Request body required

[Example Value](#) | [Schema](#)

```
{  
    "restaurantId": 0,  
    "name": "string",  
    "price": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	--------------------------

Media type

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "id": 0,  
    "name": "string",  
    "price": 0  
}
```

GET /api/restaurant/{restaurantId}/dishes ^

Parameters

Try it out

Name	Description
------	-------------

restaurantId * required
integer(\$int64)
(path)

restaurantId

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/



Controls Accept header.

[Example](#) [Value](#) | [Schema](#)

```
[  
    {  
        "id": 0,  
        "name": "string",  
        "price": 0  
    }  
]
```

GET /api/restaurant/nearby ^

Parameters

Try it out

Name	Description
------	-------------

restaurantNearbyDTO * required
object
(query)

```
{  
    "latitude": 0,  
    "longitude": 0,  
    "distance": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/



Controls Accept header.

[Example](#) [Value](#) | [Schema](#)

```
[  
    {  
        "restaurantId": 0  
    }  
]
```

```
    "restaurantId": 0,
    "restaurantName": "string",
    "address": "string",
    "deliveryTime": {
        "hour": 0,
        "minute": 0,
        "second": 0,
        "nano": 0
    }
}
```

order-controller

^

POST /api/order/place-order

Try it out

Parameters

No parameters

Request body required

application/json

Example Value | Schema

```
{
    "userId": 0,
    "restaurantId": 0,
    "dishIds": [
        0
    ]
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/*

Controls Accept header.

Example Value | Schema

```
{
    "id": 0,
    "user": {
        "userId": 0,
        "email": "string",
        "address": "string"
    },
    "restaurant": {
        "id": 0,
        "name": "string",
        "email": "string",
        "phoneNo": "string",
        "address": "string",
        "status": "OPEN",
        "latitude": 0,
        "longitude": 0,
        "dishes": [
            {
                "id": 0,
                "name": "string",
                "price": 0
            }
        ],
        "rider": {

```

GET /api/order/user/all-orders/{userId}

Try it out

Parameters

Name Description

userId * required

integer(\$int64)
(path)

userId

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) | [Schema](#)

```
[  
  {  
    "id": 0,  
    "user": {  
      "userId": 0,  
      "email": "string",  
      "address": "string"  
    },  
    "restaurant": {  
      "id": 0,  
      "name": "string",  
      "email": "string",  
      "phoneNo": "string",  
      "address": "string",  
      "status": "OPEN",  
      "latitude": 0,  
      "longitude": 0,  
      "dishes": [  
        {  
          "id": 0,  
          "name": "string",  
          "price": 0  
        }  
      ]  
    },  
  },  
]
```

GET /api/order/rider/all-orders/{riderId}

Try it out ^

Parameters

Name	Description
riderId * required	integer(\$int64) (path)

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) | [Schema](#)

```
[  
  {  
    "id": 0,  
    "user": {  
      "userId": 0,  
      "email": "string",  
      "address": "string"  
    },  
    "restaurant": {  
      "id": 0,  
      "name": "string",  
      "email": "string",  
      "phoneNo": "string",  
      "address": "string",  
      "status": "OPEN",  
      "latitude": 0,  
      "longitude": 0,  
      "dishes": [  
        {  
          "id": 0,  
          "name": "string",  
          "price": 0  
        }  
      ]  
    },  
  },  
]
```

GET /api/order/info/{orderId}

^

Parameters

Try it out

Name	Description
orderId * required integer(\$int64) (path)	orderId

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
    "id": 0,  
    "user": {  
        "userId": 0,  
        "email": "string",  
        "address": "string"  
    },  
    "restaurant": {  
        "id": 0,  
        "name": "string",  
        "email": "string",  
        "phoneNo": "string",  
        "address": "string",  
        "status": "OPEN",  
        "latitude": 0,  
        "longitude": 0,  
        "dishes": [  
            {  
                "id": 0,  
                "name": "string",  
                "price": 0  
            }  
        ]  
    },  
    "rider": {}  
}
```

Schemas

^

RiderStatusUpdateDTO >

RiderLocationUpdateDTO >

UsersDTO >

Users >

RiderDTO >

Rider >

RestaurantDTO >

Dish >

Restaurant >

DishDTO >

OrderDTO >

Order >

RestaurantNearbyDTO >

LocalTime >

RestaurantNearbyResponseDTO >