

Be The Change - A Fundraiser Website

A Project Report

Submitted by

Sara Dharadhar-B024

Rhea Gupta-B031

Vanshika Gupta-B032

Anyia Jain-B036

Under the Guidance of

Prof. Abhishek Vichare

*in partial fulfillment for the award of the
degree of*

B.TECH

COMPUTER ENGINEERING

At



**MUKESH PATEL SCHOOL OF
TECHNOLOGY MANAGEMENT
ENGINEERING, NMIMS,
MUMBAI
APRIL , 2020**

INDEX

SECTION	TOPIC	PAGE NO.
1	INTRODUCTION	3-9
2	TECHNOLOGIES USED	10
3	SCREENSHOTS	11-14
4	CONCLUSION	15
5	CODE	16-52

1. INTRODUCTION

Be The Change, in simple terms, is a platform to raise funds in various ways to help those in need. We plan to associate our website with some NGOs, who shall receive the earnings of the website.

What makes our site different from others?

Our website offers you the opportunity to choose who you want to help. A display of all the current events and emergencies is shown, from which you can donate for one or many particular causes like rape victims, the homeless, old age homes etc.

What makes our site more interesting, is that there are various modes of donation. Apart from the authentic funds donation, we also have a merchandise page wherein we display our products, and on shopping, 90% of the proceeds go to the NGO of your choice. Our merchandise is updates with all the recent scenarios and are related to them.

Another method of donating to a cause is by attending fundraisers around the city. These are events that are held all over the city and require a minimal entry fee, which goes to the NGO affiliated with that event. Our website simply displays all the events happening around town along with the details.

These events could include an open mic night, stand up comedy live band and other such fun things.

1.1 NEED OF THE WEBSITE

In recent times the rate of natural calamities, cyberbullying , rape, medical emergencies has gone up drastically. The case of rape has been increasing in our country by large folds. WHO has declared a pandemic because of the coronavirus and many such things. If there is ever a time of desperate need for this website, it is now.

Sometimes the people who are victims of these situations prevailing the world in today's time do not have the means to take care of themselves and to cure themselves, and there is only so much the government can do.

However if we individually would give even something small, to the best of our abilities, to these people in need, it would make a world of a difference.

The major issue associated with these incidents is the lack of awareness and the lack of mediums to share the pain and show help and support to the victims.

Most of the time, the public gets to know about the situation very late and even if we do know about it in good time we don't know how to provide help for it.

There are a few fundraisers available online but they are either for no particular cause or for just one cause in particular. Moreover, these fundraisers attract most of the elderly because there is nothing much in it to attract the youth and to make them realise the gravity of the situation.

Hence we decided it is time for a change. This fundraiser website will not only be different to all the other fundraisers in terms of main aspect but will also have things like quirky merchandise to get the attention of the younger generation and teach them how helping others is a very beautiful feeling.

1.2 TARGET AUDIENCE


As mentioned earlier, we aim to target not only the elderly, but the youth as well. Our merchandise section is made predominantly to attract the young adults. They have a plethora of clothing items to choose from, and purchase. Hence, our target audience would be the young adults, middle aged & elderly : ages 15-80.

1.3 FUNCTIONALITIES


- **Home Page:** where you can browse through the various donation causes, fundraiser events and merchandise page.
- **Sign up/Login:** However if you want to make a donation you will be directed to the signup page where you will be requested to register.
- **Direct donation:** There is a page for direct donation where you can donate via paytm or credit card.
- **Shop:** There is a page to buy our merchandise which displays all the clothing items that the user can buy.
- **Events:** There is a page to view details of all the fundraiser events happening around town.
- **Contact Us:** There is a contact us page incase the user requires any help.


1.4 FLOW DIAGRAMS

Use case




Activity Diagram







Class Diagram




Sequence Diagram




Collaboration Diagram




State Diagram



Component Diagram



Deployment Diagram



Test Cases


Test Case Id	Test Case	Priority	Precondition	Input Test/data	Steps to be executed	Expected result	Actual Result	Pass/Fail
1.	Test if the user is able to login successfully	A	User must be registered on the website	Correct username and password	1)Enter input(correct username and password on the respective fields 2)click submit/login	User must successfully login to the web page	User is able to login and view Home Page	Pass
2	Test if the user is able to donate through the Donate section	B	User must be logged in	1)Amount entered should be a positive float number. 2) Valid card number and CVV	1)Enter amount 2)Click on "Proceed to payment portal" 3)Enter card details 4)Click on Submit to authenticate using OTP	User successfully should be able to donate a positive amount and receive a confirmation mail	User re enters a positive amount and enters details to receive confirmation mail.	Pass
3	Test if the user can donate an invalid amount	B	User must be logged in	1)Enter a non-positive amount	1)Enter non Positive amount 2) 2)Click on "Proceed to payment portal"	Error message should be displayed, asking user to enter a VALID amount	"Please enter a valid amount" Message is displayed.	Pass
4	Test if the user is able to add products to cart	C	User must be logged in and on the Merchandise page		1)Click on "add to cart" on a desired product 2)Click on the Cart icon on top right corner of screen	The selected product must be visible in the cart list, and an option to checkout / continue shopping should be available.	Cart displays the product selected by the user	Pass
5	Test if the user is able to view events	B	User must be logged in		1)Click on the tab from menu bar that says "Fundraisers"	Either a list of 1 or more upcoming events should be displayed, or a message saying "No Upcoming Events"	Upcoming Charity Food Fest is listed with venue & Time details	Pass

2. TECHNOLOGIES USED


- For the development of our project we made use of the **ReactJS framework**.
ReactJS is an open source JavaScript library developed by Facebook that is utilized to create user interfaces for single page apps.
- The key object of ReactJS is to offer the best possible rendering functionality. It gets its strength by focusing on separate components.
- Rather than working on the whole website application, ReactJS permits a us to impart the complex UI into easier and reusable components.
- Without reloading web pages, react allows you to make certain changes in web app data. The features or purpose of this is to be easy, efficient, and quick in making a user interface for apps.
- In order to work with ReactJS efficiently, you need to have knowledge regarding JavaScript, **CSS**, and **HTML5**. Although ReactJS doesn't utilize HTML, JSX is quite the same as it.
- Other than React, we used **Firebase & Cloud Firestore** for authentication and to integrate our database with our website.

3. SCREENSHOTS

Login/Sign Up



[Home Page](#)



OUR SERVICES



Choose a Foundation
Discover the NGOs tied up with us that are looking for a contribution, and make a contribution via online transaction. *convenience fee applicable



Discover upcoming events
Learn about the upcoming events near you to volunteer or visit.



Buy Merchandise
Our NGO partners provide our donors various products the proceeds of which are used to raise funds.

WHY DONATE THROUGH US



Super Convenient
Donate reusable items from the convenience of your house. Avail doorstep pickup and get your donations delivered to the ones in need.



Feel Good Factor
Giving gives you pleasure and makes you happier bringing a positive and uplifting effect on you.



Your Donations are Valued
We make sure your donations reach someone who really requires them by delivering them to the beneficiaries directly.



Transparent Process
Your donations reaches the beneficiaries as it is through our verified trusted partner NGOs audited on regular basis



Help those in need
We surprise you time to time by sending you our exclusive "happiness box" containing surprise goodies and vouchers for you.



Save the Environment
Keep your unwanted belongings out of landfill by giving them a new life and getting them in hands of someone who really requires them.

NGOs



Mobility India



Sambhav Foundation



Accept Society

Be The Change

BeTheChange © 2020

MPSTME
Vile Parle (W), Mumbai - 40

02226203087


support@bethethechange.org

[f](#) [t](#) [in](#)


Upcoming Campaigns

BE THE CHANGE
UPCOMING CAMPAIGNS
DONATE
MERCH
ABOUT US
CONTACT US
🛒
⚙️


Find a Fundraiser near you




Help the orphans
4th March
5pm
Estella (Juhu)



Support LGBTQ+
10th March
6pm
Time and Again (Lokhandwala)



Flood Relief
3th March
6pm
Little Doori(Bandra)



Support Rape Victims
19th March
1pm
Juhu Gymkhana Club

Be The Change

BeTheChange © 2020

MPSTME
Vile Parle (W), Mumbai - 40

02226203087

support@bethethechange.org

[f](#) [t](#) [in](#)


Donation Page

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US

Make a Donation


Choose a foundation you would like to support.



Sambhav Foundation
To Enable Dignity and Livelihood Of The Disadvantaged And The Differently Abled

Sambhav Foundation Focuses On Synergizing Efforts And Resources To Provide A Strong Platform To Address Issues In Education, Women Empowerment, Skill Development And The Differently Abled. It Aims To Bring In Socio-Economic Change And Enable Them To Obtain A Sustainable Livelihood.


Donate Now



Accept Society
A non profit care home registered under Karnataka Societies Act No 776/99-2000.

Accept exists to provide care and support for anyone in need. Whether in word or deed we do all things within our God given capacity, in the love of Lord Jesus Christ. Accept aims to glorify God by providing wholistic care and life transformation through various services offered for the needy.

Donate Now



Mobility India
Progressive force in the disability, development and rehabilitation sector.

MI's vision of an inclusive community, points to a future in which there is greater equity and neglected sections specifically people with disabilities, elderly population and other disadvantaged groups. MI's reach over the last twenty four years has been in South, East, North-Eastern States of India.

Donate Now









Merchandise Page

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US

Merchandise


All proceeds from sales are divided among our NGOs.



Product Page

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US



MENS

NEON CITY TRACKSUIT

I'm baby tote bag twee kombucha selfies. Dreamcatcher neutra kitsch ugh, brooklyn chambray hexagon pok pok shabby chic. Subway tile cold-pressed YOLO milkshk, marfa selfies shaman. Cochujang coloring book disrupt tth offal chia, humblebrag direct trade marfa narwhal seitan. Farm mixtape succulents literally vice glossier. Cliche gentrify aesthetic, tildie marfa fanny pack 8-bit la croix drinking vinegar.

SIZES

☐ S ☐ M ☐ L ☐ XL ☐ XXL

₹ 1,599 ADD TO CART BUY NOW

Shopping Cart

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US

Shopping Bag

FLAME FEVER JACKET

Size: S

Price: \$300

NEON CITY TRACKSUIT

Size: S

Price: \$300

TROPICAL CAMO SHEETER

Size: S

Price: \$300

PRIDE TRADEMARK T-SHIRT

Size: S

Price: \$300

NEON CITY TRACKSUIT

Size: S

Price: \$450

NEON CITY TRACKSUIT

Size: S

Price: \$450

BEDROOM CAMO FLEECE JACKET

Size: S

Price: \$300

NEON CITY TRACKSUIT

Size: S

Price: \$450

Our Story

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US

Our Story









On our platform, you can donate to a nonprofit with confidence. Our robust due diligence process covers legal, compliance, financial and impact checks for each donation made to any non-profit, including in-person visits to beneficiaries and actual feedback reports. We do all this so that our donors can donate with confidence that their giving is indeed doing what it's supposed to - change lives.

Here is why you should donate through BTC:

- Choice: 200+ organizations to donate to
- Simple: Give at a click of a button
- Convenience: Contribute monthly with ease
- Credible - Donate with confidence to the verified partner NGOs of BTC.
- Scale - Make a big impact with your small amounts. Donate as little as Rs.110/ month

„And much more!

Through our Online Giving platform, we bring both convenience and choice together for donors in a safe and high-trust environment.



Contact Us

BE THE CHANGE

UPCOMING CAMPAIGNSDONATEDONATEMERCHABOUT USCONTACT US

Hello!

Fill in your details & we will get back to you ASAP!

First Name

Last Name

Phone Number

Message(optional) - Eg. Regarding volunteer work

Submit

14

4. CONCLUSION

After months of hard work & perseverance, we feel not only knowledgeable, but proud as well, to be able to create something that will benefit those in need.

Through this journey, we have gained in-depth knowledge of the Fundamentals of Web Technology:

- To create a website using programming languages like HTML & JavaScript.
- We learnt to add format and styling using CSS and make our UIs attractive.
- We learnt how to use Firebase as well, to connect to our backend.
- We learnt the differences between various coding languages like JS, Angular JS, Bootstrap, jquery along with the advantages & disadvantages of each.
- We made use of the React Framework

5. CODE

Login Page:

```
import React from 'react';
import fire from './Fire';

const emailRegex= RegExp(/^[a-zA-Z0-9.!#$%&'*/+=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$/);

const formValid = ({formErrors, ...rest }) => {
  let valid =true;
  Object.values(formErrors).forEach(val => {
    val.length > 0 && (valid = false)
  });

  Object.values(rest).forEach(val => {
    val === null && (valid=false)
  });

  return valid;
}

class LoginPage extends React.Component{
  constructor (props) {
    super(props);
    this.state = {
      firstName: null,
      lastName: null,
      email: null,
      password: null,
      formErrors: {
        firstName: '',
        lastName: '',
        email: '',
        password: '',
      }
    }
  }
  this.signUp = this.signUp.bind(this);
}

handleSubmit = e => {
  e.preventDefault();
  if(formValid(this.state)){
    console.log(`
    -- SUBMITTING --
    ${this.state.firstName}
```



```

    ${this.state.lastName}
    ${this.state.email}
    ${this.state.password}
  `);
  fire.auth().signInWithEmailAndPassword(this.state.email,this.state.password).then((u)=>{
  }).catch((error)=> {
    console.log(error);
    document.getElementById("invalid-msg").style.display="block";
  });
} else{
  console.error('form invalid');
  document.getElementById("invalid-msg").style.display="block";
}
}

signUp(e) {
  e.preventDefault();
  if(formValid(this.state)){
    console.log(`
    -- SUBMITTING --
    ${this.state.firstName}
    ${this.state.lastName}
    ${this.state.email}
    ${this.state.password}
    `);
    fire.auth().createUserWithEmailAndPassword(this.state.email,this.state.password).then((u)=>{
    }).catch((error)=> {
      console.log(error);
    });
  } else{
    console.error('form invalid');
    document.getElementById("invalid-msg").style.display="block";
  }
}

handleChange = e => {
  e.preventDefault();
  const {name , value }= e.target;
  let formErrors = this.state.formErrors;

  switch(name) {
    case "firstName":
      formErrors.firstName =
        value.length < 3
        ? "minimum 3 characters required"
        : "";
      break;
    case "lastName":
      formErrors.lastName =
        value.length < 3
        ? "minimum 3 characters required"

```

```

: "";
break;
case "email":
  formErrors.email =
    emailRegex.test(value)
    ? ""
    : "invalid email address";
  break;
case "password":
  formErrors.password =
    value.length < 6
    ? "minimum 6 characters required"
    : "";
  break;
default:
  break;
}

this.setState({formErrors, [name]: value}, () => console.log(this.state))

}

clickedBtn = () => {
  console.log('swag')
}

render () {

  const { formErrors } = this.state;

  return (
    <div className="login-hero-img">
      <div className="wrapper">
        <div className="form-wrapper">
          <h1>Welcome!</h1>
          <h2>To make a change please login or sign up with your personal info</h2>
          <span hidden id="invalid-msg" className="errorMessage">Please enter valid credentials.</span>
          <form onSubmit={this.handleSubmit} noValidate>
            <div className="firstName">
              <label htmlFor="firstName">First Name</label>
              <input
                type="text"
                className={formErrors.firstName.length > 0 ? "error" : null}
                placeholder="First Name"
                name="firstName"
                noValidate
                onChange={this.handleChange}>
              </input>
              {formErrors.firstName.length > 0 && (
                <span className="errorMessage">{formErrors.firstName}</span>
              )}
            </div>
          </form>
        </div>
      </div>
    </div>
  )

```

```

</div>
<div className="lastName">
  <label htmlFor="lastName">Last Name</label>
  <input
    type="text"
    className={formErrors.lastName.length > 0 ? "error" : null}
    placeholder="Last Name"
    name="lastName"
    noValidate
    onChange={this.handleChange}>
  </input>
  {formErrors.lastName.length > 0 && (
    <span className="errorMessage">{formErrors.lastName}</span>
  )}
</div>
<div className="email">
  <label htmlFor="email">Email</label>
  <input
    type="email"
    className={formErrors.email.length > 0 ? "error" : null}
    placeholder="Email"
    name="email"
    noValidate
    onChange={this.handleChange}>
  </input>
  {formErrors.email.length > 0 && (
    <span className="errorMessage">{formErrors.email}</span>
  )}
</div>
<div className="password">
  <label htmlFor="password">Password</label>
  <input
    type="password"
    className={formErrors.password.length > 0 ? "error" : null}
    placeholder="Password"
    name="password"
    noValidate
    onChange={this.handleChange}>
  </input>
  {formErrors.password.length > 0 && (
    <span className="errorMessage">{formErrors.password}</span>
  )}
</div>
<div className="createAccount">
  <button type="submit">Log In</button>
  <small>OR</small>
</div>
<div className="createAccount">
  <button onClick={this.signUp}>Sign Up</button>
</div>
</form>

```

```

        </div>
      </div>
    </div>
  )
}
}

export default LoginPage;

```

Home Page:

```

import React, { Component } from 'react'
import { BrowserRouter as Router, Switch, Route } from 'react-router-dom';
import fire from './Fire'
import './App.css';
import Header from './components/Header'
import Footer from './components/Footer'
import WhyDonate from './components/WhyDonate'
import OurServices from './components/OurServices'
import NGOs from './components/NGOs'
import MerchPage from './MerchPage'
import UpcomingEvents from './UpcomingEvents'
import DonationPage from './DonationPage'
import AboutUs from './AboutUs'
import ContactUs from './ContactUs'
import ProductPage from './ProductPage'
import LoginPage from './LoginPage';
import cart from './cart';

class Home extends React.Component{
  constructor () {
    super()
    this.state = {
      name: 'Sara'
    }
  }

  clickedBtn = () => {
    console.log('swag')
  }

  render () {
    return (
      <Router>
      <div>
        <Header/>
        <Switch>
          <Route path="/" exact component={HomePage}/>
          <Route path="/UpcomingEvents" component={UpcomingEvents}/>
          <Route path="/DonationPage" component={DonationPage}/>

```

```

    <Route path="/MerchPage" component={MerchPage}/>
    <Route path="/ProductPage" component={ProductPage}/>
    <Route path="/AboutUs" component={AboutUs}/>
    <Route path="/ContactUs" component={ContactUs}/>
    <Route path="/cart" component={cart}/>
  </Switch>
</div>
<div>
  <Footer/>
</div>
</Router>
)
}
}
const HomePage = () => (
  <div>
    <div className="hero-img">
      <h1 className="intro-txt"><strong>Let's Spread Happiness</strong><br/></h1>
      <p className="intro-p"><br/><strong>We Deliver your Donations to the Right Place</strong><br/></p>
    </div>
    <OurServices/>
    <WhyDonate/>
    <NGOs/>
  </div>
);
export default Home;

```

Events Page

```

import React from 'react';

class UpcomingEvents extends React.Component{
  constructor () {
    super()
    this.state = {
      name: 'Sara'
    }
  }

  clickedBtn = () => {
    console.log('swag')
  }

  render () {
    return (
      <section className="section-fundraisers">
        <div className="container">
          <div>
            <h1 className="section-headings"><strong>Find a Fundraiser near you</strong><br /></h1><h1>
            </h1></div>

```

```

    <div className="funraiser-events">
      <div className="col-sm-6 col-md-3 col-lg-3">
        <div>
          
          <h3>Help the orphans</h3>
          <p>4th March<br />5pm<br />Estella (Juhu)</p>
        </div>
      </div>
      <div className="col-sm-6 col-md-3 col-lg-3">
        <div>
          
          <h3>Support LGBTQ+</h3>
          <p>10th March<br />6pm<br />Time and Again (Lokhandwala)</p>
        </div>
      </div>
      <div className="col-sm-6 col-md-3 col-lg-3">
        <div>
          
          <h3>Flood Relief</h3>
          <p>3th March <br />6pm<br />Little Door(Bandra)</p>
        </div>
      </div>
      <div className="col-sm-6 col-md-3 col-lg-3">
        <div>
          
          <h3>Support Rape Victims</h3>
          <p>19th March <br /> 1pm <br /> Juhu Gymkhana Club</p>
        </div>
      </div>
    </div>
  </section>
)
}
}

export default UpcomingEvents;

```

Donation Page

```

import React from 'react';

const formValid = ({formErrors, ...rest }) => {
  let valid =true;
  Object.values(formErrors).forEach(val => {
    val.length > 0 && (valid = false)
  })
}

```

```

});

Object.values(rest).forEach(val => {
  val === null && (valid=false)
});

return valid;
}

class DonationPage extends React.Component{
  constructor () {
    super()
    this.state = {
      amount: null,
      formErrors: {
        amount: "",
      }
    }
  }
}

handleSubmit = e => {
  e.preventDefault();
  if(formValid(this.state)){
    console.log(`
      -- SUBMITTING --
      ${this.state.amount}
    `);
    document.getElementById("payment").style.display="block";
    document.getElementById("thanks-msg").style.display="none";

  } else{
    console.error('form invalid');
    document.getElementById("invalid-msg").style.display="block";
  }
}

handleChange = e => {
  e.preventDefault();
  const {name , value }= e.target;
  let formErrors = this.state.formErrors;

  switch(name) {
    case "amount":
      formErrors.firstName =
        value.length < 3
        ? "amount too low"
        : "";
      break;
    default:
      break;
  }
}

```

```

    this.setState({formErrors, [name]: value}, () => console.log(this.state))

  }

  hideCards(){

    document.getElementById("cards").style.display="none";
    document.getElementById("payment").style.display="block";

  }

  clickedBtn = () => {
    console.log('swag')
  }

  render () {

    const { formErrors } = this.state;

    return (
      <section className="section-donation">
        <div className="container-fluid">
          <div id="cards">
            <div>
              <h1 className="section-headings"><strong>Make a Donation</strong><br /></h1><h1>
                <p className="under-heading-paras">Choose a foundation you would like to support.</p>
              </h1>
            </div>
            <div className="col-sm-6 col-md-4 col-lg-4 ">
              <div className="donation-box js--wp-4">
                <div>
                  
                  <p className="plan-price">Sambhav Foundation</p>
                  <p className="plan-price-meal">To Enable Dignity and Livelihood Of The Disadvantaged And The
Differently Abled</p>
                </div>
                <div>
                  <p className="about-text">Sambhav Foundation Focuses On Synergizing Efforts And Resources
To Provide A Strong Platform To Address Issues In Education, Women Empowerment, Skill Development And The
Differently Abled. It Aims To Bring In Socio-Economic Change And Enable Them To Obtain A Sustainable
Livelihood.</p>
                </div>
                <div>
                  <button onClick={this.hideCards}>Donate Now</button>
                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
    )
  }

```



```

<div className="col-sm-6 col-md-4 col-lg-4 ">
  <div className="donation-box js--wp-4">
    <div>
      
      <p className="plan-price">Accept Society</p>
      <p className="plan-price-meal">A non profit care home registered under Karnataka Societies Act No 776/99-2000.</p>
    </div>
    <div>
      <p className="about-text">
        Accept exists to provide care and support for anyone in need. Whether in word or deed we do all things within our God given capacity, in the love of Lord Jesus Christ. Accept aims to glorify God by providing wholistic care and life transformation through various services offered for the needy.

      </p>
    </div>
    <div>
      <button onClick={this.hideCards}>Donate Now</button>
    </div>
  </div>
</div>
<div className="col-sm-6 col-md-4 col-lg-4 ">
  <div className="donation-box js--wp-4">
    <div>
      
      <p className="plan-price">Mobility India</p>
      <p className="plan-price-meal">Progressive force in the disability, development and rehabilitation sector.</p>
    </div>
    <div>
      <p className="about-text">
        MI's vision of an inclusive community, points to a future in which there is greater equity and neglected sections specifically people with disabilities, elderly population and other disadvantaged groups. MI's reach over the last twenty four years has been in South, East, North-Eastern States of India.

      </p>
    </div>
    <div>
      <button onClick={this.hideCards}>Donate Now</button>
    </div>
  </div>
</div>
<div hidden id="payment" className="payment-page">
  <form onSubmit={this.handleSubmit} noValidate id="main-form">
    <span hidden id="invalid-msg" className="errorMessage">Please enter valid credentials.</span>
    <div className="email">
      <label htmlFor="amount">Enter Amount</label>
      <input

```

```

        type="text"
        className={formErrors.amount.length > 0 ? "error" : null}
        placeholder="Enter Amount"
        name="amount"
        noValidate
        onChange={this.handleChange}>
      </input>
      {formErrors.amount.length > 0 && (
        <span className="errorMessage">{formErrors.amount}</span>
      )}
    </div>
    <div className="createAccount">
      <button type="submit">Submit</button>
    </div>
  </form>
</div>
<p hidden id="thanks-msg">Thank you for your contribution!</p>
</div>
</section>
)
}
}
export default DonationPage;

```

Merchandise Page

```

import React from 'react';
import {Link} from 'react-router-dom';
import fire from './Fire';

class MerchPage extends React.Component{
  constructor () {
    super()
    this.state = {
      items: null
    }
  }

  componentDidMount(){
    console.log("mounted");
    const db=fire.firestore();
    db.collection('products')
      .get()
      .then(snapshot => {
        const items= []
        snapshot.forEach(doc => {
          const data=doc.data()
          items.push(data)
        })
        this.setState({items:items})
      })
  }
}

```

```

    }).catch(error => console.log(error))
  }

  clickedBtn = () => {
    console.log('swag')
  }

  render () {

    return (
      <section className="merch-store">
        <div className="container-fluid">
          <div>
            <h1 className="section-headings"><strong>Merchandise</strong><br/></h1>
            <p className="under-heading-para">All proceeds from sales are divided among our
NGOs.</p>
          </div>
          {
            this.state.items &&
            this.state.items.map(item => {
              return(
                <div className="col-sm-6 col-md-4 col-lg-3 ">
                  <Link to={{
                    pathname:'/ProductPage',
                    state:{
                      name:item.productName,
                      price:item.price,
                      description:item.description,
                      sex:item.sex,
                      image:item.image
                    }
                  }} ><img src={item.image}>
                  </img></Link>
                </div>
              )
            })
          }
        </div>
      </section>
    )
  }
}

export default MerchPage;

```

Product Page

```

import React from 'react';
import fire from './Fire';

var productName="

```

```

var productPrice=""

class ProductPage extends React.Component{
  constructor () {
    super()
    this.state = {
      name: null,
      price: null,
    }
  }

  componentDidMount(){
    productName=this.props.location.state.name
    productPrice=this.props.location.state.price
    console.log(`
      -- SUBMITTING --
      ${productName}
      ${productPrice}
    `);

  }

  clickedBtn = () => {
    console.log('swag')
  }

  sendData(){
    const db = fire.firestore();

    db.collection('addToCart').add({
      productName: productName,
      size: "S",
      price: productPrice
    });
  }

  render () {
    console.log(this.props.location.state)
    return (
      <section className="products">
        <div className="container">
          <div className="col-md-6 model">
            <img src={this.props.location.state.image} />
          </div>
          <div className="col-md-6 info">
            <div className="insider">
              <h5>{this.props.location.state.sex}</h5>
              <h1>{this.props.location.state.name}</h1>
              <p>{this.props.location.state.description}</p>
              <div className="size">

```

```

    <div className="title">
      sizes
    </div>
    <ul className="sizes">
      <li className="circle">S</li>
      <li className="circle">M</li>
      <li className="circle">L</li>
      <li className="semi-circle">XL</li>
      <li className="semi-circle">XXL</li>
    </ul>
  </div>
  <div className="action-btns">
    <button className="col-md-6 red-hollow-btn" onClick={this.sendData}>
      <span className="price">
        {this.props.location.state.price}
      </span>
      add to cart
    </button>
    <button className="col-md-6 lightgrey-btn">
      buy now
    </button>
  </div>
</div>
</div>
</div>

</section>
)
}
}

export default ProductPage;

```

Shopping Cart

```

import React, { Component } from 'react'
import fire from './Fire';

export default class cart extends Component {

  constructor () {
    super()
    this.state = {
      items: null
    }
  }

  componentDidMount(){
    console.log("mounted");
    const db=fire.firestore();
    db.collection('addToCart')
  }
}

```

```

.get()
.then(snapshot => {
  const items= []
  snapshot.forEach(doc => {
    const data=doc.data()
    items.push(data)
  })
  this.setState({items:items})
}).catch(error => console.log(error))
}

clickedBtn = () => {
  console.log('swag')
}

render() {
  return (
    <section className="section-cart">
      <h1 className="section-headings">Shopping Bag</h1>
      {
        this.state.items &&
        this.state.items.map(item => {
          return(
            <div className="container-fluid">
              <div className="cart-items">
                <p>{item.productName}</p>
                <p>Size: {item.size}</p>
                <p>Price: {item.price}</p>
              </div>

            </div>

          )
        })
      }
    </section>
  )
}
}

```

About Us

```

import React from 'react';

class AboutUs extends React.Component{
  constructor () {
    super()
    this.state = {
      name: 'Sara'
    }
  }
}

```

[illegible]

```

</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1521369483739-e33ef611d7e2?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2253&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1531206715517-5c0ba140b2b8?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2250&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1560252829-804f1aedef1be?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2250&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1559027615-cd4628902d4a?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2253&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1560252811-2ab1e44ce202?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=800&q=60) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1557660559-42497f78035b?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2615&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">
  <div style={{background: 'url(https://images.unsplash.com/photo-1526976668912-1a811878dd37?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEYMDd9&auto=format&fit=crop&w=2250&q=80) no-repeat top center', WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover', height: '200px', width: '100%', margin: '10px'}}>
  </div>
</div>
<div className="col-sm-6 col-md-3 col-lg-3">

```



```

    <div style={{background: 'url(https://images.unsplash.com/photo-1564121211835-
e88c852648ab?ixlib=rb-1.2.1&auto=format&fit=crop&w=2250&q=80) no-repeat top center',
WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover',
height: '200px', width: '100%', margin: '10px'}}>
    </div>
  </div>
  <div className="col-sm-6 col-md-3 col-lg-3">
    <div style={{background: 'url(https://images.unsplash.com/photo-1490187763999-9f273a5b7516?ixlib=rb-
1.2.1&ixid=eyJhcnBfaWQiOjEyMDd9&auto=format&fit=crop&w=2250&q=80) no-repeat top center',
WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover',
height: '200px', width: '100%', margin: '10px'}}>
    </div>
  </div>
  <div className="col-sm-6 col-md-3 col-lg-3">
    <div style={{background: 'url(https://images.unsplash.com/photo-1558261827-d0de98a628e8?ixlib=rb-
1.2.1&ixid=eyJhcnBfaWQiOjEyMDd9&auto=format&fit=crop&w=2255&q=80) no-repeat top center',
WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover',
height: '200px', width: '100%', margin: '10px'}}>
    </div>
  </div>
  <div className="col-sm-6 col-md-3 col-lg-3">
    <div style={{background: 'url(https://images.unsplash.com/photo-1566937863719-c6c62f9ee69a?ixlib=rb-
1.2.1&ixid=eyJhcnBfaWQiOjEyMDd9&auto=format&fit=crop&w=2250&q=80) no-repeat top center',
WebkitBackgroundSize: 'cover', MozBackgroundSize: 'cover', OBackgroundSize: 'cover', backgroundSize: 'cover',
height: '200px', width: '100%', margin: '10px'}}>
    </div>
  </div>
</div>
)
}
}

export default AboutUs;

```

Contact Us

```

import React from 'react';
import fire from './Fire';

const formValid = ({formErrors, ...rest }) => {
  let valid =true;
  Object.values(formErrors).forEach(val => {
    val.length > 0 && (valid = false)
  });

  Object.values(rest).forEach(val => {
    val === null && (valid=false)
  });

  return valid;
}

```

```

}

class ContactUs extends React.Component{
  constructor () {
    super()
    this.state = {
      firstName: null,
      lastName: null,
      phoneNumber: null,
      messageBox: null,
      formErrors: {
        firstName: '',
        lastName: '',
        phoneNumber: '',
        messageBox: '',
      }
    }
  }
}

handleSubmit = e => {
  e.preventDefault();
  if(formValid(this.state)){
    console.log(`
      -- SUBMITTING --
      ${this.state.firstName}
      ${this.state.lastName}
      ${this.state.phoneNumber}
      ${this.state.messageBox}
    `);

    const db = fire.firestore();

    db.collection('contactForms').add({
      firstName: this.state.firstName,
      lastName: this.state.lastName,
      phoneNumber: this.state.phoneNumber,
      messageBox: this.state.messageBox
    });
    document.getElementById("thankyou-msg").style.display="block";
    document.getElementById("main-form").style.display="none";
  } else{
    console.error('form invalid');
    document.getElementById("invalid-msg").style.display="block";
  }
}

handleChange = e => {
  e.preventDefault();
  const {name , value }= e.target;
  let formErrors = this.state.formErrors;

```

```

switch(name) {
  case "firstName":
    formErrors.firstName =
      value.length < 3
      ? "minimum 3 characters required"
      : "";
    break;
  case "lastName":
    formErrors.lastName =
      value.length < 3
      ? "minimum 3 characters required"
      : "";
    break;
  case "phoneNumber":
    formErrors.phoneNumber =
      value.length !== 10
      ? "number must be 10 characters"
      : "";
    break;
  case "messageBox":
    formErrors.messageBox =
      value.length > 40
      ? "word limit reached"
      : "";
    break;
  default:
    break;
}

this.setState({formErrors, [name]: value}, () => console.log(this.state))
}

clickedBtn = () => {
  console.log('swag')
}

render () {

  const { formErrors } = this.state;

  return (
    <div className="wrapper">
      <div>
        <h1 className="section-headings"><strong>Hello!</strong><br /></h1><h1>
          <p className="under-heading-para">Fill in your details & we will get back to you ASAP!</p>
        </h1></div>
        <div className="form-contactUs">
          <span hidden id="invalid-msg" className="errorMessage">Please enter valid credentials.</span>
          <div hidden id="thankyou-msg">

```

```

    <p className="under-heading-para">Thank You! Your form has been submitted.</p>
  </div>
  <form onSubmit={this.handleSubmit} noValidate id="main-form">
    <div className="firstName">
      <input
        type="text"
        className={formErrors.firstName.length > 0 ? "error" : null}
        placeholder="First Name"
        name="firstName"
        noValidate
        onChange={this.handleChange}>
      </input>
      {formErrors.firstName.length > 0 && (
        <span className="errorMessage">{formErrors.firstName}</span>
      )}
    </div>
    <div className="lastName">
      <input
        type="text"
        className={formErrors.lastName.length > 0 ? "error" : null}
        placeholder="Last Name"
        name="lastName"
        noValidate
        onChange={this.handleChange}>
      </input>
      {formErrors.lastName.length > 0 && (
        <span className="errorMessage">{formErrors.lastName}</span>
      )}
    </div>
    <div className="email">
      <input
        type="text"
        className={formErrors.phoneNumber.length > 0 ? "error" : null}
        placeholder="Phone Number"
        name="phoneNumber"
        noValidate
        onChange={this.handleChange}>
      </input>
      {formErrors.phoneNumber.length > 0 && (
        <span className="errorMessage">{formErrors.phoneNumber}</span>
      )}
    </div>
    <div className="message">
      <input
        type="text"
        className={formErrors.messageBox.length > 0 ? "error" : null}
        placeholder="Message(optional) - Eg. Regarding volunteer work"
        name="messageBox"
        noValidate
        onChange={this.handleChange}>
      </input>
    </div>
  </form>

```

```

        {formErrors.messageBox.length > 0 && (
          <span className="errorMessage">{formErrors.messageBox}</span>
        )}
      </div>
      <div className="createAccount">
        <button type="submit">Submit</button>
      </div>
    </form>
  </div>
</div>
)
}
}
export default ContactUs;

```

App.js File

```

import React from 'react';
import {BrowserRouter as Router, Switch, Route} from 'react-router-dom';
import fire from './Fire'
import './App.css';
import Home from './Home';
import LoginPage from './LoginPage';

class App extends React.Component{
  constructor () {
    super()
    this.state = {
      name: 'Sara',
      user: {}
    }
  }

  componentDidMount() {
    this.authListener();
  }

  authListener() {
    fire.auth().onAuthStateChanged((user) =>{
      //console.log(user);
      if (user){
        this.setState({user});
        //localStorage.setItem('user',user.uid);
      } else {
        this.setState({ user : null });
        //localStorage.removeItem('user');
      }
    });
  }
}

```

```

}

clickedBtn = () => {
  console.log('swag')
}

render () {
  return (
    <div>
      {this.state.user ? (<Home/>):(<LoginPage/>)}
    </div>
  )
}
}

export default App;

```

CSS Styling

For styling we used the SCSS syntax

```

@import url('https://fonts.googleapis.com/css?family=Roboto:100,300,400,500,700');
@import url('https://fonts.googleapis.com/css?family=Nunito');
@import url('https://fonts.googleapis.com/css?family=Cookie');
@import "grid/grid12";
@import url('https://fonts.googleapis.com/css?family=Montserrat&display=swap');

*{
  margin: 0px;
  padding: 0px;
  box-sizing: border-box;
}

body {
  font-family: 'Roboto', sans-serif;
}

.navbar{
  background-color:black;
  .container{
    max-width: 70%;
    margin: 0 auto;
  }
  .logo{
    text-decoration: none;
    color: white;
    font-family: sans-serif;
    font-weight: 900;
    font-size: 21px;
    display: inline-block;
    padding-top: 50px;
  }
}

```

```

padding-bottom: 50px;
}
.menu{
display: inline-block;
float: right;
a,Links{
color: #455765;
font-size: 16px;
font-weight: 400;
letter-spacing: 2px;
text-transform: uppercase;
text-decoration: none;
padding: 10px 15px;
display:inline-block;
padding-top: 50px;
padding-bottom: 50px;
&:hover{
color: #F97F51;
}
}
}
}

.hero-img{
background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0, 0.7)),url("https://images.unsplash.com/photo-1542315099045-93937d70c67a?ixlib=rb-1.2.1&ixid=eyJhcnBfaWQiOjEyMDd9&auto=format&fit=crop&w=2550&q=80");
background-size: cover;
background-position: center;
height: 100vh;
background-attachment: fixed;
display:flex;
flex-direction:column;
justify-content:center;
align-items:center;
text-align:center;
padding:0;
box-sizing:border-box;

h1{
color: #F97F51;
font-size:60px;
font-family: 'Montserrat', sans-serif;
padding:0 7%;
line-height:60px;
font-weight:700;
text-shadow:rgba(0, 0, 0, 0.75) 1px 1px 2px;
visibility:inherit;
}

p{

```

```

font-size:24px;
padding:0 7%;
font-weight: 100;
font-family: 'Montserrat', sans-serif;
line-height: 1.5;
color:rgb(255, 255, 255);
text-shadow:rgba(0, 0, 0, 0.75) 1px 1px 2px;
visibility:inherit;
}
}

.section-headings{
text-align: center;
margin:3% 0 0 0;
font-family: 'Montserrat', sans-serif; font-size:45px;
&:after{
content: "";
display: block;
margin: 0 auto;
width: 10%;
padding-top: 15px;
border-bottom: 2px solid #F97F51;
}
}

.icons-logo{

img{
display:block;
margin:7% auto;
width: auto;
height: 150px;
}
h1{
font-size:25px;
color:#F97F51;
font-weight:bold;
letter-spacing:1px;
font-family: 'Montserrat', sans-serif;
text-align: center;
}
p{
font-family: 'Montserrat', sans-serif;
letter-spacing:1px;
text-align: center;
padding: 10px;
}
}

.why-donate{
background-color: #f6f6f7;

```



```

}

.section-Ngos{
  h2{
    font-family: 'Montserrat', sans-serif;
    text-align: center;
    font-size: 20px;
  }
}

footer{
  background-color:black;
  box-shadow:0 1px 1px 0 rgba(0, 0, 0, 0.12);
  box-sizing:border-box;
  width:100%;
  text-align:left;
  font:bold 16px sans-serif;
  padding-top: 20px;
  margin-right: auto;
  margin-left: auto;
  bottom:0;
  color:#fff;

.footer-navigation{
  h3{
    margin:0;
    font:normal 26px Nunito, cursive;
    margin-bottom:20px;
    color:#fff;

    a{
      text-decoration:none;
      color:#fff;
    }
  }
  .company-name{
    color:#8f9296;
    font-size:14px;
    font-weight:normal;
    margin-top:20px;
  }
}

.footer-contacts{
  p{
    display:inline-block;
    color:#ffffff;
    vertical-align:middle;
    a{
      color:#5383d3;

```

```

    text-decoration:none;
  }
}

.fa.footer-contacts-icon {
  background-color:#33383b;
  color:#fff;
  font-size:14px;
  width:38px;
  height:38px;
  border-radius:50%;
  text-align:center;
  line-height:38px;
  margin:10px 15px 10px 0;
}
}
span.new-line-span {
  display:block;
  font-weight:normal;
  display:block;
  font-size:14px;
  line-height:2;
}

.footer-about p {
  line-height:20px;
  color:#92999f;
  font-size:13px;
  font-weight:normal;
  margin:0;
}

div.social-links {
  margin-top:20px;
  color:#fff;
}

.social-links a {
  display:inline-block;
  width:35px;
  height:35px;
  cursor:pointer;
  background-color:#33383b;
  border-radius:2px;
  font-size:20px;
  color:#ffffff;
  text-align:center;
  line-height:35px;
  margin-right:5px;
  margin-bottom:5px;
}

```

```

.under-heading-para{
  font-family: 'Montserrat', sans-serif;
  letter-spacing:1px;
  text-align: center;
  padding: 10px;
}
.section-fundraisers{

  .funraiser-events{
    padding-top: 50px;
    img{
      background: no-repeat top center;
      -webkit-background-size: cover;
      -moz-background-size: cover;
      -o-background-size: cover;
      background-size: cover;
      height: 150px;
      width: 100%;
      margin: 20px 20px 20px 20px;
    }
    h3{
      font-size:25px;
      font-weight:bold;
      letter-spacing:1px;
      font-family: 'Montserrat', sans-serif;
      text-align: center;
    }
    p{
      text-align: center;
      padding-bottom: 178px;
    }
  }
}

.section-donation{
  background-color: #f4f4f4;
  align-items: center;
  .container-fluid{
    max-width: 80%;
    padding-bottom: 20px;
  }

  .donation-box {
    background-color: #fff;
    border-radius: 5px;
    margin-left: 5%;
    box-shadow: 0 2px 2px #efefef;
    font-family: 'Montserrat', sans-serif;
    img{
      background: no-repeat top center;
      -webkit-background-size: cover;

```

```

-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
height: 250px;
width: 100%;
}

.about-text{
  line-height: 1.5;
}

button{
  background-color: #F97F51;
  border-radius: 25px;
  text-decoration: none;
  color: #fff;
  border: 2px solid #fff;
  width: 100%;
  margin-top: 1em;
  padding: 8px 0px;
  font-size: 1em;
  font-family: 'Montserrat', sans-serif;
  font-weight: lighter;
  letter-spacing: 1px;
  margin-bottom: 0.25em;

  &:hover {
    color: #F97F51;
    background-color: #fff;
    border: 2px solid #F97F51;
  }
}

.payment-page{
  padding-top: 50px;
  max-width: 50%;
  margin: 0 auto;
  position: relative;
}

.donation-box div {
  padding: 15px;
  border-bottom: 1px solid #e8e8e8;
}

.donation-box div:first-child {
  background-color: #fcfcfc;
  border-top-left-radius: 5px;
  border-top-right-radius: 5px;
}

.donation-box div:last-child {

```

```

text-align: center;
border: 0;
}

.plan-price {
font-size: 160%;
margin-bottom: 10px;
font-weight: 100;
color: #F97F51;
}

.plan-price-meal {
font-size: 80%;
}

.donation-box ul {
list-style: none;
}

.donation-box ul li {
padding: 5px 0;
}
}

.merch-store{

.container-fluid{
max-width: 90%;
}

a{
img{
background: no-repeat top center;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
height: 500px;
width: 100%;
margin: 20px 20px 20px 20px;
-webkit-transform: scale(1.03);
-ms-transform: scale(1.03);
transform: scale(1.03);
-webkit-transition: -webkit-transform 0.5s, opacity 0.5s;
transition: transform 0.5s, opacity 0.5s;
&:hover{
opacity: 1;
-webkit-transform: scale(1.15);
-ms-transform: scale(1.15);
transform: scale(1.15);
}
}
}

```

```

}
}

.products{
  .model{
    height: 100vh;
    float: left;
    text-align: center;
    display: inline-block;
    img{
      width: 100%;
      max-width: 500px;
    }
  }
}
.insider{
  margin-top: 20px;
  max-width: 490px;
}
.info{
  float: left;
  display: inline-block;
  h5{
    background: #F97F51;
    text-transform: uppercase;
    font-family: 'Montserrat', sans-serif;
    font-size: 12px;
    display: inline-block;
    padding: 5px 8px;
    font-weight: 700;
    color: white;
  }
  h1{
    font-size: 44px;
    font-family: 'Montserrat', sans-serif;
    font-weight: 700;
    color: #000;
    line-height: 1.3;
    margin: 24px 0;
  }
  p{
    font-weight: 100;
    font-family: 'Montserrat', sans-serif;
    line-height: 1.5;
    margin-bottom: 30px;
  }
}

.size{
  margin-bottom: 30px;
}
.title{

```

```
font-size: 14px;
font-weight: 500;
font-family: 'Montserrat', sans-serif;
margin-bottom: 15px;
}
```

```
.circle{
height: 30px;
width: 30px;
padding: 10px 0;
font-size: 12px;
font-family: 'Montserrat', sans-serif;
border-radius: 50%;
display: inline-block;
border: 1px solid black;
display: inline-flex;
align-items: center;
justify-content: center;
margin-right: 10px;
&:hover {
color: #F97F51;
border: 1px solid #F97F51;
}
}
```

```
.semi-circle{
height: 30px;
padding: 10px 20px;
border-radius: 15px;
font-size: 12px;
font-family: 'Montserrat', sans-serif;
display: inline-block;
border: 1px solid black;
display: inline-flex;
align-items: center;
justify-content: center;
margin-right: 10px;
&:hover {
color: #F97F51;
border: 1px solid #F97F51;
}
}
```

```
.red-hollow-btn{
border: 1px solid #F97F51;
display: inline-block;
padding: 20px;
//color: #F97F51;
display: inline-flex;
align-items: center;
justify-content: center;
```

```

text-transform: uppercase;
font-size: 12px;
font-family: 'Montserrat', sans-serif;
letter-spacing: 1px;
.price{
  font-size: 24px;
  font-family: 'Montserrat', sans-serif;
  margin-right: 10px;
  color: #F97F51;
}
&:hover {
  color: #F97F51;
  border: 1px solid #F97F51;
}
}

.lightgrey-btn{
  background: #f5f5f7;
  border: 1px solid #fff;
  display: inline-block;
  padding: 30px;
  color: #1b1b1b;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  text-transform: uppercase;
  font-size: 10px;
  font-family: 'Montserrat', sans-serif;
  letter-spacing: 1px;
  min-height: 30px;
  position: relative;

  &:hover {
    color: #F97F51;
    border: 1px solid #fff;
  }
}

.our-story{
  max-width: 100%;
  width: fit-content;
  margin: 0 auto;
  font-family: 'Montserrat', sans-serif;
  ul{
    list-style-type: disc;
    padding-left: 20px;
  }
  li{
    padding: 5px;
  }
}

```



```

}

/* FORM-CSS */

.login-hero-img {
  background-image: linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0, 0.7)), url("../login-collage.png");
  background-size: cover;
  background-position: center;
  height: 100vh;
  background-attachment: fixed;
  display: flex;
  flex-direction: column;
  justify-content: center;
  padding: 0;
  box-sizing: border-box;
}

.wrapper{
  margin-top: 1%;
  height: auto;
  width: 100%;
  display: flex;
  flex-direction: column;
  align-items: center;

  h1{
    font-weight: normal;
    font-family: 'Montserrat', sans-serif;
    text-align: center;
  }
  h2{
    font-size: medium;
    text-align: center;
    font-family: 'Montserrat', sans-serif;
    font-weight: lighter;
    padding: 5px;
    padding-bottom: 10px;
  }
}

.form-wrapper{
  width: 400px;
  display: flex;
  flex-direction: column;
  padding: 40px 40px;
  border-radius: 10px;
  background-color: #ffffff;
  margin-bottom: 1%;
}

```

```

form{
  width: 100%;
  display: flex;
  flex-wrap: wrap;
}

label{
  font-size: 0.8em;
  margin-bottom: 0.25em;
  color: #222;
  font-weight: lighter;
}

input{
  padding: 10px 10px;
  border-radius: 5px;
  outline: none;
  border: 1px solid #cfcfcf;

  &::placeholder{
    font-size: 1.2em;
    font-weight: lighter;
    color: #999;
  }
}

input.error{
  border: 1px solid red;
}

.errorMessage{
  color: red;
  font-size: 0.75em;
  display: relative;
}

.firstName{
  margin-right: 1%;
}

.lastName{
  margin-left: 1%;
}

.firstName,
.lastName,
.email,
.password {
  display: flex;
  flex-direction: column;

```

```

    margin-bottom: 15px;
}

.firstName,
.lastName{
    width: 49%;
}

.email,
.password{
    width: 100%;
}

.message{
    width: 100%;
    display: flex;
    flex-direction: column;
    margin-bottom: 15px;
}

.createAccount{
    width: 100%;
    display: flex;
    flex-direction: column;
    align-items: center;

    button {
        background-color: #F97F51;
        color: #fff;
        border: 2px solid #fff;
        width: 100%;
        margin-top: 1em;
        padding: 8px 0px;
        font-size: 1em;
        font-family: 'Montserrat', sans-serif;
        font-weight: lighter;
        letter-spacing: 1px;
        margin-bottom: 0.25em;

        &:hover {
            color: #F97F51;
            background-color: #fff;
            border: 2px solid #F97F51;
        }

        small {
            color: #999;
            font-weight: lighter;
        }
    }
}

```

```
.form-contactUs{
  width: 400px;
  display: flex;
  flex-direction: column;
  padding-top: 61px;
  padding-bottom: 333px;
  border-radius: 10px;
  background-color: #ffffff;
  margin-bottom: 1%;
}

.section-cart{
  align-items: center;

  .container-fluid{
    max-width: 80%;
    align-items: center;
    padding-bottom: 5px;
    padding-top: 5px ;
  }

  .cart-items{
    padding: 10px;
    background-color: #f4f4f4;
    border-radius: 5px;
    margin-left: 5%;
    box-shadow: 0 2px 2px #efefef;
    font-family: 'Montserrat', sans-serif;
  }
}
```