



qRIQpw1qgFkQturzBVwZ5telYwBDA6x4sPm7z3SXxw7oHF7SVi45Lqsl2mJCEcUAni49Jk06Clx3yDZMLkqKAg==

```
%!PS

/pagewidth 1548 def
/pageheight 1224 def
<< /PageSize [pagewidth pageheight]
>> setpagedevice
/margin 72 def
/fontsize 16 def
/Helvetica fontsize selectfont

/display {
  /texty exch def
  /textx exch def
  /infile exch (r) file def
  newpath
  {
    /line 200 string def
    infile line readline
    {
      textx texty moveto
      line show
      /texty texty fontsize sub def
    } {
      exit
    } ifelse
  } loop
} def

margin
margin 2 mul
pagewidth 0.75 mul margin 2 mul sub
pageheight margin 3 mul sub
gsave
0 0 1 0 setcmykcolor
rectfill
grestore

gsave
<< /PatternType 1
  /PaintType 1
  /TilingType 1
  /BBox [0 0 2000 200]
  /XStep 2000 /YStep 198
  /PaintProc {
    pop
    0 0 2000 99 rectfill
  } bind
>>
[1 0.5 0 1 0 0] makepattern setpattern
margin
margin 2 mul
pagewidth 0.75 mul margin 2 mul sub
pageheight margin 3 mul sub
rectfill
grestore

(%pipe%sha256sum stripes.ps | \
cut -c-64 | ecdsakeygen -p | \
ecdsasign stripes.ps | \
xxd -r -p | base64 -w 100)
margin margin display

(stripes.ps)
pagewidth 0.75 mul
pageheight margin sub
fontsize 0.7 mul sub
0.51024 sub
display

showpage
```