
Regresao LInear

September 28, 2022

```
[5]: import pandas as pd
    df = pd.read_csv('housing.data.txt',header=None, sep='\s+')
    df.columns = ['CRIM', 'ZN', 'INDUS', 'CHAS',
                  'NOX', 'RM', 'AGE', 'DIS', 'RAD',
                  'TAX', 'PTRATIO', 'B', 'LSTAT', 'MEDV']
    df.head()
[5]:
          CRIM
                      INDUS CHAS
                                     NOX
                                             RM
                                                  AGE
                                                         DIS
                                                             RAD
                                                                     TAX \
                  ZN
                                                 65.2 4.0900
    0 0.00632 18.0
                       2.31
                                0 0.538
                                          6.575
                                                                   296.0
                                                                1
    1 0.02731
                 0.0
                       7.07
                                0 0.469
                                          6.421 78.9 4.9671
                                                                   242.0
    2 0.02729
                       7.07
                 0.0
                                0 0.469
                                          7.185
                                                 61.1 4.9671
                                                                   242.0
    3 0.03237
                 0.0
                       2.18
                                0 0.458
                                          6.998 45.8 6.0622
                                                                3 222.0
    4 0.06905
                                0 0.458 7.147 54.2 6.0622
                 0.0
                       2.18
                                                                3 222.0
       PTRATIO
                     B LSTAT MEDV
    0
          15.3 396.90
                         4.98 24.0
    1
          17.8 396.90
                         9.14 21.6
          17.8 392.83
                         4.03 34.7
    3
          18.7
                394.63
                         2.94 33.4
          18.7 396.90
                         5.33 36.2
[6]: import matplotlib.pyplot as plt
    from mlxtend.plotting import scatterplotmatrix
[7]: cols = ['LSTAT', 'INDUS', 'NOX', 'RM', 'MEDV']
    scatterplotmatrix(df[cols].values, figsize=(10, 8),
                      names=cols, alpha=0.5)
    plt.tight_layout()
     #plt.savefig('images/10_03.png', dpi=300)
    plt.show()
```




```
[8]: import matplotlib.pyplot as plt
import seaborn as sns

%matplotlib inline
%config InlineBackend.figure_format = 'retina'
sns.set(style='whitegrid', context='notebook')

cols = ['LSTAT', 'B', 'NOX', 'RM', 'MEDV']
sns.pairplot(df[cols], size=2.5)
plt.savefig('scatter.png', dpi=300)

plt.show()
```


/usr/lib/python3/dist-packages/seaborn/axisgrid.py:2089: UserWarning: The `size` parameter has been renamed to `height`; please update your code.
warnings.warn(msg, UserWarning)



```
[9]: import numpy as np
from mlxtend.plotting import heatmap

cm = np.corrcoef(df[cols].values.T)
hm = heatmap(cm, row_names=cols, column_names=cols)

# plt.savefig('images/10_04.png', dpi=300)
plt.show()
```



```
[10]: import numpy as np
      corr_cols = ['CRIM', 'ZN', 'INDUS',
                    'NOX', 'RM', 'AGE', 'DIS', 'RAD',
                    'TAX', 'PTRATIO', 'B', 'LSTAT', 'MEDV']
      cm = np.corrcoef(df[corr_cols].values.T)
      sns.set(font_scale=1.5)
      fig, ax = plt.subplots(figsize=(14, 14))
      hm = sns.heatmap(cm,
                       ax=ax,
                       cbar=False,
                       annot=True,
                       square=True,
                       fmt='.2f',
                       annot_kws={'size': 15},
                       yticklabels=corr_cols,
                       xticklabels=corr_cols)
```

```
# plt.savefig('corr_mat.png', dpi=300)
plt.show()
```

CRIM	1.00	-0.20	0.41	0.42	-0.22	0.35	-0.38	0.63	0.58	0.29	-0.39	0.46	-0.39
Z	-0.20	1.00	-0.53	-0.52	0.31	-0.57	0.66	-0.31	-0.31	-0.39	0.18	-0.41	0.36
SNDNS	0.41	-0.53	1.00	0.76	-0.39	0.64	-0.71	0.60	0.72	0.38	-0.36	0.60	-0.48
XOX	0.42	-0.52	0.76	1.00	-0.30	0.73	-0.77	0.61	0.67	0.19	-0.38	0.59	-0.43
RM	-0.22	0.31	-0.39	-0.30	1.00	-0.24	0.21	-0.21	-0.29	-0.36	0.13	-0.61	0.70
AGE	0.35	-0.57	0.64	0.73	-0.24	1.00	-0.75	0.46	0.51	0.26	-0.27	0.60	-0.38
DIS	-0.38	0.66	-0.71	-0.77	0.21	-0.75	1.00	-0.49	-0.53	-0.23	0.29	-0.50	0.25
RAD	0.63	-0.31	0.60	0.61	-0.21	0.46	-0.49	1.00	0.91	0.46	-0.44	0.49	-0.38
TAX	0.58	-0.31	0.72	0.67	-0.29	0.51	-0.53	0.91	1.00	0.46	-0.44	0.54	-0.47
PTRATIO	0.29	-0.39	0.38	0.19	-0.36	0.26	-0.23	0.46	0.46	1.00	-0.18	0.37	-0.51
В	-0.39	0.18	-0.36	-0.38	0.13	-0.27	0.29	-0.44	-0.44	-0.18	1.00	-0.37	0.33
LSTAT	0.46	-0.41	0.60	0.59	-0.61	0.60	-0.50	0.49	0.54	0.37	-0.37	1.00	-0.74
MEDV	-0.39	0.36	-0.48	-0.43	0.70	-0.38	0.25	-0.38	-0.47	-0.51	0.33	-0.74	1.00
	CRIM	ZN	INDUS	NOX	RM	AGE	DIS	RAD	TAX I	PTRATIC) В	LSTAT	MEDV

$0.1\,$ Implementando um modelo de regressão linear de mínimos quadrados comum

...

0.1.1 Resolvendo a regressão para parâmetros de regressão com gradiente descendente

```
[11]: import numpy as np
[12]: class LinearRegressionGD(object):
          def __init__(self, eta=0.001, n_iter=20):
              self.eta = eta
              self.n_iter = n_iter
          def fit(self, X, y):
              self.w_ = np.zeros(1 + X.shape[1])
              self.cost_ = []
              for i in range(self.n_iter):
                  output = self.net_input(X)
                  errors = (y - output)
                  self.w_[1:] += self.eta * X.T.dot(errors)
                  self.w_[0] += self.eta * errors.sum()
                  cost = (errors**2).sum() / 2.0
                  self.cost_.append(cost)
              return self
          def net_input(self, X):
              return np.dot(X, self.w_[1:]) + self.w_[0]
          def predict(self, X):
              return self.net_input(X)
[13]: X = df[['RM']].values
      y = df['MEDV'].values
[14]: X
[14]: array([[6.575],
             [6.421],
             [7.185],
             [6.998],
             [7.147],
             [6.43],
             [6.012],
             [6.172],
             [5.631],
             [6.004],
             [6.377],
             [6.009],
             [5.889],
```

- [5.949],
- [6.096],
- [5.834],
- [5.935],
- [5.99],
- [5.456],
- [5.727],
- [5.57],
- [5.965],
- [6.142],
- [5.813],
- [5.924],
- [5.599],
- [5.813],
- [6.047],
- [6.495],
- [6.674],
- [5.713],
- [6.072],
- [5.95],
- [5.701],
- [6.096],
- [5.933],
- [5.841],
- [5.85],
- [5.966],
- [6.595],
- [7.024],
- [6.77],
- [6.169],
- [6.211],
- [6.069], [5.682],
- [5.786],
- [6.03],
- [5.399],
- [5.602],
- [5.963],
- [6.115],
- [6.511],
- [5.998],
- [5.888],
- [7.249],
- [6.383],
- [6.816],
- [6.145],
- [5.927],

- [5.741],
- [5.966],
- [6.456],
- [6.762],
- [7.104],
- [6.29],
- [5.787],
- [5.878],
- [5.594],
- [5.885],
- [6.417],
- [5.961],
- [6.065],
- [6.245],
- [6.273],
- [6.286],
- [6.279],
- [6.14],
- [6.232],
- [5.874],
- [6.727],
- [6.619],
- [6.302],
- [6.167],
- [6.389],
- [6.63],
- [6.015],
- [6.121],
- [7.007],
- [7.079],
- [6.417],
- [6.405],
- [6.442],
- [6.211],
- [6.249],
- [6.625],
- [6.163],
- [8.069],
- [7.82],
- [7.416],
- [6.727],
- [6.781],
- [6.405],
- [6.137],
- [6.167],
- [5.851],
- [5.836],

- [6.127],
- [6.474],
- [6.229],
- [6.195],
- [6.715],
- [5.913],
- [6.092],
- [6.254],
- [5.928],
- [6.176],
- [6.021],
- [5.872],
- [5.731],
- [5.87],
- [6.004],
- [5.961],
- [5.856],
- [5.879],
- [5.986],
- [5.613],
- [5.693],
- [6.431],
- [5.637],
- [6.458],
- [6.326],
- [6.372],
- [5.822],
- [5.757],
- [6.335],
- [5.942],
- [6.454],
- [5.857],
- [6.151],
- [6.174],
- [5.019],
- [5.403],
- [5.468],
- [4.903],
- [6.13],
- [5.628],
- [4.926],
- [5.186],
- [5.597],
- [6.122],
- [5.404],
- [5.012],
- [5.709],

- [6.129],
- [6.152],
- [5.272],
- [6.943],
- [6.066],
- [6.51],
- [6.25],
- [7.489],
- [7.802],
- [8.375],
- [5.854],
- [6.101],
- [7.929],
- [5.877],
- [6.319],
- [6.402],
- [5.875],
- [5.88],
- [5.572],
- [6.416],
- [5.859],
- [6.546],
- [6.02],
- [6.315],
- [6.86],
- [6.98],
- [7.765],
- [6.144],
- [7.155],
- [6.563],
- [5.604],
- [6.153],
- [7.831],
- [6.782],
- [6.556],
- [7.185],
- [6.951],
- [6.739],
- [7.178],
- [6.8],
- [6.604],
- [7.875],
- [7.287],
- [7.107],
- [7.274],
- [6.975],
- [7.135],

- [6.162],
- [7.61],
- [7.853],
- [8.034],
- [5.891],
- [6.326],
- [5.783],
- [6.064],
- [5.344],
- [5.96],
- [5.404],
- [5.807],
- [6.375],
- [5.412],
- [6.182],
- [5.888],
- [6.642],
- [5.951],
- [6.373],
- [6.951],
- [6.164],
- [6.879],
- [6.618],
- [8.266],
- [8.725],
- [8.04],
- [7.163],[7.686],
- [6.552],
- [5.981],
- [7.412],
- [8.337],
- [8.247],
- [6.726],
- [6.086],
- [6.631],
- [7.358],
- [6.481],
- [6.606],
- [6.897],
- [6.095],[6.358],
- [6.393],
- [5.593],
- [5.605],
- [6.108],
- [6.226],

- [6.433],
- [6.718],
- [6.487],
- [6.438],
- [6.957],
- [8.259],
- [6.108],
- [5.876],
- [7.454],
- [8.704],
- [7.333],
- [6.842],
- [7.203],
- [7.52],
- [8.398],
- [7.327],
- [7.206],
- [5.56],
- [7.014],
- [8.297],
- [7.47],
- [5.92],
- [5.856],
- [6.24],
- [6.538],
- [7.691],
- [6.758],
- [6.854],
- [7.267],
- [6.826],
- [6.482],[6.812],
- [7.82],
- [6.968],
- [7.645],
- [7.923],
- [7.088],
- [6.453],
- [6.23],
- [6.209],
- [6.315],
- [6.565],
- [6.861],
- [7.148],
- [6.63],
- [6.127],
- [6.009],


- [6.678],
- [6.549],
- [5.79],
- [6.345],
- [7.041],
- [6.871],
- [6.59],
- [6.495],
- [6.982],
- [7.236],
- [6.616],
- [7.42],
- [6.849],
- [6.635],
- [5.972],
- [4.973],
- [6.122],
- [6.023],
- [6.266],
- [6.567],
- [5.705],
- [5.914],
- [5.782],
- [6.382],
- [6.113],
- [6.426],
- [6.376],
- [6.041],
- [5.708],
- [6.415],
- [6.431],
- [6.312],
- [6.083],
- [5.868],
- [6.333],
- [6.144],
- [5.706],
- [6.031],
- [6.316],
- [6.31],
- [6.037],
- [5.869],
- [5.895],
- [6.059],
- [5.985],
- [5.968],
- [7.241],

- [6.54],
- [6.696],
- [6.874],
- [6.014],
- [5.898],
- [6.516],
- [6.635],
- [6.939],
- [6.49],
- [6.579],
- [5.884],
- [6.728],
- [5.663],
- [5.936],
- [6.212],
- [6.395],
- [6.127],
- [6.112],
- [6.398],
- [6.251],
- [5.362],
- [5.803],
- [8.78],
- [3.561],
- [4.963],
- [3.863],
- [4.97],[6.683],
- [7.016],
- [6.216],
- [5.875],
- [4.906],
- [4.138],
- [7.313],
- [6.649],
- [6.794],
- [6.38],
- [6.223],
- [6.968],
- [6.545],
- [5.536],
- [5.52],
- [4.368],
- [5.277],
- [4.652],
- [5.],
- [4.88],

- [5.39],
- [5.713],
- [6.051],
- [5.036],
- [6.193],
- [5.887],
- [6.471],
- [6.405],
- [5.747],
- [5.453],
- [5.852],
- [5.987],
- [6.343],
- [6.404],
- [5.349],
- [5.531],
- [5.683],
- [4.138],
- [5.608],
- [5.617],
- [6.852],
- [5.757],
- [6.657],
- [4.628],
- [5.155],
- [4.519],
- [6.434],[6.782],
- [5.304],
- [5.957],
- [6.824],
- [6.411],
- [6.006],
- [5.648],
- [6.103],
- [5.565],
- [5.896],
- [5.837],
- [6.202],
- [6.193],
- [6.38],
- [6.348],
- [6.833],
- [6.425],
- [6.436],
- [6.208],
- [6.629],

- [6.461],
- [6.152],
- [5.935],
- [5.627],
- [5.818],
- [6.406],
- [6.219],[6.485],
- [5.854],
- [6.459],
- [6.341],
- [6.251],
- [6.185],
- [6.417],
- [6.749],
- [6.655],
- [6.297],
- [7.393],
- [6.728],
- [6.525],
- [5.976],
- [5.936],
- [6.301],
- [6.081],
- [6.701],
- [6.376],
- [6.317],[6.513],
- [6.209],
- [5.759], [5.952],
- [6.003],
- [5.926],
- [5.713],
- [6.167],[6.229],
- [6.437],
- [6.98],
- [5.427],
- [6.162],
- [6.484],
- [5.304],
- [6.185],
- [6.229],
- [6.242],
- [6.75],
- [7.061],


```
[5.762],
             [5.871],
             [6.312],
             [6.114],
             [5.905],
             [5.454],
             [5.414],
             [5.093],
             [5.983],
             [5.983],
             [5.707],
             [5.926],
             [5.67],
             [5.39],
             [5.794],
             [6.019],
             [5.569],
             [6.027],
             [6.593],
             [6.12],
             [6.976],
             [6.794],
             [6.03]])
[15]: from sklearn.preprocessing import StandardScaler
      sc_x = StandardScaler()
      sc_y = StandardScaler()
      X_std = sc_x.fit_transform(X)
      y_std = sc_y.fit_transform(y[:,np.newaxis]).flatten()
[16]: lr = LinearRegressionGD()
      lr.fit(X_std, y_std)
[16]: <__main__.LinearRegressionGD at 0x7fe46acd9ab0>
[17]: plt.plot(range(1, lr.n_iter+1), lr.cost_)
      plt.ylabel('SSE')
      plt.xlabel('Epoch')
      #plt.tight_layout()
      #plt.savefig('images/10_05.png', dpi=300)
      plt.show()
```



```
[18]: def lin_regplot(X, y, model):
    plt.scatter(X, y, c='steelblue', edgecolor='white', s=70)
    plt.plot(X, model.predict(X), color='black', lw=2)
    return

[19]: lin_regplot(X_std, y_std, lr)
    plt.xlabel('Average number of rooms [RM] (standardized)')
    plt.ylabel('Price in $1000s [MEDV] (standardized)')

#plt.savefig('images/10_06.png', dpi=300)
    plt.show()
```



Price in \$1000s: 10.840

0.2 Estimando o coeficiente de um modelo de regressão via scikit-learn


```
[22]: from sklearn.linear_model import LinearRegression

[23]: slr = LinearRegression()
    slr.fit(X, y)
    y_pred = slr.predict(X)
    print('Slope: %.3f' % slr.coef_[0])
    print('Intercept: %.3f' % slr.intercept_)

Slope: 9.102
    Intercept: -34.671

[24]: lin_regplot(X, y, slr)
    plt.xlabel('Número médio de quartos [RM]')
    plt.ylabel('Preço em $1000s [MEDV]')

#plt.savefig('images/10_07.png', dpi=300)
    plt.show()
```



```
[25]: # adding a column vector of "ones"
      Xb = np.hstack((np.ones((X.shape[0], 1)), X))
      w = np.zeros(X.shape[1])
      z = np.linalg.inv(np.dot(Xb.T, Xb))
      w = np.dot(z, np.dot(Xb.T, y))
      print('Slope: %.3f' % w[1])
      print('Intercept: %.3f' % w[0])
     Slope: 9.102
     Intercept: -34.671
[26]: from sklearn.linear_model import RANSACRegressor
      ransac = RANSACRegressor(LinearRegression(),
                               max_trials=100,
                               min_samples=50,
                               loss='absolute_loss',
                               residual_threshold=5.0,
                               random_state=0)
      ransac.fit(X, y)
      inlier mask = ransac.inlier mask
      outlier_mask = np.logical_not(inlier_mask)
      line_X = np.arange(3, 10, 1)
      line_y_ransac = ransac.predict(line_X[:, np.newaxis])
      plt.scatter(X[inlier_mask], y[inlier_mask],
                  c='steelblue', edgecolor='white',
                  marker='o', label='Inliers')
      plt.scatter(X[outlier_mask], y[outlier_mask],
                  c='limegreen', edgecolor='white',
                  marker='s', label='Outliers')
      plt.plot(line_X, line_y_ransac, color='black', lw=2)
      plt.xlabel('Número médio de quartos [RM]')
      plt.ylabel('Preço em $1000s [MEDV]')
      plt.legend(loc='upper left')
      #plt.savefig('images/10_08.png', dpi=300)
      plt.show()
```

/usr/lib/python3/dist-packages/sklearn/linear_model/_ransac.py:369:
FutureWarning: The loss 'absolute_loss' was deprecated in v1.0 and will be removed in version 1.2. Use `loss='absolute_error'` which is equivalent. warnings.warn(

