



Journal of Management Education, 31(1), 1-12
 Copyright © 2007 Sage Publications
 10.1177/0022032106293911
<http://jme.sagepub.com>

A blank graph with 'Power' on the y-axis.

Audio

ID	Type	Pin No.			Pin name	Pin type	IO structure	Main function (after reset)	Default alternate function	Remapping function	TIM2_CH2		
		EXTI LAFIN	EXTI LAFIN	EXTI LAFIN							CH2_CK	CH2_CK	CH2_CK
-	39	55	58	PA3	IO	FT	PB3	SPD_SCK DS2C_DPP ¹					
-	40	56	59	PA3	IO	FT	PB4	SPD_MISO					
-	41	57	60	PA3	IO	FT							
-	42	58	61	PA3	IO	FT							
-	43	59	62	PA3	IO	FT							
-	44	60	63	PA3	IO	FT							
-	45	61	64	PA3	IO	FT							
-	46	62	65	PA3	IO	FT							
-	47	63	66	PA3	IO	FT							
-	48	64	67	PA3	IO	FT							
-	49	65	68	PA3	IO	FT							
-	50	66	69	PA3	IO	FT							
-	51	67	70	PA3	IO	FT							
-	52	68	71	PA3	IO	FT							
-	53	69	72	PA3	IO	FT							
-	54	70	73	PA3	IO	FT							
-	55	71	74	PA3	IO	FT							
-	56	72	75	PA3	IO	FT							
-	57	73	76	PA3	IO	FT							
-	58	74	77	PA3	IO	FT							
-	59	75	78	PA3	IO	FT							
-	60	76	79	PA3	IO	FT							
-	61	77	80	PA3	IO	FT							
-	62	78	81	PA3	IO	FT							
-	63	79	82	PA3	IO	FT							
-	64	80	83	PA3	IO	FT							
-	65	81	84	PA3	IO	FT							
-	66	82	85	PA3	IO	FT							
-	67	83	86	PA3	IO	FT							
-	68	84	87	PA3	IO	FT							
-	69	85	88	PA3	IO	FT							
-	70	86	89	PA3	IO	FT							
-	71	87	90	PA3	IO	FT							
-	72	88	91	PA3	IO	FT							
-	73	89	92	PA3	IO	FT							
-	74	90	93	PA3	IO	FT							
-	75	91	94	PA3	IO	FT							
-	76	92	95	PA3	IO	FT							
-	77	93	96	PA3	IO	FT							
-	78	94	97	PA3	IO	FT							
-	79	95	98	PA3	IO	FT							
-	80	96	99	PA3	IO	FT							
-	81	97	100	PA3	IO	FT							
-	82	98	101	PA3	IO	FT							
-	83	99	102	PA3	IO	FT							
-	84	100	103	PA3	IO	FT							
-	85	101	104	PA3	IO	FT							
-	86	102	105	PA3	IO	FT							
-	87	103	106	PA3	IO	FT							
-	88	104	107	PA3	IO	FT							
-	89	105	108	PA3	IO	FT							
-	90	106	109	PA3	IO	FT							
-	91	107	110	PA3	IO	FT							
-	92	108	111	PA3	IO	FT							
-	93	109	112	PA3	IO	FT							
-	94	110	113	PA3	IO	FT							
-	95	111	114	PA3	IO	FT							
-	96	112	115	PA3	IO	FT							
-	97	113	116	PA3	IO	FT							
-	98	114	117	PA3	IO	FT							
-	99	115	118	PA3	IO	FT							
-	100	116	119	PA3	IO	FT							
-	101	117	120	PA3	IO	FT							
-	102	118	121	PA3	IO	FT							
-	103	119	122	PA3	IO	FT							
-	104	120	123	PA3	IO	FT							
-	105	121	124	PA3	IO	FT							
-	106	122	125	PA3	IO	FT							
-	107	123	126	PA3	IO	FT							
-	108	124	127	PA3	IO	FT							
-	109	125	128	PA3	IO	FT							
-	110	126	129	PA3	IO	FT							
-	111	127	130	PA3	IO	FT							
-	112	128	131	PA3	IO	FT							
-	113	129	132	PA3	IO	FT							
-	114	130	133	PA3	IO	FT							
-	115	131	134	PA3	IO	FT							
-	116	132	135	PA3	IO	FT							
-	117	133	136	PA3	IO	FT							
-	118	134	137	PA3	IO	FT							
-	119	135	138	PA3	IO	FT							
-	120	136	139	PA3	IO	FT							
-	121	137	140	PA3	IO	FT							
-	122	138	141	PA3	IO	FT							
-	123	139	142	PA3	IO	FT							
-	124	140	143	PA3	IO	FT							
-	125	141	144	PA3	IO	FT							
-	126	142	145	PA3	IO	FT							
-	127	143	146	PA3	IO	FT							
-	128	144	147	PA3	IO	FT							
-	129	145	148	PA3	IO	FT							
-	130	146	149	PA3	IO	FT							
-	131	147	150	PA3	IO	FT							
-	132	148	151	PA3	IO	FT							
-	133	149	152	PA3	IO	FT							
-	134	150	153	PA3	IO	FT							
-	135	151	154	PA3	IO	FT							
-	136	152	155	PA3	IO	FT							
-	137	153	156	PA3	IO	FT							
-	138	154	157	PA3	IO	FT							
-	139	155	158	PA3	IO	FT							
-	140	156	159	PA3	IO	FT							
-	141	157	160	PA3	IO	FT							
-	142	158	161	PA3	IO	FT							
-	143	159	162	PA3	IO	FT							
-	144	160	163	PA3	IO	FT							
-	145	161	164	PA3	IO	FT							
-	146	162	165	PA3	IO	FT							
-	147	163	166	PA3	IO	FT							
-	148	164	167	PA3	IO	FT							
-	149	165	168	PA3	IO	FT							
-	150	166	169	PA3	IO	FT							
-	151	167	170	PA3	IO	FT							
-	152	168	171	PA3	IO	FT							
-	153	169	172	PA3	IO	FT							
-	154	170	173	PA3	IO	FT							
-	155	171	174	PA3	IO	FT							
-	156	172	175	PA3	IO	FT							
-	157	173	176	PA3	IO	FT							
-	158	174	177	PA3	IO	FT							
-	159	175	178	PA3	IO	FT							
-	160	176	179	PA3	IO	FT							
-	161	177	180	PA3	IO	FT							
-	162	178	181	PA3	IO	FT							
-	163	179	182	PA3	IO	FT							
-	164	180	183	PA3	IO	FT							
-	165	181	184	PA3	IO	FT							
-	166	182	185	PA3	IO	FT							
-	167	183	186	PA3	IO	FT							
-	168	184	187	PA3	IO	FT							
-	169	185	188	PA3	IO	FT							
-	170	186	189	PA3	IO	FT							
-	171	187	190	PA3	IO	FT							
-	172	188	191	PA3	IO	FT							
-	173	189	192	PA3	IO	FT							
-	174	190	193	PA3	IO	FT							
-	175	191	194	PA3	IO	FT							
-	176	192	195	PA3	IO	FT							
-	177	193	196	PA3	IO	FT							
-	178	194	197	PA3	IO	FT							
-	179	195	198	PA3	IO	FT							
-	180	196	199	PA3	IO	FT							
-	181	197	200	PA3	IO	FT							
-	182	198	201	PA3	IO	FT							
-	183	199	202	PA3	IO	FT							
-	184	200	203	PA3	IO	FT							
-	185	201	204	PA3	IO	FT							
-	186	202	205	PA3	IO	FT							
-	187	203	206	PA3	IO	FT							
-	188	204	207	PA3	IO	FT							
-	189	205	208	PA3	IO	FT							
-	190	206	209	PA3	IO	FT							
-	191	207	210	PA3	IO	FT							
-	192	208	211	PA3	IO	FT							
-	193	209	212	PA3	IO	FT							
-	194	210	213	PA3	IO	FT							
-	195	211	214	PA3	IO	FT							
-	196	212	215	PA3	IO	FT							
-	197	213	216	PA3	IO	FT							
-	198	214	217	PA3	IO	FT							
-	199	215	218	PA3	IO	FT							
-	200	216	219	PA3	IO	FT							
-	201</												

-	-	51	54	78	PC10	JO	FT	PC10	USARTX_TX SMD_D2 TIMD1_ETB DVP_D8	USARTX_TX_1 SPD_SCK FSD_CK
-	-	52	55	79	PC11	JO	FT	PC11	USARTX_RX SMD_D3 TIMD1_ETB DVP_D4	USARTX_RX_1 SPD_MISO
-	-	53	56	80	PC12	JO	FT	PC12	USARTX_TX SMD_CK TIMD1_MISO DVP_D9	USARTX_CK_1 SPD_MOSI FSD_S2
-	-	-	-	41	P00	IOA	FT	P00	FSMC_D2	CAN1_RX TIMD1_ETB_2
-	-	-	-	82	P01	IOA	FT	P01	FSMC_D3	CAN1_TX TIMD1_CHI_2
-	-	84	87	83	P02	JO	FT	P02	TMD1_ETB USARTX_RX SMD_CMO DVP_D11 FMC_NAD0*	TMD1_ETB_2 TMD1_ETB_C



External interrupt/event line	Mapping event description
EXTIO-EXTI15	Px0-Px15 (x=A/B/C/D/E). Any I/O port can enable the external interrupt/event function, configured by AFIO_EXTICRs registers.
EXTI16	PVD event: Exceed the voltage detector threshold
EXTI17	RTC alarm
EXTI18	USBID1/8/9/10/70 wakeup event (Applied for CH32F20x, D8, CH32F20x, D8C, CH32F30x, D8, CH32F30x, D8C and CH32V31x, D8C) USBID wakeup event (Applied for other product numbers)
EXTI19	ETH wakeup event
EXTI20	USBHS31x wakeup event (Applied for CH32F20x, D8C, CH32F30x, D8C and CH32V31x, D8C)

89

FPC-05F-18PH20 FPC1

Pin 1: GND

Pin 2: +3.3V

Pin 3: TP_INT

Pin 4: TP_RST

Pin 5: SDA

Pin 6: SCL

Pin 7: GND

Pin 8: SCL_RST

Pin 9: SDA_MOSI

Pin 10: SCL_SCK

Pin 11: SCL_CS

Pin 12: SCL_RS

Pin 13: TP5

Pin 14: GND

Pin 15: TP6

Pin 16: +3.3V

Pin 17: LEDK


Pin 18: GND


Pin 19: GND

Pin 20: +3.3V


C51 100nF

C52 100nF







Power – Analog



Battery Charging



Power – MCU



Power Selector

