

PS#8 – Directional derivatives and the gradient - Answer key

1. Here's an absolutely classic problem that I think is kind of a rite of passage for students in a multivariate calculus course: the lighthouse problem.

In the lighthouse at Point Gradient, the lamp has been knocked slightly out of vertical, so that the axis is tilted just a little. When the light points east, the beam of light is inclined upward at 5 degrees. When the light points north, the beam of light is inclined upward at 2 degrees.

- (a) The beam of light sweeps out a plane; let's call that plane $f(x,y)$ and say that the lighthouse is at the point $(0,0)$. What's $f_x(0,0)$, and what's $f_y(0,0)$? (Hint: the answers aren't 5° and 2° . Draw a picture and use some trigonometry to figure out the slopes.)

Slope is rise over run, yeah? So $f_x(0,0) = \tan 5^\circ$, and $f_y(0,0) = \tan 2^\circ$.

- (b) What's $\nabla f(0,0)$?

$\nabla f(0,0) = \langle f_x(0,0), f_y(0,0) \rangle = \langle \tan 5^\circ, \tan 2^\circ \rangle \approx \langle 0.087, 0.035 \rangle$.

- (c) Looking down from above on a map, in which direction is the light beam pointing when it's most significantly inclined from the horizontal? Explain.

$\nabla f = \langle \tan 5^\circ, \tan 2^\circ \rangle$. This is about 21.76° north of east.

- (d) What is the maximum angle of elevation of the plane of the light beam from horizontal? (Hint: you'll now have to do some inverse trigonometry.)

$|\nabla f| = \sqrt{(\tan 5^\circ)^2 + (\tan 2^\circ)^2} \approx \sqrt{0.0089} \approx 0.0942$.

The angle is $\arctan(0.0942) \approx 5.381^\circ$ or 0.0939 radians.

2. (Activity 10.7.6 quick reference)

- (a) Find all critical points in the region. **$(2, 1)$ is a saddle point.**
- (b) Parameterize the horizontal leg and find critical points. **$x = x$ and $y = 0$, so $f(x, y) = f(x, 0) = x^2 - 4x$. Critical point at $(2, 0)$; also need to check endpoints $(0, 0)$ and $(4, 0)$.**
- (c) Parameterize the vertical leg and find critical points. **$x = 0$ and $y = y$, so $f(0, y) = -3y^2 + 6y$. Critical point at $(0, 1)$; also need to check endpoints $(0, 0)$ and $(0, 4)$.**
- (d) Parameterize the hypotenuse and find critical points. **$x = x$ and $y = 4 - x$, so $f(x, 4 - x) = x^2 - 3(4 - x)^2 - 4x + 6(4 - x)$. Critical point at $x = 7/2$, so $y = 1/2$.**
- (e) Find absolute max and absolute min.
- **$f(2, 1) = -1$ – interior critical point**
 - **$f(2, 0) = -4$ – horizontal leg critical point**
 - **$f(0, 1) = 3$ – vertical leg critical point**
 - **$f(7/2, 1/2) = 1/2$ – hypotenuse critical point**
 - **$f(0, 0) = 0$ – corner**
 - **$f(4, 0) = 0$ – corner**
 - **$f(0, 4) = -24$ – corner**