


Learning target IN1, version 1

Use geometric formulas to find definite integrals.

Here is the graph of a function $h(t)$, which is made up of only straight lines and parts of circles.



Compute each of the following.

(a) $\int_{-4}^0 h(t) dt$

(e) $\int_7^8 h(t) dt$

(b) $\int_0^2 h(t) dt$

(f) $\int_8^{9.2} h(t) dt$

(c) $\int_2^4 h(t) dt$

(g) $\int_{9.2}^{10} h(t) dt$


(d) $\int_4^7 h(t) dt$

(h) $\int_{-4}^{10} h(t) dt$

Learning target IN1, version 2

Use geometric formulas to find definite integrals.

Here is the graph of a function $g(x)$, which is made up of only straight lines and parts of circles.



Compute each of the following.

(a) $\int_{-3}^{-2} g(x) \, dx$

(e) $\int_1^2 g(x) \, dx$

(b) $\int_{-2}^{-1} g(x) \, dx$

(f) $\int_2^4 g(x) \, dx$

(c) $\int_{-1}^0 g(x) \, dx$


(g) $\int_{-3}^4 g(x) \, dx$

(d) $\int_0^1 g(x) \, dx$

Learning target IN1, version 3

Use geometric formulas to find definite integrals.

Here is the graph of a function $q(t)$, which is made up of only straight lines and parts of circles.



Compute each of the following.

(a) $\int_{-5}^{-3} q(t) \, dt$

(e) $\int_3^5 q(t) \, dt$

(b) $\int_{-3}^0 q(t) \, dt$

(f) $\int_{-3}^2 q(t) \, dt$

(c) $\int_0^2 q(t) \, dt$

(g) $\int_{-5}^5 q(t) \, dt$

(d) $\int_2^3 q(t) \, dt$