

About this Book

Welcome to the course manual for CSC310 at URI with Professor Brown.

This class meets MWF 3-3:50pm in Chafee Social Sci Center 235.

This website will contain the syllabus, class notes, and other reference material for the class.

[Course Calendar on BrightSpace](#)



Tip

[subscribe to that calendar](#) in your favorite calendar application

Navigating the Sections

The Syllabus section has logistical operations for the course broken down into sections. You can also read straight through by starting in the first one and navigating to the next section using the arrow navigation at the end of the page.

This site is a resource for the course. We do not follow a text book for this course, but all notes from class are posted in the notes section, accessible on the left hand side menu, visible on large screens and in the menu on mobile.

The resources section has links and short posts that provide more context and explanation. Content in this section is for the most part not strictly the material that you'll be graded on, but it is often material that will help you understand and grow as a programmer and data scientist.

Reading each page

All class notes can be downloaded in multiple formats, including as a notebook. Some pages of the syllabus and resources are also notebooks, if you want to see behind the curtain of how I manage the course information.



Notes will have exercises marked like this



Questions that are asked in class, but unanswered at that time will be answered in the notes and marked with a box like this. Long answers will be in the main notes



Notes that are mostly links to background and context will be highlighted like this. These are optional, but will mostly help you understand code excerpts they relate to.



Both notes and assignment pages will have hints from time to time. Pay attention to these on the notes, they'll typically relate to things that will appear in the assignment.



Think ahead boxes will guide you to start thinking about what can go into your portfolio to build on the material at hand.



Questions that are asked in class, but unanswered at that time will be answered in the notes and marked with a box like this. Short questions will be in the margin note

Ram Token Opportunity

Chances to earn ram tokens are highlighted this way.

Basic Facts

About this course

Data science exists at the intersection of computer science, statistics, and machine learning. That means writing programs to access and manipulate data so that it becomes available for analysis using statistical and machine learning techniques is at the core of data science. Data scientists use their data and analytical ability to find and interpret rich data sources; manage large amounts of data despite hardware, software, and bandwidth constraints; merge data sources; ensure consistency of datasets; create visualizations to aid in understanding data; build mathematical models using the data; and present and communicate the data insights/findings.

This course provides a survey of data science. Topics include data driven programming in Python; data sets, file formats and meta-data; descriptive statistics, data visualization, and foundations of predictive data modeling and machine learning; accessing web data and databases; distributed data management. You will work on weekly substantial programming problems such as accessing data in database and visualize it or build machine learning models of a given data set.

Basic programming skills (CSC201 or CSC211) are a prerequisite to this course. This course is a prerequisite course to machine learning, where you learn how machine learning algorithms work. In this course, we will start with a very fast review of basic programming ideas, since you've already done that before. We will learn how to *use* machine learning algorithms to do data science, but not how to *build* machine learning algorithms, we'll use packages that implement the algorithms for us.

About this syllabus

This syllabus is a *living* document and accessible from BrightSpace, as a pdf for download directly online at rhodyprog4ds.github.io/BrownFall21/syllabus. If you choose to download a copy of it, note that it is only a copy. You can get notification of changes from GitHub by "watching" the You can view the date of changes and exactly what changes were made on the Github [commit history](#) page.

Creating an [issue](#) is also a good way to ask questions about anything in the course it will prompt additions and expand the FAQ section.

About your instructor

Name: Dr. Sarah M Brown Office hours: TBA via zoom, link on BrightSpace

Dr. Sarah M Brown is a second year Assistant Professor of Computer Science, who does research on how social context changes machine learning. Dr. Brown earned a PhD in Electrical Engineering from Northeastern University, completed a postdoctoral fellowship at University of California Berkeley, and worked as a postdoctoral research associate at Brown University before joining URI. At Brown University, Dr. Brown taught the Data and Society course for the Master's in Data Science Program. You can learn more about me at my [website](#) or my research on my [lab site](#).

You can call me Professor Brown or Dr. Brown, I use she/her pronouns.

The best way to contact me is e-mail or an issue on an assignment repo. For more details, see the [Communication Section](#)

Tools and Resources

We will use a variety of tools to conduct class and to facilitate your programming. You will need a computer with Linux, MacOS, or Windows. It is unlikely that a tablet will be able to do all of the things required in this course. A Chromebook may work, especially with developer tools turned on. Ask Dr. Brown if you need help getting access to an adequate computer.

All of the tools and resources below are either:

- paid for by URI OR
- freely available online.

BrightSpace

This will be the central location from which you can access all other materials. Any links that are for private discussion among those enrolled in the course will be available only from our course [Brightspace site](#).

This is also where your grades will appear and how I will post announcements.

For announcements, you can [customize](#) how you receive them.

Important

TL;DR [\[1\]](#)

- check Brightspace
- Log in to Prismia Chat
- Make a GitHub Account
- Install Python
- Install Git

Prismia chat

Our class link for [Prismia chat](#) is available on Brightspace. We will use this for chatting and in-class understanding checks.

On Prismia, all students see the instructor's messages, but only the Instructor and TA see student responses.

Note

Seeing the BrightSpace site requires logging in with your URI SSO and being enrolled in the course

Course Manual

The course manual will have content including the class policies, scheduling, class notes, assignment information, and additional resources. This will be linked from Brightspace and available publicly online at [rhodyprog4ds.github.io/BrownFall21](#). Links to the course reference text and code documentation will also be included here in the assignments and class notes.

GitHub Classroom

You will need a [GitHub](#) Account. If you do not already have one, please [create one](#) by the first day of class. If you have one, but have not used it recently, you may need to update your password and login credentials as the [Authentication rules](#) changed over the summer. In order to use the command line with https, you will need to [create a Personal Access Token](#) for each device you use. In order to use the command line with SSH, set up your public key.

Programming Environment

This is a programming course, so you will need a programming environment. In order to complete assignments you need the items listed in the requirements list. The easiest way to meet these requirements is to follow the recommendations below. I will provide instruction assuming that you have followed the recommendations.

Requirements:

- Python with scientific computing packages (numpy, scipy, jupyter, pandas, seaborn, sklearn)
- [Git](#)
- A web browser compatible with [Jupyter Notebooks](#)

⚠ Warning

Everything in this class will be tested with the up to date (or otherwise specified) version of Jupyter Notebooks. Google Colab is similar, but not the same, and some things may not work there. It is an okay backup, but should not be your primary work environment.

Note

all Git instructions will be given as instructions for the command line interface and GitHub specific instructions via the web interface. You may choose to use GitHub desktop or built in IDE tools, but the instructional team may not be able to help.

Recommendation:

- Install python via [Anaconda](#)
- if you use Windows, install Git with [GitBash \(video instructions\)](#).
- if you use MacOS, install Git with the Xcode Command Line Tools. On Mavericks (10.9) or above you can do this by trying to run git from the Terminal the very first time.`git --version`

Optional:

- Text Editor: you may want a text editor outside of the Jupyter environment. Jupyter can edit markdown files (that you'll need for your portfolio), in browser, but it is more common to use a text editor like Atom or Sublime for this purpose.

Video install instructions for Anaconda:

- [Windows](#)
- [Mac](#)

On Mac, to install python via environment, [this article may be helpful](#)

- I don't have a video for linux, but it's a little more straight forward.

A tip from Dr. Brown

I use [atom](#), but I decided to use it by downloading both Atom and Sublime and trying different things in each for a week. I liked Atom better after that and I've stuck with it since. I used Atom to write all of the content in this syllabus. VSCode will also work, if needed

Textbook

The text for this class is a reference book and will not be a source of assignments. It will be a helpful reference and you may be directed there for answers to questions or alternate explanations of topics.

Python for Data Science is available free [online](#):

Zoom (backup only, Fall 2021 is in person)

This is where we will meet if for any reason we cannot be in person. You will find the link to class zoom sessions on Brightspace.

URI provides all faculty, staff, and students with a paid Zoom account. It can run in your browser or on a mobile device, but you will be able to participate in class best if you download the [Zoom client](#) on your computer. Please [log in](#) and [configure your account](#). Please add a photo of yourself to your account so that we can still see your likeness in some form when your camera is off. You may also wish to use a virtual background and you are welcome to do so.

Class will be interactive, so if you cannot be in a quiet place at class time, headphones with a built in microphone are strongly recommended.

For help, you can access the [instructions provided by IT](#).

[1] Too long; didn't read.

Data Science Achievements

In this course there are 5 learning outcomes that I expect you to achieve by the end of the semester. To get there, you'll focus on 15 smaller achievements that will be the basis of your grade. This section will describe how the topics covered, the learning outcomes, and the achievements are covered over time. In the next section, you'll see how these achievements turn into grades.

Learning Outcomes

By the end of the semester

1. (process) Describe the process of data science, define each phase, and identify standard tools
2. (data) Access and combine data in multiple formats for analysis
3. (exploratory) Perform exploratory data analyses including descriptive statistics and visualization
4. (modeling) Select models for data by applying and evaluating multiple models to a single dataset
5. (communicate) Communicate solutions to problems with data in common industry formats

We will build your skill in the **process** and **communicate** outcomes over the whole semester. The middle three skills will correspond roughly to the content taught for each of the first three portfolio checks.

Schedule

The course will meet MWF 3-3:50pm in Chafee Social Sci Center 235. Every class will include participatory live coding (instructor types code while explaining, students follow along) instruction and small exercises for you to progress toward level 1 achievements of the new skills introduced in class that day.

Programming assignments that will be due each week Tuesday by 11:59pm.

week	topics	skills
1	[admin, python review]	process
2	Loading data, Python review	[access, prepare, summarize]
3	Exploratory Data Analysis	[summarize, visualize]
4	Data Cleaning	[prepare, summarize, visualize]
5	Databases, Merging DataFrames	[access, construct, summarize]
6	Modeling, Naive Bayes, classification performance metrics	[classification, evaluate]
7	decision trees, cross validation	[classification, evaluate]
8	Regression	[regression, evaluate]
9	Clustering	[clustering, evaluate]
10	SVM, parameter tuning	[optimize, tools]
11	KNN, Model comparison	[compare, tools]
12	Text Analysis	[unstructured]
13	Images Analysis	[unstructured, tools]
14	Deep Learning	[tools, compare]

Achievement Definitions

The table below describes how your participation, assignments, and portfolios will be assessed to earn each achievement. The keyword for each skill is a short name that will be used to refer to skills throughout the course materials; the full description of the skill is in this table.

Note

On the [Course Calendar on BrightSpace](#) page you can get a feed link to add to the calendar of your choice by clicking on the subscribe (star) button on the top right of the page. Class is for 1 hour there because of Brightspace/zoom integration limitations, but that calendar includes the zoom link.

	skill	Level 1	Level 2	Level 3
keyword				
python	pythonic code writing	python code that mostly runs, occasional pep8 adherence	python code that reliably runs, frequent pep8 adherence	reliable, efficient, pythonic code that consistently adheres to pep8
process	describe data science as a process	Identify basic components of data science	Describe and define each stage of the data science process	Compare different ways that data science can facilitate decision making
access	access data in multiple formats	load data from at least one format; identify the most common data formats	Load data for processing from the most common formats; Compare and contrast most common formats	access data from both common and uncommon formats and identify best practices for formats in different contexts
construct	construct datasets from multiple sources	identify what should happen to merge datasets or when they can be merged	apply basic merges	merge data that is not automatically aligned
summarize	Summarize and describe data	Describe the shape and structure of a dataset in basic terms	compute summary standard statistics of a whole dataset and grouped data	Compute and interpret various summary statistics of subsets of data
visualize	Visualize data	identify plot types, generate basic plots from pandas	generate multiple plot types with complete labeling with pandas and seaborn	generate complex plots with pandas and plotting libraries and customize with matplotlib or additional parameters
prepare	prepare data for analysis	identify if data is or is not ready for analysis, potential problems with data	apply data reshaping, cleaning, and filtering as directed	apply data reshaping, cleaning, and filtering manipulations reliably and correctly by assessing data as received
classification	Apply classification	identify and describe what classification is, apply pre-fit classification models	fit preselected classification model to a dataset	fit and apply classification models and select appropriate classification models for different contexts
regression	Apply Regression	identify what data that can be used for regression looks like	can fit linear regression models	can fit and explain regularized or nonlinear regression
clustering	Clustering	describe what clustering is	apply basic clustering	apply multiple clustering techniques, and interpret results
evaluate	Evaluate model performance	Explain basic performance metrics for different data science tasks	Apply basic model evaluation metrics to a held out test set	Evaluate a model with multiple metrics and cross validation
optimize	Optimize model parameters	Identify when model parameters need to be optimized	Manually optimize basic model parameters such as model order	Select optimal parameters based of mutiple quantitave criteria and automate parameter tuning
compare	compare models	Qualitatively compare model classes	Compare model classes in specific terms and fit models in terms of traditional model performance metrics	Evaluate tradeoffs between different model comparison types

	skill	Level 1	Level 2	Level 3
keyword				
unstructured	model unstructured data	Identify options for representing text data and use them once data is transformed	Apply at least one representation to transform unstructured data for model fitting or summarizing	apply multiple representations and compare and contrast them for different end results
workflow	use industry standard data science tools and workflows to solve data science problems	Solve well structured problems with a single tool pipeline	Solve semi-structured, completely specified problems, apply common structure to learn new features of standard tools	Scope, choose an appropriate tool pipeline and solve data science problems, describe strengths and weaknesses of common tools

Assignments and Skills

Using the keywords from the table above, this table shows which assignments you will be able to demonstrate which skills and the total number of assignments that assess each skill. This is the number of opportunities to earn Level 2 and still preserve 2 chances to earn Level 3 for each skill.

	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	# Assignments
keyword														
python	1	1	0	1	1	0	0	0	0	0	0	0	0	4
process	1	1	0	0	0	0	0	0	0	1	1	0	0	4
access	0	1	1	1	0	0	0	0	0	0	0	0	0	3
construct	0	0	0	0	1	1	0	0	0	0	0	0	0	2
summarize	0	0	1	1	1	1	1	1	1	1	1	1	1	11
visualize	0	0	1	1	0	1	1	1	1	1	1	1	1	10
prepare	0	0	0	1	1	0	0	0	0	0	0	0	0	2
classification	0	0	0	0	0	1	1	0	0	1	0	0	0	3
regression	0	0	0	0	0	0	0	1	0	0	1	0	0	2
clustering	0	0	0	0	0	0	0	0	1	0	1	0	0	2
evaluate	0	0	0	0	0	0	0	0	0	1	1	0	0	2
optimize	0	0	0	0	0	0	0	0	0	1	1	0	0	2
compare	0	0	0	0	0	0	0	0	0	0	1	0	1	2
unstructured	0	0	0	0	0	0	0	0	0	0	0	1	1	2
workflow	0	0	0	0	0	0	0	0	0	1	1	1	1	4

⚠ Warning

process achievements are accumulated a little slower. Prior to portfolio check 1, only level 1 can be earned. Portfolio check 1 is the first chance to earn level 2 for process, then level 3 can be earned on portfolio check 2 or later.

Portfolios and Skills

The objective of your portfolio submissions is to earn Level 3 achievements. The following table shows what Level 3 looks like for each skill and identifies which portfolio submissions you can earn that Level 3 in that skill.

		Level 3	P1	P2	P3	P4
keyword						
python	reliable, efficient, pythonic code that consistently adheres to pep8	1	1	0	0	
process	Compare different ways that data science can facilitate decision making	0	1	1	1	
access	access data from both common and uncommon formats and identify best practices for formats in different contexts	1	1	0	0	
construct	merge data that is not automatically aligned	1	1	0	0	
summarize	Compute and interpret various summary statistics of subsets of data	1	1	0	0	
visualize	generate complex plots with pandas and plotting libraries and customize with matplotlib or additional parameters	1	1	0	0	
prepare	apply data reshaping, cleaning, and filtering manipulations reliably and correctly by assessing data as received	1	1	0	0	
classification	fit and apply classification models and select appropriate classification models for different contexts	0	1	1	0	
regression	can fit and explain regularized or nonlinear regression	0	1	1	0	
clustering	apply multiple clustering techniques, and interpret results	0	1	1	0	
evaluate	Evaluate a model with multiple metrics and cross validation	0	1	1	0	
optimize	Select optimal parameters based of mutiple quanttiateve criteria and automate parameter tuning	0	0	1	1	
compare	Evaluate tradeoffs between different model comparison types	0	0	1	1	
unstructured	apply multiple representations and compare and contrast them for different end results	0	0	1	1	
workflow	Scope, choose an appropriate tool pipeline and solve data science problems, describe strengths and weaknesses of common tools	0	0	1	1	

Grading

This section of the syllabus describes the principles and mechanics of the grading for the course. This course will be graded on a basis of a set of *skills* (described in detail the next section of the syllabus). This is in contrast to more common grading on a basis of points earned through assignments.

Principles of Grading

Learning happens through practice and feedback. My goal as a teacher is for you to learn. The grading in this course is based on your learning of the material, rather than your completion of the activities that are assigned.

This course is designed to encourage you to work steadily at learning the material and demonstrating your new knowledge. There are no single points of failure, where you lose points that cannot be recovered. Also, you cannot cram anything one time and then forget it. The material will build and you have to demonstrate that you retained things.

- Earning a C in this class means you have a general understanding of Data Science and could participate in a basic conversation about all of the topics we cover. I expect everyone to reach this level.
- Earning a B means that you could solve simple data science problems on your own and complete parts of more complex problems as instructed by, for example, a supervisor in an internship or entry level job. This is a very accessible goal, it does not require you to get anything on the first try or to explore topics on your own. I expect most students to reach this level.
- Earning an A means that you could solve moderately complex problems independently and discuss the quality of others' data science solutions. This class will be challenging, it requires you to explore topics a little deeper than we cover them in class, but unlike typical grading it does not require all of your assignments to be near perfect.

Grading this way also is more amenable to the fact that there are correct and incorrect ways to do things, but there is not always a single correct answer to a realistic data science problem. Your work will be assessed on whether or not it demonstrates your learning of the targeted skills. You will also receive feedback on how to improve.

How it works

There are 15 skills that you will be graded on in this course. While learning these skills, you will work through a progression of learning. Your grade will be based on earning 45 achievements that are organized into 15 skill groups with 3 levels for each.

These map onto letter grades roughly as follows:

- If you achieve level 1 in all of the skills, you will earn at least a C in the course.
- To earn a B, you must earn all of the level 1 and level 2 achievements.
- To earn an A, you must earn all of the achievements.

You will have at least three opportunities to earn every level 2 achievement. You will have at least two opportunities to earn every level 3 achievement. You will have three types of opportunities to demonstrate your current skill level: participation, assignments, and a portfolio.

Each level of achievement corresponds to a phase in your learning of the skill:

- To earn level 1 achievements, you will need to demonstrate basic awareness of the required concepts and know approximately what to do, but you may need specific instructions of which things to do or to look up examples to modify every step of the way. You can earn level 1 achievements in class, assignments, or portfolio submissions.
- To earn level 2 achievements you will need to demonstrate understanding of the concepts and the ability to apply them with instruction after earning the level 1 achievement for that skill. You can earn level 2 achievements in assignments or portfolio submissions.
- To earn level 3 achievements you will be required to consistently execute each skill and demonstrate deep understanding of the course material, after achieving level 2 in that skill. You can earn level 3 achievements only through your portfolio submissions.

For each skill these are defined in the [Achievement Definition Table](#)

Participation

While attending synchronous class sessions, there will be understanding checks and in class exercises. Completing in class exercises and correctly answering questions in class can earn level 1 achievements. In class questions will be administered through the classroom chat platform Prismia.chat; these records will be used to update your skill progression. You can also earn level 1 achievements from adding annotation to a section of the class notes.

Assignments

For your learning to progress and earn level 2 achievements, you must practice with the skills outside of class time.

Assignments will each evaluate certain skills. After your assignment is reviewed, you will get qualitative feedback on your work, and an assessment of your demonstration of the targeted skills.

Portfolio Checks

To earn level 3 achievements, you will build a portfolio consisting of reflections, challenge problems, and longer analyses over the course of the semester. You will submit your portfolio for review 4 times. The first two will cover the skills taught up until 1 week before the submission deadline.

The third and fourth portfolio checks will cover all of the skills. The fourth will be due during finals. This means that, if you have achieved mastery of all of the skills by the 3rd portfolio check, you do not need to submit the fourth one.

Portfolio prompts will be given throughout the class, some will be structured questions, others may be questions that arise in class, for which there is not time to answer.

TLDR

You could earn a C through in class participation alone, if you make nearly zero mistakes. To earn a B, you must complete assignments and participate in class. To earn an A you must participate, complete assignments, and build a portfolio.

⚠️ Warning

If you will skip an assignment, please accept the GitHub assignment and then close the Feedback pull request with a comment. This way we can make sure that you have support you need.

Detailed mechanics

On Brightspace there are 45 Grade items that you will get a 0 or a 1 grade for. These will be revealed, so that you can view them as you have an opportunity to demonstrate each one. The table below shows the minimum number of skills at each level to earn each letter grade.

Level 3 Level 2 Level 1

letter grade

A	15	15	15
A-	10	15	15
B+	5	15	15
B	0	15	15
B-	0	10	15
C+	0	5	15
C	0	0	15
C-	0	0	10
D+	0	0	5
D	0	0	3

For example, if you achieve level 2 on all of the skills and level 3 on 7 skills, that will be a B+.

If you achieve level 3 on 14 of the skills, but only level 1 on one of the skills, that will be a B-, because the minimum number of level 2 achievements for a B is 15. In this scenario the total number of achievements is 14 at level 3, 14 at level 2 and 15 at level 3, because you have to earn achievements within a skill in sequence.

The letter grade can be computed as follows

```
def compute_grade(num_level1,num_level2,num_level3):
    """
    Computes a grade for CSC/DSP310 from numbers of achievements at each level

    Parameters:
    -----
    num_level1 : int
        number of level 1 achievements earned
    num_level2 : int
        number of level 2 achievements earned
    num_level3 : int
        number of level 3 achievements earned

    Returns:
    -----
    letter_grade : string
        letter grade with modifier (+/-)
    """

    if num_level1 == 15:
        if num_level2 == 15:
            if num_level3 == 15:
                grade = 'A'
            elif num_level3 >= 10:
                grade = 'A-'
            elif num_level3 >=5:
                grade = 'B+'
            else:
                grade = 'B'
        elif num_level2 >=10:
            grade = 'B-'
        elif num_level2 >=5:
            grade = 'C+'
        else:
            grade = 'C'
    elif num_level1 >= 10:
        grade = 'C-'
    elif num_level1 >= 5:
        grade = 'D+'
    elif num_level1 >=3:
        grade = 'D'
    else:
        grade = 'F'

    return grade
```

1 Note

In this example, you will have also achieved level 1 on all of the skills, because it is a prerequisite to level 2.

For example you can run the code like this in a cell to see the output

```
compute_grade(15,15,15)
```

```
'A'
```

```
compute_grade(14,14,14)
```

```
'C-'
```

Or use `assert` to test it formally

```
assert compute_grade(14,14,14) == 'C-'
```

```
assert compute_grade(15,15,15) == 'A'
```

```
assert compute_grade(15,15,11) == 'A-'
```

Late work

Late assignments will not be graded. Every skill will be assessed through more than one assignment, so missing assignments occasionally not necessarily hurt your grade. If you do not submit any assignments that cover a given skill, you may earn the level 2 achievement in that skill through a portfolio check, but you will not be able to earn the level 3 achievement in that skill. If you submit work that is not complete, however, it will be assessed and receive feedback. Submitting pseudocode or code with errors and comments about what you have tried could earn a level 1 achievement. Additionally, most assignments cover multiple skills, so partially completing the assignment may earn level 2 for one, but not all. Submitting *something* even if it is not perfect is important to keeping conversation open and getting feedback and help continuously.

Building your Data Science Portfolio should be an ongoing process, where you commit work to your portfolio frequently. If something comes up and you cannot finish all that you would like assessed by the deadline, open an [Extension Request](#) issue on your repository.

In this issue, include:

1. A new deadline proposal
2. What additional work you plan to add
3. Why the extension is important to your learning
4. Why the extension will not hinder your ability to complete the next assignment on time.

This request should be no more than 7 sentences.

Portfolio due dates will be announced well in advance and prompts for it will be released weekly. You should spend some time working on it each week, applying what you've learned so far, from the feedback on previous assignments.

Grading Examples

If you always attend and get everything correct, you will earn an A and you won't need to submit the 4th portfolio check or assignment 13.

Getting an A Without Perfection


Note

You may visit office hours to discuss assignments that you did not complete on time to get feedback and check your own understanding, but they will not count toward skill demonstration.

Map to an A

How Achievements were earned

	Level 1	Level 2	Level 3
python	A1	A3	P1
process	A1	P1	P2
access	2 week	A2	P1
construct	5 week	A5	P1
summarize	3 week	A3	P1
visualize	3 week	A3	P2
prepare	4 week	A5	P2
classification	A10	P2	P3
regression	8 week	A11	P2
clustering	9 week	A9	P3
evaluate	7 week	A11	P3
optimize	10 week	A11	P4
compare	11 week	A13	P3
unstructured	12 week	A13	P4
tools	11 week	A13	P3



Other Activities


- 1 Attended, but did not understand
- A4 Submitted, but incorrect
- 6 Missed class
- A6 Not submitted
- A7 Submitted, but incorrect
- A8 Not submitted
- A12 Not submitted
- 13 Attended, but all level 1 complete
- 14 Attended, but all level 1 complete

In this example the student made several mistakes, but still earned an A. This is the advantage to this grading scheme. For the **python**, **process**, and **classification** skills, the level 1 achievements were earned on assignments, not in class. For the **process** and **classification** skills, the level 2 achievements were not earned on assignments, only on portfolio checks, but they were earned on the first portfolio of those skills, so the level 3 achievements were earned on the second portfolio check for that skill. This student's fourth portfolio only demonstrated two skills: **optimize** and **unstructured**. It included only 1 analysis, a text analysis with optimizing the parameters of the model. Assignments 4 and 7 were both submitted, but didn't earn any achievements, the student got feedback though, that they were able to apply in later assignments to earn the achievements. The student missed class week 6 and chose to not submit assignment 6 and use week 7 to catch up. The student had too much work in another class and chose to skip assignment 8. The student tried assignment 12, but didn't finish it on time, so it was not graded, but the student visited office hours to understand and be sure to earn the level 2 **unstructured** achievement on assignment 13.

Getting a B with minimal work

Map to a B easily

	Level 1	Level 2	Level 3
python	week 1	A3	
process	week 1	A1	
access	week 2	A2	
construct	week 5	A5	
summarize	week 3	A3	
visualize	week 3	A3	
prepare	week 4	A4	
classification	week 10	A6	
regression	week 8	A11	
clustering	week 9	A9	
evaluate	week 7	A10	
optimize	week 10	A10	
compare	week 11	A11	
unstructured	week 12	A12	
tools	week 11	A12	




In this example, the student earned all level 1 achievements in class and all level 2 on assignments. This student was content with getting a B and chose to not submit a portfolio.

Getting a B while having trouble

Map to a B, having trouble

	Level 1	Level 2	Level 3
python	A1	P1	
process	A1	P2	
access	A2	P1	
construct	A5	P1	
summarize	A3	P1	
visualize	A3	P2	
prepare	A5	P2	
classification	A10	P3	
regression	A11	P2	
clustering	A9	P3	
evaluate	A11	P3	
optimize	A11	P4	
compare	A13	P3	
unstructured	A13	P4	
tools	A13	P3	



In this example, the student struggled to understand in class and on assignments. Assignments were submitted that showed some understanding, but all had some serious mistakes, so only level 1 achievements were earned from assignments. The student wanted to get a B and worked hard to get the level 2 achievements on the portfolio checks.

Ram Tokens

Ram Tokens in this course will be used as a currency for extra effort. You can earn Ram Tokens by doing work that supports your learning or class activities, but do not directly demonstrate achievements. You can spend Ram Tokens to get extra grading. This will be mostly applicable to Portfolio Checks. In Checks 3 & 4, some achievements will not be eligible for grading as per the [table](#). However, you can exchange Ram Tokens to make more achievements eligible for assessment. This system rewards you for putting in consistent effort, even if it takes you many tries to understand a concept.

To accumulate Ram Tokens, you submit a 'Deposit' to the [Ram Token Bank: http://drsmb.co/ramtoken](http://drsmb.co/ramtoken) with a link to what you did to earn a token. To apply Ram tokens for extra grading, submit the same form, with a link to the assignment and add the Ramtoken label to the Feedback PR.

Support

Academic Enhancement Center

Academic Enhancement Center (for undergraduate courses): Located in Roosevelt Hall, the AEC offers free face-to-face and web-based services to undergraduate students seeking academic support. Peer tutoring is available for STEM-related courses by appointment online and in-person. The Writing Center offers peer tutoring focused on supporting undergraduate writers at any stage of a writing assignment. The UCS160 course and academic skills consultations offer students strategies and activities aimed at improving their studying and test-taking skills. Complete details about each of these programs, up-to-date schedules, contact information and self-service study resources are all available on the AEC website.

- **STEM Tutoring** helps students navigate 100 and 200 level math, chemistry, physics, biology, and other select STEM courses. The STEM Tutoring program offers free online and limited in-person peer-tutoring this fall. Undergraduates in introductory STEM courses have a variety of small group times to choose from and can select occasional or weekly appointments. Appointments and locations will be visible in the TutorTrac system on September 14th, 2020. The TutorTrac application is available through [URI Microsoft 365 single sign-on](#) and by visiting aec.uri.edu. More detailed information and instructions can be found on the AEC tutoring page.
- **Academic Skills Development** resources helps students plan work, manage time, and study more effectively. In Fall 2020, all Academic Skills and Strategies programming are offered both online and in-person. UCS160: Success in Higher Education is a one-credit course on developing a more effective approach to studying. Academic Consultations are 30-minute, 1 to 1 appointments that students can schedule on Starfish with Dr. David Hayes to address individual academic issues. Study Your Way to Success is a self-guided web portal connecting students to tips and strategies on studying and time management related topics. For more information on these programs, visit the Academic Skills Page or contact Dr. Hayes directly at davidhayes@uri.edu.
- The **Undergraduate Writing Center** provides free writing support to students in any class, at any stage of the writing process: from understanding an assignment and brainstorming ideas, to developing, organizing, and revising a draft. Fall 2020 services are offered through two online options: 1) real-time synchronous appointments with a peer consultant (25- and 50-minute slots, available Sunday - Friday), and 2) written asynchronous consultations with a 24-hour turn-around response time (available Monday - Friday). Synchronous appointments are video-based, with audio, chat, document-sharing, and live captioning capabilities, to meet a range of accessibility needs. View the synchronous and asynchronous schedules and book online, visit uri.mywconline.com.

Policies

Anti-Bias Statement:

We respect the rights and dignity of each individual and group. We reject prejudice and intolerance, and we work to understand differences. We believe that equity and inclusion are critical components for campus community members to thrive. If you are a target or a witness of a bias incident, you are encouraged to submit a report to the URI Bias Response Team at www.uri.edu/brt. There you will also find people and resources to help.

Disability Services for Students Statement:

Your access in this course is important. Please send me your Disability Services for Students (DSS) accommodation letter early in the semester so that we have adequate time to discuss and arrange your approved academic accommodations. If you have not yet established services through DSS, please contact them to engage in a confidential

conversation about the process for requesting reasonable accommodations in the classroom. DSS can be reached by calling: 401-874-2098, visiting: web.uri.edu/disability, or emailing: dss@etal.uri.edu. We are available to meet with students enrolled in Kingston as well as Providence courses.

Academic Honesty

Students are expected to be honest in all academic work. A student's name on any written work, quiz or exam shall be regarded as assurance that the work is the result of the student's own independent thought and study. Work should be stated in the student's own words, properly attributed to its source. Students have an obligation to know how to quote, paraphrase, summarize, cite and reference the work of others with integrity. The following are examples of academic dishonesty.

- Using material, directly or paraphrasing, from published sources (print or electronic) without appropriate citation
- Claiming disproportionate credit for work not done independently
- Unauthorized possession or access to exams
- Unauthorized communication during exams
- Unauthorized use of another's work or preparing work for another student
- Taking an exam for another student
- Altering or attempting to alter grades
- The use of notes or electronic devices to gain an unauthorized advantage during exams
- Fabricating or falsifying facts, data or references
- Facilitating or aiding another's academic dishonesty
- Submitting the same paper for more than one course without prior approval from the instructors

URI COVID-19 Statement

The University is committed to delivering its educational mission while protecting the health and safety of our community. While the university has worked to create a healthy learning environment for all, it is up to all of us to ensure our campus stays that way.

As members of the URI community, students are required to comply with standards of conduct and take precautions to keep themselves and others safe. Visit web.uri.edu/coronavirus/ for the latest information about the URI COVID-19 response.

- Universal indoor masking is required by all community members, on all campuses, regardless of vaccination status. If the universal mask mandate is discontinued during the semester, students who have an approved exemption and are not fully vaccinated will need to continue to wear a mask indoors and maintain physical distance.
- Students who are experiencing symptoms of illness should not come to class. Please stay in your home/room and notify URI Health Services via phone at 401-874-2246.
- If you are already on campus and start to feel ill, go home/back to your room and self-isolate. Notify URI Health Services via phone immediately at 401-874-2246.

If you are unable to attend class, please notify me at brownsarahm@uri.edu. We will work together to ensure that course instruction and work is completed for the semester.

Course Communications

Help Hours

Day	Time	Location	Host
Monday	9:30:00 AM-10:30 AM	inperson Tyler Hall 140	Chamudi
Monday	12:30:00 PM-2:00 PM	inperson Tyler Hall 139	Chamudi
Wednesday	4:00:00 PM-5:00 PM	inperson Tyler Hall 139	Chamudi
Wednesday	1:30:00 PM-3:00 PM	inperson Tyler Hall 140	Chamudi
Wednesday	7:00:00 PM-8:30	gather.town	Sarah
By appointment	scheduling link on Brightspace	in person Tyler 134	Sarah

We have several different ways to communicate in this course. This section summarizes them

To reach out, By usage

usage	platform	area	note
in class	prismia	chat	outside of class time this is not monitored closely
any time	prismia	message board	for discussion with peers
any time	prismia	download transcript	use after class to get preliminary notes eg if you miss a class
private questions to your assignment	github	issue on assignment repo	eg bugs in your code"
for general questions that can help others	github	issue on course website	eg what the instructions of an assignment mean or questions about the syllabus
to share resources	github	pull request on website	remember to request ram tokens if applicable
matters that don't fit into another category	e-mail	to brownsarahm@uri.edu	remember to include `[CSC310]` or `[DSP310]` (note `verbatim` no space)

Note

e-mail is last because it's not collaborative; other platforms allow us (Professor + TA) to collaborate on who responds to things more easily.

By Platform

Use e-mail for

usage	area	note
matters that don't fit into another category	to brownsarahm@uri.edu	remember to include `[CSC310]` or `[DSP310]` (note `verbatim` no space)

Use github for

usage	area	note
private questions to your assignment	issue on assignment repo	eg bugs in your code"
for general questions that can help others	issue on course website	eg what the instructions of an assignment mean or questions about the syllabus
to share resources	pull request on website	remember to request ram tokens if applicable

Use prismia for

usage	area	note
in class	chat	outside of class time this is not monitored closely
any time	message board	for discussion with peers
any time	download transcript	use after class to get preliminary notes eg if you miss a class

Tips

For assignment help

- **send in advance, leave time for a response** I check e-mail/github a small number of times per day, during work hours, almost exclusively. You might see me post to this site, post to BrightSpace, or comment on your assignments outside of my normal working hours, but I will not reliably see emails that arrive during those hours. This means that it is important to start assignments early.

Using issues

- use issues for content directly related to assignments. If you push your code to the repository and then open an issue, I can see your code and your question at the same time and download it to run it if I need to debug it
- use issues for questions about this syllabus or class notes. At the top right there's a GitHub logo  that allows you to open a issue (for a question) or suggest an edit (eg if you think there's a typo or you find an additional helpful resource related to something)

For E-mail

- use e-mail for general inquiries or notifications
- Please include [\[CSC310\]](#) or [\[DSP310\]](#) in the subject line of your email along with the topic of your message. This is important, because your messages are important, but I also get a lot of e-mail. Consider these a cheat code to my inbox: I have setup a filter that will flag your e-mail if you use one of those in the subject to ensure that I see it.

 Note

Whether you use CSC or DSP does not matter.

1. Welcome to Programming to Data Science

Today's goals:

1. Operate tools for in-class participation
2. Understand what Data Science is, in broad terms
3. Understand the syllabus (grading, topics covered, schedule, etc)
4. Understand how to learn in this course

1.1. Prismia Chat

We will use these to monitor your participation in class and to gather information. Features:

- instructor only
- reply to you directly
- share responses for all

1.2. What is Data Science

In general:



statistics is the type of math we use to make sense of data. Formally, a statistic is just a function of data.

computer science is so that we can manipulate visualize and automate the inferences we make.

domain expertise helps us have the intuition to know if what we did worked right. A statistic must be interpreted in context; the relevant context determines what they mean and which are valid. The context will say whether automating something is safe or not, it can help us tell whether our code actually worked right or not.

For this class



We'll focus on the programming as our main means of studying data science, but we will use bits of the other parts. In particular, you're encouraged to choose datasets that you have domain expertise about, or that you want to learn about.

But there are many definitions. We'll use this one, but you may come across others.

1.2.1. How does data science happen?




1.2.2. how we'll cover it, in depth



- *collect*: Discuss only a little; Minimal programming involved
- *clean*: Cover the main programming techniques; Some requires domain knowledge beyond scope of course
- *explore*: Cover the main programming techniques; Some requires domain knowledge beyond scope of course
- *model*: Cover the main programming, basic idea of models; How to use models, not how learning algorithms work
- *deploy*: A little bit at the end, but a lot of preparation for decision making around deployment

1.2.2.1. how we'll cover it in, time



We'll cover exploratory data analysis before cleaning because those tools will help us check how we've cleaned the data.

1.3. How this class will work

- today is an exception
- in general we'll be live coding

Let's look at the [syllabus](#)

Read carefully to make sure you understand the grading; it's not typical points and an average.

Class is designed to avoid this:



1.4.

1.5. Learning Cycle

A screenshot of a Twitter post by Julia Evans (@b0rk). The post contains the following text: "we think about debugging as a technical skill (and it absolutely is!!) but a huge amount of it is managing your feelings so you don't get discouraged and being self-aware so you can recognize your incorrect assumptions". The post includes the timestamp "5:35 PM · Jun 11, 2021", the number of likes "4.3K", the number of replies "95", and a link to copy the tweet. There is also a "Tweet your reply" button at the bottom.

Read more about how I'm designing this course to help you learn on the [how to learn](#) page.

1.6. Check your understanding of the syllabus

It's easy when reading something long to lose track of it. Your eyes can go over each word, without actually retaining the information, but it's important to understand the syllabus for the course.

You can find the answers to the following questions on the syllabus. If you've already read it, try answering them to check your understanding. If you haven't read it yet, use these to guide you to get familiar with finding key facts about the course on the syllabus.

1. What do you need to bring to class each day?
2. What is the basis of grading for this course?
3. How do you reference the course text?
4. What is the penalty for missing an assignment?

More information about the course is available throughout the site, the next few questions will help you self-check that you've found the important things. Remember, the goal is not necessarily to memorize all of this, but to be able to find it.

1. When & what are you expected to read for this class?
 - [] read the text book before class
 - [] review notes & documentation after class
 - [] preview the notes & documentation before class
 - [] read documentation and text book after class
1. Your assignment says to find a dataset that has variables of a specific type, which website can you use?
2. Your assignment says to find a dataset of any type about something you're interested in, which resource would you use?

2. Jupyter Notebook Tour & Python Review

2.1. A jupyter notebook tour

Launch a [jupyter notebook](#):

- on Windows, use anaconda terminal
- on Mac/Linux, use terminal

```
cd path/to/where/you/save/notes  
jupyter notebook
```

A Jupyter notebook has two modes. When you first open, it is in command mode. The border is blue in command mode.




When you press a key in command mode it works like a shortcut. For example **p** shows the command search menu.



If you press **enter** (or **return**) or click on the highlighted cell, which is the boxes we can type in, it changes to edit mode. The border is green in edit mode



There are two type of cells that we will used: code and markdown. You can change that in command mode with **y** for code and **m** for markdown or on the cell type menu at the top of the notebook.



++

This is a markdown cell

- we can make
- itemized lists of
- bullet points

1. and we can make numbered
2. lists, and not have to worry
3. about renumbering them
4. if we add a step in the middle later

2.1.1. Notebook Reminders

Blue border is command mode, green border is edit mode

use Escape to get to command mode

Common command mode actions:

- m: switch cell to markdown
- y: switch cell to code
- a: add a cell above
- b: add a cell below
- c: copy cell
- v: paste the cell
- 0 + 0: restart kernel
- p: command menu

use enter/return to get to edit mode

In code cells, we can use a python interpreter, for example as a calculator.

```
4+6
```

```
10
```

It prints out the last line of code that it ran, even though it executes all of them

```
name = 'sarah'  
4+5  
name *3
```

```
'sarahsarahsarah'
```

Note

For a little more python review, see my [2020 CSC310 notes](#) this is just enough for this assignment.

2.2. Just enough Git for Assignment 1

2.2.1. Assignment 1:

Goals for this assignment

- setup your portfolio
- check that you understand the grading
- review Python basics
- practice with git and GitHub

2.2.2. Why Version control

We often want to keep track of the different versions in case we want to go back, but this can be painful:

"FINAL".doc



FINAL.doc!



FINAL_rev.2.doc



FINAL_rev.6.COMMENTS.doc



FINAL_rev.8.comments5.CORRECTIONS.doc



FINAL_rev.18.comments7.corrections9.MORE.30.doc



FINAL_rev.22.comments49.corrections.10.#@%WHYDIDICOMETOGRAD SCHOOL????.doc



JORGE CHAM © 2012

WWW.PHDCOMICS.COM

We typically organize projects in folder



A [repository](#) is a folder with a hidden directory named `.git`



The [git](#) application manages that hidden directory, we don't write to it directly, which is why we keep it hidden.

Git is a distributed system, you have a local version and a remote version.



Once a repository exists on GitHub, we get a local copy by cloning it after we get its address from the GitHub interface, by clicking on the green code button that is below the menu area to the right. It's at the top right corner of the list of files in the repository.

19 feedback had recent pushes 1 minute ago [Compare & pull request](#)

main ▾ 5 branches 1 tag [Go to file](#) [Add file](#) [Code](#)

brownsarahm	update toc to include notebook
.github	correct path for jupytext conversion
about	mv oe notebook
template_files	convert notebooks to md
.gitignore	merge gh changes and ignore
README.md	Initial commit

[Clone with HTTPS](#) [Use SSH](#)
Use Git or checkout with SVN using the web URL.
<https://github.com/rhodyprog4ds/por> [Open with GitHub Desktop](#) [Download ZIP](#)

For this part, use GitBash on windows or terminal otherwise: If you set up a Personal Access Token you can use the https version

After [cd/to/where/you/want/your/repo/locally](#):

```
git clone https://github.com/rhodyprog4ds/portfolio-example
```

If you set up ssh keys you use that instead

```
git clone git@github.com:rhodyprog4ds/portfolio-example.git
```

Once it's cloned, then you can navigate into the new folder:

```
cd portfolio-example
```

Then you can change files, for example adding to the intro.

Some common actions in Git, you'll want.

Check on the status of your repository:

```
git status
```

Add files to the staging area:

```
git add filename
```

Add all changes to the staging area:

```
git add .
```

Commit your changes to the repository:

```
git commit -m 'a message that will help your future self know what this part is'
```

Push your changes to GitHub

```
git push
```

Pull changes from GitHub

Note

These notes can be downloaded as an actual notebook, click the GitHub logo at the top of the page and choose .ipynb. The following is not runnable in the notebook as is.

```
git pull
```

You can also go through these same basic steps: add, commit, push

2.3. More on git

- [GitHub Hello World](#)
- [Software Carpentry Git Novice Lesson](#)

Also, in Spring 2022, I'm teaching a section of CSC392: Topics in Computing, Introduction to Computer Systems, that will cover tools of the trade (git, bash, etc) and how they all work in great detail.

2.4. More on Python

Read [Pep 8](#) to see what good style in Python is.

3. Getting help, object inspection, loading data

3.1. First, Don't Worry members

Class Response Summary:



[funny_CS memes](#)



USES CLASSIC MEME FORMAT



PEOPLE LIKE IT



3.2. Getting Help in Jupyter

Python has a `print` function and we can use the help in jupyter to learn about how to use it in different ways.

Given this code excerpt, how could you print out "Sarah_Brown"?

```
first = 'Sarah'  
last = 'Brown'
```

We can use jupyter popup help with shift +tab or ?

```
print?
```

Or the base python `help` function

```
help(print)
```

```
Help on built-in function print in module builtins:  
  
print(...)  
    print(value, ..., sep=' ', end='\n', file=sys.stdout, flush=False)  
  
    Prints the values to a stream, or to sys.stdout by default.  
    Optional keyword arguments:  
    file: a file-like object (stream); defaults to the current sys.stdout.  
    sep: string inserted between values, default a space.  
    end: string appended after the last value, default a newline.  
    flush: whether to forcibly flush the stream.
```

Notice that function can take multiple arguments and has a keyword argument (must be used like `argument=value`) described as `sep=' '`. This means that by default it adds a space

```
print(first,last)
```

```
Sarah Brown
```

But we can change the separator.

```
Sarah_Brown
```

Note that it also defaults to end to use `\n`

```
print(first,last)  
print('hello')
```

```
Sarah Brown  
hello
```

Where does this help information come from?

 Note

You can copy code from the notes, try hovering over this

```

def compute_grade(num_level1,num_level2,num_level3):
    """
    Computes a grade for CSC/DSP310 from numbers of achievements at each level

    Parameters:
    -----
    num_level1 : int
        number of level 1 achievements earned
    num_level2 : int
        number of level 2 achievements earned
    num_level3 : int
        number of level 3 achievements earned

    Returns:
    -----
    letter_grade : string
        letter grade with modifier (+/-)
    """

    if num_level1 == 15:
        if num_level2 == 15:
            if num_level3 == 15:
                grade = 'A'
            elif num_level3 >= 10:
                grade = 'A-'
            elif num_level3 >=5:
                grade = 'B+'
            else:
                grade = 'B'
        elif num_level2 >=10:
            grade = 'B-'
        elif num_level2 >=5:
            grade = 'C+'
        else:
            grade = 'C'
    elif num_level1 >= 10:
        grade = 'C-'
    elif num_level1 >= 5:
        grade = 'D+'
    elif num_level1 >=3:
        grade = 'D'
    else:
        grade = 'F'

    return grade

```

We can apply `help` on the function we wrote

```
help(compute_grade)
```

```

Help on function compute_grade in module __main__:

compute_grade(num_level1, num_level2, num_level3)
    Computes a grade for CSC/DSP310 from numbers of achievements at each level

    Parameters:
    -----
    num_level1 : int
        number of level 1 achievements earned
    num_level2 : int
        number of level 2 achievements earned
    num_level3 : int
        number of level 3 achievements earned

    Returns:
    -----
    letter_grade : string
        letter grade with modifier (+/-)

```

It gets the docstring

3.3. Everything is an Object in Python

we can use the builtin function `type` to inspect them, and get attributes with `.`

```
type(compute_grade)
```

```
function
```

```
compute_grade.__name__
```

```
'compute_grade'
```

```
c = 4.5
```

```
type(c)
```

```
float
```

```
c= 'hello'
```

```
type(c)
```

```
str
```

When do we use single vs double quotes?

- You can use either, unless you need to put one inside the string then use the other.

```
my_sentence = "The professor's name is Dr. Brown"
```

```
my_sentence = 'The professor's name is Dr. Brown'
```

```
File "/tmp/ipykernel_1641/607286316.py", line 1
    my_sentence = 'The professor's name is Dr. Brown'
                  ^
SyntaxError: invalid syntax
```

Yes we can escape special characters:

```
my_sentence = 'The professor\'s name is Dr. Brown'
```

but, it's less readable and not recommended.

3.4. Good Code is always relative

In programming for data science, we are often trying to tell a story.

💡 Try it yourself

How might this goal change your code for this class relative to other code you have written or could imagine writing?

Python is a fully [open source project](#) and as such is governed by [community standards](#) and [conventions](#).

💡 Try it yourself

Find PEP8 (note that following it is part of earning python achievements)

The [documentation](#) for the full language is online too.

Guido van Rossum was the first main developer and wrote [essays](#) about python too.

it's [pretty popular](#)

3.5. Coffee Data

We're going to use a dataset about [coffee quality](#) today.

How was this dataset collected?

- reviewrs added to DB
- then scraped

Where did it come from?

- offee Quality Institute's trained reviewers.

what format is it provided in?

- csv (Comma Separated Values)

what other information is in this repository?

- the code to scrape

Get raw url for the dataset click on the raw button on the [csv page](#), then copy the url.

The screenshot shows a GitHub repository page for 'coffee-quality-database'. The repository has one contributor, jldbc, who added updated data and cleaning script. The latest commit was on May 13, 2018. The 'robusta_ratings_raw.csv' file is displayed as a table with 29 lines and 14.3 KB. The table has columns: quality_score, view_certificate_1, view_certificate_2, Cupping Protocol and Descriptors, View Green Analysis Details, Request a Sample, Species, Owner, and Country of Origin. The first four rows of data are:

	quality_score	view_certificate_1	view_certificate_2	Cupping Protocol and Descriptors	View Green Analysis Details	Request a Sample	Species	Owner	Country of Origin
1	83.75						Robusta	Ankole coffee producers coop	Uganda
2	83.50						Robusta	Nishant Gurjer	India
3	83.25						Robusta	Andrew Hetzel	India

We'll save that url as a variable to work with it.

```
data_url = 'https://raw.githubusercontent.com/jldbc/coffee-quality-database/master/data/robusta_data_cleaned.csv'
```

We will use a library called Pandas

```
import pandas as pd
# import library and give it an alias (nickname) pd

pd.read_csv(data_url)
```

Unnamed: 0	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	M
0	1 Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	ank coffee produc
1	2 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuram est
2	3 Robusta	andrew hetzel	India	sethuraman estate	NaN	N
3	4 Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof
4	5 Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	NaN	katuka developm tr
5	6 Robusta	andrew hetzel	India	NaN	NaN	(s)
6	7 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
7	8 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	7	sethuram est
8	9 Robusta	nishant gurjer	India	sethuraman estate	RKR	sethuram est
9	10 Robusta	ugacof	Uganda	ishaka	NaN	nsubun
10	11 Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof
11	12 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	RC AB	sethuram est
12	13 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
13	14 Robusta	kasozi coffee farmers association	Uganda	kasozi coffee farmers	NaN	N
14	15 Robusta	ankole coffee producers coop	Uganda	kyangundu coop society	NaN	ank coffee produc coop uni
15	16 Robusta	andrew hetzel	India	sethuraman estate	NaN	N
16	17 Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuram estat
17	18 Robusta	kawacom uganda ltd	Uganda	bushenyi	NaN	kawac
18	19 Robusta	nitubaasa ltd	Uganda	kigezi coffee farmers association	NaN	nitubaas
19	20 Robusta	mannya coffee project	Uganda	mannya coffee project	NaN	manr cofl proj
20	21 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
21	22 Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuram estat
22	23 Robusta	andrew hetzel	United States	sethuraman estates	NaN	sethuram estat

Unnamed: 0	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	M
23	24 Robusta	luis robles	Ecuador	robustasa	Lavado 1	our own
24	25 Robusta	luis robles	Ecuador	robustasa	Lavado 3	O laborato
25	26 Robusta	james moore	United States	fazenda cazeno	Nan	C cazen
26	27 Robusta	cafe politico	India		Nan	N
27	28 Robusta	cafe politico	Vietnam		Nan	N

28 rows × 44 columns

💡 Try it yourself

Read the data in again, but with the index correct and save it to a variable.

Once we read it in, we can view the first 5 rows with the `head` method.

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.N
1	Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	Nan	ankole coffee producers	
2	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuraman estate	14/1148/2
3	Robusta	andrew hetzel	India	sethuraman estate	Nan		Nan
4	Robusta	ugacof	Uganda	ugacof project area	Nan	ugacof	
5	Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	Nan	katuka development trust	

5 rows × 43 columns

❗ Important

Remember to comment & annotate your code

3.6. Follow Up questions

3.6.1. General Questions

How do you create code to scrape data from a website and compile it into a csv file?



Will we be using pandas a lot during the semester?



3.6.2. Clarifying

How do you auto finish your directories



How do you properly shut down Jupyter Notebook

Is pd some sort of variable we set or was it built in?

How should I be organized for this class? Keep it all in a single folder? Keep it on GitHub?

I'm still not sure how to keep everything together in a portfolio for the semester?

I am still wondering if I am using anaconda or just normal terminal

Can I push this code into my portfolio using the anaconda terminal

3.6.3. Grading Questions

How do we keep track of which achievements we've earned?

I don't really have many questions from today, but I was wondering if office hours were posted.

Will we always submit homework through the portfolio folder in github?

I'm just confused as how to view my feedback from the assignment

3.6.4. Questions we'll answer later this week

- does each column have a number assigned to it in data frames?
- Can other data types be imported into a notebook and edited the same way as .csv files?

3.7. More Practice

- How could you check if `pd` is built in or if we defined it?
- If we wanted to see more than 5 rows when printing the head of the dataset how would we do so?

Ram Token Opportunity

Contribute possible practice questions to the notes using the suggest an edit button behind the GitHub menu at the top of the page.

4. Pandas DataFrames

Today, we're going to explore [DataFrame](#)s in greater detail. We'll continue using that same coffee dataset.

```
coffee_data_url = 'https://raw.githubusercontent.com/jldbc/coffee-quality-database/master/data/robusta_data_cleaned.csv'
```

4.1. More about loading libraries

We can import pandas without the alias `pd` if we want, but then we have to use the full name everywhere

```
import pandas
```

```
pandas.read_csv(coffee_data_url)
```

Unnamed: 0	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	M
0	1 Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	ank coffee produc
1	2 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuram est
2	3 Robusta	andrew hetzel	India	sethuraman estate	NaN	N
3	4 Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof
4	5 Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	NaN	katuka developm tr
5	6 Robusta	andrew hetzel	India	NaN	NaN	(s)
6	7 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
7	8 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	7	sethuram est
8	9 Robusta	nishant gurjer	India	sethuraman estate	RKR	sethuram est
9	10 Robusta	ugacof	Uganda	ishaka	NaN	nsubun
10	11 Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof
11	12 Robusta	nishant gurjer	India	sethuraman estate kaapi royale	RC AB	sethuram est
12	13 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
13	14 Robusta	kasozi coffee farmers association	Uganda	kasozi coffee farmers	NaN	N
14	15 Robusta	ankole coffee producers coop	Uganda	kyangundu coop society	NaN	ank coffee produc coop uni
15	16 Robusta	andrew hetzel	India	sethuraman estate	NaN	N
16	17 Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuram estat
17	18 Robusta	kawacom uganda ltd	Uganda	bushenyi	NaN	kawac
18	19 Robusta	nitubaasa ltd	Uganda	kigezi coffee farmers association	NaN	nitubaas
19	20 Robusta	mannya coffee project	Uganda	mannya coffee project	NaN	manr cofl proj
20	21 Robusta	andrew hetzel	India	sethuraman estates	NaN	N
21	22 Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuram estat
22	23 Robusta	andrew hetzel	United States	sethuraman estates	NaN	sethuram estat

```

      Unnamed: 0 Species Owner Country.of-Origin Farm.Name Lot.Number
23        24 Robusta luis robles Ecuador robustasa Lavado 1 our own
24        25 Robusta luis robles Ecuador robustasa Lavado 3 o
25        26 Robusta james moore United States fazenda cazengo NaN C
26        27 Robusta cafe politico India NaN NaN N
27        28 Robusta cafe politico Vietnam NaN NaN N

```

28 rows × 44 columns

We'll use `pd` because that's the more common convention and so that we can type fewer characters throughout our code

```
import pandas as pd
```

4.2. Examining DataFrames

```
df = pd.read_csv(coffee_data_url, index_col=0)
```

We can look at the first 5 rows with `head`

```
df.head()
```

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.N
1	Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	ankole coffee producers	
2	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuraman estate	14/1148/2
3	Robusta	andrew hetzel	India	sethuraman estate	NaN		NaN
4	Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof	
5	Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	NaN	katuka development trust	

5 rows × 43 columns

Using `help`, we can see that that `head` takes one parameter and has a default value of 5, which is why we got 5 rows, but we can get 2 instead

```
df.head(2)
```

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.Num
1	Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	ankole coffee producers	
2	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuraman estate	14/1148/2017

2 rows × 43 columns

We can look at the last rows with `tail`

```
df.tail(3)
```

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.Number	Company
26	Robusta	james moore	United States	fazenda cazengo	NaN	cafe cazengo	NaN	opi
27	Robusta	cafe politico	India	NaN	NaN	NaN	14-1118- 2014-0087	
28	Robusta	cafe politico	Vietnam	NaN	NaN	NaN	NaN	

3 rows × 43 columns

I told you this was a DataFrame, but we can check with type.

```
type(df)
```

```
pandas.core.frame.DataFrame
```

We can also examine its parts. It consists of several; first the column headings

```
df.columns
```

```
Index(['Species', 'Owner', 'Country.of.Origin', 'Farm.Name', 'Lot.Number',  
       'Mill', 'ICO.Number', 'Company', 'Altitude', 'Region', 'Producer',  
       'Number.of.Bags', 'Bag.Weight', 'In.Country.Partner', 'Harvest.Year',  
       'Grading.Date', 'Owner.l', 'Variety', 'Processing.Method',  
       'Fragrance...Aroma', 'Flavor', 'Aftertaste', 'Salt...Acid',  
       'Bitter...Sweet', 'Mouthfeel', 'Uniform.Cup', 'Clean.Cup', 'Balance',  
       'Cupper.Points', 'Total.Cup.Points', 'Moisture', 'Category.One.Defects',  
       'Quakers', 'Color', 'Category.Two.Defects', 'Expiration',  
       'Certification.Body', 'Certification.Address', 'Certification.Contact',  
       'unit_of_measurement', 'altitude_low_meters', 'altitude_high_meters',  
       'altitude_mean_meters'],  
      dtype='object')
```

These are a special type called Index

```
type(df.columns)
```

```
pandas.core.indexes.base.Index
```

It also has an index

```
df.index
```

```
Int64Index([ 1,  2,  3,  4,  5,  6,  7,  8,  9, 10, 11, 12, 13, 14, 15, 16, 17,  
           18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28],  
           dtype='int64')
```

and values

```
df.values
```

```
array([['Robusta', 'ankole coffee producers coop', 'Uganda', ..., 1488.0,  
       1488.0, 1488.0],  
      ['Robusta', 'nishant gurjer', 'India', ..., 3170.0, 3170.0,  
       3170.0],  
      ['Robusta', 'andrew hetzel', 'India', ..., 1000.0, 1000.0, 1000.0],  
      ...,  
      ['Robusta', 'james moore', 'United States', ..., 795.0, 795.0,  
       795.0],  
      ['Robusta', 'cafe politico', 'India', ..., nan, nan, nan],  
      ['Robusta', 'cafe politico', 'Vietnam', ..., nan, nan, nan]],  
     dtype=object)
```

it also knows its own shape

```
df.shape
```

```
(28, 43)
```

we can use built-in functions on our DataFrame too not just its own methods and attributes.

```
len(df)
```

```
28
```

Why does `len` turn green? It's a Python reserved word.

4.3. Building a Data Frame programmatically

One way to build a DataFrame is from a dictionary:

```
people = {'names': ['Sarah', 'Connor', 'Kenza'],  
          'username': ['brownsarahm', 'sudoPsych', 'kbdlh']}
```

```
people
```

```
{'names': ['Sarah', 'Connor', 'Kenza'],  
 'username': ['brownsarahm', 'sudoPsych', 'kbdlh']}
```

```
type(people)
```

```
dict
```

```
people_df = pd.DataFrame(people)  
people_df
```

	names	username
0	Sarah	brownsarahm
1	Connor	sudoPsych
2	Kenza	kbdlh

```
type(people['names'])
```

```
list
```

```
type(people)
```

```
dict
```

```
type({4,5,5})
```

```
set
```

```
{4,5,5}
```

```
{4, 5}
```

```
people['names']
```

```
['Sarah', 'Connor', 'Kenza']
```

```
type(set(people['names']))
```

```
set
```

```
unique_people = set(people['names'])
type(unique_people)
```

```
set
```

```
df.columns
```

```
Index(['Species', 'Owner', 'Country.of.Origin', 'Farm.Name', 'Lot.Number',
       'Mill', 'ICO.Number', 'Company', 'Altitude', 'Region', 'Producer',
       'Number.of.Bags', 'Bag.Weight', 'In.Country.Partner', 'Harvest.Year',
       'Grading.Date', 'Owner.1', 'Variety', 'Processing.Method',
       'Fragrance...Aroma', 'Flavor', 'Aftertaste', 'Salt..Acid',
       'Bitter...Sweet', 'Mouthfeel', 'Uniform.Cup', 'Clean.Cup', 'Balance',
       'Cupper.Points', 'Total.Cup.Points', 'Moisture', 'Category.One.Defects',
       'Quakers', 'Color', 'Category.Two.Defects', 'Expiration',
       'Certification.Body', 'Certification.Address', 'Certification.Contact',
       'unit_of_measurement', 'altitude_low_meters', 'altitude_high_meters',
       'altitude_mean_meters'],
      dtype='object')
```

```
for col in df.columns:
    print(col.split('.'))
```

```
['Species']
['Owner']
['Country', 'of', 'Origin']
['Farm', 'Name']
['Lot', 'Number']
['Mill']
['ICO', 'Number']
['Company']
['Altitude']
['Region']
['Producer']
['Number', 'of', 'Bags']
['Bag', 'Weight']
['In', 'Country', 'Partner']
['Harvest', 'Year']
['Grading', 'Date']
['Owner', '1']
['Variety']
['Processing', 'Method']
['Fragrance', '', '', 'Aroma']
['Flavor']
['Aftertaste']
['Salt', '', '', 'Acid']
['Bitter', '', '', 'Sweet']
['Mouthfeel']
['Uniform', 'Cup']
['Clean', 'Cup']
['Balance']
['Cupper', 'Points']
['Total', 'Cup', 'Points']
['Moisture']
['Category', 'One', 'Defects']
['Quakers']
['Color']
['Category', 'Two', 'Defects']
['Expiration']
['Certification', 'Body']
['Certification', 'Address']
['Certification', 'Contact']
['unit_of_measurement']
['altitude_low_meters']
['altitude_high_meters']
['altitude_mean_meters']
```

```
for key,value in people.items():
    print(key,':',value)
```

```
names : ['Sarah', 'Connor', 'Kenza']
username : ['brownsarahm', 'sudoPsych', 'kndlh']
```

```
df['Owner']
```

```
1      ankole coffee producers coop
2          nishant gurjer
3          andrew hetzel
4          ugacof
5      katuka development trust ltd
6          andrew hetzel
7          andrew hetzel
8          nishant gurjer
9          nishant gurjer
10         ugacof
11         ugacof
12         nishant gurjer
13         andrew hetzel
14  kasozi coffee farmers association
15      ankole coffee producers coop
16          andrew hetzel
17          andrew hetzel
18          kawacom uganda ltd
19          nitubaasa ltd
20          mannya coffee project
21          andrew hetzel
22          andrew hetzel
23          andrew hetzel
24          luis robles
25          luis robles
26          james moore
27          cafe politico
28          cafe politico
Name: Owner, dtype: object
```

```
df.Owner
```

```
1      ankole coffee producers coop
2          nishant gurjer
3          andrew hetzel
4          ugacof
5      katuka development trust ltd
6          andrew hetzel
7          andrew hetzel
8          nishant gurjer
9          nishant gurjer
10         ugacof
11         ugacof
12         nishant gurjer
13         andrew hetzel
14  kasozi coffee farmers association
15      ankole coffee producers coop
16          andrew hetzel
17          andrew hetzel
18          kawacom uganda ltd
19          nitubaasa ltd
20          mannya coffee project
21          andrew hetzel
22          andrew hetzel
23          andrew hetzel
24          luis robles
25          luis robles
26          james moore
27          cafe politico
28          cafe politico
Name: Owner, dtype: object
```

```
df
```

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.
1	Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	ankole coffee producers	
2	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuraman estate	14/1148
3	Robusta	andrew hetzel	India	sethuraman estate	NaN	NaN	
4	Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof	
5	Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	NaN	katuka development trust	
6	Robusta	andrew hetzel	India	NaN	NaN	(self)	
7	Robusta	andrew hetzel	India	sethuraman estates	NaN	NaN	
8	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	7	sethuraman estate	14/1148
9	Robusta	nishant gurjer	India	sethuraman estate	RKR	sethuraman estate	14/1148
10	Robusta	ugacof	Uganda	ishaka	NaN	nsubuga umar	
11	Robusta	ugacof	Uganda	ugacof project area	NaN	ugacof	
12	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	RC AB	sethuraman estate	14/1148
13	Robusta	andrew hetzel	India	sethuraman estates	NaN	NaN	
14	Robusta	kasozi coffee farmers association	Uganda	kasozi coffee farmers	NaN	NaN	
15	Robusta	ankole coffee producers coop	Uganda	kyangundu coop society	NaN	ankole coffee producers coop union ltd	
16	Robusta	andrew hetzel	India	sethuraman estate	NaN	NaN	
17	Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuraman estates	
18	Robusta	kawacom uganda ltd	Uganda	bushenyi	NaN	kawacom	
19	Robusta	nitubaasa ltd	Uganda	kigezi coffee farmers association	NaN	nitubaasa	
20	Robusta	mannya coffee project	Uganda	mannya coffee project	NaN	mannya coffee project	
21	Robusta	andrew hetzel	India	sethuraman estates	NaN	NaN	
22	Robusta	andrew hetzel	India	sethuraman estates	NaN	sethuraman estates	
23	Robusta	andrew hetzel	United States	sethuraman estates	NaN	sethuraman estates	

	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mill	ICO.
24	Robusta	luis robles	Ecuador	robustasa	Lavado 1	our own lab	
25	Robusta	luis robles	Ecuador	robustasa	Lavado 3	own laboratory	
26	Robusta	james moore	United States	fazenda cazengo	NaN	cafe cazengo	
27	Robusta	cafe politico		India	NaN	NaN	14-11:
28	Robusta	cafe politico		Vietnam	NaN	NaN	NaN

28 rows × 43 columns

Key points:

write three things to remember from today's class

4.4. Questions After Classroom

many overlapping questions today

4.5. General

How to know which function to use in certain problems or situations



4.6. Clarifying

Is there a way to have a set show the duplicates that get discarded?



being able to access the code somewhere without asking to scroll would be nice



4.7. Course Admin

When will homeworks be posted/due typically?



4.8. Questions we'll answer later

can you use cast a pandas dataframe into a set?



4.9. Try it yourself

- Create variables of three different types with facts about yourself. Use descriptive variable names relative to the contents, not their types.
- Create a list, again with a descriptive name, and print out the types

```
<class 'str'>
<class 'int'>
<class 'list'>
```

- Write a function, `type_extractor` that takes a list and a type and returns the item of that type from the list
- Test your function on all three items from your dictionary.
- Use one type of jupyter help on your function, what does it display? If it doesn't display anything modify your function so that help will work.
- Make yourself notes in the most memorable way for you about what a DataFrame is.

Ram Token Opportunity

Contribute possible practice questions to the notes using the suggest an edit button behind the GitHub menu at the top of the page.

5. More Loading Data, Indexing, and Iterables

As always, we'll start with loading pandas.

```
import pandas as pd
```

5.1. Checking in on help hours

if you missed class, check over the office hours schedule and e-mail if you can or cannot attend at least one time

5.2. Portfolio Preparation and Maintainance

We'll spend a little time today getting your portfolio ready for the first check.

5.2.1. Access your portfolio

Go to your portflcio

- from the [course organization](#)
- from the list of your recent repositories on the left hand side of the [GitHub home page](#)

optionally, open it locally as well (we're going to update content and)

5.2.2. Start your Know, Want to Know, Learned Table

In each portfolio submission introduction, you'll reflect on what you've learned. To get ready for that, we'll first make note of what you already know and what you want to know.

1. edit `submission_1_intro` in your portfolio locally or on GitHub:
2. In the KWL section in the first two bullets after each skill with what you know and want to know. You can edit these in more detail later.

This will render as a table in your built portfolio, for reference on the syntax, [refer to the Tables section of the jupyterbook Myst Markdown cheatsheet](#).

Warning

If you work on this in the GitHub website, be sure to pull these changes locally before you start working offline next

5.2.3. Merge the setup work

Once you're done, Go to your pull request tab, and select the feedback Pull Reques. Commit any suggestions if you'd like and then merge the PR.

⚠ Warning

only do this after grading

ℹ Note

To view the feedback, after merging the PR, remove `is:open` from the search bar on the PR page

5.3. Indexing

```
topics = ['what is data science', 'jupyter',
          'conditional','functions', 'lists',
          'dictionaries','pandas' ]
```

What will `topics[-1]` return?

```
topics[-1]
```

```
'pandas'
```

Using negative indices starts from the right. The last element is `-1`. The first is `0`.

5.4. Reading DataFrames from Websites

We'll first read from the course website.

```
course_comms_url =
'https://rhodyprog4ds.github.io/BrownFall21/syllabus/communication.html'
```

So far, we've read data in from a `.csv` file with `pd.read_csv` and created a DataFrame with the constructor `pd.DataFrame` using a dictionary. Pandas provides many interfaces for reading in data. They're described on the [Pandas IO page](#).

We can use the `read_html` method to read from this page. We know that it has multiple tables on the page, so let's see what it does:

```
pd.read_html(course_comms_url)
```

ℹ Note

Using the documentation for a library (and the base language) is totally expected and normal part of programming. That's what you should use as your primary source for questions in this class. Other sources can become outdated pretty quickly as the language changes, but most of the libraries we'll use have processes in place to ensure that their own documentation gets updated at the same time the code does.

⚠ Warning

If you use other sources and get advised to solutions that are deprecated you may not earn achievements for that work.

```

[          Day           Time           Location \
0     Monday      9:30:00 AM-10:30 AM    in person Tyler Hall 140
1     Monday      12:30:00 PM-2:00 PM    in person Tyler Hall 139
2   Wednesday     4:00:00 PM-5:00 PM    in person Tyler Hall 139
3   Wednesday     1:30:00 PM-3:00 PM    in person Tyler Hall 140
4   Wednesday     7:00:00 PM-8:30          gather.town
5 By appointment scheduling link on Brightspace      in person Tyler 134

      Host
0 Chamudi
1 Chamudi
2 Chamudi
3 Chamudi
4 Sarah
5 Sarah ,           usage platform \
0                               in class prismia
1                               any time prismia
2                               any time prismia
3     private questions to your assignment github
4   for general questions that can help others github
5           to share resources github
6 matters that don't fit into another category e-mail

      area           note
0           chat outside of class time this is not monitored cl...
1   message board           for discussion with peers
2   download transcript use after class to get preliminary notes eg if...
3 issue on assignment repo           eg bugs in your code"
4 issue on course website           eg what the instructions of an assignment mean...
5 pull request on website           remember to request ram tokens if applicable
6   to brownsarahm@uri.edu remember to include `[CSC310]` or `[DSP310]` (... ,
                                usage           area \
0 matters that don't fit into another category to brownsarahm@uri.edu

      note
0 remember to include `[CSC310]` or `[DSP310]` (... ,
                                usage           area \
0     private questions to your assignment issue on assignment repo
1 for general questions that can help others issue on course website
2           to share resources pull request on website

      note
0           eg bugs in your code"
1 eg what the instructions of an assignment mean...
2   remember to request ram tokens if applicable ,
      usage           area \
0 in class           chat
1 any time   message board
2 any time download transcript

      note
0 outside of class time this is not monitored cl...
1           for discussion with peers
2 use after class to get preliminary notes eg if... ]

```

It appears to have read all of them, lets check the type:

```
type(pd.read_html(course_comms_url))
```

```
list
```

Since we know it's a list, we'll save it to a variable that indicates that.

```
comms_list = pd.read_html(course_comms_url)
```

If we get just the first element,

```
type(comms_list[0])
```

```
pandas.core.frame.DataFrame
```

it's a DataFrame and prints accordingly.

```
comms_list[0]
```

	Day	Time	Location	Host
0	Monday	9:30:00 AM-10:30 AM	inperson Tyler Hall 140	Chamudi
1	Monday	12:30:00 PM-2:00 PM	inperson Tyler Hall 139	Chamudi
2	Wednesday	4:00:00 PM-5:00 PM	inperson Tyler Hall 139	Chamudi
3	Wednesday	1:30:00 PM-3:00 PM	inperson Tyler Hall 140	Chamudi
4	Wednesday	7:00:00 PM-8:30	gather.town	Sarah
5	By appointment	scheduling link on Brightspace	in person Tyler 134	Sarah

Since it's a list, we can use base python's `len` function to check how many tables there are

```
len(comms_list)
```

```
5
```

We've seen the first table and know it's the help hours, so we can save that to a separate variable and use it

```
help_df = comms_list[0]
```

We've inspected the dataframe some before, but we can also check the type of each column.

```
help_df.dtypes
```

```
Day        object
Time       object
Location   object
Host       object
dtype: object
```

Further Reading

You can read more about the [details of data types](#) in Pandas in the documentation

5.5. How are objects printed in jupyter?

Question from class

Q: Why does it have `dtype:object` after the type for each row? A: the last line is information about the object that is being printed out.

To understand this, let's save the thing we're curious to a variable so we can examine it multiple ways more easily.

```
help_df_types = help_df.dtypes
```

Next we'll check the type of this object and its shape

```
type(help_df_types)
```

```
pandas.core.series.Series
```

a [Series](#) is like a DataFrame, but just one row with headings, and then rotated.

```
help_df_types.shape
```

```
(4,)
```

Note

this section is added, it didn't happen this way in class. This section, describes **how** I figured out the answer to the question about why that extra line is displayed.

This means that it's length is 4 and it's a 1 dimensional object; the column headers have converted to an index and are treated as metadata, but not a part of the actual data.

So, the line we're interested in is not a part of the object, because it's length 4 and the thing we're curious about is the fifth line.

We'll pick one variable from the DataFrame and check its type

```
type(help_df['Day'])
```

```
pandas.core.series.Series
```

This is also a Series, so let's check its output

```
help_df['Day']
```

```
0      Monday
1      Monday
2    Wednesday
3    Wednesday
4    Wednesday
5  By appointment
Name: Day, dtype: object
```

The last line of this one is information about the Series, its name, and its dtype.

Let's make another series, and see how it prints

```
pd.Series([5,4,5])
```

```
0    5
1    4
2    5
dtype: int64
```

The last line is the dtype of the Series; so in our original object, that last line is because the list of dtypes is the type of object.

```
help_df_types
```

```
Day      object
Time     object
Location  object
Host      object
dtype: object
```

5.6. How do we know what to check?

We examined the DataFrame so far by (me) knowing what to look for.

In Python objects you can programmatically find what to look for with the `__dict__` attribute or we can rely on the [online documentation](#) or use it via help.

In IPython (what we use in Jupyter, by default) we can use the `?` for help

```
pd.DataFrame?
```

```
help(pd.DataFrame)
```

💡 Everything is Data

Writing good documentation lets people who use your code get help for free. Not only do help tools use the docs, but that website is generated programmatically using a tool called Sphinx from the documentation inside the code. You can access the docstring of a Python using the `.__doc__` attribute.

⚠️ Caution

[ipython help](#) read about how it works, if it doesn't work for you to try to figure out why

```
Help on class DataFrame in module pandas.core.frame:

class DataFrame(pandas.core.generic.NDFrame, pandas.core.arraylike.OpsMixin)
| DataFrame(data=None, index: 'Axes | None' = None, columns: 'Axes | None' = None,
dtype: 'Dtype | None' = None, copy: 'bool | None' = None)
|
| Two-dimensional, size-mutable, potentially heterogeneous tabular data.
|
| Data structure also contains labeled axes (rows and columns).
| Arithmetic operations align on both row and column labels. Can be
| thought of as a dict-like container for Series objects. The primary
| pandas data structure.
|
| Parameters
| -----
| data : ndarray (structured or homogeneous), Iterable, dict, or DataFrame
|     Dict can contain Series, arrays, constants, dataclass or list-like objects. If
```

```
|     data is a dict, column order follows insertion-order.
```

Try it yourself!

Make a list of the shape of all of the tables on the syllabus Achievements page.

```
achievements_url =  
'https://rhodyprog4ds.github.io/BrownFall21/syllabus/achievements.html'
```

```
[(14, 3), (15, 5), (15, 15), (15, 6)]
```

This solution uses a list comprehension which allows us to compress a loop. It's equivalent to the following with a for loop

```
[(14, 3), (15, 5), (15, 15), (15, 6)]
```

5.7. Lambdas and Dictionaries for switching

What if we want to print out the first column for the DataFrame if it has more than 3 columns and the whole thing if it has 3 or less columns?

Two ways of writing a function

```
# with the def key  
def first_col_f(d):  
    return d[d.columns[0]]  
  
# lambda (anonymous function)  
first_col_l = lambda d: d[d.columns[0]]  
  
first_col_f(help_df) == first_col_l(help_df)
```

```
0    True  
1    True  
2    True  
3    True  
4    True  
5    True  
Name: Day, dtype: bool
```

Question from class

Python does have [ternary operators](#) but the dictionary is a more common way to achieve this and goal and more common patterns are better for readability

Further Reading

You can refer to the [official documentation](#) on [lambda](#) functions for a brief syntax description or this [tutorial on Real Python](#) for more context, history, and examples.

Important

We'll see lambdas again and again. Starting with summarizing data and again when cleaning. Understanding how to use these will help.

Try it yourself

read the code excerpt above carefully and try to match up the parts of a function: its name, the parameter list, and the body. Try writing your own lambda function.

Lambdas are an example of an [anonymous function](#)

We can put functions in dictionaries, or even define a lambda right in the dictionary.

```
df_display = {True: lambda d: d[d.columns[0]],  
              False: lambda d: d}  
  
for df in pd.read_html(achievements_url):  
    _, n_cols = df.shape  
    print(df_display[n_cols>3](df))
```

```

    Unnamed: 0_level_0                                topics \
    week
0           1 [admin, python review]
1           2 Loading data, Python review
2           3 Exploratory Data Analysis
3           4 Data Cleaning
4           5 Databases, Merging DataFrames
5           6 Modeling, Naive Bayes, classification performa...
6           7 decision trees, cross validation
7           8 Regression
8           9 Clustering
9          10 SVM, parameter tuning
10         11 KNN, Model comparison
11         12 Text Analysis
12         13 Images Analysis
13         14 Deep Learning

            skills
    Unnamed: 2_level_1
0           process
1      [access, prepare, summarize]
2      [summarize, visualize]
3 [prepare, summarize, visualize]
4 [access, construct, summarize]
5 [classification, evaluate]
6 [classification, evaluate]
7 [regression, evaluate]
8 [clustering, evaluate]
9 [optimize, tools]
10 [compare, tools]
11 [unstructured]
12 [unstructured, tools]
13 [tools, compare]
0     python
1     process
2     access
3     construct
4     summarize
5     visualize
6     prepare
7 classification
8 regression
9 clustering
10 evaluate
11 optimize
12 compare
13 unstructured
14 workflow
Name: (Unnamed: 0_level_0, keyword), dtype: object
0     python
1     process
2     access
3     construct
4     summarize
5     visualize
6     prepare
7 classification
8 regression
9 clustering
10 evaluate
11 optimize
12 compare
13 unstructured
14 workflow
Name: (Unnamed: 0_level_0, keyword), dtype: object
0     python
1     process
2     access
3     construct
4     summarize
5     visualize
6     prepare
7 classification
8 regression
9 clustering
10 evaluate
11 optimize
12 compare
13 unstructured
14 workflow
Name: (Unnamed: 0_level_0, keyword), dtype: object

```

In that excerpt df_display has a key that is defined to be true or false. The value for each item in the dictionary (separated by commas ,) is a lambda function, both of which take a parameter `d`, and one of which returns the first column `d[d.columns[0]]` and the other row which returns the whole data frame `d`.

In the loop, we set index into the dictionary with the key `n_cols > 3` with `df_display[n_cols>3]` sometimes it will be true and other times it will be false, which matches the two keys defined in the dictionary. Then the parameter it takes is `d`, which we pass the whole data frame `df` with the `(df)` at the end of the line.

Try it Yourself!

What does the `_` do?

Try using that dictionary outside of the loop. What is the value for a given key if you print it out like `df_display[a_key_value]`? What if you use 'True' or 'False' directly? What if you try a number? What is the type of that? What if you pass something that's not a DataFrame as the parameter? Make notes about these outputs

5.8. Questions after class

Note

add a question with a pull request; earn 1-2 ram tokens for submitting a question with the answer (with sources)

5.9. More Practice

- What `type` is the shape of a `pandas.DataFrame`?
- use a list comprehension to create a list that you could use as column names for data that consists of `N` measurements. Set `N=5` for now, but you suspect that the number might change.
- create a list of items with different types, then Create a dictionary with the types as keys using a dictionary comprehension. Dictionary comprehensions are similar to list comprehensions, in their form.
- Create a `lambda` function to print return the first 2 rows of a data frame

Ram Token Opportunity

Contribute possible practice questions to the notes using the suggest an edit button behind the GitHub menu at the top of the page.

6. Exploratory Data Analysis

```
import pandas as pd
```

6.1. Staying Organized

- See the new [File structure](#) section.
- Be sure to accept assignments and close the feedback PR if you will not work on them

6.2. Data Frame from lists of Lists

On Friday, we collectively made a list of strings

```
# %load http://drsmb.co/310read

# share a sentence or a few words about how class is going or
# one takeaway you have from class so far.
# and attribute with a name after a hyphen(-)
# You can remain anonymous (this page & the notes will be fully public)
# by attributing it to a celebrity or pseudonym, but include *some* sort of attribution
sentence_list = [
    'Programming is a Practice. - Dr. Sarah Brown',
    "So far it's going pretty good. - Matt",
    'Pretty good pace, Github is still a little confusing is all - A',
    "Class is going well, I'm really excited for the new skills that I will attain through
    this course. - Diondra",
    'Good straight forward - Adam',
    'Good pace and engaging - Jacob',
    'I like cheese - Anon',
    'Going well, I enjoy python - Aiden',
    "Class is going very well, I'm excited to learn more about manipulating data sets -
    Greg",
    'Really enjoying the class so far, Clear instructions and outcomes - Michael',
    'So far this class is going well, very engaging lectures. - Anon',
    'Great pace and notes have been really useful - Brandon',
    'Good pace and easy to follow - Muhammad',
    'Class is going well and engaging, but also a little difficult getting into the swing of
    things - Isaiah',
    'Well paced, informative, and helpful - Vinnie',
    'Spectacular -Michael Jackson',
    'Very interesting! I am enjoying it a lot so far. Getting to experience pandas as well
    as using github/jupyter has been cool. One thing I would change though is slowing down
    the pace a bit. - Max'
]
```

We can check that by using type, first on the whole thing

```
type(sentence_list)
```

list

And then we can index into the list. Lists can be indexed by integers:

```
sentence_list[4]
```

'Good straight forward - Adam'

is one item from the list and then check its type:

```
type(sentence_list[4])
```

str

First, we'll convert our list of strings, to a list of lists with a list comprehension. This will [iterate](#) over each string in that list and apply the string method [split](#). Since we passed the parameter `' - '`, it will split at that character.

```
[sent_attr.split(' - ') for sent_attr in sentence_list]
```

② Question From Class

The split method will split at every occurrence of the character passed.

↳ Try it Yourself

Try splitting based on a different character (eg `' '`). What happens?

```
[['Programming is a Practice. ', ' Dr. Sarah Brown'],
 ['So far it's going pretty good. ', ' Matt'],
 ['Pretty good pace, Github is still a little confusing is all ', ' A'],
 ['Class is going well, I'm really excited for the new skills that I will attain
through this course. ',
 ' Diondra'],
 ['Good straight forward ', ' Adam'],
 ['Good pace and engaging ', ' Jacob'],
 ['I like cheese ', ' Anon'],
 ['Going well, I enjoy python ', ' Aiden'],
 ['Class is going very well, I'm excited to learn more about manipulating data sets ',
 ' Greg'],
 ['Really enjoying the class so far, Clear instructions and outcomes ',
 ' Michael'],
 ['So far this class is going well, very engaging lectures. ', ' Anon'],
 ['Great pace and notes have been really useful ', ' Brandon'],
 ['Good pace and easy to follow ', ' Muhammad'],
 ['Class is going well and engaging, but also a little difficult getting into the swing
of things ',
 ' Isaiah'],
 ['Well paced, informative, and helpful ', ' Vinnie'],
 ['Spectacular ', ' Michael Jackson'],
 ['Very interesting! I am enjoying it a lot so far. Getting to experience pandas as
well as using github/jupyter has been cool. One thing I would change though is slowing
down the pace a bit. ',
 ' Max']]
```

If we save it to a variable, we can analyze it better, for example indexing it

```
list_of_lists = [sent_attr.split('-') for sent_attr in sentence_list]
list_of_lists[0]
```

```
'Programming is a Practice. ', ' Dr. Sarah Brown']
```

This is a list, which we can check with:

```
type(list_of_lists[0])
```

```
list
```

If we take one item from that, it's a string

```
list_of_lists[0][1]
```

```
' Dr. Sarah Brown'
```

The list of lists is the same length as our original sentence_list, because it was made from that.

```
len(sentence_list)
```

```
17
```

```
len(list_of_lists)
```

```
17
```

Then we can pass our list of lists to the DataFrame constructor and set the column headings with the `columns` parameter, which accepts a list.

```
pd.DataFrame([sent_attr.split('-') for sent_attr in sentence_list],
            columns=['sentence','attribution'])
```

Question From Class

While the list comprehension `iterate` over each string in that list, because it's a list, in order to `index` into it, we have to use an integer.

Iterating is taking each member in an object in turn, indexing is picking out a specified item. Iterating typically is done with the `for` keyword (either in a loop or a comprehension), indexing is done with `[]`

		sentence	attribution
0		Programming is a Practice.	Dr. Sarah Brown
1		So far it's going pretty good.	Matt
2		Pretty good pace, Github is still a little con...	A
3		Class is going well, I'm really excited for th...	Diondra
4		Good straight forward	Adam
5		Good pace and engaging	Jacob
6		I like cheese	Anon
7		Going well, I enjoy python	Aiden
8		Class is going very well, I'm excited to learn...	Greg
9		Really enjoying the class so far, Clear instru...	Michael
10		So far this class is going well, very engaging...	Anon
11		Great pace and notes have been really useful	Brandon
12		Good pace and easy to follow	Muhammad
13		Class is going well and engaging, but also a l...	Isaiah
14		Well paced, informative, and helpful	Vinnie
15		Spectacular	Michael Jackson
16		Very interesting! I am enjoying it a lot so fa...	Max

💡 Hint

We built the list of lists here with a list comprehension because it's only a few items, but for a list of longer lists, you might use a for loop and `append`

6.3. Summarizing Data

```
coffee_data_url = 'https://raw.githubusercontent.com/jldbc/coffee-quality-database/master/data/robusta_data_cleaned.csv'
coffee_df = pd.read_csv(coffee_data_url)
```

So far, we've loaded data in a few different ways and then we've examined DataFrames as a data structure, looking at what different attributes they have and what some of the methods are, and how to get data into them.

```
coffee_df.head()
```

	Unnamed: 0	Species	Owner	Country.of.Origin	Farm.Name	Lot.Number	Mi
0	1	Robusta	ankole coffee producers coop	Uganda	kyangundu cooperative society	NaN	anko coffee producer
1	2	Robusta	nishant gurjer	India	sethuraman estate kaapi royale	25	sethuraman estate
2	3	Robusta	andrew hetzel	India	sethuraman estate	NaN	Na
3	4	Robusta	ugacof	Uganda	ugacof project area	NaN	ugaci
4	5	Robusta	katuka development trust ltd	Uganda	katikamu capca farmers association	NaN	katuk development tru

5 rows × 44 columns

Now, we can actually start to analyze the data itself.

```
coffee_df.describe()
```

```

      Unnamed: 0  Number.of.Bags  Harvest.Year  Fragrance...Aroma  Flavor  Aftertaste
count    28.000000          28.000000   28.000000  28.000000  28.000000  28.000000
mean    14.500000         168.000000  2013.964286  7.702500  7.630714  7.559643
std     8.225975         143.226317  1.346660  0.296156  0.303656  0.342469
min     1.000000          1.000000  2012.000000  6.750000  6.670000  6.500000
25%    7.750000          1.000000  2013.000000  7.580000  7.560000  7.397500
50%    14.500000         170.000000  2014.000000  7.670000  7.710000  7.670000
75%    21.250000         320.000000  2015.000000  7.920000  7.830000  7.770000
max    28.000000         320.000000  2017.000000  8.330000  8.080000  7.920000
8 rows × 21 columns

```

We can also select one variable at a time

```
coffee_df['Balance'].describe()
```

```

count    28.000000
mean    7.541786
std     0.526076
min     5.250000
25%    7.500000
50%    7.670000
75%    7.830000
max    8.000000
Name: Balance, dtype: float64

```

To dig in on what the quantiles really mean, we can compute one manually.

First, we sort the data, then for the 25%, we select the point in index 6 because because there are 28 values.

```
balance_sorted = coffee_df['Balance'].sort_values().values
balance_sorted[6]
```

```
7.5
```

We can also extract each of the statistics that the `describe` method calculates individually, by name. The quantiles are tricky, we can't use `.25()` to get the 25% percentile, we have to use the `quantile` method and pass it a value between 0 and 1.

```
coffee_df['Flavor'].quantile(.25)
```

```
7.560000000000005
```

We can also pass other values

```
coffee_df['Flavor'].quantile(.8)
```

```
7.83
```

Calculate the mean of the `Aftertaste` column:

```
coffee_df['Aftertaste'].mean()
```

```
7.559642857142856
```

further reading

On the [documentation page for `describe`](#) the  See Also" shows the links to the documentation of most of the individual functions. This is a good way to learn about other things, or find something when you are not quite sure what it would be named. Go to a function that's similar to what you want and then look at the related functions.

6.4. What about the nonnumerical variables?

For example the color

```
coffee_df['Color'].head()
```

```
0    Green
1      NaN
2    Green
3    Green
4    Green
Name: Color, dtype: object
```

We can get the prevalence of each one with `value_counts`

```
coffee_df['Color'].value_counts()
```

```
Green        20
Blue-Green     3
Bluish-Green   2
None          1
Name: Color, dtype: int64
```

Try it Yourself

Note `value_counts` does not count the `NaN` values, but `count` counts all of the not missing values and the shape of the DataFrame is the total number of rows. How can you get the number of missing Colors?

What country is most prevalent in this dataset?

```
coffee_df['Country.of.Origin'].value_counts()
```

```
India        13
Uganda       10
United States  2
Ecuador       2
Vietnam        1
Name: Country.of.Origin, dtype: int64
```

We can get the name of the most common country out of this Series using `idxmax`

```
coffee_df['Country.of.Origin'].value_counts().idxmax()
```

```
'India'
```

Question From Class

Q: Can we calculate the mode to find the most prevalent? A: Yes. We can also use the mode function, which works on both numerical or nonnumerical values.

```
coffee_df['Country.of.Origin'].mode()
```

```
0    India
dtype: object
```

6.5. Questions After Class

6.5.1. General Questions

6.5.1.1. How to know what functions are compatible with other functions?

6.5.1.2. Best place to find all the individual functions based on the `.describe()` function

6.5.1.3. Are there panda functions to read files other than CSV?

6.5.2. Clarifying

6.5.2.1. Is sent_attr in the DataFrame loop its own variable that we assign, or is it a base Python function?

6.5.2.2. Difference between %load and how we've been importing links to datasets in previous classes?

6.5.2.3. When I ran [sent_attr.split('-') for sent_attr in sentence_list] in Jupyter, I got a nameerror

Why do we use the value quantile instead of using quartile since we can use mean to find mean?

6.5.3. Course Admin and Assignment Questions

6.5.3.1. When are the achievements we earn in class going to be inputted in brightspace?

6.5.3.2. Is there anything we have to do for the assignment after committing the changes to the files?

6.5.3.3. When we push the homework are we pushing it to the portfolio?

6.5.3.4. Still a little unsure about what the num_numerical specifically is, is it just the number of numerical columns?

6.6. More Practice

1. Produce a table with the mean for each score.
2. Which variables have the most missing data?
3. What's the total number of bags of coffee produced?
4. Which ratings have similar ranges? (max, min)
5. Which rating are most consistent across coffees?
6. What score cutoff could you apply in order to select the top 10 best for Balance?

7. Visualization

```
import pandas as pd
import seaborn as sns
```

7.1. Jupyter FAQ

Question from class

Why doesn't my jupyter print things out that are on the last line?

When we create a variable and then put that on the last line of a cell, jupyter displays it.

```
name = 'sarah'  
name
```

```
'sarah'
```

How it depends on the type

```
type(name)
```

```
str
```

For a string, it uses `print`

```
print(name)
```

```
sarah
```

so this and the one above look the same. For objects that have a `_repr_html_` method, jupyter uses that, and uses html to render the object in a more visually appealing way.

7.2. Review of describe

we're going to work with the arabica data today, because it's a little bigger and more interesting for plotting

```
arabica_data_url = 'https://raw.githubusercontent.com/jldbc/coffee-quality-  
database/master/data/arabica_data_cleaned.csv'  
  
coffee_df = pd.read_csv(arabica_data_url)
```

We can describe it again, to see it has mostly the same variables we saw before, but some different as well.

```
coffee_df.describe()
```

	Unnamed: 0	Number.of.Bags	Aroma	Flavor	Aftertaste	Acidity
count	1311.000000	1311.000000	1311.000000	1311.000000	1311.000000	1311.000000
mean	656.000763	153.887872	7.563806	7.518070	7.397696	7.533112
std	378.598733	129.733734	0.378666	0.399979	0.405119	0.381599
min	1.000000	0.000000	0.000000	0.000000	0.000000	0.000000
25%	328.500000	14.500000	7.420000	7.330000	7.250000	7.330000
50%	656.000000	175.000000	7.580000	7.580000	7.420000	7.500000
75%	983.500000	275.000000	7.750000	7.750000	7.580000	7.750000
max	1312.000000	1062.000000	8.750000	8.830000	8.670000	8.750000

Question from class

Why do we need the `()` on the `describe` but not on just the data

As is often the case, again this comes back to the type.

```
type(coffee_df)
```

```
pandas.core.frame.DataFrame
```

is a data frame which has the `_repr_html_` method

```
coffee_df
```

		Species	Owner	Country.of-Origin	Farm.Name	Lot.Number	
0	1	Arabica	metad plc	Ethiopia	metad plc	NaN	meta
1	2	Arabica	metad plc	Ethiopia	metad plc	NaN	meta
2	3	Arabica	grounds for health admin	Guatemala	san marcos barrancas "san cristobal cuch	NaN	
3	4	Arabica	yidnekachew dabessa	Ethiopia	yidnekachew dabessa coffee plantation	NaN	wol
4	5	Arabica	metad plc	Ethiopia	metad plc	NaN	meta
...
1306	1307	Arabica	juan carlos garcia lopez	Mexico	el centenario	NaN	espera muni juch de fe
1307	1308	Arabica	myriam kaplan-pasternak	Haiti	200 farms	NaN	kope ekse bi
1308	1309	Arabica	exportadora atlantic, s.a.	Nicaragua	finca las marías	017-053-0211/ 017-053-0212	bene atl con
1309	1310	Arabica	juan luis alvarado romero	Guatemala	finca el limon	NaN	bene se
1310	1312	Arabica	bismarck castro	Honduras	los hicaques	103	cigral de

1311 rows × 44 columns

so it prints nicely as did the `coffee_df.describe()`

If we leave the `()` off we don't get nice formatting

```
coffee_df.describe
```

Note

notice that this one has the ... in the columns and rows directions.

Try it Yourself

what can you check in a DataFrame to predict if it will display with or without the ...?

Hint

when objects do not have the `_repr_html_` method their output includes the type

```
<bound method NDFrame.describe of          Unnamed: 0  Species           Owner
Country.of.Origin \
0           1 Arabica                  metad plc      Ethiopia
1           2 Arabica                  metad plc      Ethiopia
2           3 Arabica    grounds for health admin   Guatemala
3           4 Arabica    yidnekachew dabessa     Ethiopia
4           5 Arabica                  metad plc      Ethiopia
...
...       ...
1306        1307 Arabica    juan carlos garcia lopez    Mexico
1307        1308 Arabica    myriam kaplan-pasternak    Haiti
1308        1309 Arabica  exportadora atlantic, s.a. Nicaragua
1309        1310 Arabica    juan luis alvarado romero  Guatemala
```

1310	1312	Arabica	bismarck castro	Honduras
0			Farm.Name	Lot.Number \
1			metad plc	NaN
2		san marcos barrancas "san cristobal cuch		NaN
3		yidnekachew dabessa coffee plantation		NaN
4			metad plc	NaN
...		
1306			el centenario	NaN
1307			200 farms	NaN
1308			finca las marias	017-053-0211/ 017-053-0212
1309			finca el limon	NaN
1310			los hicaques	103
0			Mill \	
1			metad plc	
2			metad plc	
3			NaN	
4			wolensu	
...			metad plc	
1306		la esperanza, municipio juchique de ferrer, ve...		...
1307		coeb koperativ ekselsyo basen (350 members)		
1308		beneficio atlantic condega		
1309		beneficio serben		
1310		cigrah s.a de c.v.		
0		ICO.Number	Company \	
1		2014/2015	metad agricultural developmet plc	
2		2014/2015	metad agricultural developmet plc	
3		NaN	NaN	
4		NaN	yidnekachew debessa coffee plantation	
...		2014/2015	metad agricultural developmet plc	
1306	
1307		1104328663	terra mia	
1308		NaN	haiti coffee	
1309		017-053-0211/ 017-053-0212	exportadora atlantic s.a	
1310		11/853/165	unicafe	
		13-111-053	cigrah s.a de c.v	
0		Altitude	Color Category.Two.Defects \	
1		1950-2200	...	Green 0
2		1950-2200	...	Green 1
3		1600 - 1800 m	...	NaN 0
4		1800-2200	...	Green 2
...		1950-2200	...	Green 2
1306	
1307		900	...	None 20
1308		~350m	...	Blue-Green 16
1309		1100	...	Green 5
1310		4650	...	Green 4
		1400	...	Green 2
0		Expiration	Certification.Body \	
1		April 3rd, 2016	METAD Agricultural Development plc	
2		April 3rd, 2016	METAD Agricultural Development plc	
3		May 31st, 2011	Specialty Coffee Association	
4		March 25th, 2016	METAD Agricultural Development plc	
...		April 3rd, 2016	METAD Agricultural Development plc	
1306	
1307		September 17th, 2013	AMECAFE	
1308		May 24th, 2013	Specialty Coffee Association	
1309		June 6th, 2018	Instituto Hondureno del Café	
1310		May 24th, 2013	Asociacion Nacional Del Café	
		April 28th, 2018	Instituto Hondureno del Café	
0		Certification.Address \		
1		309fcf77415a3661ae83e027f7e5f05dad786e44		
2		309fcf77415a3661ae83e027f7e5f05dad786e44		
3		36d0d00a3724338ba7937c52a378d085f2172daa		
4		309fcf77415a3661ae83e027f7e5f05dad786e44		
...		...		
1306		59e396ad6e22a1c22b248f958e1da2bd8af85272		
1307		36d0d00a3724338ba7937c52a378d085f2172daa		
1308		b4660a57e9f8cc613ae5b8f02bfce8634c763ab4		
1309		b1f20fe3a819fd6b2ee0eb8fdc3da256604f1e53		
1310		b4660a57e9f8cc613ae5b8f02bfce8634c763ab4		
0		Certification.Contact unit_of_measurement \		
1		19fef5a731de2db57d16da10287413f5f99bc2dd	m	
2		19fef5a731de2db57d16da10287413f5f99bc2dd	m	
3		0878a7d4b9d35ddb0fe2ce69a2062ccceb45a660	m	
4		19fef5a731de2db57d16da10287413f5f99bc2dd	m	
...		19fef5a731de2db57d16da10287413f5f99bc2dd	m	

```

1306 0eb4ee5b3f47b20b049548a2fd1e7d4a2b70d0a7      m
1307 0878a7d4b9d35ddbf0fe2ce69a2062cccb45a660      m
1308 7f521ca403540f81ec99daec7da19c2788393880      m
1309 724f04ad10ed31dbb9d260f0dfd221ba48be8a95      ft
1310 7f521ca403540f81ec99daec7da19c2788393880      m

    altitude_low_meters altitude_high_meters altitude_mean_meters
0           1950.00            2200.00          2075.00
1           1950.00            2200.00          2075.00
2           1600.00            1800.00          1700.00
3           1800.00            2200.00          2000.00
4           1950.00            2200.00          2075.00
...
1306        ...             ...
1307        ...             ...
1308        ...             ...
1309        ...             ...
1310        ...             ...

[1311 rows x 44 columns]>

```

so lets check the type of that.

```
type(coffee_df.describe)
```

```
method
```

it's a `bound method` or a function that *will* be applied to the DataFrame, but we didn't actually run the method. To see that it hasn't run, we can use an ipython [\[1\] magic %timeit](#)

```
%timeit
coffee_df.describe
```

```
95.3 ns ± 0.904 ns per loop (mean ± std. dev. of 7 runs, 10000000 loops each)
```

```
%timeit
coffee_df.describe()
```

```
36.8 ms ± 218 µs per loop (mean ± std. dev. of 7 runs, 10 loops each)
```


Note that without the `()` it runs much much faster, signaling that it did less finding the method, is less calculation than computing statistics on the data

7.3. Basic plots in pandas

Pandas gives us basic plots.

```
coffee_df['Flavor'].plot()
```

```
<AxesSubplot:>
```



Since we chose a series, it plotted that data as line vs the index.

```
coffee_df.index
```

Further reading


The [magic functions](#) can be defined for a cell or a line. [Timeit](#) is actually a standard python library that you can call on the command line or in a python script as well, but jupyter, by way of ipython gives us easy access to it with nice defaults.

```
RangeIndex(start=0, stop=1311, step=1)
```

We can change the kind, for example to a [Kernel Density Estimate](#). This approximates the distribution of the data, you can think of it roughly like a smoothed out histogram.

```
coffee_df['Flavor'].plot(kind='kde')
```


```
<AxesSubplot:ylabel='Density'>
```



We can also plot two variables as a scatter plot, by specifying the `x`, `y` and `kind`

```
coffee_df.plot(x='Flavor',y='Balance', kind='scatter')
```


```
<AxesSubplot:xlabel='Flavor', ylabel='Balance'>
```



Let's Make a histogram plot of the Balance variable

```
coffee_df['Balance'].plot(kind='hist')
```

```
<AxesSubplot:ylabel='Frequency'>
```



⌚ Question from class

Can we plot two histograms with `coffee_df['Balance']['Flavor'].plot(kind='hist')`

```
:tags: ["raises-exception"]
```

```
coffee_df['Balance']['Flavor'].plot(kind='hist')
```

```
File "/tmp/ipykernel_1727/3818478052.py", line 1
  :tags: ["raises-exception"]
  ^
SyntaxError: invalid syntax
```

Let's break down why that errors. When we append things to the left, python interprets them by passing the output of one step to the input of the next one.

So `coffee_df['Balance'].plot(kind='hist')` first made a series, then plotted it. In the above, we again got the series, which works

```
coffee_df['Balance'].head(2)
```

```
0    8.42
1    8.42
Name: Balance, dtype: float64
```

But then, we tried to index it with 'Flavor', but we don't have that any more

```
coffee_df['Balance']['Flavor']
```

```
-----
KeyError                                                 Traceback (most recent call last)
/tmp/ipykernel_1727/1214282069.py in <module>
-> 1 coffee_df['Balance']['Flavor']

/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-
packages/pandas/core/series.py in __getitem__(self, key)
  940
  941     elif key_is_scalar:
-> 942         return self._get_value(key)
  943
  944     if is_hashable(key):

/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-
packages/pandas/core/series.py in _get_value(self, label, takeable)
 1049
 1050     # Similar to Index.get_value, but we do not fall back to positional
-> 1051     loc = self.index.get_loc(label)
 1052     return self.index._get_values_for_loc(self, loc, label)
 1053

/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-
packages/pandas/core/indexes/range.py in get_loc(self, key, method, tolerance)
  386         except ValueError as err:
  387             raise KeyError(key) from err
-> 388     raise KeyError(key)
  389
  390     return super().get_loc(key, method=method, tolerance=tolerance)
  390

KeyError: 'Flavor'
```

Note

Since I know these will be DataFrames, I'm appending the `head()` method to reduce the output for presentation.

So we get a key error and we know this is the part of the line we have to change.

We need to index into the DataFrame and pick two columns at once. When we index, we can use the name of a variable as a string or a list. We can build this list on the fly and python executes from the inside out.

The outer `[]` index and the inner `[]` make a list

```
coffee_df[['Balance', 'Flavor']].head(2)
```

	Balance	Flavor
0	8.42	8.83
1	8.42	8.67

we could also build the list first, then index for readability


```
hist_vars = ['Balance', 'Flavor'].head(2)
coffee_df[hist_vars]
```

```
-----  
AttributeError                                Traceback (most recent call last)  
/tmp/ipykernel_1727/2943951791.py in <module>  
----> 1 hist_vars = ['Balance', 'Flavor'].head(2)  
      2 coffee_df[hist_vars]  
  
AttributeError: 'list' object has no attribute 'head'
```

This gives us a data frame, which we can plot.

```
coffee_df[['Balance', 'Flavor']].plot(kind='hist')
```

```
<AxesSubplot:ylabel='Frequency'>
```



We'll see ways to improve this on Friday.

7.4. ## Plotting in Python

- [matplotlib](#): low level plotting tools
- [seaborn](#): high level plotting with opinionated defaults
- [ggplot](#): plotting based on the ggplot library in R.


Pandas and seaborn use matplotlib under the hood.

Seaborn and ggplot both assume the data is set up as a DataFrame. Getting started with seaborn is the simplest, so we'll use that.

We can get that basic plot back.

```
sns.scatterplot(data=coffee_df,x='Flavor',y='Balance')
```

```
<AxesSubplot:xlabel='Flavor', ylabel='Balance'>
```



But now we have more power to investigate more relationships in the data.

```
sns.scatterplot(data=coffee_df,x='Flavor',y='Balance',hue='Color')
```


```
<AxesSubplot:xlabel='Flavor', ylabel='Balance'>
```



From this we can see that the color doesn't appear to be related to the flavor or balance scores, but that the flavor and balance are related.

We can also break this apart. `lmplot` is a higher level plotting function so it allows us to create grids of plots and by default also includes a regression line. We'll turn that off for now, with `fit_reg=False`.


```
sns.lmplot(data=coffee_df,x='Flavor',y='Balance',hue='Color',
            col='Color',fit_reg=False)
```



`col` stands for column. We can also use `row`

```
sns.lmplot(data=coffee_df,x='Flavor',y='Balance',hue='Color',
            row='Color')
```

<seaborn.axisgrid.FacetGrid at 0x7f7b7d328850>



We can also use both together:

```
sns.lmplot(data=coffee_df,x='Flavor',y='Balance',hue='Color',
            row='Color',col='Country.of.Origin')
```

```
-----  
KeyboardInterrupt Traceback (most recent call last)  
/tmp/ipykernel_1727/4097410330.py in <module>  
    1 sns.lmplot(data=coffee_df,x='Flavor',y='Balance',hue='Color',  
----> 2         row='Color',col='Country.of.Origin')  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-  
packages/seaborn/_decorators.py in inner_f(*args, **kwargs)  
    44         )  
    45     kwargs.update({k: arg for k, arg in zip(sig.parameters, args)})  
--> 46     return f(**kwargs)  
    47 return inner_f  
    48  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-  
packages/seaborn/regression.py in lmplot(x, y, data, hue, col, row, palette, col_wrap,  
height, aspect, markers, sharex, sharey, hue_order, col_order, row_order, legend,  
legend_out, x_estimator, x_bins, x_ci, scatter, fit_reg, ci, n_boot, units, seed,  
order, logistic, lowess, robust, logx, x_partial, y_partial, truncate, x_jitter,  
y_jitter, scatter_kws, line_kws, facet_kws, size)  
    643         scatter_kws=scatter_kws, line_kws=line_kws,  
    644     )  
--> 645     facets.map_dataframe(regplot, x=x, y=y, **regplot_kws)  
    646     facets.set_axis_labels(x, y)  
    647  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-packages/seaborn/axisgrid.py  
in map_dataframe(self, func, *args, **kwargs)  
    782         for i, val in enumerate(args[:2]):  
    783             axis_labels[i] = val  
--> 784         self._finalize_grid(axis_labels)  
    785  
    786     return self  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-packages/seaborn/axisgrid.py  
in _finalize_grid(self, axlabels)  
    813         self.set_axis_labels(*axlabels)  
    814         self.set_titles()  
--> 815         self.tight_layout()  
    816  
    817     def facet_axis(self, row_i, col_j, modify_state=True):  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-packages/seaborn/axisgrid.py  
in tight_layout(self, *args, **kwargs)  
    86         if self._tight_layout_pad is not None:  
    87             kwargs.setdefault("pad", self._tight_layout_pad)  
--> 88         self._figure.tight_layout(*args, **kwargs)  
    89  
    90     def add_legend(self, legend_data=None, title=None, label_order=None,  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-packages/matplotlib/figure.py  
in tight_layout(self, pad, h_pad, w_pad, rect)  
    3164         kwargs = get_tight_layout_figure(  
    3165             self, self.axes, subplotspec_list, renderer,  
--> 3166             pad=pad, h_pad=h_pad, w_pad=w_pad, rect=rect)  
    3167     if kwargs:  
    3168         self.subplots_adjust(**kwargs)  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-  
packages/matplotlib/tight_layout.py in get_tight_layout_figure(fig, axes_list,  
subplotspec_list, renderer, pad, h_pad, w_pad, rect)  
    343             ax_bbox_list=ax_bbox_list,  
    344             pad=pad, h_pad=h_pad, w_pad=w_pad,  
--> 345             rect=(left, bottom, right, top))  
    346  
    347     return kwargs  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-  
packages/matplotlib/tight_layout.py in auto_adjust_subplots(fig, renderer,  
nrows_ncols, num1num2_list, subplot_list, ax_bbox_list, pad, h_pad, w_pad, rect)  
    82         if ax.get_visible():  
    83             try:  
--> 84                 bb += [ax.get_tightbbox(renderer, for_layout_only=True)]  
    85             except TypeError:  
    86                 bb += [ax.get_tightbbox(renderer)]  
  
/opt/hostedtoolcache/Python/3.7.12/x64/lib/python3.7/site-  
packages/matplotlib/axes/_base.py in get_tightbbox(self, renderer, call_axes_locator,  
bbox_extra_artists, for_layout_only)  
    4438         try:
```

```

4439             bb_yaxis = self.yaxis.get_tightbbox(
4440                 renderer, for_layout_only=for_layout_only)
4441         except TypeError:
4442             # in case downstream library has redefined axis:
4443
4444
4445
4446
4447
4448
4449
4450
4451
4452
4453
4454
4455
4456
4457
4458
4459
4460
4461
4462
4463
4464
4465
4466
4467
4468
4469
4470
4471
4472
4473
4474
4475
4476
4477
4478
4479
4480
4481
4482
4483
4484
4485
4486
4487
4488
4489
4490
4491
4492
4493
4494
4495
4496
4497
4498
4499
4500
4501
4502
4503
4504
4505
4506
4507
4508
4509
4510
4511
4512
4513
4514
4515
4516
4517
4518
4519
4520
4521
4522
4523
4524
4525
4526
4527
4528
4529
4530
4531
4532
4533
4534
4535
4536
4537
4538
4539
4540
4541
4542
4543
4544
4545
4546
4547
4548
4549
4550
4551
4552
4553
4554
4555
4556
4557
4558
4559
4560
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
4571
4572
4573
4574
4575
4576
4577
4578
4579
4580
4581
4582
4583
4584
4585
4586
4587
4588
4589
4590
4591
4592
4593
4594
4595
4596
4597
4598
4599
4600
4601
4602
4603
4604
4605
4606
4607
4608
4609
4610
4611
4612
4613
4614
4615
4616
4617
4618
4619
4620
4621
4622
4623
4624
4625
4626
4627
4628
4629
4630
4631
4632
4633
4634
4635
4636
4637
4638
4639
4640
4641
4642
4643
4644
4645
4646
4647
4648
4649
4650
4651
4652
4653
4654
4655
4656
4657
4658
4659
4660
4661
4662
4663
4664
4665
4666
4667
4668
4669
4670
4671
4672
4673
4674
4675
4676
4677
4678
4679
4680
4681
4682
4683
4684
4685
4686
4687
4688
4689
4690
4691
4692
4693
4694
4695
4696
4697
4698
4699
4700
4701
4702
4703
4704
4705
4706
4707
4708
4709
4710
4711
4712
4713
4714
4715
4716
4717
4718
4719
4720
4721
4722
4723
4724
4725
4726
4727
4728
4729
4730
4731
4732
4733
4734
4735
4736
4737
4738
4739
4740
4741
4742
4743
4744
4745
4746
4747
4748
4749
4750
4751
4752
4753
4754
4755
4756
4757
4758
4759
4760
4761
4762
4763
4764
4765
4766
4767
4768
4769
4770
4771
4772
4773
4774
4775
4776
4777
4778
4779
4780
4781
4782
4783
4784
4785
4786
4787
4788
4789
4790
4791
4792
4793
4794
4795
4796
4797
4798
4799
4800
4801
4802
4803
4804
4805
4806
4807
4808
4809
4810
4811
4812
4813
4814
4815
4816
4817
4818
4819
4820
4821
4822
4823
4824
4825
4826
4827
4828
4829
4830
4831
4832
4833
4834
4835
4836
4837
4838
4839
4840
4841
4842
4843
4844
4845
4846
4847
4848
4849
4850
4851
4852
4853
4854
4855
4856
4857
4858
4859
4860
4861
4862
4863
4864
4865
4866
4867
4868
4869
4870
4871
4872
4873
4874
4875
4876
4877
4878
4879
4880
4881
4882
4883
4884
4885
4886
4887
4888
4889
4890
4891
4892
4893
4894
4895
4896
4897
4898
4899
4900
4901
4902
4903
4904
4905
4906
4907
4908
4909
4910
4911
4912
4913
4914
4915
4916
4917
4918
4919
4920
4921
4922
4923
4924
4925
4926
4927
4928
4929
4930
4931
4932
4933
4934
4935
4936
4937
4938
4939
4940
4941
4942
4943
4944
4945
4946
4947
4948
4949
4950
4951
4952
4953
4954
4955
4956
4957
4958
4959
4960
4961
4962
4963
4964
4965
4966
4967
4968
4969
4970
4971
4972
4973
4974
4975
4976
4977
4978
4979
4980
4981
4982
4983
4984
4985
4986
4987
4988
4989
4990
4991
4992
4993
4994
4995
4996
4997
4998
4999
5000
5001
5002
5003
5004
5005
5006
5007
5008
5009
5010
5011
5012
5013
5014
5015
5016
5017
5018
5019
5020
5021
5022
5023
5024
5025
5026
5027
5028
5029
5030
5031
5032
5033
5034
5035
5036
5037
5038
5039
5040
5041
5042
5043
5044
5045
5046
5047
5048
5049
5050
5051
5052
5053
5054
5055
5056
5057
5058
5059
5060
5061
5062
5063
5064
5065
5066
5067
5068
5069
5070
5071
5072
5073
5074
5075
5076
5077
5078
5079
5080
5081
5082
5083
5084
5085
5086
5087
5088
5089
5090
5091
5092
5093
5094
5095
5096
5097
5098
5099
5100
5101
5102
5103
5104
5105
5106
5107
5108
5109
5110
5111
5112
5113
5114
5115
5116
5117
5118
5119
5120
5121
5122
5123
5124
5125
5126
5127
5128
5129
5130
5131
5132
5133
5134
5135
5136
5137
5138
5139
5140
5141
5142
5143
5144
5145
5146
5147
5148
5149
5150
5151
5152
5153
5154
5155
5156
5157
5158
5159
5160
5161
5162
5163
5164
5165
5166
5167
5168
5169
5170
5171
5172
5173
5174
5175
5176
5177
5178
5179
5180
5181
5182
5183
5184
5185
5186
5187
5188
5189
5190
5191
5192
5193
5194
5195
5196
5197
5198
5199
5200
5201
5202
5203
5204
5205
5206
5207
5208
5209
5210
5211
5212
5213
5214
5215
5216
5217
5218
5219
5220
5221
5222
5223
5224
5225
5226
5227
5228
5229
5230
5231
5232
5233
5234
5235
5236
5237
5238
5239
5240
5241
5242
5243
5244
5245
5246
5247
5248
5249
5250
5251
5252
5253
5254
5255
5256
5257
5258
5259
5260
5261
5262
5263
5264
5265
5266
5267
5268
5269
5270
5271
5272
5273
5274
5275
5276
5277
5278
5279
5280
5281
5282
5283
5284
5285
5286
5287
5288
5289
5290
5291
5292
5293
5294
5295
5296
5297
5298
5299
5300
5301
5302
5303
5304
5305
5306
5307
5308
5309
5310
5311
5312
5313
5314
5315
5316
5317
5318
5319
5320
5321
5322
5323
5324
5325
5326
5327
5328
5329
5330
5331
5332
5333
5334
5335
5336
5337
5338
5339
5340
5341
5342
5343
5344
5345
5346
5347
5348
5349
5350
5351
5352
5353
5354
5355
5356
5357
5358
5359
5360
5361
5362
5363
5364
5365
5366
5367
5368
5369
5370
5371
5372
5373
5374
5375
5376
5377
5378
5379
5380
5381
5382
5383
5384
5385
5386
5387
5388
5389
5390
5391
5392
5393
5394
5395
5396
5397
5398
5399
5400
5401
5402
5403
5404
5405
5406
5407
5408
5409
5410
5411
5412
5413
5414
5415
5416
5417
5418
5419
5420
5421
5422
5423
5424
5425
5426
5427
5428
5429
5430
5431
5432
5433
5434
5435
5436
5437
5438
5439
5440
5441
5442
5443
5444
5445
5446
5447
5448
5449
5450
5451
5452
5453
5454
5455
5456
5457
5458
5459
5460
5461
5462
5463
5464
5465
5466
5467
5468
5469
5470
5471
5472
5473
5474
5475
5476
5477
5478
5479
5480
5481
5482
5483
5484
5485
5486
5487
5488
5489
5490
5491
5492
5493
5494
5495
5496
5497
5498
5499
5500
5501
5502
5503
5504
5505
5506
5507
5508
5509
5510
5511
5512
5513
5514
5515
5516
5517
5518
5519
5520
5521
5522
5523
5524
5525
5526
5527
5528
5529
5530
5531
5532
5533
5534
5535
5536
5537
5538
5539
5540
5541
5542
5543
5544
5545
5546
5547
5548
5549
5550
5551
5552
5553
5554
5555
5556
5557
5558
5559
5560
5561
5562
5563
5564
5565
5566
5567
5568
5569
5570
5571
5572
5573
5574
5575
5576
5577
5578
5579
5580
5581
5582
5583
5584
5585
5586
5587
5588
5589
5590
5591
5592
5593
5594
5595
5596
5597
5598
5599
5599

```

KeyboardInterrupt:

How could we choose which countries to select to make this not show the ones with very few points?

```
coffee_df['Country.of.Origin'].value_counts()
```

Or we can focus on the countries, but wrap them.

```
sns.lmplot(data=coffee_df,x='Flavor',y='Balance',hue='Color',
            col='Country.of.Origin',col_wrap=5)
```

7.5. Questions after class

Ram Token Opportunity

add a question with a pull request; earn 1-2 ram tokens for submitting a question with the answer (with sources)

7.6. More practice

1. Plot the kde for the [Aftertaste](#)
2. How does [Total.Cup.Points](#) vary by [Certification.Body](#)
3. Are moisture and sweetness related? Does that relationship vary by Color?

[1] the kernel of python we're using

1. Portfolio Setup, Data Science, and Python

Due: 2020-09-12

1.1. Objective & Evaluation

This assignment is an opportunity to earn level 2 achievements for the [process](#) and [python](#) and confirm that you have all of your tools setup, including your portfolio.

1.2. To Do

Important

If you have trouble, check the GitHub FAQ on the left before e-mailing

```
```{warning}
If you have trouble with the (*)d steps, don't worry, we can help work around these later. To help us out, document the errors as bugs on your repository.
```
```

Your task is to:

1. Install required software from the Tools & Resource page
2. Create your portfolio, by [accepting the assignment](#)
3. Learn about your portfolio from the README file on your repository.
4. edit [_config.yml](#) to set your name as author and change the logo if you wish
5. Fill in [about/index.md](#) with information about yourself(not evaluated, but useful) and your own definition of data science (graded for **level 1 process**)
6. (*) Install some additional python packages with: `pip install pip install -r requirements.txt` (this is a python operation, so use anaconda prompt on Windows, if the pip version doesn't work, try it with conda: `conda install --file requirements.txt`) form inside the portfolio folder
7. (*) Configure precommit to help keep your repo clean with `pre-commit install`. If this step doesn't work, see the portfolio README under "Using your Jupyter Book Portfolio"
8. Add a Jupyter notebook called [grading.ipynb](#) to the [about](#) folder and write a function that computes a grade for this course, with the following docstring. Include:
 - o a Markdown cell with a heading
 - o your function called `compute_grade`
 - o three calls to your function that verify it returns the correct value for different number of badges that produce at three different letter grades.
 - o a basic function that uses conditionals in python will earn **level 1 python**
 - o to earn **level 2 python** use pythonic code to write a loop that tests your function's correctness, by iterating over a list or dictionary. Remember you will have many chances to earn level 2 achievement in python
9. Add the line `- file: about/grading` in your [_toc.yml](#) file.

Note

If you get stuck on any of this after accepting the assignment and creating a repository, you can create an issue on your repository, describing what you're stuck on and tag us: `@rhodypro4dg/fall21instructors`

To do this click Issues at the top, the green "New Issue" button and then type away.

Important

remember to add, commit, and push your changes so we can see them

```
'''  
Computes a grade for CSC/DSP310 from numbers of achievements at each level  
  
Parameters:  
-----  
num_level1 : int  
    number of level 1 achievements earned  
num_level2 : int  
    number of level 2 achievements earned  
num_level3 : int  
    number of level 3 achievements earned  
  
Returns:  
-----  
letter_grade : string  
    letter grade with possible modifier (+/-)  
'''
```

Here are some sample tests you could run to confirm that your function works correctly:

```
assert compute_grade(15,15,15) == 'A'  
assert compute_grade(15,15,13) == 'A-'  
assert compute_grade(15,14,14) == 'B-'  
assert compute_grade(14,14,14) == 'C-'  
assert compute_grade(4,3,1) == 'D'  
assert compute_grade(15,15,6) == 'B+'
```

Warning

your function can have a different name than `compute_grade`, but make sure it's your function name, with those parameter values in your tests.

Note

when the value of the expression after `assert` is `True`, it will look like nothing happened. `assert` is used for testing

1.3. Submission Instructions

Create a Jupyter Notebook with your function in your portfolio folder commit and push the changes.

In your browser, view the `gh-pages` branch to see your compiled submission, as `portfolio.pdf` or by viewing your website.

There will be a pull request on your repository that is made by GitHub classroom, [request a review](#) from @rhodypro4dg/fall21instructors.

2. Practicing Python and Accessing Data

due : 2020-09-21

2.1. Objective & Evaluation

This assignment is an opportunity to earn level 1 and 2 achievements in `python` and `access` and begin working toward level 1 for `summarize`. You can also earn level 1 for `process`.

In this assignment, you'll practice/ review python skills by manipulating datasets and extracting. The following table summarizes the grading. It supplements the skill definitions from the [Achievement Definitions](#).

| Task | Skills (max level) |
|--|--------------------|
| identify possible uses for data in a data science pipeline | [process (1)] |
| load data from one file format | [access (1)] |
| load data from at least two of (.csv, .tsv, .dat, database, .json) | [access (2)] |
| compare the data formats | [access (2)] |
| complete the assignment in python | python (1)] |
| use python data types (eg dictionaries) to prepare information about datasets | [python (2)] |
| use informative variable names, pythonic iteration, and other common PEP 8 conventions | [python (2)] |
| display DataFrame properties | [summarize (1)] |

Table 2.1 rubric for grading

First, [accept the assignment](#). It contains a notebook with some template structure (and will set you up for grading).

2.2. Find Datasets

Find 3 datasets of interest to you that are provided in at least two different file formats. Choose datasets that are not too big, so that they do not take more than a few second to load. At least one dataset, must have non numerical (eg string or boolean) data in at least 1 column.

In your notebook, create a markdown cell for each notebook that includes:

- heading of the dataset's name
- a link to where someone can learn about the dataset
- a 1-2 sentence summary of what the dataset contains and why it was collected
- 1-2 questions you would like to answer with that dataset.

💡 Hint

The [Datasets page](#) has information about data for any assignment. For this assignment, the [Best for loading directly into a notebook](#) section is probably the best place to start.

2.3. Store them for loading

Create a list of dictionaries in `datasets.py`, so that there is one dictionary for each dataset with the url, a name, and what function should be used to load the data into a `pandas.DataFrame`.

💡 Hint

The goal here is to set up this list of dictionaries so that you can load data using different functions in each pass through the loop, without an `if` statement. You'll be iterating over the list of dictionaries, so the loop variable be a different dictionary each time.

see the where we used a lambda in a dictionary in [the class notes](#) for more information.

💡 Hint

Any `.py` file can become a [module](#)

💡 Tip

Urls are strings. The `string` class in python has a lot of helpful methods for manipulating strings, like `split`.

2.4. Make a dataset about your datasets

Import the list from the `datasets` module you created in the step above. Then [iterate](#) over the list of dictionaries, and:

1. save it to a local csv using the short name you provided for the dataset as the file name, without writing the index column to the file.
2. record attributes about the dataset as in the table below in a list of lists:
3. Use that to create a DataFrame with the following columns:

💡 Tip

The [pandas IO](#) page has information about how to read data in and save data out of pandas.

| | |
|---------------|--|
| name | a short name for the dataset |
| source | a url to where you found the data |
| num_rows | number of rows in the dataset |
| num_columns | number of columns in the dataset |
| num_numerical | number of numerical variables in the dataset |

Table 2.2 Meta Data Description of the DataFrame to build

2.5. Manipulate your datasets

For one dataset that includes nonnumerical data:

- display the heading and the last 4 rows
- make and display a new data frame with only the numerical columns (select these programmatically)

For any other dataset:

- display the heading and the first three rows
- display the datatype for each column
- Are there any variables where pandas may have read in the data as a datatype that's not what you expect (eg a numerical column mistaken for strings)? If so, investigate and try to figure out why.

For the third dataset:

- display the first 3 odd rows (eg 1,3,5) of the data for two columns of your choice

2.6. Exploring data files

For each dataset, in a separate section of your notebook titled `When things go wrong`:

- try reading in data with the wrong `read_` function and make notes about what happens.
- was the format that the data was provided in a good format? why or why not?
- try to read in the `.csv` file that's included in the template repository (), use the error messages you get to try to fix the file manually (any text editor, including jupyter can edit a `.csv`), making notes about what changes you made in a markdown cell.

Think Ahead

1. When might you prefer one datatype over another?
2. How does PEP 8 standard code help you be collaborative?
3. Learn about [Datasheets for Datasets](#) eg this [google scholar result](#) How could something like this impact your work as a data scientist?

Warning

This section is not required, but is intended to help you get started thinking about ideas for your portfolio. If you complete it, we'll give your feedback to help shape your ideas to get to level 3 achievements. If you want to focus only on level 2 at this moment in time, feel free to skip this part.

3. Assignment 3: Exploratory Data Analysis

Due:2020-09-28 11:59pm

[Template repo for submission](#)

3.1. Objective & Evaluation

This week your goal is to do a small exploratory data analysis for two datasets of your choice.

| task | skill (max level) |
|--|------------------------------|
| compute and display overall statistics | summarize (2) |
| compute and display individual statistics of a datasets | summarize (2) |
| group a data set by a variable and compute summary statics | summarize (2) |
| plot two different pairwise relationships | visualize (2) |
| interpret the statistics and plots | summarize (2), visualize (2) |
| load data from at least two different file types | access (2) |
| compare and contrast the file types and/or sources | access (2) |
| match questions appropriate to the dataset and match plots and stats | process (1) |

Table 3.1 plot basic views of data and generate descriptive statistics and basic plots

3.2. Choose Datasets

Each Dataset must have at least three variables, but can have more. Both datasets must have multiple types of variables. These can be datasets you used last week, if they meet the criteria below.

3.2.1. Dataset 1 (d1)

must include at least:

- two continuous valued variables and
- one categorical variable.

3.2.2. Dataset 2 (d2)

must include at least:

- two categorical variables and
- one continuous valued variable

3.3. EDA

Use a separate notebook for each dataset, name them `dataset_01.ipynb` and `dataset_02.ipynb`.

For **each** dataset, in a dedicated notebook, complete the following:

1. Load the data to a notebook as a `DataFrame` from url or local path, if local, include the data in your repository.
2. Explore the dataset in a notebook enough to describe its structure use the heading `## Description`
 - shape
 - columns
 - variable types
 - overall summary statistics
3. Write a short description of what the data contains and what it could be used for
4. Ask and answer 4 questions using statistics, split-apply-combine, and visualizations. Make a heading for each question using a markdown cell and `H2:##`. Make sure your analyses meet the criteria in the check lists below.
Interpret the answer from the analysis/plot.
5. Describe what, if anything might need to be done to clean or prepare this data for further analysis

3.3.1. Dataset 1 Checklist

1. Overall summary statistics grouped by a categorical variable
2. A single statistic grouped by a categorical variable
3. a scatter plot with the points colored by a categorical variable
4. any statistic(s) with a plot that displays the same information

3.3.2. Dataset 2 Analysis

1. two individual summary statistics for one variable
2. one summary statistic grouped by two categorical variables
3. a figure with a grid of subplots that correspond to two categorical variables
4. any statistic(s) with a plot that displays the same information

 Tip

Be sure to start early and use help hours to make sure you have a plan for all of these.

 Think Ahead

1. How could you make more customized summary tables?
2. Could you use any of the variables in this dataset to add more variables that would make interesting ways to apply split-apply-combine? (eg thresholding a continuous value to make a categorical value)

 Warning

This section is not required, but is intended to help you get started thinking about ideas for your portfolio. If you complete it, we'll give your feedback to help shape your ideas to get to level 3 achievements. If you want to focus only on level 2 at this moment in time, feel free to skip this part.

Portfolio Dates and Key Facts

This section of the site has a set of portfolio prompts and this page has instructions for portfolio submissions.

Starting in week 3 it is recommended that you spend some time each week working on items for your portfolio, that way when it's time to submit you only have a little bit to add before submission. The portfolio is your only chance to earn Level 3 achievements; however, if you have not earned a level 2 for any of the skills in a given check, you could earn level 2 then instead. The prompts provide a starting point, but remember that to earn achievements, you'll be evaluated by the rubric. You can see the full rubric for all portfolios in the [syllabus](#). Your portfolio is also an opportunity to be creative, explore things, and answer your own questions that we haven't answered in class to dig deeper on the topics we're covering. Use the feedback you get on assignments to inspire your portfolio.

Each submission should include an introduction and a number of 'chapters'. The grade will be based on both that you demonstrate skills through your chapters that are inspired by the prompts and that your summary demonstrates that you know you learned the skills. See the [formatting tips](#) for advice on how to structure files.

On each chapter(for a file) of your portfolio, you should identify which skills by their keyword, you are applying.

You can view a (fake) example [in this repository](#) as a [pdf](#) or as a [rendered website](#)

Current: Check 1

The first portfolio check will be due October 15 and will cover the following skills.

| keyword | | Level 3 | P1 | P2 | P3 | P4 |
|------------------|--|---------|----|----|----|----|
| python | reliable, efficient, pythonic code that consistently adheres to pep8 | 1 | 1 | 0 | 0 | |
| access | access data from both common and uncommon formats and identify best practices for formats in different contexts | 1 | 1 | 0 | 0 | |
| construct | merge data that is not automatically aligned | 1 | 1 | 0 | 0 | |
| summarize | Compute and interpret various summary statistics of subsets of data | 1 | 1 | 0 | 0 | |
| visualize | generate complex plots with pandas and plotting libraries and customize with matplotlib or additional parameters | 1 | 1 | 0 | 0 | |
| prepare | apply data reshaping, cleaning, and filtering manipulations reliably and correctly by assessing data as received | 1 | 1 | 0 | 0 | |

Upcoming Checks

Check 2: November 12 Check 3: December 5 Check 4: December 20

Submission Introductions

Your portfolio will be assessed both on your demonstration of skills through your chapters that are inspired by the prompts and that your summary demonstrates that you *know* you learned the skills.

Each portfolio submission, you will edit the corresponding `submission_x_intro.md` file. This is where you write your summary and reflect on your learning. This reflection does not need to be long, it shouldn't take a very long time. It's okay for it to be brief, mostly bullet points.

KWL

One part of your introduction is a **KWL** or **Know, Want to know, Learned**, chart.

In your file it will look like this:(but longer)

```
```{list-table} Portfolio 1 KWL Chart
:header-rows: 1
:name: kwl1

* - Skill
 - Know
 - Want to Know
 - Learned
* - python
 - basics
 - more efficient types
 -
* - access
 - that datasets are collated on kaggle
 - how to load data for analysis
 - how to load data from 3 different types and compare them
* - ...
 - ...
 - ...
 - ...
````
```

and when you build your portfolio it will render like this:

| Skill | Know | Want to Know | Learned |
|--------|--------------------------------------|-------------------------------|--|
| python | basics | more efficient patterns | pep8 patterns and common conventions, |
| access | that datasets are collated on kaggle | how to load data for analysis | how to load data from 3 different types and compare them |
| ... | ... | ... | ... |

Table 1 Portfolio 1 KWL Chart

Overview

In the overview, you summarize the contents of your portfolio. Think of it as the the introduction to the overall submission. Your goal is to help us know what to expect when grading your portfolio and to know that you know what you've learned.

Writing this out will help give you a space to confirm that you're on track by checking your own work against the [Achievement Definitions](#) table. If your work does not earn level 3 achievements, your summary will help us identify if you are on track or if you're not on track. If you're not on track it will help us distinguish between if it's because of a misunderstanding in the expectations or the material.

This summary helps us help you achieve your own goals and lets us help you accordingly. We want you succeed in the course and the best way to do that is to check in frequently.

Learning Tip

This reflection process also help you learn better, in addition to being an accountability check. What you draw your attention to gets reinforced in your memory, so reflecting on what you've learned helps you learn better.

Formatting Tips

Warning

This is all based on you having accepted the portfolio assignment on github and having a cloned copy of the template. If you are not enrolled or the initial assignment has not been issued, you can view [the template on GitHub](#)

Your portfolio is a [jupyter book](#). This means a few things:

- it uses [myst markdown](#)
- it will run and compile Jupyter notebooks

This page will cover a few basic tips.

Managing Files and version

You can either convert your ipynb files to earlier to read locally or on GitHub.

The GitHub version means installing less locally, but means that after you push changes, you'll need to pull the changes that GitHub makes.

To manage with a precommit hook jupytext conversion

change your `.pre-commit-config.yaml` file to match the following:

```
repos:  
- repo: https://github.com/mwouts/jupytext  
  rev: v1.10.0 # CURRENT_TAG/COMMIT_HASH  
  hooks:  
  - id: jupytext  
    args: [--from_ipynb, --to_myst]
```

Run Precommit over all the files to actually apply that script to your repo.

```
pre-commit install  
pre-commit run --all-files
```

If you do `git status` now, you should have a `.md` file for each `ipynb` file that was in your repository, now add and commit those.

Now, each time you commit, it will run jupytext first.

To manage with a gh action jupytext conversion

create a file at `.github/workflows/jupytext.yml` and paste the following:

```

name: jupytext

# Only run this when the master branch changes
on:
  push:
    branches:
      - main
    # If your git repository has the Jupyter Book within some-subfolder next to
    # unrelated files, you can make this run only if a file within that specific
    # folder has been modified.
    #
    # paths:
    # - some-subfolder/**

# This job installs dependencies, build the book, and pushes it to `gh-pages`
jobs:
  jupytext:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v2

    # Install dependencies
    - name: Set up Python 3.7
      uses: actions/setup-python@v1
      with:
        python-version: 3.7

    - name: Install dependencies
      run: |
        pip install jupytext
    - name: convert
      run: |
        jupytext */*.ipynb --to myst
        jupytext *.ipynb --to myst
    - uses: EndBug/add-and-commit@v4 # You can change this to use a specific version
      with:
        # The arguments for the `git add` command (see the paragraph below for more info)
        # Default: '.'
        add: '.'

        # The name of the user that will be displayed as the author of the commit
        # Default: author of the commit that triggered the run
        author_name: Your Name

        # The email of the user that will be displayed as the author of the commit
        # Default: author of the commit that triggered the run
        author_email: you@uri.edu

        # The local path to the directory where your repository is located. You should use
        # actions/checkout first to set it up
        # Default: '.'
        cwd: '.'

        # Whether to use the --force option on `git add`, in order to bypass eventual gitignores
        # Default: false
        force: true

        # Whether to use the --signoff option on `git commit`
        # Default: false
        signoff: true

        # The message for the commit
        # Default: 'Commit from GitHub Actions'
        message: 'convert notebooks to md'

        # Name of the branch to use, if different from the one that triggered the workflow
        # Default: the branch that triggered the workflow (from GITHUB_REF)
        ref: 'main'

        # Name of the tag to add to the new commit (see the paragraph below for more info)
        # Default: ''
        tag: "v1.0.0"

env:
  # This is necessary in order to push a commit to the repo
  GITHUB_TOKEN: ${{ secrets.GITHUB_TOKEN }} # Leave this line unchanged

```

Organization

The summary of for the **part** or whole submission, should match the skills to the chapters. Which prompt you're addressing is not important, the prompts are a *starting point* not the end goal of your portfolio.

Data Files

Also note that for your portfolio to build, you will have to:

- include the data files in the repository and use a relative path OR
- load via url

using a full local path(eg that starts with `///file:`) **will not work** and will render your portfolio unreadable.

Structure of plain markdown

Use a heading like this:

```
# Heading of page
## Heading 2
### Heading 3
```

in the file and it will appear in the sidebar.

You can also make text *italic* or **bold** with either `*asterics*` or `__underscores__` with `_one for italic_` or `**two for bold**` in either case

File Naming

It is best practice to name files without spaces. Each `chapter` or file should have a descriptive file name (`with_no_spaces`) and descriptive title for it.

Syncing markdown and ipynb files

If you have the precommit hook working, git will call a script and convert your notebook files from the ipynb format (which is json like) to Myst Markdown, which is more plain text with some header information. The markdown format works better with version control, largely because it doesn't contain the outputs.

If you don't get the precommit hook working, but you do get jupytext installed, you can set each file to sync.

Adding annotations with formatting or margin notes

You can either install `jupytext` and convert locally or upload /push a notebook to your repository and let GitHub convert. Then edit the .md file with a `text editor` of your choice. You can run by uploading if you don't have jupytext installed, or locally if you have installed jupytext or jupyterbook.

In your .md file use backticks to mark [special content blocks](#)

```
```{note}
Here is a note!
````
```

```
```{warning}
Here is a warning!
````
```

```
```{tip}
Here is a tip!
````
```

```
```{margin}
Here is a margin note!
````
```

For a complete list of options, see [the sphinx-book-theme documentation](#).

Links

Markdown syntax for links

```
[text to show] (path/or/url)
```

Configurations

Things like the menus and links at the top are controlled as [settings](#), in [_config.yml](#). The following are some things that you might change in your configuration file.

Show errors and continue

To show errors and continue running the rest, add the following to your configuration file:

```
# Execution settings
execute:
  allow_errors : true
```

Using additional packages

You'll have to add any additional packages you use (beyond pandas and seaborn) to the [requirements.txt](#) file in your portfolio.

FAQ

This section will grow as questions are asked and new content is introduced to the site. You can submit questions:

- via e-mail to Dr. Brown (brownsarahm) or Beibhinn (beibhinn)
- via Prismia.chat during class
- by creating an [issue](#)

Syllabus FAQ

How much does assignment x, class participation, or a portfolio check weigh in my grade?



Can I submit this assignment late if ...?



Git and GitHub

The content I added to my portfolio isn't in the pdf



My command line says I cannot use a password



My .ipynb file isn't showing in the staging area or didn't push



My portfolio won't compile



Help! I accidentally merged the Feedback Pull Request before my assignment was graded



Code Errors

Key Error

<bound method

Glossary

Ram Token Opportunity

Contribute glossary items and links for further reading using the suggest an edit button behind the GitHub menu at the top of the page.

anonymous function

a function that's defined on the fly, typically to lighten syntax or return a function within a function. In python, they're defined with the `lambda` keyword.

DataFrame

a data structure provided by pandas for tabular data in python.

dictionary

a mapping array that matches keys to values.

git

a version control tool; it's a fully open source and always free tool, that can be hosted by anyone or used without a host, locally only.

GitHub

a hosting service for git repositories

index

(verb) to index into a data structure means to pick out specified items, for example index into a list or a index into a data frame. Indexing usually invovles square brackets `[]` (noun) the index of a dataframe is like a column, but it can be used to refer to the rows. It's the list of names for the rows.

interpreter

the translator from human readable python code to something the computer can run. An interpreted language means you can work with python interactively

iterate

To do the same thing to each item in an `iterable` data structure, typically, an iterable type. Iterating is usually described as iterate over some data structure and typically uses the `for` keyword

iterable

any object in python that can return its members one at a time. The most common example is a list, but there are others.

kernel

in the jupyter environment, `the kernel` is a language specific computational engine

lambda

they keyword used to define an anonymous function; lambda functions are defined with a compact syntax `<name> = lambda <parameters>: <body>`

PEP 8

[Python Enhancement Proposal](#) 8, the Style Guide for Python Code.

repository

a project folder with tracking information in it in the form of a `.git` file

TraceBack

an error message in python that traces back from the line of code that had caused the exception back through all of the functions that called other functions to reach that line. This is sometimes call tracing back through the stack

Series

a data structure provided by pandas for single columnar data with an index. Subsetting a Dataframe or applying a function to one will often produce a Series

References on Python

Official Documentation

- [Python](#)
- [Pandas](#)
- [Matplotlib](#)
- [Seaborn](#)

Key Resources

- [Course Text](#) this book roughly covers things that we cover in the course, but since things change quickly, we don't rely on it too closely
- [Real Python](#) this site includes high quality tutorials
- [Towards Data Science](#) this blog has some good tutorials, but old ones are not always updated, so always check the date and don't rely too much on posts more than 2 years old.

Ram Token Opportunity

If you find other high quality, reliable sources that you want to share, you can earn ram tokens.

Cheatsheet

Patterns and examples of how to use common tips in class

How to use brackets

| symbol | use |
|------------------------|--|
| [val] | indexing item val from an object; val is int for iterables, or any for mapping |
| [val : val2] | slicing elements val to val2-1 from a listlike object |
| [item1,item2] | creating a list consisting of item1 and item2 |
| (param) | function calls |
| (item1,item2) | defining a tuple of item1 and item2 |
| {item1,item2} | defining a set of item1 and item2 |
| {key:val1, key2: val2} | defining a dictionary where key1 indexes to val2 |

Axes

First build a small dataset that's just enough to display

```
data = [[1,0],[5,4],[1,4]]  
df = pd.DataFrame(data = data,  
                  columns = ['A','B'])  
  
df
```

| | A | B |
|---|---|---|
| 0 | 1 | 0 |
| 1 | 5 | 4 |
| 2 | 1 | 4 |

This data frame is originally 3 rows, 2 columns. So summing across rows will give us a [Series](#) of length 3 (one per row) and long columns will give length 2, (one per column). Setting up our toy dataset to not be a square was important so that we can use it to check which way is which.

```
df.sum(axis=0)
```

```
A    7  
B    8  
dtype: int64
```

```
df.sum(axis=1)
```

```
0    1  
1    9  
2    5  
dtype: int64
```

```
df.apply(sum,axis=0)
```

```
A    7  
B    8  
dtype: int64
```

```
df.apply(sum,axis=1)
```

```
0    1  
1    9  
2    5  
dtype: int64
```

Indexing

```
df['A'][1]
```

```
5
```

```
df.iloc[0][1]
```

```
0
```

Data Sources

This page is a semi-curated source of datasets for use in assignments. The different sections have datasets that are good for different assignments.

Best for loading directly into a notebook

- [Tidy Tuesday](#), inside the folder for each year there is a README file with list of the datasets. These are .csv files
- [Json Datasets](#)
- [National Center for Education Statistics Digest 2019](#) These data tables are available for download as excel and visible on the page.
- Lots of wikipedia pages have tables in them.

Requires some more work

- [Stackoverflow Developer Survey](#). This data comes with readme info all packaged together in a .zip. You'll need to unzip it first.
- [Google Dataset Search](#)
- [Kaggle](#) most Kaggle datasets will require you to download and unzip them first and then you can copy them into your repo folder.
- [UCI Data Repository](#)

Databases

- [SQLite Databases](#)

If you have others please share by creating a pull request or issue on this repo (from the GitHub logo at the top right, [suggest edit](#)).

General Tips and Resources


This section is for materials that are not specific to this course, but are likely useful. They are not generally required readings or installs, but are options or advice I provide frequently.

on email

- [how to e-mail professors](#)

How to Study in this class

This is a programming intensive course and it's about data science. This course is designed to help you learn how to program for data science and in the process build general skills in both programming and using data to understand the world. Learning two things at once is more complex. In this page, I break down how I expect learning to work for this class.



Remember the goal is to avoid this:

Why this way?

Learning to program requires iterative practice. It does not require memorizing all of the specific commands, but instead learning the basic patterns.

Using reference materials frequently is a built in part of programming, most languages have built in help as a part of the language for this reason. This course is designed to have you not only learn the material, but also to build skill in learning to program. Following these guidelines will help you build habits to not only be successful in this class, but also in future programming.

A new book that might be of interest if you find programming classes hard is [the Programmers Brain](#). As of 2021-09-07, it is available for free by clicking on chapters at that linked table of contents section.

Where are your help tools?

In Python and Jupyter notebooks, what help tools do you have?

Learning in class

Important

My goal is to use class time so that you can be successful with *minimal frustration* while working outside of class time.

Programming requires both practical skills and abstract concepts. During class time, we will cover the practical aspects and introduce the basic concepts. You will get to see the basic practical details and real examples of debugging during class sessions. Learning to debug something you've never encountered before and setting up your programming environment, for example, are *high frustration* activities, when you're learning, because you don't know what you don't know. On the other hand, diving deeper into options and more complex applications of what you have already seen in class, while challenging, is something I'm confident that you can all be successful at with minimal frustration once you've seen basic ideas in class. My goal is that you can repeat the patterns and processes we use in class outside of class to complete assignments, while acknowledging that you will definitely have to look things up and read documentation outside of class.

Each class will open with some time to review what was covered in the last session before adding new material.

To get the most out of class sessions, you should have a laptop with you. During class you should be following along with Dr. Brown, typing and running the same code. You'll answer questions on Prismia chat, when you do so, you should try running necessary code to answer those questions. If you encounter errors, share them via prismia chat so that we can see and help you.

After class

After class, you should practice with the concepts introduced.

This means reviewing the notes: both yours from class and the annotated notes posted to the course website.

When you review the notes, you should be adding comments on tricky aspects of the code and narrative text between code blocks in markdown cells. While you review your notes and the annotated course notes, you should also read the documentation for new modules, libraries, or functions introduced that day.

In the annotated notes, there will often be extra questions or ideas on how to extend and practice the concepts. Try these out.

If you find anything hard to understand or unclear, write it down to bring to class the next day.

Assignments

In assignments, you will be asked to practice with specific concepts at an intermediate level. Assignments will apply the concepts from class with minimal extensions. You will probably need to use help functions and read documentation to complete assignments, but mostly to look up things you saw in class and make minor variations. Most of what you need for assignments will be in the class notes, which is another reason to read them after class.


Portfolios

In portfolios, your goal is to extend and apply the concepts taught in class and practiced in assignments to solve more realistic problems. You may also reflect on your learning in order to demonstrate deep understanding. These will require significant reading beyond what we cover in class.

Getting Help with Programming

Asking Questions

asking good questions



One of my favorite resources that describes how to ask good questions is [this blog post](#) by Julia Evans, a developer who writes comics about the things she learns in the course of her work and publisher of [wizard zines](#).

Describing what you have so far

Stackoverflow is a common place for programmers to post and answer questions.

As such, they have written a good [guide on creating a minimal, reproducible example](#).

Creating a minimal reproducible example may even help you debug your own code, but if it does not, it will definitely make it easier for another person to understand what you have, what your goal is, and what's working.

Note

A fun version of this is [rubber duck debugging](#)

Understanding Errors

Error messages from the compiler are not always straight forward.

The [TraceBack](#) can be a really long list of errors that seem like they are not even from your code. It will trace back to all of the places that the error occurred. It is often about how you called the functions from a library, but the compiler cannot tell that.

To understand what the traceback is, how to read one, and common examples, see [this post on Real Python](#).

One thing to try, is [friendly traceback](#) a python package that is designed to make that error message text more clear and help you figure out what to do next.

Ram Token Opportunity

If you try out friendly traceback and find it helpful, add a testimonial here. using

```
```{epigraph}
```

## Terminals and Environments

# Why all this work?

Managing environments is **one of the hardest parts of programming** so, as instructors, we often design our courses around not having to do it. In this class, however, I'm choosing to take the risk and help you all through beginning to manage your own environments.

These issues will be the most painful in the course, I promise.

I think it's worth this type of pain though, because all the code you ever run must run in *some* sort of environment. By giving you control, I'm hoping to increase your independence as a programmer. This also means responsibility and some messy debugging, but I think this is a good tradeoff. This is an upper level (300+) level course, so increasing some complexity is expected and I want as much as possible to keep you close to realistic programming environments; so that what you see in this course is **directly, and immediately**, applicable in real world contexts. You should be able to pick up data science side projects or an internship with ease after this course.

I know some of these things will be frustrating at times, but I want you to feel supported in that and know that your grade will not be blocked by you having environment issues, as long as you ask for help in a timely manner.

## Note

We know that we don't currently teach a lot of this in our department, so in Spring 22 I'm teaching a brand new course on Computer Systems, that will help you understand the underlying concepts that make all of this stuff make sense, instead of just following recipes and debugging here and there.

If, for example, you come to me in week 5 and have never got an any environment working and you're trying for the first time, your grade will be hurt because you will be very far behind at that point. Ask for help early and often.

## Windows

Windows has a sort of multiverse of terminal environments.

The least setup required involves using anaconda prompt and `conda` to manage your python environment and GitBash to work with git (and it can also do other bash related things).

Instead of managing two terminals, you may [configure your path in GitBash to make Anaconda work](#)

## MacOS

MacOS has one terminal app, but it can run different shells.

On MacOS You may want to switch to bash (using the `bash` command or make it your default and [update bash](#).

## Getting Organized for class

The only **required** things are in the Tools section of the syllabus, but this organizational structure will help keep you on top of what is going on.

Your username will be appended to the end of the repository name for each of your assignments in class.

## File structure

I recommend the following organization structure for the course:

```
CSC310
|- notes
|- portfolio-username
|- 02-accessing-data-username
|- ...
```

This is one top level folder with all materials in it. A folder inside that for in class notes, and one folder per repository.

Please **do not** include all of your notes or your other assignments all inside your portfolio, it will make it harder to grade.

## Finding repositories on github

Each assignment repository will be created on GitHub with the `rhodyprog4ds` organization as the owner, not your personal account. Since your account is not the owner, they do not show on your profile.

Your assignment repositories are all private during the semester. At the end, you may take ownership of your portfolio[^pttrans] if you would like.

If you go to the main page of the [organization](#) you can search by your username (or the first few characters of it) and see only your repositories.

 **Warning**

Don't try to work on a repository that does not end in your username; those are the template repositories for the course and you don't have edit permission on them.

---

By Professor Sarah M Brown

© Copyright 2021.