


NOTES:

1. DRAWING TO BE INTERPRETED IN ACCORDANCE WITH THE CURRENT REVISION OF ASME Y14.5M.
2. TSI TO BE INTERPRETED AS THEORETICAL SHARP INTERSECTION
3. PARTS SHALL BE FREE OF ALL CONTAMINANTS INCLUDING GREASE, DIRT, MACHINING OIL AND OTHER CONTAMINANTS.
4. PARTS SHALL BE PACKAGED IN A MANNER TO PREVENT SCRATCHING, BOWING OR OTHER DAMAGE DURING SHIPMENT.
5. BOX INSERTS, USE PART No'S. 1098.00147.00, 1098.00148.00 & 1098.00149.00
6. USER GUIDE, USE PART No. P166
7. SHIPPING BOX, USE PART No. 1098.00114.00




DATA TABLE (PART DIFFERENCE BETWEEN SKU No.'S)

SKU No.	ASSY NO.	TANK ASSY	BREW BASKET	SUPPORT LEG (4)	WIRING DIAG.	POWER CORD	HARNESS H/A	CONN. CLAMP
E113151	1101.00341.00	1104.00082.01	B014218BN2	1073.00016.00	1401.00144.00	1063.00015.00	1402.00039.01	1086.00008.00
E113153	1101.00341.00	1104.00083.01	B014218BN2	1073.00016.00	1401.00144.00	1063.00016.00	1402.00039.01	1086.00008.00
E113155	1101.00341.00	1104.00085.01	B014218BN2	1073.00016.00	1401.00151.00	1063.00032.00	1402.00039.01	1086.00008.00
E113157	1101.00341.00	1104.00086.01	B014218BN2	1073.00016.00	1401.00145.00	1063.00032.00	1402.00039.01	1086.00008.00
E113167	1101.00341.00	1104.00086.01	B014218BN2	1073.00016.00	1401.00157.00	1063.00017.00	1402.00042.01	1086.00029.00
E113169	1101.00341.00	1104.00085.01	B014218BN2	1073.00016.00	1401.00157.00	1063.00017.00	1402.00042.01	1086.00029.00
E113180	1101.00341.00	1104.00082.01	B014218BN2	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113181	1101.00341.00	1104.00085.01	B014218BN2	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113182	1101.00341.00	1104.00086.01	B014218BN2	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113191	1101.00341.00	1104.00086.01	B014218BN2	1073.00016.00	1401.00151.00	1063.00017.00	1402.00039.01	1086.00008.00
E113192	1101.00341.00	1104.00085.01	B014218BN2	1073.00016.00	1401.00151.00	1063.00017.00	1402.00039.01	1086.00008.00
E113151M	1101.00341.00	1104.00082.01	B003218BI	1073.00016.00	1401.00144.00	1063.00015.00	1402.00039.01	1086.00008.00
E113153M	1101.00341.00	1104.00083.01	B003218BI	1073.00016.00	1401.00144.00	1063.00016.00	1402.00039.01	1086.00008.00
E113155M	1101.00341.00	1104.00085.01	B003218BI	1073.00016.00	1401.00151.00	1063.00032.00	1402.00039.01	1086.00008.00
E113157M	1101.00341.00	1104.00086.01	B003218BI	1073.00016.00	1401.00145.00	1063.00032.00	1402.00039.01	1086.00008.00
E113167M	1101.00341.00	1104.00086.01	B003218BI	1073.00016.00	1401.00157.00	1063.00017.00	1402.00042.01	1086.00029.00
E113169M	1101.00341.00	1104.00085.01	B003218BI	1073.00016.00	1401.00157.00	1063.00017.00	1402.00042.01	1086.00029.00
E113180M	1101.00341.00	1104.00082.01	B003218BI	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113181M	1101.00341.00	1104.00085.01	B003218BI	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113182M	1101.00341.00	1104.00086.01	B003218BI	1073.00016.00	1401.00150.00		1402.00039.01	1086.00008.00
E113191M	1101.00341.00	1104.00086.01	B003218BI	1073.00016.00	1401.00151.00	1063.00017.00	1402.00039.01	1086.00008.00
E113192M	1101.00341.00	1104.00085.01	B003218BI	1073.00016.00	1401.00151.00	1063.00017.00	1402.00039.01	1086.00008.00

REVISIONS				
REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

50	I	1046.00003.00	LABEL, CSD WARNING, 1.5" X 5.0"
49	I	1041.00031.00	LABEL, EXTRACTOR V+ LOGO
48	I	1046.00035.00	LABEL, WARNING "TO REDUCE RISK OF ELECTRIC SHOCK OR FIRE"
47	I	1082.00058.00	SCREW, # 8-32 X 5/8, FLAT HD, PH, I8-8 SS
46	I	1023.00221.00	ADAPTER FOR AIRPOT, GRAY, CBS-2130
45	I	1102.00259.00	LOCATOR ASSEMBLY,L3S-10, GRAY, CBS-2130
44	I	1112.00461.00	WELDMENT, RIGHT COVER, CBS-1130 XV+
43	I	1402.00098.01	HARNESS, LOW AMP, CBS-1131 XV+, UL
42	I	1084.00024.00	NUT, CLIP ON (J-NUT), #6-32, 1050 SPR. STL.
41	I	1001.00361.00	COVER, UPPER BASE, CBS-1131 EXTRACTOR V+
40	I	1082.00017.00	SCREW, TRUSS HD. PHIL. MACHINE, # 6-32 X 1/2 LG.
39	I	1001.00360.00	COVER, TOP, CBS-1131 EXTRACTOR V+
38	I	1084.00011.00	NUT, CLIP ON (J-NUT), #6-32, 22-20 GA., BLK-PH FINISH
37	I	1102.00375.00	ASSEMBLY, FRONT PANEL, CBS-1100 SINGLE
36	I	1025.00028.00	TUBE, 5/8"OD X 3/8"ID X 13.25"LG, HOT WATER VALVE, IN
35	I	1084.00048.00	JAM NUT, 1/2-20 UNF, NICKEL PLATED BRASS
34	I	1071.00055.00	FAUCET, HOT WATER, PSC-BR-8, WITH FLAT AND STEM
33	I	1046.00051.00	LABEL, "WARNING, EXTREMELY HOT WATER"
32	I	1029.00006.00	NUT, FINGER, #4-40 NYLON
31	I	1102.00113.00	SWITCH, REED, ASSEMBLY
30	I	1024.00098.00	VENT TUBE, XTS AND I1XX
29	I	1086.00002.00	CLAMP, HOSE, SIZE "G" NYLON
28	I	1024.00065.00	CONNECTOR, SILICONE, TANK TO BREW VALVE
27	4	1083.00010.00	WASHER, #10 SCREW W/NEOPRENE-BONDED SEAL
26	I	1102.00203.01	SPRAY HEAD, SMALL, NO VENT, ASSEMBLY
25	I	1024.00063.00	O-RING, 3 15/16" x 3/32" CS, DASH # 154, BUNA-N, DURO-A50
24	I	1084.00010.00	NUT, HEX, #6-32, UNDERSIZED, ZINC PLATED
23	I	1083.00009.00	WASHER, #6 SCREW, INTL TOOTH LOCKWASHER
22	I	1086.00001.00	CLAMP, HOSE, 15.0-17.2 DIA RANGE
21	I	1086.00009.00	CLAMP, 3/4" MAX TUBE OD FLOW CONTROL
20	4	1086.00003.00	UNICLAMP, 15.9 HOSE OD CLAMP
19	I	1025.00058.00	TUBE, 9/16"OD X 5/16"ID X 25.00"LG
18	I	1058.00055.00	USB CONNECTOR
17	I	1058.00024.00	SWITCH, POWER, DOUBLE POLE, 16A, 125/250 VAC
16	I	1044.00012.00	LABEL GROUND, CE
15	I	1065.00009.00	GROUND LUG CONNECTOR, 14-2 AWG, ALUMINUM
14	2	1082.00082.00	SCREW, PHILLIP HD., 8-32 THREAD
13	I	1052.00025.00	PLATE, MARKING #BS1016E
12	I	1052.00022.00	EUROSTRIP HE10 TERMINAL BLOCK., 3 POLE, 50AMP, 18-8
11	I	1084.00006.00	NUT, 8-32 18-8 HEX MACHINE SCREW
10	5	1083.00011.00	WASHER, #8 SCREW SIZE, INTERNAL TOOTH LOCK
9	I	1112.00246.00	WELDMENT BRACKET TERMINAL BLOCK, 3 POLE
8	4	1029.00012.00	SPACER, .25" HEX X 1" LG, FEM #4-40 THREAD
7	I	1052.00001.00	POWER SUPPLY, 90-264VAC/24VDC, 1.8A
6	8	1081.00006.00	SPACER, 6MM OD x 3.2MM ID x 5MM LG, Z/P
5	I	1102.00243.00	ADAPTER ASSY, 3/4" BSP x 1/4" NPT x 3/8" TUBE
4	2	1082.00010.00	SCREW, M4x10 ZINC-PLATED PAN HD. PHILLIPS MACH.
3	2	1083.00005.00	WASHER, M4 18-8 INTERNAL TOOTH LOCKWASHER
2	I	1057.00043.00	SOLENOID VALVE, 5.5L/min, 180 DEG, 24VDC
1	I	1111.00087.00	WELDMENT BODY, CBS-1131 XV+
ITEM NO	QTY	PART NO	DESCRIPTION
BILL OF MATERIALS			




POSITION LABELS AS SHOWN

TOLERANCES UNLESS OTHERWISE SPECIFIED		
ALL DIMENSIONS IN INCHES		
DECIMAL $\pm .005"$ ANGULAR $\pm 1/2^\circ$		
THIRD-ANGLE	SCALE 0.188	
DRAWING BY: DK	APP'D BY: AG	REVISION A
MATERIAL N/A	SHEETS 2 of 13	GAUGE N/A
		FINISH N/A

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A



E113151 & E113151M

(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)


FETCO® FOOD EQUIPMENT TECHNOLOGIES COMPANY	
600 ROSE ROAD, LAKE ZURICH, IL 60047, USA	
PHONE: (800) 338-2699 FAX: (847) 719-3001	
E-MAIL: engineering@fetco.com www.fetco.com	
DRAWING NAME: CBS-1131 XV+, 1Ph, 2+G, 2.3kW/120VAC, 100-120VAC	DRAWING NO.
CREATED BY: DK	DATE 10/24/2016
DRAWING BY: DK	SCALE 0.220
APP'D BY: AG	SHEETS 3 of 13
MATERIAL N/A	GAUGE N/A
FINISH N/A	

E113151

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A





TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWING NAME: CBS-1131 XV+, 1Ph, 2G, 1.5kW/120VAC, 100-120VAC	
ALL DIMENSIONS IN INCHES	CREATED BY: DK	DATE 10/24/2016	DRAWING NO.
DECIMAL $\pm .005"$ ANGULAR $\pm 1/2^\circ$	DRAWING BY: DK	SCALE 0.220	
THIRD-ANGLE	APP'D BY: AG	SHEETS 4 of 13	REVISION A
MATERIAL N/A	Gauge N/A	FINISH N/A	

REVISIONS



REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A

SKU # E113155 - B014218BN2 (BROWN PLUG)
SKU # E113155M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", 0.218" HOLE





1401.00145.00
WIRING, CBS-1131 XV+
(L1,L2+GND), 240VAC HEATER, UL
APPLIED TO INSIDE ACCESS
PANEL (PER 1101.00341.00)




4X 1073.00016.00
LEG, THERMOPLASTIC,
2.50" (63mm)

1402.00039.01
HARNESS HIGH AMP,
CBS-1131 XV+,
(L1,N,L2), UL



1086.00008.00
CONNECTOR CLAMP



1063.00032.00
POWER CORD, NEMA 6-15P,
15A/250VAC W/OUT TERMINALS

E113155 & E113155M

(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES	
UNLESS OTHERWISE SPECIFIED	
ALL DIMENSIONS IN INCHES	
DECIMAL ± .005"	ANGULAR ± 1/2°
ALL	THIRD-ANGLE
DK	DK
DRAWING BY:	SCALE
DK	0.220
APP'D BY:	SHEETS
AG	5 of 13
MATERIAL	Gauge
N/A	N/A
	FINISH
	N/A

FETCO

FOOD EQUIPMENT TECHNOLOGIES COMPANY
600 ROSE ROAD, LAKE ZURICH, IL 60047 USA
PHONE: (800) 338-2699 FAX: (847) 719-3001
E-MAIL: engineering@fetco.com www.fetco.com

DRAWING NAME:
CBS-1131 XV+, 1Ph, 2G, 2.3kW/240VAC, 200-240VAC


DRAWING NO.

E113155

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A



E113157 & E113157M
(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)


TOLERANCES UNLESS OTHERWISE SPECIFIED		
ALL DIMENSIONS IN INCHES		
CREATED BY: DK	DRAWING NO. 10/24/2016	DRAWING NAME: CBS-1131 XV+, 1Ph, 2G, 3.0kW/240VAC, 200-240VAC
DRAWING BY: DK	SCALE 0.220	THIRD-ANGLE
APP'D BY: AG	SHEETS 6 of 13	REVISION A
MATERIAL N/A	Gauge N/A	FINISH N/A

REVISIONS






A

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK



SKU # E113167 - B014218BN2 (BROWN PLUG)
SKU # E113167M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", Ø.218" HOLE



1401.00157.00
WIRING DIAGRAM
L,N,PE 240VAC HEATER, CE



- 1086.00029.00 CONNECTOR CLAMP
- 2X 1087.00002.00 RIVET, BLIND DOMED
- 1003.00348.00 ADAPTER PLATE STRAIN RELIEF, CE
- 1044.00013.00 LABEL, EQUIPOTENTIALITY, CE
- 1084.00006.00 #8-32 HEX NUT
- 1083.00011.00 #8 INT. TOOTH WASHER
- 1065.00009.00 GROUND LUG CONNECTOR



1104.00086.01
TANK ASSEMBLY, CBS-1131 XV+
3kW/240VAC

1063.00017.00
POWER CORD, EUI-16P PLUG,
16A/250VAC W/OUT CONNECTOR

E113167 & E113167M

(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWING NAME: CBS-1131 XV+, 1Ph, L,N,PE, 3kW/240VAC, 230VAC, CE	
ALL DIMENSIONS IN INCHES	CREATED BY: DK	DATE 10/24/2016	DRAWING NO.
DECIMAL $\pm .005"$ ANGULAR $\pm 1/2^\circ$	DRAWING BY: DK	SCALE 0.220	
THIRD-ANGLE	APP'D BY: AG	SHEETS 7 of 13	REVISION A
MATERIAL N/A	Gauge N/A		FINISH N/A

FETCO

FOOD EQUIPMENT TECHNOLOGIES COMPANY
600 ROSE ROAD, LAKE ZURICH, IL 60047 USA
PHONE: (800) 338-2699 FAX: (847) 719-3001
E-MAIL: engineering@fetco.com www.fetco.com


E113167

REVISIONS




REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A


SKU * E113167 - B014218BN2 (BROWN PLUG)
SKU * E113167M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", 0.218" HOLE




1401.00157.00
WIRING DIAGRAM
L,N,PE 240VAC HEATER, CE



1052.00029.00
EMI FILTER, TWO LINE 20A
120/250VAC



1104.00085.01
TANK ASSEMBLY, CBS-2131 XV+
2.3kW/240VAC



1063.00017.00
POWER CORD, EUI-16P PLUG,
16A/250VAC W/OUT CONNECTOR



1402.00042.01
HARNESS HIGH AMP,
CBS-1131 XV+,
(L1,N,L2), UL

E113169 & E113169M
(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWING NAME: CBS-1131 XV+, 1Ph, L,N,PE, 2.3kW/240VAC, 230VAC, CE	
ALL DIMENSIONS IN INCHES		CREATED BY: DK	
ALL DECIMAL $\pm .005"$	ANGULAR $\pm 1/2^\circ$	DRAWING BY: DK	SCALE 0.220
THIRD-ANGLE		APP'D BY: AG	SHEETS 8 of 13
MATERIAL N/A	GUAGE N/A	FINISH N/A	REVISION A

FETCO

FOOD EQUIPMENT TECHNOLOGIES COMPANY
600 ROSE ROAD, LAKE ZURICH, IL 60047, USA
PHONE: (800) 338-2699 FAX: (847) 719-3001
E-MAIL: engineering@fetco.com www.fetco.com






E113169

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK


A

SKU # E113180 - B014218BN2 (BROWN PLUG)
SKU # E113180M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", 0.218" HOLE



1401.00150.00
WIRING, CBS-1131 XV+
LI, L2+GND, I HEATER, JAPAN
APPLIED TO INSIDE ACCESS
PANEL (PER 1101.00341.00)

1402.00039.01
HARNESS HIGH AMP,
CBS-1131 XV+,
(L1,N,L2), UL



1104.00082.01
TANK ASSEMBLY, CBS-1131 XV+
2.3kW/120VAC

E113180 & E113180M
(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES		UNLESS OTHERWISE SPECIFIED	
ALL DIMENSIONS IN INCHES			
ALL	DECIMAL $\pm .005"$ ANGULAR $\pm 1/2^{\circ}$	DRAWING BY:	CREATED BY:
		DK	10/24/2016
THIRD-ANGLE		DRAWING BY:	SCALE
		DK	0.220
MATERIAL	APP'D BY:	SHEETS	REVISION
N/A	AG	9 of 13	A
		Gauge	FINISH
		N/A	N/A

FETCO

FOOD EQUIPMENT TECHNOLOGIES COMPANY
600 ROSE ROAD, LAKE ZURICH, IL 60047, USA
PHONE: (800) 338-2699 FAX: (847) 719-3001
E-MAIL: engineering@fetco.com www.fetco.com

DRAWING NAME:
CBS-1131 XV+, 1Ph, 2G, 2.3kW/120VAC, 100VAC, JAPAN



E113180

REVISIONS


REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A


SKU # E113181 - B014218BN2 (BROWN PLUG)
SKU # E113181M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", Ø .218" HOLE




1401.00150.00
WIRING, CBS-1131 XV+
LI, L2+GND, 1 HEATER, JAPAN
APPLIED TO INSIDE ACCESS
PANEL (PER 1101.00341.00)



4X 1073.00016.00
LEG, THERMOPLASTIC,
2.50" (63mm)



1086.00008.00
CONNECTOR CLAMP



1402.00039.01
HARNESS HIGH AMP,
CBS-1131 XV+,
(LI,N,L2), UL

E113181 & E113181M
(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES		UNLESS OTHERWISE SPECIFIED	
ALL DIMENSIONS IN INCHES			
ALL	DECIMAL $\pm .005"$ ANGULAR $\pm 1/2^{\circ}$	CREATED BY:	DATE
THIRD-ANGLE		DK	10/24/2016
		DRAWING BY:	SCALE
		DK	0.220
		APP'D BY:	SHEETS
		AG	10 of 13
MATERIAL	N/A	GAUGE	N/A
		FINISH	N/A

FETCO

FOOD EQUIPMENT TECHNOLOGIES COMPANY
600 ROSE ROAD, LAKE ZURICH, IL 60047, USA
PHONE: (800) 338-2699 FAX: (847) 719-3001
E-MAIL: engineering@fetco.com www.fetco.com


DRAWING NAME:
CBS-1131 XV+, 1Ph, 2G, 2.3kW/240VAC, 200VAC, JAPAN

E113181

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A

**E113182 & E113182M**


(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES		FETCO® FOOD EQUIPMENT TECHNOLOGIES COMPANY	
UNLESS OTHERWISE SPECIFIED		600 ROSE ROAD, LAKE ZURICH, IL 60047, USA PHONE: (800) 338-2699 FAX: (847) 719-3001 E-MAIL: engineering@fetco.com www.fetco.com	
ALL DIMENSIONS IN INCHES		DRAWING NAME: CBS-1131 XV+, 1Ph, 2G, 3.0kW/240VAC, 200VAC, JAPAN	
ALL	DECIMAL $\pm .005"$	CREATED BY:	DATE
	ANGULAR $\pm 1/2^\circ$	DK	10/24/2016
THIRD-ANGLE		DRAWING BY:	SCALE
DK		DK	0.220
APP'D BY:	SHEETS	DRAWING NO.	
AG	11 of 13	E113182	
MATERIAL	N/A	REVISION	A
GAUGE		FINISH	N/A
N/A			

REVISIONS

REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A





TOLERANCES		FETCO® FOOD EQUIPMENT TECHNOLOGIES COMPANY	
UNLESS OTHERWISE SPECIFIED		600 ROSE ROAD, LAKE ZURICH, IL 60047, USA PHONE: (800) 338-2699 FAX: (847) 719-3001 E-MAIL: engineering@fetco.com www.fetco.com	
ALL DIMENSIONS IN INCHES		DRAWING NAME: CBS-1131 XV+, 1Ph, 2G, 3.0kW/240VAC, 200-240VAC, EXPORT	
ALL	DECIMAL $\pm .005"$	CREATED BY:	DATE
	ANGULAR $\pm 1/2^{\circ}$	DK	10/24/2016
THIRD-ANGLE		DRAWING BY:	SCALE
		DK	0.220
APP'D BY:	SHEETS	DRAWING NO.	
	AG	E113191	
MATERIAL	12 of 13	REVISION	A
N/A		Gauge	N/A
		Finish	N/A

REVISIONS


REV	DATE	ECO NO	DESCRIPTION	BY:
A	10/24/2016	N/A	ORIGINAL	DK

A

SKU # E113192 - B014218BN2 (BROWN PLUG)
SKU # E113192M - B003218BI (BLACK HANDLE)
BB ASSEMBLY, 13" x 5", .218" HOLE





1401.00151.00
WIRING, CBS-1131 XV+
LI, N+GND, I HEATER, EXPORT
APPLIED TO INSIDE ACCESS
PANEL (PER 1101.00341.00)




4X 1073.00016.00
LEG, THERMOPLASTIC,
2.50"(63mm)

1402.00039.01
HARNESS HIGH AMP,
CBS-1131 XV+,
(L1,N,L2), UL



1086.00008.00
CONNECTOR CLAMP

1063.00017.00
POWER CORD, EUI-16P PLUG,
16A/250VAC W/OUT CONNECTOR



E113192 & E113192M
(IDENTICAL TO 1101.00341.00 EXCEPT AS NOTED)

TOLERANCES		DRAWING NAME:	
UNLESS OTHERWISE SPECIFIED		CBS-1131 XV+, 1PH, 2G, 2.3kW/240VAC, 200-240VAC, M/BB, EXPORT	
ALL DIMENSIONS IN INCHES		CREATED BY: DATE DRAWING NO.	
ALL	DECIMAL $\pm .005"$	DK	10/24/2016
ANGULAR	$\pm 1/2^\circ$	DRAWING BY:	SCALE
		DK	0.250
THIRD-ANGLE		APP'D BY:	SHEETS
		AG	13 of 13
MATERIAL		REVISION	A
N/A		Gauge	N/A
		Finish	N/A
FETCO ® FOOD EQUIPMENT TECHNOLOGIES COMPANY		600 ROSE ROAD, LAKE ZURICH, IL 60047, USA	
PHONE: (800) 338-2699 FAX: (847) 719-3001		E-MAIL: engineering@fetco.com www.fetco.com	
DRAWING NAME:		E113192	
CREATED BY: DATE DRAWING NO.			
DRAWING BY:			
APP'D BY:			