

Accessible Slides in LaTeX

https://github.com/rhstanton/accessible_LaTeX

Version 2.0

Richard Stanton

richard.stanton@berkeley.edu

UC Berkeley

May 15, 2026

Don't worry about validator error reports

- Since v2.0, this template targets the [modern PDF/UA-2 + PDF/A-4](#) accessibility standards.
- Both example PDFs pass [veraPDF](#) (strict UA-2 / PDF/A-4 conformance) cleanly.
- Several checkers (notably [Ally](#) and [PAC](#)) haven't caught up with PDF/UA-2 yet. They will report "errors" that are [false positives](#), not bugs in the templates.
- The next slide explains why the upgrade is worth doing. Per-tool symptoms and details are near the end of this deck and in `VALIDATION.md`.

Do NOT accept Ally's offered "fixes" for these findings.
They may downgrade the file to PDF 1.7, destroying PDF/UA-2 and PDF/A-4 conformance. (Verified for the title fix; other fixes are untested.)

Why v2.0 upgraded to PDF/UA-2 + PDF/A-4

What changed. v2.0 updates the `\DocumentMetadata{...}` target from the old PDF/UA-1 + PDF/A-2 (PDF 1.7) to PDF/UA-2 + PDF/A-4 (PDF 2.0).

Why this is worth doing:

- PDF/UA-2 (ISO 14289-2, 2024) is the current accessibility standard. It improves tagging for math (MathML), tables, and lists over UA-1, and is the long-term direction for accessible PDF.
- PDF/A-4 (ISO 19005-4) is the current archival standard, layered on PDF 2.0 instead of PDF 1.7. It's cleaner about deprecating legacy metadata and aligns with UA-2.
- Net effect: better screen-reader support, future-proof, and matches what modern LaTeX tagging actually produces.

The tradeoff: most accessibility checkers were written for UA-1 / PDF 1.7.

- Haven't fully caught up with new standard.
- The fix is on the checker side, not the document side.

L^AT_EX and accessibility: new requirements

- From **May 11, 2026**, course materials must meet WCAG 2.1 Level AA accessibility standards
 - Applies even to password-protected course sites (e.g., **bCourses**).
- Many of us use **L^AT_EX** to create teaching materials, both slides and documents.
- **But standard L^AT_EX (especially Beamer) does not automatically generate accessible PDFs.**
- **Good news:** The L^AT_EX Project team has developed solutions.

What is this project?

- A practical template set for accessible $\text{\LaTeX}$ using the [\$\text{\LaTeX}\$ Tagging Project](#)
 - Two document classes: articles (`article`) and slides (`ltx-talk`)
 - Two flavors of each: a `minimal` template (`minimal_slides.tex`, `minimal_article.tex`, ~40 lines, runnable in a minute) plus a `fully annotated` template (`accessible_slides.tex`, `accessible_article.tex`) that doubles as documentation
 - `Contains`: math, text, figures, and tables
- Also includes some (optional) additional slide features
 - Readable `outline slide`
 - Automatic `section separator slides`
 - Multi-page `bibliography support`
- Repo: https://github.com/rhstanton/accessible_LaTeX

Converting to accessible $\text{\LaTeX}$: the big picture

- **Your existing $\text{\LaTeX}$ skills transfer:** mainly adding a few consistent accessibility features.
- **Most changes are local:** metadata once; then per-figure and per-table tweaks.
- **Applies to both slides & articles:**
 - Document metadata + PDF tagging
 - Alt text on images
 - Table header row tagging
 - Sufficient color contrast
 - Compile with Lua $\text{\LaTeX}$
- **Key difference:**
 - Articles: **keep your existing class** and add tagging features
 - Slides: switch to `ltx-talk` (frame syntax similar to Beamer), then recreate styling

Outline

1. Setup
2. Core requirements
3. Examples
4. Slides versus articles
5. Validation and known issues
6. (Optional) additional utilities
7. Quick start
8. References

1. Setup

Version requirements: what actually matters

- **Engine:** must compile with [Lua \$\LaTeX\$](#) (not pdf $\LaTeX$ or Xe $\LaTeX$).
- **LaTeX kernel/format date:** must be [2025-11-01 or later](#).
- **Important:** a “TeX Live year” alone is not a reliable guarantee.
 - You need a sufficiently new $\LaTeX$ kernel *on your install*, or use Overleaf Labs.
- **Quick check (in any document preamble):**

```
\show\fmtversion
```

Overleaf (works when configured correctly)

- `ltx-talk` requires a very recent $\text{\LaTeX}$ kernel (format date 2025-11-01+).
- On Overleaf, this typically means using the Labs program (not standard Overleaf).
- **Overleaf setup (2 steps):**
 1. Join Overleaf Labs:
 - <https://www.overleaf.com/labs/participate>
 - Opt in and enable Rolling TeX Live releases
 2. Configure the project:
 - TeX Live version: Rolling TeXLive (labs) (bottom of list)
 - Compiler: Lua $\text{\LaTeX}$
- Overleaf guide: <https://docs.overleaf.com/writing-and-editing/creating-accessible-pdfs>

2. Core requirements

Core requirement 1: document metadata

- Required for both slides and articles
- Every accessible document **must** begin with \DocumentMetadata
- Goes **before** \documentclass

```
\DocumentMetadata{
  % Request both PDF/A archival conformance and PDF/UA accessibility tagging
  pdfstandard=a-4,          % PDF/A-4 format (use a-4f only if embedding files)
  pdfstandard=ua-2,         % Add PDF/UA-2 conformance target
  lang=en-US,              % Language for screen readers
  tagging=on,              % Enable PDF tagging
  tagging-setup={
    math/setup=mathml-SE    % Enable semantic MathML generation
  }
}
```

- **Why PDF/UA-2 + PDF/A-4?** This aligns with current ISO standards and modern tagging output.

Core requirements 2–4: images, tables, and color contrast

- **Required for both slides and articles.**
- **Images:** every `\includegraphics` needs `alt={...}`.
- **Tables:** mark header rows using `\tagpdfsetup{table/header-rows={...}}`.
- **Colors:** WCAG 2.1 AA requires [4.5:1](#) contrast ratio for normal text.
- **Accessible color defaults:**

```
\colorlet{AccessibleRed}{red!80!black}  
\colorlet{AccessibleGreen}{green!40!black}  
% Standard blue is fine
```

Core requirement 5: compile with Lua $\text{\LaTeX}$

- **Required for both slides and articles.**
- Compile with **Lua $\text{\LaTeX}$** (not pdf $\text{\LaTeX}$ or Xe $\text{\LaTeX}$).
- **Why Lua $\text{\LaTeX}$?**
 1. Automatic math accessibility support (no manual MathML files in normal workflows)
 2. Full tagging support
 3. Good Unicode/OpenType font support
- **How to switch:**
 - Command line: `lualatex filename.tex`
 - Editors: select LuaLaTeX as the compiler

3. Examples

Slide content: mostly the same as Beamer

- Slides live in `frame` environments (similar to Beamer).
- So your content often transfers with minimal changes.

- **Typical frame skeleton:**

```
\begin{frame}{Title}
\begin{itemize}
  \item First point
\end{itemize}
\end{frame}
```

- **Note (optional):** template fonts keep digits/percent/dollar signs consistent in math/text.
 - **Text:** \$1234567890%.
 - **Math:** \$1234567890%.

Figures: alt text

- Figures are included as usual (e.g., `\includegraphics`), but **add alt text**.

- Good (minimal):** `\includegraphics[alt={A capybara}]{capybara.jpg}`

- Better (more informative):**

```
\includegraphics[alt={A capybara's head facing left}]{capybara.jpg}
```

- Decorative images: use empty alt text: `alt={}`.



Caption vs. alt text: they describe different things

- A common mistake: putting the same words in `\caption{...}` and `alt={...}`.
- Different audiences, different jobs:
 - **Caption:** visible to *everyone*; an editorial label saying *why* this figure is here.
 - **Alt text:** read *instead of* the image by screen readers; a literal description of *what is depicted*.

- **Example:**

```
\includegraphics[  
  alt={A capybara's head facing left}  
{capybara.jpg}  
\caption{A capybara, used as a non-decorative illustration.}
```

- Decorative image $\Rightarrow$ `alt={}` so screen readers skip it.

Tables: header rows

- Tables use tabular as usual, but you must specify **header rows**.
- Use {1} for one header row, {1,2} for two header rows, etc.
- **Note:** PAC may still warn about header associations in some cases; see [Validator-specific notes](#).

```
\tagpdfsetup{table/header-rows={1,2,3}}  
\begin{tabular}{cccrcccr}  
\toprule  
← 3 header rows  
\midrule  
← data rows  
\bottomrule  
\end{tabular}
```

Payment date	Caplet expiry date	DF_{pay}	Forward rate	Days to expiry	Days in accrual period	T_{expiry}	Δ	Caplet
2004/12/01	—	0.99550	0.01790	0	91	0.00000	0.25278	—
2005/03/01	2004/11/29	0.99008	0.02188	89	90	0.24384	0.25000	1,178.77
2005/06/01	2005/02/25	0.98401	0.02413	177	92	0.48493	0.25556	4,844.73
2005/09/01	2005/05/27	0.97733	0.02675	268	92	0.73425	0.25556	10,016.71

Code listings: contrast and tagging

- For code, use a real verbatim environment, not `\texttt` inside boxes – screen readers then see the code as text.
- **Heads up:** as of TeX Live 2026, the popular syntax-highlighting packages `listings` and `minted` are **not yet compatible** with the LaTeX tagging engine; they emit untagged graphical blocks. Tracked at <https://github.com/latex3/tagging-project/issues/70> and <https://github.com/latex3/tagging-project/issues/1060>.
- The temporary working path is `fancyvrb`'s `\VerbatimInput` (used below). Monochrome, but tagged – which is what accessibility needs.

```
1 # Convert a price series to log returns.
2 import numpy as np
3
4
5 def log_returns(prices):
6     """Return  $\ln(P_t / P_{t-1})$  for a 1-D series."""
7     return np.diff(np.log(prices))
```

4. Slides versus articles

Articles vs. slides

- **Articles:** keep your existing class (e.g., `article`) and add the checklist items.
- **Slides:** switch to `ltx-talk`.
 - Your `\begin{frame}` content often stays the same.
 - Remove Beamer themes/templates; recreate styling with standard $\text{\LaTeX}$ packages (as in this template).
- **If you're converting Beamer slides:**

<code>\documentclass{ltx-talk}</code> (instead of beamer)

Getting started (new vs. converting): keep it simple

- **New documents:**

- **Try first:** `minimal_slides.tex` or `minimal_article.tex` (~40 lines each) – the bare-minimum runnable example.
- **Then copy:** `accessible_slides.tex` or `accessible_article.tex` for the fully featured template, replace content, keep the preamble structure.

- **Converting existing documents:**

- add metadata + Lua^AT_EX + alt text + table header rows
- for slides, switch to `ltx-talk` and redo styling once

- Repo: https://github.com/rhstanton/accessible_LaTeX

5. Validation and known issues

Common pitfalls

- **Confusing PDF tagging with PDF bookmarks**
 - tagging=on creates the structure tree for **screen readers** (required).
 - PDF bookmarks (navigation pane) are separate and optional.
- **Forgetting alt text**
 - Every `\includegraphics` needs `alt={...}` (or `alt={}` if decorative).
- **Not tagging table header rows**
 - Add `\tagpdfsetup{table/header-rows={...}}` before each table.
- **Low contrast colors**
 - Avoid light colors (e.g., plain yellow/cyan).
 - Use darker variants for red/green (defined in this template).
- **Wrong engine or old kernel**
 - Use Lua $\text{\LaTeX}$ and ensure format date 2025-11-01 or later.

Validation workflow: use multiple checkers

- No single checker catches everything.
- Accessibility usability checks and strict PDF conformance checks are not identical.
- Practical workflow: run 2+ tools and compare findings.
- **Common tools:**
 - Ally (bCourses)
 - veraPDF (PDF/A conformance): <https://verapdf.org/>
 - PAC (PDF accessibility): <https://pac.pdf-accessibility.org/>
 - Adobe Acrobat (useful but has known quirks)

Optional cleanup for strict validators: `strip_af.py`

- The metadata settings produce a fully tagged PDF. Note: [Ally](#) reports some *false* errors under PDF/UA-2 – see “Validator-specific notes” for what they are and why to ignore them.
- Some strict tools (e.g., [veraPDF](#)) may still complain about /AF or embedded-file structures.
- To remove these, run:

```
python strip_af.py build/accessable_slides.pdf
```

- Prerequisite: install the Python package [pikepdf](#) first: `python -m pip install pikepdf`.
- Then validate again with veraPDF.

Validator-specific notes (reference)

New under PDF/UA-2 (already covered earlier):

- Ally reports every inline equation as “image without a description” — it doesn’t yet parse UA-2 MathML.
- Ally reports “The PDF does not have a title” — it reads the legacy PDF-1.x /Title key; **do not accept its offered “fix”**.
- PAC 26.1.0 has no UA-2 checker; it silently validates against PDF/UA-1. Failure counts are UA-1 vs UA-2 differences, not real bugs.

Older false positives (also present under UA-1):

- **Acrobat: “Lbl and LBody – Failed.”** Known Acrobat checker bug on tagged lists, captions, and section numbers. Reference: <https://tex.stackexchange.com/a/709655/2388>.
- **PAC: “Table header cell has no associated subcells.”** Reported even when table/header-rows is set correctly. Still present in PAC 26.1.0. Release notes: <https://pac.pdf-accessibility.org/en/resources/release-notes>.

Full status and per-tool details: `VALIDATION.md` in the repo.

6. (Optional) additional utilities

Optional presentation utilities

- This template includes **optional helpers** split across two packages
 - **Not required for accessibility**
 - Useful for common presentation tasks
 - Easy to customize or remove (each package is independent)
- **Two optional features:**
 1. Automatic section separator slides (in `slide_utils.sty`)
 2. Multi-page bibliography support (in `slide_bib.sty`)
- See those `.sty` files for implementation details and customization options.
- **Note:** There's additional code in the main preamble to get readable table of contents.

Optional feature 1: section separator slides

- **What it does:** Automatically inserts a separator slide after each `\section` command
 - Displays section number and title in large text
 - Centered on the slide for visual emphasis
 - Uses accessible colors (AccessibleRed for sections, blue for subsections)
- **Example:** After `\section{Core requirements}`, automatically creates a slide saying

3. Core requirements

- **To disable:** remove `\usepackage{slide_utils}` or comment out Section 1 of `slide_utils.sty`
- **To customize:** Edit colors, fonts, or spacing in the frame template

Optional feature 2: multi-page bibliography

- **Problem:** `\bibliography` inside frame environment puts all references on one slide.
 - For large bibliographies, this can be unreadable.
 - This was easy with Beamer, using the `allowframebreaks` option.
 - But `ltx-talk` does not have a similar option.
- **Solution:** Write code to split bibliography automatically across multiple slides
 - Works with standard BibTeX workflow
 - Uses Lua script ([rsbibsplitsplit.lua](#)) to split the `.bbl` file
 - (Lua^ATeX provides access to the [Lua](#) programming language)
- **Usage:** As usual (see end of this `.tex` file for complete example)
 - `\cite{key1,key2,...}` to specify references
 - `\bibliography{bibfile}` to specify bib file
 - (Set `\RS@bibmax` to customize max per slide; default=8).
 - **Note:** Do not put `\bibliography` command inside frame environment
- See `slide_bib.sty` for detailed workflow explanation.

7. Quick start

Quick start: accessible $\LaTeX$ on one slide

- **To make an accessible $\LaTeX$ PDF:**
 1. Add `\DocumentMetadata{...}` (before `\documentclass`)
 2. Compile with [Lua \$\LaTeX\$](#)
 3. Every figure: `\includegraphics[alt={...}]{...}`
 4. Every table: `\tagpdfsetup{table/header-rows={...}}`
 5. Use high-contrast colors (4.5:1) and validate with 2+ tools
- Template repo: https://github.com/rhstanton/accessible_LaTeX
- Questions: richard.stanton@berkeley.edu

8. References

References

- Akerlof, G. A., 1970, The market for “lemons”: Quality uncertainty and the market mechanism, *Quarterly Journal of Economics* 84, 488–500.
- Arrow, K. J., 1963, Uncertainty and the welfare economics of medical care, *American Economic Review* 53, 941–973.
- Barro, R. J., 1991, Economic growth in a cross section of countries, *Quarterly Journal of Economics* 106, 407–443.
- Black, F., and M. Scholes, 1973, The pricing of options and corporate liabilities, *Journal of Political Economy* 81, 637–654.
- Coase, R. H., 1960, The problem of social cost, *Journal of Law and Economics* 3, 1–44.
- Fama, E. F., 1970, Efficient capital markets: A review of theory and empirical work, *Journal of Finance* 25, 383–417.
- Fama, E. F., and K. R. French, 1993, Common risk factors in the returns on stocks and bonds, *Journal of Financial Economics* 33, 3–56.
- Jensen, M. C., and W. H. Meckling, 1976, Theory of the firm: Managerial behavior, agency costs and ownership structure, *Journal of Financial Economics* 3, 305–360.

References

- Kahneman, D., and A. Tversky, 1979, Prospect theory: An analysis of decision under risk, *Econometrica* 47, 263–292.
- Krugman, P. R., 1991, Increasing returns and economic geography, *Journal of Political Economy* 99, 483–499.
- Lucas, R. E., Jr., 1976, Econometric policy evaluation: A critique, *Carnegie-Rochester Conference Series on Public Policy* 1, 19–46.
- Merton, R. C., 1974, On the pricing of corporate debt: The risk structure of interest rates, *Journal of Finance* 29, 449–470.
- Modigliani, F., and M. H. Miller, 1958, The cost of capital, corporation finance and the theory of investment, *American Economic Review* 48, 261–297.
- Rothschild, M., and J. E. Stiglitz, 1976, Equilibrium in competitive insurance markets: An essay on the economics of imperfect information, *Quarterly Journal of Economics* 90, 629–649.
- Solow, R. M., 1956, A contribution to the theory of economic growth, *Quarterly Journal of Economics* 70, 65–94.