DCRP & PDCP

Enterprise Integration Architecture for SAP BTP

Eliminating Proxy Sprawl and Package Sprawl at Scale

Ricardo Luz Holanda Viana
Enterprise Integration Architect |
SAP BTP Integration Suite

February 2026
DOI: 10.5281/zenodo.18582469
DOI: 10.6084/m9.figshare.31331683

Executive Summary

Solving Package Sprawl & Governance Chaos in SAP BTP

SAP BTP

The Problem

"Package Sprawl" Crisis

Uncontrolled proliferation of 100+ unstandardized packages in SAP CPI leading to operational chaos.

- Operational Debt & "Silo" mindset
- Credential Hell (1 user per package)
- Tenant Capacity Crises
- Complex Maintenance Overhead

The Solution

DCRP + PDCP Architecture

Consolidates integrations into governed packages per business domain with metadata-driven routing.

DCRP: Domain-Centric Routing Pattern (Gateway Layer)

PDCP: Package Domain-Centric Pattern (Backend Layer)

Tiered Users: Segregated by criticality

Validated Impact

API Proxies	40 → 4	↓90%
CPI Packages	40 → 4	↓90%
Technical Users	39 → 12	↓69%
Deployment Time	273m → 14.5m	18.8×

**Validated data from live enterprise implementation (Feb 2026)*

Source: Viana, R. L. H. (2026). Gateway Domain-Centric Routing. Zenodo. DOI: 10.5281/zenodo.18582469 DOI: 10.6084/m9.figshare.31331683

The Package Sprawl Crisis

Visualizing the "Technical Silo" Graveyard in SAP CPI

SAP BTP

Inconsistent Naming

Packages named after projects, temporary needs, or vendors. Impossible to search or govern. "Where is the Sales logic?"

Redundant Governance

Multiple packages handling the same domain (e.g., Salesforce_V1, Sales_New, Orders_Old). Fragmented logic across 100+ locations.

Credential Chaos

One technical user per package leads to credential hell. 39 packages = 39 users to manage, rotate, and secure.

Typical "Sprawl" Tenant Structure

```
CPI Tenant Root
  Package Salesforce.Integration
  Salesforce_Orders_NEW_FINAL
  VTEX.Flow
  MercadoLivre_Shipments_API
  D365.Finance.Payments.v2.0
  D365-Invoices
  ServiceNow_Incidents_Sync
  Logistics_3PL_Freight_v3
  SAP__MasterData_Customer_v2
  Temp_Testing_DoNotDelete_QAS
  Dev.Customer.Old.Logic
  [+147 more packages... (Legacy debt)]
```

100+
Unmanaged Packages

Introduction to DCRP (Gateway)

Domain-Centric Routing Pattern: The Intelligent Facade

SAP BTP

The Core Concept

Instead of creating one API Proxy per integration (1:1), DCRP implements a **single intelligent gateway per business domain**. It uses metadata to dynamically route requests to the correct backend endpoint.

Ends "Proxy Sprawl" Forever

Zero-Code Onboarding (Config Only)

Centralized Security Policies

LOGICAL ARCHITECTURE



1. Extract domain & vendor
2. Query Key-Value Map (KVM)
3. Decode target URL

```
route = kvm.idintegration = dcrporderscsalesforceid01:http,dcrpordersusalesforceemeaid02:http
```

Introduction to PDCP (Backend)

SAP BTP

Package Domain-Centric Pattern: Organized Backend Governance

The Core Principle

Instead of creating a package for every application (e.g., "Salesforce"), PDCP consolidates integration assets into **one single package per business domain** (e.g., "Sales"). It shifts focus from *"Where is it from?"* to *"What is the business doing?"*.

Consolidation: 39 Packages → 4 Domains

Standardization: iFlow DNA for indexing

Governance: Domain Architect Gatekeeper

TRANSFORMATION LOGIC



Format: [company].[domain].[subprocess].integrations

`nx.sales.o2c.integrations`

(Contains all orders, customers, invoice flows)

The Complete Architecture: DCRP + PDCP

End-to-End Flow: From Consumer to Governed Backend Domain

SAP BTP



13 → 1	39 → 4	39 → 12	HTTPS / SOAP / ODATA	18.8×
API Proxies	CPI Packages	Tech Users	Supported Protocols	Faster Deploy

The Three Pillars of PDCP

Foundational Principles for a Scalable Integration Backend

SAP BTP

1

Consolidation

Mandatory grouping of integration assets by Business Domain rather than source system or project.

- Group by **Business Area** (Sales, Finance, Logistics)
- Prohibits "Project-Specific" packages
- Eliminates redundant "Vendor-Specific" silos

2

Standardization

Implementation of the **iFlow DNA** naming convention for instant discovery and automated categorization.

- Unique iFlow Identifiers (id01, id02...)
- Standardized Action Codes (c, u, s, n)
- Enables instant ALM indexing & search

3

Governance

Establishing the Domain Architect as a gatekeeper to ensure architectural integrity over time.

- Prevents creation of new silos
- Enforces naming compliance before deploy
- Manages lifecycle of tiered users

Consolidation Metrics & ROI

Quantifying the Impact of PDCP Architecture

SAP BTP

Metric	Before	After	Improvement
	39	**4**	↓ 90%
	~390	**13**	↓ 97%
	~39	**12**	↓ 69%
	273 min	**14.5 min**	18.8× Faster
	10 min	**5 sec**	120× Faster

224.5h

Annual Time Saved

€ 198.5k

5-Year Value Projection

Deployment Efficiency Formula

$$T = (N_{pkg} \times 2m) + (N_{iFlows} \times 0.5m)$$

Before: (39 × 2) + (390 × 0.5) = **273 min**
After: (4 × 2) + (13 × 0.5) = **14.5 min**

Deployment Time Reduction



iFlow DNA: Naming Convention

Standardized 7-Segment Format for Surgical Indexing

SAP BTP

Standard Format Structure

```
id[seq] . [subdomain] . [sender] . [entity] . [receiver] . [action] . [direction] . [sync/async]
```

Component Breakdown

Segment	Meaning	Examples
id[seq]	Unique Index	id01, id02, id03 (Resets per subdomain)
subdomain	Business Process	o2c (Order-to-Cash), r2r (Record-to-Report)
sender	Source System	salesforce, shopify, s4hana, magento
entity	Business Object	order, customer, invoice, payment
receiver	Target System	s4hana, salesforce, quickbooks, fedex
action	Function Code	c (create), u (update), s (sync) - see table
direction	Data Flow	in (Inbound), out (Outbound)

Standard Action Codes

c	Create	r	Read
u	Update	d	Delete
s	Sync	n	Notify
t	Transform	a	Approve

Practical Example

```
id01.o2c.salesforce.order.s4hana.c.in.sync
```

"First interface in Order-to-Cash, creating an Order from Salesforce to S/4HANA (Inbound, Synchronous)"

Technical User Strategy

Tiered Credentials for Risk Containment & Audit Precision

SAP BTP

The Risk: Single Point of Failure

Using one "superuser" for an entire package means a password lockout or attack kills **all interfaces** simultaneously (Core + Support).

The PDCP Solution

- **Blast Radius Control:** Isolate critical flows from non-critical failures.
- **Audit Precision:** "401 Unauthorized" instantly reveals *which* tier failed.
- **Vendor Isolation:** Protect internal systems from 3rd-party erratic behavior.

Tiered User Architecture (Sales Domain Example)

Tier 1: Transactional Core

`cr.so.o2c`

Mission-critical flows (Order Creation). Highest monitoring priority. Isolated from support noise.

Tier 2: Support / Master Data

`cr.so.md`

Secondary flows (Customer Sync, Price Updates). Failures here don't stop revenue.

Tier 3: Third-Party / Vendor

`cr.so.vendor`

External integrations prone to lockouts. Strictly isolated from internal core credentials.

Vendor Lockout	→	Core O2C	→	Master Data
FAILED		RUNNING		RUNNING

Real Implementation Example

SAP BTP

Domain Package: Sales Order-to-Cash (13 Consolidated iFlows)

TARGET PACKAGE: `nx.sales.o2c.integrations`

25 min Deploy Time

ID	Sender	Entity	Receiver	Act	Dir	Proc	Proto	SAP CPI Endpoint Pattern
id01	salesforce	orders	s4hana	c	in	sync	REST	/http/dcrp/orders/c/id01
id02	salesforce	orders	s4hana	u	in	sync	REST	/http/dcrp/orders/u/id02
id03	shopify	customers	s4hana	s	in	sync	REST	/http/dcrp/customers/s/id03
id04	stripe	payments	s4hana	n	in	sync	REST	/http/dcrp/payments/n/id04
id05	microsoft	orders	s4hana	c	in	sync	SOAP	/cxf/dcrp/orders/c/id05
id06	fedex	deliveries	s4hana	t	in	sync	REST	/http/dcrp/deliveries/t/id06
id07	s4hana	customers	externalcrm	s	out	sync	SOAP	/cxf/dcrp/customers/s/id07
id08	s4hana	payments	externalpay	n	out	sync	SOAP	/cxf/dcrp/payments/n/id08
id09	quickbooks	invoices	s4hana	c	in	sync	SOAP	/cxf/dcrp/invoices/c/id09
id10	s4hana	invoices	externalbill	c	out	sync	REST	/http/dcrp/invoices/c/id10
id11	s4hana	deliveries	externallog	t	out	sync	SOAP	/cxf/dcrp/deliveries/t/id11
id12	shopify	returns	s4hana	c	in	sync	REST	/http/dcrp/returns/c/id12

Endpoint patterns (/http/dcrp/... vs /cxf/dcrp/...) are critical for DCRP JavaScript routing logic

URL Governance Patterns

Defining Agnostic Endpoints for Maximum Traceability

SAP BTP

Option 1: Full Context

Recommended

URL Format Structure

```
/[entity]/[action]/[id]
```

Implementation Examples

- `/orders/c/id01`
- `/customers/s/id03`
- `/payments/n/id04`
- `/deliveries/t/id06`

Key Benefits

- Full context in URL (Entity + Action)
- Direct mapping to iFlow name structure
- Easiest troubleshooting via URL ID

Option 2: Simplified

URL Format Structure

```
/[entity]/[id]
```

Implementation Examples

- `/orders/id01`
- `/customers/id03`
- `/payments/id04`
- `/deliveries/id06`

Key Benefits

- Cleaner, shorter URLs
- Logical entity-based grouping
- ID ensures uniqueness without action code

Option 3: Domain Prefix

URL Format Structure

```
/sales/[entity]/[action]/[id]
```

Implementation Examples

- `/sales/orders/c/id01`
- `/sales/customers/s/id03`
- `/sales/payments/n/id04`
- `/sales/deliveries/t/id06`

Key Benefits

- Explicit domain-level organization
- Clear business context at root level
- Scalable across multiple business units

DCRP + PDCP Routing Flow

5-Step Execution from Facade URL to Backend Process

SAP BTP

1 Facade URL

Client calls agnostic facade with vendor identifier:

```
POST
/sales/orders/creation/salesforce
```

Explicit vendor ensures correct routing

2 Conversion

Gateway converts facade URL to routing key:

```
/sales/orders/creation/salesforce
↓
dcrporderscid01
```

Removing slashes creates unique KVM key

3 KVM Lookup

Query Key-Value Map for metadata:

Key:

`Dcrporderscid01:http`

Value:

`:http`

Retrieves adapter type (:http or :cxf)

4 JS Engine

v8.0 Engine constructs target URL:

```
var adapter = "http";
var path = "/dcrp/orders/c/id01";
target = host+"/"+ adapter +path;
```

`/http/dcrp/orders/c/id01`

Generates the CPI Endpoint

5 CPI Execution

CPI receives request and executes mapped iFlow:

`id01.o2c.salesforce.order.c.in.sync`

Exact match execution

This automated flow enables zero-code vendor onboarding by simply adding KVM entries

KVM Configuration Structure

Metadata-Driven Routing Logic for DCRP Gateway

SAP BTP

KVM Field Structure (Per Domain)

```
cpipackage-nx.sales.o2c.integrations
  <Put enabled="true">
    <Key>packagename</Key>
    <Value>nx.sales.o2c.integrations</Value>
  </Put>
  <Put enabled="true">
    <Key>saprocess</Key>
    <Value>SAP SD & O2C - Sales Process</Value>
  </Put>
  <Put enabled="true">
    <Key>idinterface</Key>
    <Value>dcrporderscid01:http,dcrporderscid05:cxf...</Value>
  </Put>
</KeyValueMapOperations>
```

packagename	Matches the PDCP package name in CPI backend
saprocess	Business process description for documentation/logging
idinterface	**Core Routing Map:** Comma-separated list of [key]:[adapter] pairs

Adapter Type Logic

Defines the target endpoint prefix for the JS engine:

:http	:cxf
`/http/dcrp/...`	`/cxf/dcrp/...`
REST / OData	SOAP

Default: If omitted, defaults to :http

Map Identifier Naming

Pattern must mirror package name:

`cpipackage-[package_name]`

Examples:

- ✓ cpipackage-nx.sales.o2c.integrations
- ✓ cpipackage-nx.finance.r2r.integrations
- ✓ cpipackage-nx.logistics.tm.integrations

Multi-Vendor Disambiguation

SAP BTP

Handling Complexity: Regions, Environments & Platforms

Salesforce Multi-Region

Process: Order Creation

Vendor Instance	Target iFlow
salesforceus	id01...c.in.sync
salesforceeu	id02...c.in.sync
salesforceapac	id03...c.in.sync

KVM Structure Example

```
dcrporderscid01:http,
dcrporderscid02:http,
dcrporderscid03:http
```

S/4HANA Environments

Process: Invoice Outbound

Environment	Target iFlow
s4prod	id01...c.out.sync
s4qa	id10...c.out.sync

KVM Structure Example

```
dcrpinvoicescid01:cxf,
dcrpinvoicescid10:cxf
```

E-Commerce Platforms

Process: Order Inbound

Platform	Target iFlow
shopify	id04...c.in.sync
magento	id08...c.in.sync
vtex	id16...c.in.sync

KVM Structure Example

```
dcrporderscid04:http,
dcrporderscid16:cxf
```

- Granular Vendor Metrics
- Isolated Error Handling
- Vendor-Specific Security Policies
- Zero-Code Onboarding

DCRP enables "Vendor Awareness" without complex hardcoded logic in APIM

API Proxy Configuration

Single Gateway Facade for Domain Consolidation

SAP BTP

Proxy Definition

`cpi-dcrp-proxy-domain-sales-o2c` `/sales` `HTTP/S`

Route Rules (13 Entities)

All routes point to same Target Endpoint

Route Name	Condition (Path Suffix)	Target Flow
sales-o2c-orders	MatchesPath "/orders/**"	*default*
sales-o2c-customers	MatchesPath "/customers/**"	*default*
sales-o2c-payments	MatchesPath "/payments/**"	*default*
sales-o2c-invoices	MatchesPath "/invoices/**"	*default*
sales-o2c-deliveries	MatchesPath "/deliveries/**"	*default*
sales-o2c-returns	MatchesPath "/returns/**"	*default*
sales-o2c-quotes	MatchesPath "/quotes/**"	*default*
+ 6 more rules (pricing, credits, collections, contracts, disputes, revenue)		

Overhead Impact Analysis

API Proxies	13	1
Security Policies	13	1
Dashboards	13	1
Maintenance Objects	High	Low

92% Reduction in Overhead

Testing & Validation Results

Verified Performance & Reliability Metrics

SAP BTP

Test Execution (Sales O2C)

Environment	Collection	Auth Method
SAP BTP (Cloud Foundry)	DCRP-PDCP-Sales-O2C	OAuth 2.0 Client Creds

Test Case Name	Facade Endpoint	Status
Order Creation - Salesforce	POST /orders/creation/salesforce	✓ PASS 200
Order Update - Salesforce EMEA	PUT /orders/update/salesforceemea	✓ PASS 200
Customer Sync - Shopify	POST /customers/sync/shopify	✓ PASS 200
Payment Notification - Stripe	POST /payments/notification/stripe	✓ PASS 200
Delivery Tracking - FedEx	POST /deliveries/tracking/fedex	✓ PASS 200
Invoice Creation - QuickBooks	POST /invoices/creation/quickbooks	✓ PASS 200
Return Creation - Shopify	POST /returns/creation/shopify	✓ PASS 200
Invoice Creation - S/4HANA	POST /invoices/creation/s4hana	⚠ CONFLICT 404
+ 5 additional passing tests (id05, id07, id08, id11, id13)		

Note: Conflict on id09/id10 due to identical URL patterns (Resolved in Part III with JS logic)

Performance KPIs

33k+
Messages Tested

68ms
Avg. Latency

Overall Success Rate

11 Passed / 2 Conflicts
(100% Success in Dedicated Tests)

Scalability Projection

Growth Impact Analysis: +100 Integrations Scenario

SAP BTP

Growth Scenario (+100 Integrations)

Metric	Traditional	PDCP	Difference
Packages	39 → 139	4 → 4	+0 Growth
Tech Users	39 → 139	12 → 24	Tiered Strategy
Deploy Time	273 → 523 min	14.5 → 64.5 min	8× Faster
Annual Hours*	453h	56h	397h Saved

Time Impact Calculation

Annual Savings: 397 hours/year saved in deployment labor alone.
Business Value: At €100/hour engineering cost = **€39,700/year** savings (excluding incident costs).

PDCP scales sub-linearly: 5x volume = only 1.2x overhead



*Based on 52 deployments/year frequency. Traditional model scales linearly; PDCP stabilizes overhead.

Implementation Roadmap

Phased Execution Plan: From Consolidation to Automation

SAP BTP

Phase 1: PDCP Foundation

Weeks 1-4

1. **Domain Mapping**
   Analyze landscape and define the 4-6 core business domains (Sales, Finance, Logistics, etc.).
2. **Package Consolidation**
   Create 1 package per domain (e.g., nx.sales.o2c.integrations) and consolidate existing iFlows.
3. **Apply iFlow DNA**
   Rename all assets using the 7-segment standard: idXX.[sub].[sender].[entity]...
4. **Tiered Security**
   Implement 3-tier user strategy (Core, Master Data, Vendor) for risk isolation.

Milestone: Clean Backend Core

Phase 2: DCRP Gateway

Weeks 5-8

5. **Proxy Creation**
   Deploy single API Proxy per domain in SAP APIM (e.g., cpi-dcrp-proxy-domain-sales-o2c).
6. **KVM Configuration**
   Set up Key-Value Maps linking compact routing keys to iFlow endpoints.
7. **JavaScript v8 Engine**
   Deploy the dynamic routing script to handle URL decoding and vendor logic.
8. **Gradual Migration**
   Switch consumers to new Facade URLs progressively (vendor by vendor).

Milestone: Intelligent Routing

Edge Case Handling

- **Hotfixes:** Direct iFlow deploy supported via granular naming
- **PCI/Security:** Policy enforcement per route path
- **Quotas:** Rate limiting applied at proxy route level

Conclusions & Next Steps

From Technical Debt to Strategic Asset

SAP BTP

Core Principles

- **Order by Design:** Replaced 39+ fragmented packages with 4 governed domains, reducing governance objects by 90%.
- **DCRP + PDCP Synergy:** Gateway abstraction layer combined with standardized backend execution ensures scalability.
- **Metadata-Driven:** Zero-code vendor onboarding via KVM configuration instead of proxy development.

Validated Gains

↓90%	↓69%	18.8×
Packages	Tech Users	Deploy Velocity

Recommended Actions

01 **Validate Domains & Naming Taxonomy**

02 **Prototype 'Sales O2C' (nx.sales.o2c)**

03 **Measure KPIs & Scale to Finance/Logistics**

Academic Reference

Viana, R. L. H. (2026). *Gateway Domain-Centric Routing: A Vendor-Agnostic Metadata-Driven Architecture for Enterprise API Governance - Version 5.0.* Zenodo. https://doi.org/10.5281/zenodo.18582492

Viana, R. L. H. (2026). *Gateway Domain-Centric Routing: A Vendor-Agnostic Metadata-Driven Architecture for Enterprise API Governance - Version 5.0.* Figshare. https://doi.org/10.6084/m9.figshare.31331683

"Order is your greatest tactical advantage. A clean backend allows an enterprise to move at the speed of business." – Viana | The Commander