

# R Markdown template

This is an Markdown template created by DIME Analytics. It is meant to be a reference to show how text formatting in Markdown is combined with R code to produce R Markdown documents.

## Markdown

### Headers

## This is a header

### Subheader 1

### Subheader 2

### Subheader 3

### Paragraphs

This is a line of text. This is another line in the same paragraph.

New paragraphs are separated by two line breaks.

### Text emphasis

Text in italics goes between *asterisks* or *underscores*.

Text in bold goes between **two asterisks** or **two underscores**.

You can combine asterisks and underscores to **emphasize with italics and bold *at the same time***.

Strikethrough text ~~uses two tildes~~.

### Lists

Ordered lists:

1. Include a number and a dot before every item
2. Also remember to include a blank line before the beginning of the list
3. The actual number does not matter, the item will have the correct order number

Unordered lists:

- You can use an asterisk
- Or a plus symbol
- Or a minus symbol

## Links

Include the link text in brackets followed by the URL in parentheses. Like this:


This is the WB website.

## R code

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##  10.40  15.43   19.20   20.09  22.80   33.90
```

## R Plots

### Plot example



## Inline code

- The mean of elements in mtcars is: 32
- The mean of weight is: 3.21725
- The standard deviation is: 0.9784574

## Include regression outputs - Fixest

Table 1: A cool title

	mpg	
	(1)	(2)
Constant	37.29*** (1.878)	37.23*** (1.599)
wt	-5.344*** (0.5591)	-3.878*** (0.6327)
hp		-0.0318*** (0.0090)
Observations	32	32
R <sup>2</sup>	0.75283	0.82679
Adjusted R <sup>2</sup>	0.74459	0.81484
Your notes here.		