RHYTHM

A Smart MCQ Guide for Nurses

A Special Assistant for

- **RN Exam**
- **Post Basic B.sc in Nursing**
- **Post Basic B.sc in Public Health Nursing**
- **BPSC Preliminary (Technical)**
- **BMU Job Exam (Technical)**
- **Other's Nursing Job Exam (Technical)**

প্রারম্ভিক কথা (Preface / Foreword):

প্রিয় পাঠক,
এই বইটি বিশেষভাবে নার্সিং শিক্ষার্থী এবং পেশাদার নার্সদের জন্য প্রস্তুত করা হয়েছে। এতে সকল গুরুত্বপূর্ণ বিষয় ও এমসিকিউ এমনভাবে সাজানো হয়েছে, যা চাকরি পরীক্ষা, লাইসেন্স পরীক্ষা এবং পোস্ট-বেসিক ভর্তি পরীক্ষায় আপনার প্রস্তুতিকে সহজ ও কার্যকর করবে। আশা করি, এই বইটি আপনার শিক্ষা ও ক্যারিয়ারে একটি সহায়ক হাতিয়ার হিসেবে কাজ করবে।

ধন্যবাদান্তে

মো: সাফায়াত

ধন্যবাদ ও কৃতজ্ঞতা (Acknowledgement):

এই বইটি সম্পূর্ণ করার সময় যারা আমাকে সহায়তা করেছেন—শিক্ষক, সহকর্মী এবং শিক্ষার্থী—তাদের প্রতি আমি কৃতজ্ঞ। তাদের মূল্যবান মতামত এবং পরামর্শ ছাড়া এই বইটি বাস্তবায়ন করা সম্ভব হতো না।

বইয়ের উদ্দেশ্য (Purpose of the Book):

এই বইটির মূল উদ্দেশ্য হলো:

- গুরুত্বপূর্ণ বিষয়গুলিকে সহজভাবে উপস্থাপন করা।

- পরীক্ষার জন্য প্রয়োজনীয় এমসিকিউ সরবরাহ করা।
- শিক্ষার্থী ও পেশাদারদের জন্য একটি প্রায়োগিক ও ব্যবহারিক রেফারেন্স তৈরি করা।

পাঠকের প্রতি কিছু পরামর্শ (Note to Readers):

পাঠকগণ, বইটি কেবল পড়ার জন্য নয়, বরং পুনরাবৃত্তি এবং আত্মপরীক্ষার জন্যও ডিজাইন করা হয়েছে। অধ্যায় শেষে দেওয়া প্রশ্ন ও উত্তরগুলো বারবার অনুশীলন করুন, এতে আপনার প্রস্তুতি শক্তিশালী হবে।



লেখক পরিচিতি

মোঃ সাফায়াত একজন অভিজ্ঞ নার্স। দীর্ঘকাল শিক্ষাদান ও ক্লিনিক্যাল অভিজ্ঞতার মাধ্যমে তিনি শিক্ষার্থীদের জন্য জ্ঞানকে সহজ ও কার্যকরভাবে উপস্থাপন করার দক্ষতা অর্জন করেছেন। এই বইটি নার্সিং চাকরি, লাইসেন্স পরীক্ষা এবং পোস্ট-বেসিক ভর্তি পরীক্ষার প্রস্তুতিতে শিক্ষার্থীদের সহায়ক হতে রচিত।

MD. SAFAYAT

Registered Nurse (BNMC)

Senior Staff Nurse (MMCH)

সূচিপত্র

Anatomy and Physiology

1. Which bone is known as the collarbone?
A. Scapula
B. Clavicle ✓
C. Sternum
D. Humerus

2. What is the main function of red blood cells?
A. Fight infections
B. Transport oxygen ✓
C. Clot blood
D. Provide immunity

3. Which organ is responsible for filtering blood in the human body?
A. Heart
B. Liver
C. Lungs
D. Kidneys ✓

4. Which part of the brain controls balance and coordination?
A. Cerebrum
B. Cerebellum ✓
C. Medulla
D. Pons

5. How many chambers are there in the human heart?
A. 2
B. 3
C. 4 ✓
D. 5

6. Which is the longest bone in the human body?
A. Tibia
B. Femur ✓
C. Humerus
D. Radius

7. Which blood vessels carry blood away from the heart?
A. Veins
B. Arteries ✓
C. Capillaries
D. Lymph vessels

8. What type of joint is found in the shoulder?
A. Hinge
B. Ball and socket ✓
C. Pivot

D. Gliding

9. Which organ produces insulin?
A. Liver
B. Pancreas ✓
C. Spleen
D. Kidney

10. Which system controls body movements?
A. Digestive
B. Nervous ✓
C. Respiratory
D. Circulatory

11. What is the basic functional unit of the kidney?
A. Alveoli
B. Neuron
C. Nephron ✓
D. Glomerulus

12. The largest part of the human brain is:
A. Brainstem
B. Cerebellum
C. Cerebrum ✓
D. Thalamus

13. Which muscle is responsible for breathing?
A. Diaphragm ✓
B. Trapezius
C. Biceps
D. Deltoid

14. Which blood group is the universal donor?
A. A
B. B
C. AB
D. O negative ✓

15. The smallest bone in the human body is:
A. Stapes ✓
B. Malleus
C. Femur
D. Ulna

16. Which structure connects muscles to bones?
A. Ligaments
B. Cartilage
C. Tendons ✓
D. Fascia

17. What is the fluid in joints called?
A. Cerebrospinal fluid
B. Synovial fluid ✓
C. Plasma
D. Lymph

18. The main function of platelets is:
A. Immunity
B. Oxygen transport
C. Clotting ✓
D. Digestion

19. Where does gas exchange occur in the lungs?
A. Trachea
B. Bronchi
C. Bronchioles
D. Alveoli ✓

20. What is the name of the lower jawbone
A. Maxilla
B. Mandible ✓
C. Zygomatic
D. Frontal

21. Which blood cells fight infection?
A. RBC
B. Platelets
C. WBC ✓
D. Plasma

22. Which part of the eye controls the amount of light?
A. Retina
B. Lens
C. Iris ✓
D. Cornea

23. Which part of the body contains the femur?
A. Arm
B. Leg ✓
C. Head
D. Chest

24. Which organ is part of both digestive and endocrine systems?
A. Liver
B. Pancreas ✓
C. Kidney
D. Gallbladder

25. Which layer of skin contains sweat glands?
A. Epidermis
B. Dermis ✓
C. Hypodermis
D. Subcutaneous

26. Which part of brain regulates breathing and heartbeat?
A. Medulla oblongata ✓
B. Cerebrum
C. Cerebellum
D. Hypothalamus

27. Which part of cell contains genetic material?
A. Cytoplasm
B. Nucleus ✓
C. Ribosome
D. Golgi body

28. The windpipe is also known as:
A. Bronchus
B. Larynx
C. Trachea ✓
D. Esophagus

29. The human body has how many pairs of ribs?
A. 10
B. 12 ✓
C. 14
D. 11

30. The voice box is also known as:
A. Trachea
B. Pharynx
C. Larynx ✓
D. Epiglottis

31. Which organ stores bile?
A. Liver
B. Pancreas
C. Gallbladder ✓
D. Spleen

32. Which gland is called the master gland?
A. Thyroid
B. Pituitary ✓
C. Adrenal

D. Pineal

33. Which part of the body contains alveoli?
A. Heart
B. Lungs ✓
C. Liver
D. Kidney

34. The functional unit of the nervous system is:
A. Glial cell
B. Neuron ✓
C. Dendrite
D. Synapse

35. Which is a hinge joint?
A. Shoulder
B. Elbow ✓
C. Hip
D. Wrist

36. The largest internal organ is:
A. Heart
B. Lung
C. Liver ✓
D. Intestine

37. How many bones in adult human body?
A. 206 ✓
B. 208
C. 210
D. 212

38. Which chamber pumps blood to lungs?
A. Left atrium
B. Right atrium
C. Right ventricle ✓
D. Left ventricle

39. What type of muscle is found in the heart?
A. Skeletal
B. Smooth
C. Cardiac ✓
D. Voluntary

40. Which blood component carries oxygen?
A. White blood cells
B. Platelets

C. Plasma
D. Hemoglobin ✓

41. Which vitamin is essential for blood clotting?
A. A
B. B12
C. K ✓
D. C

42. Which part of the brain is responsible for memory?
A. Cerebellum
B. Hippocampus ✓
C. Medulla
D. Hypothalamus

43. Which bone protects the brain?
A. Vertebrae
B. Pelvis
C. Skull ✓
D. Sternum

44. Where is the thymus gland located?
A. Neck
B. Chest ✓
C. Abdomen
D. Brain

45. What is the outer layer of kidney called?
A. Cortex ✓
B. Medulla
C. Pelvis
D. Capsule

46. Which cell organelle produces energy?
A. Nucleus
B. Mitochondria ✓
C. Ribosome
D. Lysosome

47. How many cranial nerves are there?
A. 10
B. 12 ✓
C. 14
D. 16

48. Which blood vessels have valves?
A. Arteries

B. Veins ✓
C. Capillaries
D. Arterioles

49. The main function of large intestine is:
A. Digestion
B. Absorption
C. Water reabsorption ✓
D. Detoxification

50. The hearing organ is located in:
A. Inner ear ✓
B. Middle ear
C. Outer ear
D. Eardrum

51. Which muscle forms the floor of the chest cavity?
A. Intercostal
B. Pectoral
C. Diaphragm ✓
D. Sternocleidomastoid

52. What does ECG measure?
A. Brain activity
B. Lung capacity
C. Electrical activity of heart ✓
D. Blood pressure

53. Where are taste buds found?
A. Tongue ✓
B. Teeth
C. Lips
D. Palate

54. Which enzyme breaks down starch?
A. Lipase
B. Pepsin
C. Amylase ✓
D. Trypsin

55. What is the smallest unit of life?
A. Atom
B. Molecule
C. Cell ✓
D. Tissue

56. Which blood type is universal recipient?

A. A
B. B
C. AB positive ✓
D. O

57. Which gland regulates metabolism?
A. Adrenal
B. Thyroid ✓
C. Pancreas
D. Pituitary

58. Which bones form the wrist?
A. Carpals ✓
B. Metacarpals
C. Tarsals
D. Phalanges

59. What is the tube that connects kidney to bladder?
A. Urethra
B. Ureter ✓
C. Loop of Henle
D. Nephron

60. Which hormone controls blood sugar level?
A. Adrenaline
B. Thyroxine
C. Insulin ✓
D. Estrogen

61. Where is the heart located?
A. Right thorax
B. Center of chest
C. Left thoracic cavity ✓
D. Abdominal cavity

62. Which part of the eye helps in focusing?
A. Retina
B. Lens ✓
C. Iris
D. Sclera

63. What type of bone is vertebra?
A. Long
B. Flat
C. Irregular ✓
D. Short

64. Which mineral is needed for strong bones?
A. Sodium
B. Potassium
C. Calcium ✓
D. Iron

65. Where is the pineal gland located?
A. Brain ✓
B. Heart
C. Liver
D. Kidney

66. Which hormone regulates sleep-wake cycle?
A. Insulin
B. Thyroxine
C. Melatonin ✓
D. Oxytocin

67. Which organ purifies blood?
A. Liver
B. Spleen
C. Kidney ✓
D. Pancreas

68. The longest nerve in the body is:
A. Median nerve
B. Facial nerve
C. Sciatic nerve ✓
D. Vagus nerve

69. Which system includes skin, hair and nails?
A. Muscular
B. Integumentary ✓
C. Nervous
D. Digestive

70. The smallest blood vessels are:
A. Veins
B. Arteries
C. Capillaries ✓
D. Arterioles

71. Which chamber receives oxygenated blood?
A. Left atrium ✓
B. Right atrium
C. Right ventricle
D. Pulmonary artery

72. What is the main function of lungs?
A. Pump blood
B. Produce enzymes
C. Exchange gases ✓
D. Filter urine

73. Which enzyme digests protein in stomach?
A. Amylase
B. Pepsin ✓
C. Lipase
D. Maltase

74. Which organ is located behind the stomach?
A. Liver
B. Spleen
C. Pancreas ✓
D. Appendix

75. What is the role of cerebrum?
A. Balance
B. Memory & intelligence ✓
C. Breathing
D. Reflexes

76. Which part of nephron filters blood?
A. Tubule
B. Loop of Henle
C. Glomerulus ✓
D. Collecting duct

77. The upper arm bone is called:
A. Radius
B. Ulna
C. Humerus ✓
D. Femur

78. What connects bone to bone?
A. Tendon
B. Ligament ✓
C. Fascia
D. Cartilage

79. What is the fluid part of blood?
A. Serum
B. Hemoglobin
C. Plasma ✓

D. RBC

80. Which part of brain regulates body temperature?
A. Cerebrum
B. Cerebellum
C. Medulla
D. Hypothalamus ✓

81. What protects the spinal cord?
A. Ribs
B. Skull
C. Vertebral column ✓
D. Sternum

82. Which vitamin helps in calcium absorption?
A. A
B. B
C. D ✓
D. K

83. How many lobes are there in human lungs?
A. 4
B. 5 ✓
C. 6
D. 2

84. Which nerve controls diaphragm?
A. Sciatic
B. Phrenic ✓
C. Vagus
D. Facial

85. The part of brain responsible for emotion:
A. Hypothalamus
B. Cerebrum
C. Limbic system ✓
D. Medulla

86. Which system fights infections?
A. Nervous
B. Immune ✓
C. Digestive
D. Skeletal

87. Which part of skin makes fingerprints?
A. Dermis
B. Epidermis

C. Papillary layer ✓
D. Hypodermis

88. What is the function of spinal cord?
A. Digest food
B. Transmit nerve signals ✓
C. Pump blood
D. Store fat

89. The male reproductive hormone is:
A. Estrogen
B. Testosterone ✓
C. Progesterone
D. FSH

90. What is the normal pH of blood?
A. 6.8
B. 7.35–7.45 ✓
C. 7.0
D. 8.0

91. The first part of small intestine is:
A. Ileum
B. Duodenum ✓
C. Jejunum
D. Colon

92. Where are red blood cells made?
A. Liver
B. Spleen
C. Bone marrow ✓
D. Lymph nodes

93. The total number of vertebrae is:
A. 24
B. 33 ✓
C. 26
D. 28

94. Which blood vessel carries deoxygenated blood from heart to lungs?
A. Pulmonary vein
B. Pulmonary artery ✓
C. Aorta
D. Superior vena cava

95. Which body part has no blood supply?
A. Nail

B. Cartilage ✓
C. Skin
D. Bone

96. Which hormone increases heart rate?
A. Insulin
B. Adrenaline ✓
C. Estrogen
D. Thyroxine

97. What is the unit of heredity?
A. RNA
B. Chromosome
C. Gene ✓
D. Protein

98. Which vitamin helps in vision?
A. B12
B. A ✓
C. D
D. K

99. Which system includes the brain and spinal cord?
A. Respiratory
B. Nervous ✓
C. Circulatory
D. Endocrine

100. The largest artery in the body is:
A. Vena cava
B. Pulmonary artery
C. Aorta ✓
D. Coronary artery

101.What type of joint is found in the elbow?
A. Hinge ✓
B. Ball and Socket
C. Pivot
D. Gliding

102. Which organ is known as the 'graveyard of RBCs'?
A. Liver
B. Spleen ✓
C. Kidney
D. Bone marrow

103. Which bone is known as the breastbone?

A. Clavicle
B. Scapula
C. Sternum ✓
D. Humerus

104. Pacemaker of the heart is called:
A. AV node
B. SA node ✓
C. Purkinje fibers
D. Bundle of His

105. Which hormone regulates blood sugar level?
A. Thyroxine
B. Insulin ✓
C. Estrogen
D. Cortisol

106. The main function of hemoglobin is to:
A. Fight infection
B. Transport oxygen ✓
C. Produce hormones
D. Aid digestion

107. The hormone responsible for milk ejection is:
A. Prolactin
B. Oxytocin ✓
C. Estrogen
D. Testosterone

108. Enzyme that digests protein in the stomach is:
A. Amylase
B. Pepsin ✓
C. Trypsin
D. Lipase

109. Which hormone regulates calcium in the blood?
A. Insulin
B. Parathyroid hormone ✓
C. Thyroxine
D. Cortisol

110. Which organ secretes bile?
A. Pancreas
B. Gallbladder
C. Liver ✓
D. Small intestine

111. Which hormone stimulates milk production?
A. Oxytocin
B. Prolactin ✓
C. Estrogen
D. LH

112. The pH of normal urine is:
A. 2–4
B. 4.5–8 ✓
C. 7.35–7.45
D. 8–10

113. Which hormone is released in stress?
A. Insulin
B. Cortisol ✓
C. Testosterone
D. Prolactin

Integumentary System

1. The largest organ of the body is:

a) Liver

b) Skin ☑

c) Heart

d) Lungs

2. The outermost layer of skin is:

a) Dermis

b) Hypodermis

c) Epidermis ☑

d) Subcutaneous tissue

3. The protein that provides strength and waterproofing in skin is:

a) Melanin

b) Keratin ☑

c) Collagen

d) Elastin

4. The pigment responsible for skin color is:

a) Hemoglobin

b) Melanin ☑

c) Carotene

d) Keratin

5. Sweat is produced by:

a) Sebaceous glands

b) Apocrine and eccrine glands ☑

c) Hair follicles

d) Keratinocytes

6. The layer beneath the epidermis is:

a) Subcutaneous tissue

b) Dermis ☑

c) Stratum corneum

d) Stratum basale

7. Melanocytes are located in:

a) Dermis

b) Epidermis ☑

c) Hypodermis

d) Sweat glands

8. The primary function of sebaceous glands is:

a) Produce sweat

b) Lubricate skin and hair ☑

c) Regulate temperature

d) Produce melanin

9. The layer of epidermis responsible for cell division is:

a) Stratum corneum

b) Stratum granulosum

c) Stratum basale ☑

d) Stratum lucidum

10. The thickest layer of skin is:

a) Epidermis

b) Dermis ☑

c) Hypodermis

d) Stratum corneum

11. Which of the following is NOT a function of skin?

a) Protection

b) Vitamin D synthesis

c) Hormone production ☑

d) Sensation

12. The cells responsible for immune defense in skin are:

a) Keratinocytes

b) Langerhans cells ☑

c) Melanocytes

d) Fibroblasts

13. The type of sweat gland found mainly in the axilla and genital area is:

a) Eccrine

b) Apocrine ☑

c) Sebaceous

d) Ceruminous

14. The skin helps regulate body temperature mainly by:

a) Vasodilation and vasoconstriction ☑

b) Sebum secretion

c) Collagen production

d) Keratinization

15. The hypodermis is primarily composed of:

a) Muscle

b) Adipose tissue ☑

c) Keratin

d) Connective tissue only

16. Hair growth occurs from the:

a) Hair shaft

b) Hair follicle ☑

c) Dermis

d) Sebaceous gland

17. Nail growth occurs from the:

a) Nail bed

b) Lunula ☑

c) Nail plate

d) Cuticle

18. The main function of melanin is:

a) Lubrication

b) UV protection ☑

c) Sweat production

d) Sensation

19. Which vitamin is synthesized in the skin?

a) Vitamin A

b) Vitamin B12

c) Vitamin D ☑

d) Vitamin K

20. The tactile receptor responsible for light touch is:

a) Pacinian corpuscles

b) Meissner corpuscles ☑

c) Ruffini endings

d) Merkel cells

21. The receptor for deep pressure and vibration is:

a) Meissner corpuscles

b) Pacinian corpuscles ☑

c) Merkel cells

d) Free nerve endings

22. The skin’s acidic pH helps:

a) Increase sweating

b) Prevent bacterial growth ☑

c) Increase keratin

d) Stimulate melanin

23. The skin appendages include:

a) Hair, nails, glands ☑

b) Bones

c) Muscles

d) Cartilage

24. Callus formation is caused by:

a) Infection

b) Repeated friction ☑

c) Vitamin deficiency

d) Sun exposure

25. A blister is formed between:

a) Dermis and hypodermis

b) Epidermis and dermis ☑

c) Dermis and muscle

d) Epidermis and stratum corneum

26. The fibrous protein that provides elasticity to skin is:

a) Collagen

b) Elastin ☑

c) Keratin

d) Melanin

27. Pressure ulcers commonly develop over:

a) Bone prominences ☑

b) Hairy areas

c) Fingertips

d) Nails

28. The stratum corneum is composed of:

a) Living cells

b) Dead keratinized cells ☑

c) Collagen fibers

d) Melanocytes

29. The skin is considered:

a) A connective tissue

b) An organ ☑

c) A muscle

d) A gland

30. Sebum is primarily composed of:

a) Water and salts

b) Lipids ☑

c) Proteins

d) Carbohydrates

31. Common fungal infection of skin is called:

a) Impetigo

b) Tinea ☑

c) Psoriasis

d) Eczema

32. Which layer contains blood vessels, lymph vessels, and nerves?

a) Epidermis

b) Dermis ☑

c) Hypodermis

d) Stratum basale

33. The dermis is primarily made up of:

a) Collagen and elastin ☑

b) Keratin

c) Melanin

d) Adipose tissue

34. Vitiligo is caused by:

a) Fungal infection

b) Autoimmune destruction of melanocytes ☑

c) Excess melanin

d) Trauma

35. The white crescent at the base of the nail is called:

a) Cuticle

b) Lunula ☑

c) Nail plate

d) Nail bed

36. Eczema is characterized by:

a) Blisters

b) Dry, itchy, inflamed skin ☑

c) Hair loss

d) Thickened nails

37. Psoriasis is caused by:

a) Bacterial infection

b) Autoimmune disorder ☑

c) Fungal infection

d) Viral infection

38. Acne vulgaris is caused by:

a) Viral infection

b) Blocked sebaceous glands ☑

c) Fungal infection

d) Autoimmune disorder

39. The fastest-growing tissue in the body is:

a) Epidermis ☑

b) Dermis

c) Muscle

d) Bone

40. Hair color is determined by:

a) Sebum

b) Melanin ☑

c) Keratin

d) Collagen

41. Burns are classified by:

a) Cause only

b) Depth of skin damage ☑

c) Location

d) Age of patient

42. The most serious type of burn is:

a) First-degree

b) Second-degree

c) Third-degree ☑

d) Sunburn

43. Decubitus ulcers are also called:

a) Pressure sores ☑

b) Acne

c) Eczema

d) Psoriasis

44. Which skin cancer is most common but least deadly?

a) Melanoma

b) Basal cell carcinoma ☑

c) Squamous cell carcinoma

d) Kaposi sarcoma

45. ABCDE rule is used for:

a) Pressure ulcers

b) Skin cancer detection ☑

c) Burns

d) Fungal infection

46. Sunburn is primarily caused by:

a) UVA and UVB rays ☑

b) Infrared rays

c) X-rays

d) Microwaves

47. The skin is an excretory organ because it:

a) Produces enzymes

b) Eliminates sweat and waste products ☑

c) Absorbs nutrients

d) Synthesizes proteins

48. Keratinocytes originate from:

a) Dermis

b) Stratum basale ☑

c) Sebaceous glands

d) Hypodermis

49. Hives are also called:

a) Eczema

b) Urticaria ☑

c) Psoriasis

d) Acne

50. The common site for pressure ulcers in bedridden patients is:

a) Skull

b) Heel and sacrum ☑

c) Fingertips

d) Elbows

51. The primary function of sweat is:

a) Lubricate skin

b) Thermoregulation ☑

c) UV protection

d) Pigmentation

52. Which layer of the skin contains collagen and elastin fibers?

a) Epidermis

b) Dermis ☑

c) Hypodermis

d) Stratum corneum

53. The skin receptor responsible for detecting sustained pressure is:

a) Meissner corpuscle

b) Ruffini ending ☑

c) Pacinian corpuscle

d) Free nerve ending

54. The main type of cell in the epidermis is:

a) Keratinocyte ☑

b) Fibroblast

c) Melanocyte

d) Langerhans cell

55. Excessive sun exposure can lead to:

a) Melanoma ☑

b) Vitiligo

c) Acne

d) Alopecia

56. Alopecia refers to:

a) Nail infection

b) Hair loss ☑

c) Skin thickening

d) Blister formation

57. Sebaceous glands secrete:

a) Sweat

b) Sebum ☑

c) Melanin

d) Keratin

58. The epidermis is:

a) Vascular

b) Avascular ☑

c) Composed of adipose tissue

d) Muscle

59. Which vitamin deficiency can cause poor wound healing?

a) Vitamin C ☑

b) Vitamin D

c) Vitamin A

d) Vitamin K

60. Blisters are caused by:

a) Separation of epidermis and dermis ☑

b) Excess sebum

c) Collagen deficiency

d) Melanin overproduction

61. The skin protects against:

a) Mechanical injury ☑

b) Pathogens ☑

c) UV radiation ☑

d) All of the above ☑

62. Which skin layer contains blood vessels?

a) Epidermis

b) Dermis ☑

c) Stratum corneum

d) Stratum basale

63. The main component of the hypodermis is:

a) Collagen

b) Adipose tissue ☑

c) Keratin

d) Elastin

64. A common bacterial skin infection in children is:

a) Tinea

b) Impetigo ☑

c) Psoriasis

d) Eczema

65. Which of the following increases skin aging?

a) Smoking ☑

b) Hydration

c) Sunscreen

d) Vitamin C intake

66. Cyanosis is most visible in:

a) Lips and nail beds ☑

b) Hair

c) Palms

d) Scalp

67. Which layer of the epidermis is only found in thick skin?

a) Stratum basale

b) Stratum lucidum ☑

c) Stratum spinosum

d) Stratum granulosum

68. The arrector pili muscle causes:

a) Hair growth

b) Goosebumps ☑

c) Sebum secretion

d) Sweat secretion

69. The white patches in vitiligo are due to:

a) Infection

b) Loss of melanocytes ☑

c) Collagen deficiency

d) Sunburn

70. The primary cause of acne vulgaris is:

a) Viral infection

b) Bacterial infection and blocked follicles ☑

c) Fungal infection

d) Autoimmune disease

71. Basal cell carcinoma arises from:

a) Keratinocytes in stratum basale ☑

b) Melanocytes

c) Sebaceous glands

d) Sweat glands

72. Squamous cell carcinoma arises from:

a) Stratum corneum

b) Stratum spinosum ☑

c) Dermis

d) Hypodermis

73. Melanoma arises from:

a) Keratinocytes

b) Melanocytes ☑

c) Fibroblasts

d) Sebaceous glands

74. The ABCDE rule in melanoma stands for:

a) Age, Bleeding, Color, Diameter, Elevation

b) Asymmetry, Border, Color, Diameter, Evolving ☑

c) Area, Border, Color, Depth, Elevation

d) Asymmetry, Bleeding, Color, Depth, Erosion

75. Decubitus ulcers are most common in:

a) Sacrum and heels ☑

b) Scalp and forehead

c) Palms

d) Soles

76. Stage I pressure ulcer is:

a) Non-blanchable redness ☑

b) Full-thickness loss

c) Blister

d) Deep tissue injury

77. Stage II pressure ulcer is:

a) Non-blanchable redness

b) Partial-thickness loss of dermis ☑

c) Full-thickness loss

d) Exposed bone

78. Stage III pressure ulcer is:

a) Partial-thickness loss

b) Full-thickness skin loss ☑

c) Non-blanchable redness

d) Infection

79. Stage IV pressure ulcer is:

a) Blister

b) Full-thickness skin and tissue loss with exposed bone, tendon, or muscle ☑

c) Partial-thickness loss

d) Redness

80. Burns are classified by:

a) Depth ☑

b) Location

c) Cause

d) Age

81. First-degree burn involves:

a) Epidermis ☑

b) Epidermis and dermis

c) Dermis and hypodermis

d) Full thickness

82. Second-degree burn involves:

a) Epidermis only

b) Epidermis and dermis ☑

c) Dermis and hypodermis

d) Full thickness

83. Third-degree burn involves:

a) Epidermis

b) Dermis

c) Full thickness ☑

d) Superficial layers only

84. Frostbite primarily affects:

a) Skin, muscles, and bone ☑

b) Only epidermis

c) Only dermis

d) Nails

85. Hives are also called:

a) Urticaria ☑

b) Eczema

c) Psoriasis

d) Acne

86. The skin’s acidic pH is approximately:

a) 3.5

b) 5.5 ☑

c) 7.0

d) 8.5

87. Which layer contains Merkel cells?

a) Stratum basale ☑

b) Stratum spinosum

c) Stratum granulosum

d) Stratum corneum

88. The primary function of Langerhans cells is:

a) Pigmentation

b) Immune defense ☑

c) Keratin production

d) Collagen synthesis

89. The skin secretes:

a) Sweat ☑

b) Sebum ☑

c) Both sweat and sebum ☑

d) Only keratin

90. Eccrine sweat glands are primarily responsible for:

a) Thermoregulation ☑

b) Hair lubrication

c) Pigmentation

d) Vitamin D synthesis

91. Apocrine sweat glands are located in:

a) Palms

b) Soles

c) Axilla and genital area ☑

d) Scalp

92. Hyperpigmentation is caused by:

a) Excess melanin ☑

b) Lack of melanin

c) Sebum

d) Collagen

93. Hypopigmentation is caused by:

a) Excess melanin

b) Loss of melanin ☑

c) Sebum

d) Sweat

94. Skin turgor is used to assess:

a) Hydration status ☑

b) Infection

c) Sunburn severity

d) Nail health

95. Jaundice causes yellowish discoloration of:

a) Hair

b) Skin and sclera ☑

c) Nails

d) Lips

96. Cyanosis indicates:

a) Hyperoxygenation

b) Low oxygen in blood ☑

c) High bilirubin

d) Vitamin deficiency

97. Edema of skin is caused by:

a) Fluid accumulation ☑

b) Collagen excess

c) Keratin deficiency

d) Melanin accumulation

98. Skin elasticity decreases with:

a) Age ☑

b) Exercise

c) Proper hydration

d) Vitamin intake

99. Stretch marks are also called:

a) Ulcers

b) Striae ☑

c) Blisters

d) Papules

100. Keloid formation occurs due to:

a) Infection

b) Excess collagen deposition ☑

c) Melanin loss

d) Sebum accumulation

Muscular System

1. The functional unit of a muscle is called:

a) Fascicle

b) Myofibril

c) Sarcomere ☑

d) Myosin

2. Skeletal muscles are:

a) Involuntary

b) Voluntary ☑

c) Cardiac

d) Smooth

3. Cardiac muscles are:

a) Voluntary

b) Striated and involuntary ☑

c) Non-striated

d) Smooth

4. Smooth muscles are found in:

a) Heart

b) Blood vessels, gastrointestinal tract ☑

c) Skeletal muscles

d) Tendons

5. The protein responsible for muscle contraction is:

a) Keratin

b) Myosin and actin ☑

c) Collagen

d) Elastin

6. The connective tissue covering a single muscle fiber is called:

a) Epimysium

b) Perimysium

c) Endomysium ☑

d) Fascia

7. The connective tissue covering a whole muscle is called:

a) Endomysium

b) Perimysium

c) Epimysium ☑

d) Sarcolemma

8. The connective tissue surrounding a bundle of muscle fibers is called:

a) Endomysium

b) Perimysium ☑

c) Epimysium

d) Sarcoplasm

9. The plasma membrane of a muscle fiber is called:

a) Sarcoplasm

b) Sarcolemma ☑

c) Endomysium

d) Myofibril

10. The cytoplasm of a muscle fiber is called:

a) Sarcoplasm ☑

b) Sarcolemma

c) Myofibril

d) T-tubule

11. Which ion triggers muscle contraction?

a) Sodium

b) Potassium

c) Calcium ☑

d) Magnesium

12. Acetylcholine is released at:

a) Myofibril

b) Neuromuscular junction ☑

c) Sarcomere

d) T-tubule

13. The energy for muscle contraction is provided by:

a) ATP ☑

b) Glucose

c) Fat

d) Protein

14. Rigor mortis occurs due to:

a) Excess ATP

b) Lack of ATP ☑

c) Calcium deficiency

d) Actin deficiency

15. Type I muscle fibers are:

a) Fast-twitch

b) Slow-twitch ☑

c) Intermediate

d) None of the above

16. Type II muscle fibers are:

a) Slow-twitch

b) Fast-twitch ☑

c) Cardiac fibers

d) Smooth fibers

17. Which muscle is voluntary and striated?

a) Cardiac

b) Skeletal ☑

c) Smooth

d) All of the above

18. Which muscle is involuntary and striated?

a) Cardiac ☑

b) Skeletal

c) Smooth

d) None

19. Which muscle is involuntary and non-striated?

a) Cardiac

b) Skeletal

c) Smooth ☑

d) None

20. The sliding filament theory involves:

a) Actin sliding over myosin ☑

b) Myosin sliding over actin

c) Collagen fibers sliding

d) Elastin fibers sliding

21. The neurotransmitter responsible for muscle contraction is:

a) Dopamine

b) Acetylcholine ☑

c) Serotonin

d) Norepinephrine

22. Muscle fatigue is primarily caused by:

a) ATP depletion ☑

b) Calcium excess

c) Acetylcholine excess

d) Sodium accumulation

23. Oxygen debt occurs due to:

a) Lactic acid accumulation ☑

b) ATP excess

c) Calcium depletion

d) Fat accumulation

24. The muscle responsible for breathing is:

a) Diaphragm ☑

b) Biceps

c) Triceps

d) Rectus abdominis

25. Muscle tone refers to:

a) Contraction of muscles at rest ☑

b) Active contraction

c) Fatigue

d) Muscle elongation

26. The largest muscle in the human body is:

a) Biceps brachii

b) Gluteus maximus ☑

c) Quadriceps

d) Deltoid

27. The smallest muscle in the human body is:

a) Stapedius ☑

b) Tensor tympani

c) Biceps

d) Orbicularis oculi

28. Isometric contraction occurs when:

a) Muscle length changes

b) Muscle tension changes but length stays same ☑

c) Both length and tension change

d) None

29. Isotonic contraction occurs when:

a) Muscle length changes ☑

b) Muscle tension changes only

c) Both stay same

d) None

30. Tendons connect:

a) Muscle to bone ☑

b) Bone to bone

c) Muscle to muscle

d) Muscle to skin

31. Ligaments connect:

a) Muscle to bone

b) Bone to bone ☑

c) Muscle to muscle

d) Tendon to bone

32. The receptor that senses muscle stretch is:

a) Golgi tendon organ

b) Muscle spindle ☑

c) Pacinian corpuscle

d) Ruffini ending

33. Golgi tendon organs detect:

a) Muscle stretch

b) Muscle tension ☑

c) Vibration

d) Pain

34. Myoglobin in muscles is responsible for:

a) Contraction

b) Oxygen storage ☑

c) Energy production

d) Calcium release

35. During anaerobic respiration, muscles produce:

a) ATP only

b) Lactic acid ☑

c) Oxygen

d) Water

36. Hypertrophy refers to:

a) Muscle wasting

b) Muscle enlargement ☑

c) Muscle relaxation

d) Muscle stiffness

37. Atrophy refers to:

a) Muscle enlargement

b) Muscle wasting ☑

c) Muscle fatigue

d) Muscle contraction

38. Duchenne muscular dystrophy is caused by mutation in:

a) Myosin

b) Dystrophin ☑

c) Actin

d) Troponin

39. Tetany occurs due to:

a) Calcium excess

b) Calcium deficiency ☑

c) Magnesium excess

d) Sodium deficiency

40. The major muscle of the thigh is:

a) Biceps brachii

b) Quadriceps ☑

c) Hamstrings

d) Gluteus maximus

41. The hamstring muscles are located at:

a) Front of thigh

b) Back of thigh ☑

c) Front of arm

d) Back of arm

42. The rotator cuff muscles are associated with:

a) Knee joint

b) Shoulder joint ☑

c) Hip joint

d) Elbow joint

43. The largest arm muscle is:

a) Deltoid

b) Biceps brachii ☑

c) Triceps

d) Brachialis

44. The triceps brachii is responsible for:

a) Flexion of elbow

b) Extension of elbow ☑

c) Abduction of shoulder

d) Adduction of shoulder

45. The biceps brachii is responsible for:

a) Extension of elbow

b) Flexion of elbow ☑

c) Pronation only

d) Supination only

46. The diaphragm is innervated by:

a) Phrenic nerve ☑

b) Vagus nerve

c) Sciatic nerve

d) Median nerve

47. Cardiac muscles are connected by:

a) Gap junctions ☑

b) Desmosomes only

c) Endomysium

d) Sarcolemma

48. The contractile proteins in muscle are:

a) Actin and myosin ☑

b) Collagen and elastin

c) Keratin and melanin

d) Myoglobin and hemoglobin

49. Tropomyosin and troponin regulate:

a) Calcium release

b) Muscle contraction ☑

c) ATP synthesis

d) Muscle relaxation

50. The energy source for prolonged muscle activity is:

a) Creatine phosphate

b) Glycogen and oxidative phosphorylation ☑

c) ATP only

d) Lactic acid

51. The main muscle responsible for chewing is:

a) Masseter ☑

b) Temporalis

c) Buccinator

d) Sternocleidomastoid

52. The temporalis muscle is located at:

a) Neck

b) Temple region ☑

c) Cheek

d) Shoulder

53. The sternocleidomastoid muscle is responsible for:

a) Flexion and rotation of head ☑

b) Shoulder abduction

c) Elbow flexion

d) Hip extension

54. The deltoid muscle is responsible for:

a) Flexion of elbow

b) Abduction of shoulder ☑

c) Extension of knee

d) Rotation of neck

55. The main extensor of the forearm is:

a) Biceps brachii

b) Triceps brachii ☑

c) Brachialis

d) Deltoid

56. The muscle responsible for flexion of the forearm is:

a) Triceps brachii

b) Biceps brachii ☑

c) Deltoid

d) Brachioradialis

57. The major muscles of the anterior thigh include:

a) Quadriceps femoris ☑

b) Hamstrings

c) Gluteals

d) Gastrocnemius

58. The hamstring muscles include:

a) Biceps femoris, semitendinosus, semimembranosus ☑

b) Rectus femoris, vastus lateralis

c) Gluteus maximus, medius

d) Tibialis anterior, gastrocnemius

59. The primary plantar flexor of the foot is:

a) Tibialis anterior

b) Gastrocnemius ☑

c) Soleus

d) Peroneus longus

60. The primary dorsiflexor of the foot is:

a) Gastrocnemius

b) Soleus

c) Tibialis anterior ☑

d) Peroneus brevis

61. The muscle that raises the eyebrows is:

a) Orbicularis oculi

b) Frontalis ☑

c) Temporalis

d) Masseter

62. The orbicularis oris muscle is responsible for:

a) Closing eyes

b) Closing lips ☑

c) Smiling

d) Chewing

63. The zygomaticus major muscle is responsible for:

a) Frowning

b) Smiling ☑

c) Chewing

d) Blinking

64. The diaphragm separates:

a) Thoracic cavity from abdominal cavity ☑

b) Heart from lungs

c) Stomach from intestines

d) Brain from spinal cord

65. The external intercostal muscles aid in:

a) Expiration

b) Inspiration ☑

c) Flexion of spine

d) Shoulder abduction

66. The internal intercostal muscles aid in:

a) Inspiration

b) Expiration ☑

c) Flexion of neck

d) Abduction of arm

67. The latissimus dorsi muscle is responsible for:

a) Shoulder adduction and extension ☑

b) Shoulder abduction

c) Elbow flexion

d) Neck rotation

68. The trapezius muscle helps in:

a) Shoulder elevation ☑

b) Elbow extension

c) Hip flexion

d) Knee extension

69. The rotator cuff muscles include:

a) Supraspinatus, infraspinatus, teres minor, subscapularis ☑

b) Biceps, triceps, deltoid

c) Pectoralis major, minor

d) Latissimus dorsi, trapezius

70. The gluteus maximus muscle is responsible for:

a) Hip flexion

b) Hip extension ☑

c) Knee extension

d) Hip abduction

71. The gluteus medius muscle is responsible for:

a) Hip flexion

b) Hip abduction ☑

c) Knee flexion

d) Hip extension

72. The main muscle for chewing solid food is:

a) Masseter ☑

b) Temporalis

c) Buccinator

d) Sternocleidomastoid

73. The gastrocnemius and soleus muscles together form:

a) Achilles tendon ☑

b) Patellar tendon

c) Biceps tendon

d) Triceps tendon

74. The iliopsoas muscle is responsible for:

a) Hip flexion ☑

b) Hip extension

c) Knee flexion

d) Shoulder abduction

75. The tibialis anterior is responsible for:

a) Plantar flexion

b) Dorsiflexion ☑

c) Hip flexion

d) Knee extension

76. The pectoralis major muscle is responsible for:

a) Arm flexion, adduction, and medial rotation ☑

b) Arm extension

c) Elbow flexion

d) Shoulder abduction

77. The serratus anterior muscle is responsible for:

a) Protraction of scapula ☑

b) Retraction of scapula

c) Shoulder extension

d) Elbow flexion

78. The muscles of the rotator cuff stabilize:

a) Elbow joint

b) Knee joint

c) Shoulder joint ☑

d) Hip joint

79. The major flexor of the elbow is:

a) Biceps brachii ☑

b) Triceps brachii

c) Brachialis ☑

d) Deltoid

80. The muscle that extends the wrist is:

a) Flexor carpi radialis

b) Extensor carpi radialis ☑

c) Brachialis

d) Palmaris longus

81. The muscle that flexes the wrist is:

a) Flexor carpi radialis ☑

b) Extensor carpi radialis

c) Brachialis

d) Deltoid

82. The soleus muscle is located:

a) Anterior leg

b) Posterior leg ☑

c) Thigh

d) Arm

83. The biceps femoris is part of:

a) Quadriceps

b) Hamstrings ☑

c) Gluteals

d) Calf muscles

84. The quadriceps femoris is composed of:

a) Rectus femoris, vastus lateralis, vastus medialis, vastus intermedius ☑

b) Biceps femoris, semitendinosus

c) Gluteus maximus, medius

d) Gastrocnemius, soleus

85. The muscle responsible for smiling is:

a) Zygomaticus major ☑

b) Orbicularis oris

c) Masseter

d) Frontalis

86. The muscle responsible for frowning is:

a) Corrugator supercilii ☑

b) Zygomaticus major

c) Frontalis

d) Orbicularis oris

87. The sternocleidomastoid muscle is innervated by:

a) Phrenic nerve

b) Accessory nerve (cranial nerve XI) ☑

c) Vagus nerve

d) Median nerve

88. The diaphragm is innervated by:

a) Accessory nerve

b) Phrenic nerve ☑

c) Vagus nerve

d) Intercostal nerve

89. Muscles that perform opposite actions are called:

a) Agonist and antagonist ☑

b) Prime movers

c) Synergists

d) Fixators

90. The biceps brachii and triceps brachii are:

a) Agonist pairs

b) Antagonist pairs ☑

c) Synergists

d) Fixators

91. Muscles that assist the prime mover are called:

a) Antagonists

b) Synergists ☑

c) Agonists

d) Fixators

92. Fixator muscles stabilize:

a) The origin of the prime mover ☑

b) The insertion

c) The joint

d) The antagonist

93. The hamstrings are innervated by:

a) Femoral nerve

b) Sciatic nerve ☑

c) Obturator nerve

d) Tibial nerve

94. The quadriceps femoris is innervated by:

a) Sciatic nerve

b) Femoral nerve ☑

c) Obturator nerve

d) Tibial nerve

95. The deltoid muscle is innervated by:

a) Axillary nerve ☑

b) Musculocutaneous nerve

c) Radial nerve

d) Median nerve

96. The triceps brachii is innervated by:

a) Radial nerve ☑

b) Musculocutaneous nerve

c) Median nerve

d) Ulnar nerve

97. The biceps brachii is innervated by:

a) Radial nerve

b) Musculocutaneous nerve ☑

c) Median nerve

d) Ulnar nerve

98. The largest muscle in the posterior thigh is:

a) Biceps femoris ☑

b) Semitendinosus

c) Semimembranosus

d) Gluteus maximus

99. The gastrocnemius is a:

a) Anterior thigh muscle

b) Posterior leg muscle ☑

c) Calf muscle

d) Both b and c ☑

100. The primary muscle involved in forced inspiration is:

a) External intercostals ☑

b) Internal intercostals

c) Diaphragm

d) Abdominal muscles

Skeletal System

1. The adult human skeleton consists of how many bones?

a) 206 ☑

b) 208

c) 210

d) 212

2. The axial skeleton includes:

a) Skull, vertebral column, ribs, sternum ☑

b) Limbs and girdles

c) Pelvis only

d) Shoulder girdle only

3. The appendicular skeleton includes:

a) Skull and vertebrae

b) Limbs and girdles ☑

c) Sternum and ribs

d) Vertebrae only

4. The longest bone in the human body is:

a) Femur ☑

b) Tibia

c) Humerus

d) Fibula

5. The shortest bone in the body is:

a) Stapes ☑

b) Malleus

c) Incus

d) Ulna

6. The flat bones of the skull include:

a) Parietal, frontal, occipital ☑

b) Temporal only

c) Nasal only

d) Mandible

7. The bone forming the forehead is:

a) Parietal

b) Frontal ☑

c) Occipital

d) Temporal

8. The cheekbone is formed by:

a) Maxilla

b) Zygomatic ☑

c) Mandible

d) Nasal

9. The lower jaw bone is:

a) Maxilla

b) Mandible ☑

c) Zygomatic

d) Temporal

10. The upper jaw bone is:

a) Maxilla ☑

b) Mandible

c) Zygomatic

d) Nasal

11. The vertebral column has how many cervical vertebrae?

a) 5

b) 7 ☑

c) 12

d) 14

12. The vertebral column has how many thoracic vertebrae?

a) 7

b) 12 ☑

c) 5

d) 9

13. The vertebral column has how many lumbar vertebrae?

a) 5 ☑

b) 7

c) 12

d) 14

14. The sacrum consists of how many fused vertebrae?

a) 3

b) 5 ☑

c) 4

d) 6

15. The coccyx consists of how many fused vertebrae?

a) 2–4 ☑

b) 5–6

c) 1–2

d) 3–5

16. The first cervical vertebra is called:

a) Axis

b) Atlas ☑

c) C2

d) C3

17. The second cervical vertebra is called:

a) Atlas

b) Axis ☑

c) C3

d) C1

18. The sternum has three parts:

a) Manubrium, body, xiphoid process ☑

b) Body, xiphoid process only

c) Manubrium and body

d) Manubrium only

19. The rib cage consists of how many pairs of ribs?

a) 10

b) 12 ☑

c) 14

d) 8

20. True ribs are:

a) 1–7 ☑

b) 8–12

c) 11–12

d) 1–5

21. False ribs are:

a) 1–7

b) 8–12 ☑

c) 11–12

d) 1–5

22. Floating ribs are:

a) 1–2

b) 11–12 ☑

c) 8–10

d) 9–10

23. The pectoral girdle includes:

a) Clavicle and scapula ☑

b) Humerus

c) Sternum

d) Ribs

24. The pelvic girdle consists of:

a) Ilium, ischium, pubis ☑

b) Femur only

c) Sacrum only

d) Coccyx only

25. The bone forming the heel is:

a) Talus

b) Calcaneus ☑

c) Tarsals

d) Navicular

26. The patella is a:

a) Long bone

b) Short bone

c) Sesamoid bone ☑

d) Flat bone

27. Long bones have a central shaft called:

a) Epiphysis

b) Diaphysis ☑

c) Metaphysis

d) Endosteum

28. The ends of long bones are called:

a) Epiphysis ☑

b) Diaphysis

c) Metaphysis

d) Periosteum

29. The space inside the shaft of long bones is called:

a) Medullary cavity ☑

b) Marrow

c) Spongy bone

d) Periosteum

30. The periosteum is:

a) Inner lining of bone

b) Outer covering of bone ☑

c) Cavity inside bone

d) Spongy tissue

31. Red bone marrow produces:

a) Red blood cells, white blood cells, platelets ☑

b) Only RBC

c) Only WBC

d) Fat

32. Yellow bone marrow is mainly composed of:

a) Fat ☑

b) RBC

c) WBC

d) Calcium

33. The functional unit of compact bone is:

a) Osteon/Haversian system ☑

b) Trabeculae

c) Epiphysis

d) Medullary cavity

34. Osteocytes are:

a) Bone-forming cells

b) Mature bone cells ☑

c) Bone-resorbing cells

d) Cartilage cells

35. Osteoblasts are:

a) Bone-forming cells ☑

b) Bone-resorbing cells

c) Mature bone cells

d) Cartilage cells

36. Osteoclasts are:

a) Bone-forming cells

b) Bone-resorbing cells ☑

c) Mature bone cells

d) Chondrocytes

37. Which bone cell maintains bone matrix?

a) Osteoblast

b) Osteoclast

c) Osteocyte ☑

d) Chondrocyte

38. The skull sutures are examples of:

a) Synovial joints

b) Fibrous joints ☑

c) Cartilaginous joints

d) Ball-and-socket joints

39. The joint between atlas and axis is a:

a) Fibrous

b) Cartilaginous

c) Pivot joint ☑

d) Hinge joint

40. The elbow joint is a:

a) Hinge joint ☑

b) Pivot joint

c) Ball-and-socket

d) Saddle joint

41. The shoulder joint is a:

a) Hinge

b) Ball-and-socket ☑

c) Pivot

d) Saddle

42. The hip joint is a:

a) Hinge

b) Ball-and-socket ☑

c) Pivot

d) Gliding

43. The bones of the wrist are called:

a) Tarsals

b) Carpals ☑

c) Metacarpals

d) Phalanges

44. The bones of the ankle are called:

a) Carpals

b) Tarsals ☑

c) Metatarsals

d) Phalanges

45. The bones between wrist and fingers are called:

a) Carpals

b) Metacarpals ☑

c) Phalanges

d) Tarsals

46. The bones of fingers are called:

a) Carpals

b) Metacarpals

c) Phalanges ☑

d) Tarsals

47. The bones between ankle and toes are called:

a) Tarsals

b) Metatarsals ☑

c) Phalanges

d) Calcaneus

48. The bones of toes are called:

a) Tarsals

b) Metatarsals

c) Phalanges ☑

d) Calcaneus

49. The vertebra with the dens is:

a) Atlas

b) Axis ☑

c) C3

d) Lumbar 1

50. The shoulder blade is called:

a) Clavicle

b) Scapula ☑

c) Sternum

d) Humerus

51. The collarbone is called:

a) Scapula

b) Clavicle ☑

c) Sternum

d) Humerus

52. The humerus articulates proximally with:

a) Scapula ☑

b) Clavicle

c) Radius

d) Ulna

53. The humerus articulates distally with:

a) Radius and ulna ☑

b) Scapula

c) Clavicle

d) Carpals

54. The radius is located on the:

a) Lateral side of forearm ☑

b) Medial side of forearm

c) Posterior arm

d) Anterior arm

55. The ulna is located on the:

a) Lateral side of forearm

b) Medial side of forearm ☑

c) Posterior arm

d) Anterior arm

56. The pelvis is formed by:

a) Ilium, ischium, pubis ☑

b) Femur only

c) Sacrum only

d) Coccyx only

57. The femur articulates proximally with:

a) Tibia

b) Pelvis ☑

c) Patella

d) Fibula

58. The femur articulates distally with:

a) Tibia and patella ☑

b) Pelvis

c) Fibula

d) Humerus

59. The tibia is the:

a) Lateral bone of leg

b) Medial bone of leg ☑

c) Calf muscle

d) Foot bone

60. The fibula is the:

a) Lateral bone of leg ☑

b) Medial bone of leg

c) Calf muscle

d) Foot bone

61. The medial malleolus is part of:

a) Tibia ☑

b) Fibula

c) Talus

d) Calcaneus

62. The lateral malleolus is part of:

a) Tibia

b) Fibula ☑

c) Talus

d) Calcaneus

63. The heel bone is called:

a) Talus

b) Calcaneus ☑

c) Navicular

d) Cuboid

64. The bones forming the wrist are:

a) Carpals ☑

b) Metacarpals

c) Phalanges

d) Radius and ulna

65. The bones forming the ankle are:

a) Carpals

b) Tarsals ☑

c) Metatarsals

d) Phalanges

66. The femur is classified as a:

a) Long bone ☑

b) Short bone

c) Flat bone

d) Sesamoid bone

67. The patella is classified as a:

a) Long bone

b) Short bone

c) Sesamoid bone ☑

d) Flat bone

68. The vertebrae are classified as:

a) Long bones

b) Irregular bones ☑

c) Short bones

d) Flat bones

69. The ribs are classified as:

a) Long bones

b) Short bones

c) Flat bones ☑

d) Irregular bones

70. The sternum is classified as a:

a) Long bone

b) Flat bone ☑

c) Short bone

d) Sesamoid bone

71. The scapula is classified as a:

a) Long bone

b) Flat bone ☑

c) Short bone

d) Sesamoid bone

72. The bones of the skull are joined by:

a) Synovial joints

b) Fibrous joints (sutures) ☑

c) Cartilaginous joints

d) Ball-and-socket joints

73. The epiphyseal plate is responsible for:

a) Bone resorption

b) Bone growth in length ☑

c) Bone growth in width

d) Mineral storage

74. The periosteum contains:

a) Blood vessels, nerves, osteoblasts ☑

b) Only blood vessels

c) Only osteocytes

d) Only nerves

75. Compact bone forms:

a) The outer layer of bones ☑

b) The inner layer of bones

c) The epiphysis

d) The marrow

76. Spongy bone contains:

a) Trabeculae with red marrow ☑

b) Only yellow marrow

c) Only osteons

d) Only periosteum

77. Osteoporosis is caused by:

a) Decreased bone density ☑

b) Increased bone density

c) Infection

d) Trauma

78. Rickets is caused by deficiency of:

a) Calcium

b) Vitamin D ☑

c) Vitamin C

d) Phosphorus

79. Osteomalacia is:

a) Adult rickets ☑

b) Childhood rickets

c) Osteoporosis

d) Fracture

80. A greenstick fracture occurs in:

a) Adults

b) Children ☑

c) Elderly

d) All ages

81. The most common site of osteoporotic fracture is:

a) Femur, vertebrae, wrist ☑

b) Skull

c) Clavicle

d) Ribs

82. A compound fracture is:

a) Simple fracture

b) Bone protruding through skin ☑

c) Incomplete fracture

d) Hairline fracture

83. A comminuted fracture is:

a) Single break

b) Bone shattered into pieces ☑

c) Bone bent

d) Bone twisted

84. Synovial fluid is found in:

a) Fibrous joints

b) Cartilaginous joints

c) Synovial joints ☑

d) Sutures

85. Ball-and-socket joints allow:

a) Flexion only

b) Flexion and extension

c) Movement in multiple planes ☑

d) Rotation only

86. Hinge joints allow:

a) Flexion and extension only ☑

b) Rotation

c) Multi-planar movement

d) Gliding

87. Pivot joints allow:

a) Rotational movement ☑

b) Flexion

c) Extension

d) Sliding

88. Saddle joints allow:

a) Flexion and extension, adduction and abduction ☑

b) Rotation

c) Only flexion

d) Only extension

89. Gliding joints allow:

a) Sliding movement ☑

b) Rotation

c) Hinge movement

d) Ball-and-socket movement

90. The elbow is a:

a) Ball-and-socket

b) Hinge ☑

c) Pivot

d) Saddle

91. The hip joint is a:

a) Hinge

b) Ball-and-socket ☑

c) Pivot

d) Gliding

92. The shoulder joint is a:

a) Hinge

b) Ball-and-socket ☑

c) Pivot

d) Saddle

93. The knee joint is a:

a) Hinge ☑

b) Ball-and-socket

c) Pivot

d) Saddle

94. The temporomandibular joint is a:

a) Hinge and gliding ☑

b) Ball-and-socket

c) Pivot

d) Saddle

95. Articular cartilage is composed of:

a) Hyaline cartilage ☑

b) Fibrocartilage

c) Elastic cartilage

d) Bone

96. The menisci in the knee are:

a) Hyaline cartilage

b) Fibrocartilage ☑

c) Elastic cartilage

d) Bone

97. Ligaments connect:

a) Muscle to bone

b) Bone to bone ☑

c) Muscle to muscle

d) Bone to muscle

98. Tendons connect:

a) Bone to bone

b) Muscle to bone ☑

c) Muscle to muscle

d) Cartilage to bone

99. The skull bones are divided into:

a) Cranial and facial ☑

b) Axial and appendicular

c) Long and short

d) Flat and irregular

100. The only movable bone of the skull is:

a) Maxilla

b) Mandible ☑

c) Zygomatic

d) Temporal

Nervous System MCQs

1. The central nervous system (CNS) consists of:

a) Brain and spinal cord ☑

b) Brain and cranial nerves

c) Spinal cord and peripheral nerves

d) Peripheral ganglia

2. The peripheral nervous system (PNS) consists of:

a) Brain and spinal cord

b) Cranial and spinal nerves ☑

c) Brain only

d) Spinal cord only

3. The autonomic nervous system controls:

a) Voluntary muscles

b) Involuntary muscles ☑

c) Skeletal muscles

d) Somatic muscles

4. Sympathetic nervous system is part of:

a) CNS

b) PNS ☑

c) Somatic NS

d) Enteric NS

5. Parasympathetic nervous system is responsible for:

a) "Fight or flight"

b) "Rest and digest" ☑

c) Voluntary movement

d) Sensory input

6. The basic functional unit of the nervous system is:

a) Neuron ☑

b) Axon

c) Dendrite

d) Neuroglia

7. Dendrites carry impulses:

a) Toward the cell body ☑

b) Away from the cell body

c) Both directions

d) None

8. Axons carry impulses:

a) Toward the cell body

b) Away from the cell body ☑

c) Both directions

d) None

9. Myelin sheath is formed by:

a) Schwann cells ☑

b) Oligodendrocytes

c) Astrocytes

d) Microglia

10. In CNS, myelin sheath is formed by:

a) Schwann cells

b) Oligodendrocytes ☑

c) Astrocytes

d) Microglia

11. Nodes of Ranvier are:

a) Gaps in myelin sheath ☑

b) Tips of dendrites

c) End of axons

d) Synaptic terminals

12. Synapse is:

a) Gap between neurons ☑

b) Axon terminal

c) Dendrite

d) Cell body

13. Neurotransmitter at neuromuscular junction is:

a) Dopamine

b) Acetylcholine ☑

c) Serotonin

d) Norepinephrine

14. The resting membrane potential is:

a) Positive inside

b) Negative inside ☑

c) Zero

d) Positive outside

15. Depolarization occurs due to:

a) Sodium influx ☑

b) Potassium influx

c) Calcium influx

d) Chloride influx

16. Repolarization occurs due to:

a) Sodium influx

b) Potassium efflux ☑

c) Calcium influx

d) Chloride efflux

17. Action potentials are propagated along:

a) Dendrites

b) Axons ☑

c) Cell body

d) Synapse

18. Cerebrum is responsible for:

a) Voluntary movement, thinking, memory ☑

b) Coordination

c) Heart rate

d) Respiration

19. Cerebellum controls:

a) Voluntary movement

b) Coordination and balance ☑

c) Heart rate

d) Endocrine function

20. Brainstem includes:

a) Midbrain, pons, medulla oblongata ☑

b) Cerebrum and cerebellum

c) Thalamus and hypothalamus

d) Spinal cord

21. The thalamus functions as:

a) Motor control

b) Sensory relay station ☑

c) Coordination center

d) Autonomic center

22. The hypothalamus controls:

a) Endocrine system, temperature, hunger ☑

b) Voluntary movement

c) Balance

d) Sensory relay

23. The limbic system is responsible for:

a) Balance

b) Emotions, memory ☑

c) Voluntary movement

d) Vision

24. The spinal cord is protected by:

a) Skull

b) Vertebrae ☑

c) Ribs

d) Sternum

25. The outermost meninge is:

a) Dura mater ☑

b) Arachnoid mater

c) Pia mater

d) Subarachnoid space

26. The middle meninge is:

a) Dura mater

b) Arachnoid mater ☑

c) Pia mater

d) Subdural space

27. The innermost meninge is:

a) Dura mater

b) Arachnoid mater

c) Pia mater ☑

d) Subarachnoid space

28. Cerebrospinal fluid is produced by:

a) Choroid plexus ☑

b) Meninges

c) Brainstem

d) Spinal cord

29. Cranial nerve I is:

a) Olfactory ☑

b) Optic

c) Oculomotor

d) Trigeminal

30. Cranial nerve II is:

a) Olfactory

b) Optic ☑

c) Oculomotor

d) Trochlear

31. Cranial nerve III is:

a) Oculomotor ☑

b) Trochlear

c) Trigeminal

d) Abducens

32. Cranial nerve V is:

a) Trigeminal ☑

b) Facial

c) Vagus

d) Accessory

33. Cranial nerve VII is:

a) Trigeminal

b) Facial ☑

c) Glossopharyngeal

d) Vagus

34. Cranial nerve X is:

a) Hypoglossal

b) Vagus ☑

c) Accessory

d) Optic

35. The somatic nervous system controls:

a) Involuntary muscles

b) Voluntary muscles ☑

c) Heart rate

d) Digestion

36. The autonomic nervous system is divided into:

a) Sympathetic and parasympathetic ☑

b) Somatic and parasympathetic

c) Cranial and spinal

d) Voluntary and involuntary

37. Sympathetic stimulation causes:

a) Decreased heart rate

b) Increased heart rate ☑

c) Constriction of bronchi

d) Increased digestion

38. Parasympathetic stimulation causes:

a) Increased heart rate

b) Decreased heart rate ☑

c) Bronchodilation

d) Reduced digestion

39. The reflex arc includes:

a) Receptor, sensory neuron, CNS, motor neuron, effector ☑

b) Only sensory neuron

c) Only motor neuron

d) Brain only

40. The knee-jerk reflex is an example of:

a) Withdrawal reflex

b) Stretch reflex ☑

c) Flexor reflex

d) Crossed extensor reflex

41. The withdrawal reflex occurs in response to:

a) Pain ☑

b) Stretch

c) Pressure

d) Light

42. White matter of the brain contains:

a) Myelinated axons ☑

b) Cell bodies

c) Dendrites

d) Synapses

43. Gray matter of the brain contains:

a) Myelinated axons

b) Cell bodies ☑

c) Oligodendrocytes

d) Schwann cells

44. The corpus callosum connects:

a) Brainstem and spinal cord

b) Right and left cerebral hemispheres ☑

c) Cerebellum and brainstem

d) Thalamus and hypothalamus

45. The circle of Willis is associated with:

a) Spinal cord circulation

b) Cerebral arterial circulation ☑

c) Coronary circulation

d) Pulmonary circulation

46. The resting potential of neurons is maintained by:

a) Sodium-potassium pump ☑

b) Calcium pump

c) Chloride pump

d) ATPase

47. Saltatory conduction occurs in:

a) Unmyelinated axons

b) Myelinated axons ☑

c) Dendrites

d) Soma

48. Multiple sclerosis is caused by:

a) Demyelination of CNS neurons ☑

b) Demyelination of PNS neurons

c) Neuronal death

d) Axon hypertrophy

49. Parkinson’s disease is associated with deficiency of:

a) Serotonin

b) Dopamine ☑

c) Acetylcholine

d) GABA

50. Alzheimer’s disease is associated with:

a) Loss of dopamine neurons

b) Loss of cholinergic neurons ☑

c) Demyelination

d) Excess glutamate

51. The medulla oblongata controls:

a) Voluntary movement

b) Heart rate, respiration ☑

c) Memory

d) Vision

52. The pons connects:

a) Cerebrum to cerebellum ☑

b) Cerebrum to spinal cord

c) Spinal cord to medulla

d) Brainstem to hypothalamus

53. The midbrain is responsible for:

a) Visual and auditory reflexes ☑

b) Heart rate

c) Voluntary movement

d) Memory

54. The basal ganglia are responsible for:

a) Sensory relay

b) Coordination of movement ☑

c) Emotion

d) Vision

55. The reticular formation regulates:

a) Sleep and wakefulness ☑

b) Voluntary movement

c) Reflexes

d) Vision

56. The blood-brain barrier is formed by:

a) Astrocytes ☑

b) Oligodendrocytes

c) Schwann cells

d) Microglia

57. The cranial nerve responsible for eye movement is:

a) Optic

b) Oculomotor ☑

c) Trigeminal

d) Facial

58. The cranial nerve responsible for hearing and balance is:

a) Vestibulocochlear ☑

b) Optic

c) Trigeminal

d) Vagus

59. The cranial nerve responsible for tongue movement is:

a) Hypoglossal ☑

b) Vagus

c) Glossopharyngeal

d) Facial

60. The cranial nerve responsible for taste from anterior 2/3 of tongue is:

a) Facial ☑

b) Glossopharyngeal

c) Vagus

d) Hypoglossal

61. The cranial nerve responsible for taste from posterior 1/3 of tongue is:

a) Facial

b) Glossopharyngeal ☑

c) Vagus

d) Hypoglossal

62. The sympathetic nervous system uses which neurotransmitter at postganglionic neurons?

a) Acetylcholine

b) Norepinephrine ☑

c) Dopamine

d) Serotonin

63. The parasympathetic nervous system uses which neurotransmitter at postganglionic neurons?

a) Acetylcholine ☑

b) Norepinephrine

c) Dopamine

d) Serotonin

64. Afferent neurons carry impulses:

a) Toward CNS ☑

b) Away from CNS

c) Both directions

d) None

65. Efferent neurons carry impulses:

a) Toward CNS

b) Away from CNS ☑

c) Both directions

d) None

66. The somatosensory cortex is located in:

a) Frontal lobe

b) Parietal lobe ☑

c) Temporal lobe

d) Occipital lobe

67. The motor cortex is located in:

a) Frontal lobe ☑

b) Parietal lobe

c) Temporal lobe

d) Occipital lobe

68. Broca’s area is responsible for:

a) Speech production ☑

b) Speech comprehension

c) Vision

d) Hearing

69. Wernicke’s area is responsible for:

a) Speech production

b) Speech comprehension ☑

c) Voluntary movement

d) Balance

70. The primary visual cortex is located in:

a) Occipital lobe ☑

b) Parietal lobe

c) Temporal lobe

d) Frontal lobe

71. The primary auditory cortex is located in:

a) Temporal lobe ☑

b) Occipital lobe

c) Parietal lobe

d) Frontal lobe

72. The central sulcus separates:

a) Frontal and parietal lobes ☑

b) Parietal and occipital lobes

c) Temporal and occipital lobes

d) Frontal and temporal lobes

73. The lateral sulcus separates:

a) Frontal and parietal lobes

b) Frontal and temporal lobes ☑

c) Parietal and occipital lobes

d) Temporal and occipital lobes

74. The hippocampus is responsible for:

a) Emotions

b) Memory ☑

c) Voluntary movement

d) Balance

75. The amygdala is responsible for:

a) Memory

b) Emotions, especially fear ☑

c) Voluntary movement

d) Hearing

76. The substantia nigra is affected in:

a) Alzheimer’s disease

b) Parkinson’s disease ☑

c) Multiple sclerosis

d) Stroke

77. The cranial nerves that emerge from the brainstem include:

a) III–XII ☑

b) I–II

c) I–XII

d) V–X

78. The spinal cord extends from:

a) Medulla oblongata to L1–L2 ☑

b) Medulla oblongata to S1

c) Midbrain to L5

d) Brainstem to coccyx

79. Gray matter of the spinal cord is located:

a) Outer

b) Inner ☑

c) Peripheral

d) None

80. White matter of the spinal cord is located:

a) Outer ☑

b) Inner

c) Central

d) None

81. The dorsal horn contains:

a) Motor neurons

b) Sensory neurons ☑

c) Both

d) Autonomic neurons

82. The ventral horn contains:

a) Sensory neurons

b) Motor neurons ☑

c) Both

d) Interneurons

83. The dorsal root ganglion contains:

a) Motor neuron cell bodies

b) Sensory neuron cell bodies ☑

c) Interneurons

d) Autonomic neurons

84. The corticospinal tract is responsible for:

a) Sensory impulses

b) Voluntary motor control ☑

c) Reflexes

d) Autonomic function

85. The spinothalamic tract transmits:

a) Motor impulses

b) Pain and temperature ☑

c) Proprioception

d) Balance

86. The dorsal column transmits:

a) Pain and temperature

b) Fine touch, vibration, proprioception ☑

c) Motor impulses

d) Reflexes

87. The autonomic nervous system consists of:

a) Sympathetic and parasympathetic ☑

b) Somatic only

c) CNS only

d) PNS only

88. The enteric nervous system controls:

a) Heart

b) GI tract ☑

c) Lungs

d) Kidneys

89. Reflexes that involve only the spinal cord are called:

a) Cranial reflexes

b) Spinal reflexes ☑

c) Autonomic reflexes

d) Somatic reflexes

90. The Babinski sign indicates:

a) Normal adult reflex

b) Upper motor neuron lesion ☑

c) Lower motor neuron lesion

d) Peripheral neuropathy

91. The Romberg test assesses:

a) Vision

b) Balance and proprioception ☑

c) Muscle strength

d) Reflexes

92. Cranial nerve XII controls:

a) Tongue movement ☑

b) Eye movement

c) Facial expression

d) Hearing

93. Cranial nerve XI controls:

a) Neck and shoulder muscles ☑

b) Tongue

c) Facial expression

d) Vision

94. Cranial nerve IX controls:

a) Swallowing and taste posterior 1/3 ☑

b) Smiling

c) Eye movement

d) Hearing

95. The myelin in PNS is produced by:

a) Schwann cells ☑

b) Oligodendrocytes

c) Astrocytes

d) Microglia

96. The myelin in CNS is produced by:

a) Schwann cells

b) Oligodendrocytes ☑

c) Astrocytes

d) Microglia

97. Guillain-Barré syndrome affects:

a) CNS

b) PNS ☑

c) Brainstem

d) Spinal cord only

98. Amyotrophic lateral sclerosis affects:

a) Upper and lower motor neurons ☑

b) Sensory neurons

c) Autonomic neurons

d) Cerebellum

99. Huntington’s disease is caused by:

a) Loss of dopaminergic neurons

b) Loss of GABA neurons in basal ganglia ☑

c) Loss of cholinergic neurons

d) Demyelination

100. Bell’s palsy affects:

a) Trigeminal nerve

b) Facial nerve ☑

c) Glossopharyngeal nerve

d) Vagus nerve

Endocrine System

1. The primary function of the endocrine system is:

a) Transport oxygen

b) Hormone secretion ☑

c) Digestion

d) Immune defense

2. The pituitary gland is also called:

a) Master gland ☑

b) Thyroid

c) Adrenal gland

d) Pineal gland

3. The anterior pituitary secretes all EXCEPT:

a) Growth hormone

b) TSH

c) ADH ☑

d) ACTH

4. The posterior pituitary secretes:

a) TSH and ACTH

b) ADH and oxytocin ☑

c) GH and prolactin

d) Cortisol

5. Growth hormone (GH) is secreted by:

a) Anterior pituitary ☑

b) Posterior pituitary

c) Thyroid

d) Adrenal cortex

6. Thyroid-stimulating hormone (TSH) regulates:

a) Pituitary function

b) Thyroid hormone secretion ☑

c) Adrenal function

d) Gonadal function

7. Adrenocorticotropic hormone (ACTH) stimulates:

a) Thyroid

b) Adrenal cortex ☑

c) Adrenal medulla

d) Pineal gland

8. Prolactin regulates:

a) Milk production ☑

b) Growth

c) Thyroid function

d) Cortisol secretion

9. Oxytocin regulates:

a) Blood sugar

b) Uterine contraction and milk ejection ☑

c) Thyroid hormone

d) Cortisol secretion

10. Antidiuretic hormone (ADH) regulates:

a) Blood sugar

b) Water balance ☑

c) Blood pressure only

d) Thyroid function

11. Thyroid gland secretes:

a) T3 and T4 ☑

b) Calcitonin only

c) PTH

d) GH

12. T3 and T4 regulate:

a) Metabolism ☑

b) Blood pressure

c) Immune function

d) Reproduction

13. Calcitonin is secreted by:

a) Parathyroid

b) Thyroid C-cells ☑

c) Adrenal cortex

d) Pituitary

14. Parathyroid hormone (PTH) regulates:

a) Blood sugar

b) Calcium and phosphorus ☑

c) Metabolism

d) Cortisol secretion

15. The adrenal cortex secretes:

a) Epinephrine

b) Cortisol, aldosterone, and androgens ☑

c) ADH

d) Oxytocin

16. The adrenal medulla secretes:

a) Cortisol

b) Epinephrine and norepinephrine ☑

c) T3 and T4

d) PTH

17. Cortisol is classified as a:

a) Mineralocorticoid

b) Glucocorticoid ☑

c) Catecholamine

d) Sex hormone

18. Aldosterone regulates:

a) Blood sugar

b) Sodium and potassium balance ☑

c) Calcium

d) Cortisol

19. The pancreas has endocrine cells called:

a) Alpha and beta cells ☑

b) Acinar cells

c) Ductal cells

d) Parietal cells

20. Insulin is secreted by:

a) Alpha cells

b) Beta cells ☑

c) Delta cells

d) PP cells

21. Glucagon is secreted by:

a) Alpha cells ☑

b) Beta cells

c) Delta cells

d) PP cells

22. Insulin decreases:

a) Blood glucose ☑

b) Blood calcium

c) Blood sodium

d) Blood cortisol

23. Glucagon increases:

a) Blood glucose ☑

b) Blood calcium

c) Blood sodium

d) Blood cortisol

24. Somatostatin inhibits:

a) GH

b) Insulin and glucagon ☑

c) Cortisol

d) T3 and T4

25. The pineal gland secretes:

a) Melatonin ☑

b) Cortisol

c) T3

d) Insulin

26. Melatonin regulates:

a) Blood sugar

b) Sleep-wake cycle ☑

c) Calcium metabolism

d) Stress response

27. Hyperthyroidism is characterized by:

a) Weight gain

b) Weight loss, heat intolerance ☑

c) Cold intolerance

d) Bradycardia

28. Hypothyroidism is characterized by:

a) Weight loss

b) Weight gain, cold intolerance ☑

c) Tachycardia

d) Heat intolerance

29. Grave’s disease is:

a) Hypothyroidism

b) Hyperthyroidism ☑

c) Addison’s disease

d) Cushing’s syndrome

30. Hashimoto’s thyroiditis causes:

a) Hyperthyroidism

b) Hypothyroidism ☑

c) Addison’s disease

d) Cushing’s syndrome

31. Cushing’s syndrome is caused by:

a) Excess cortisol ☑

b) Deficient cortisol

c) Excess insulin

d) Deficient thyroid hormone

32. Addison’s disease is caused by:

a) Excess cortisol

b) Deficient cortisol ☑

c) Excess insulin

d) Deficient thyroid hormone

33. Pheochromocytoma is:

a) Adrenal cortical tumor

b) Adrenal medulla tumor secreting catecholamines ☑

c) Thyroid tumor

d) Pituitary tumor

34. Hyperparathyroidism causes:

a) Hypocalcemia

b) Hypercalcemia ☑

c) Hypoglycemia

d) Hyperglycemia

35. Hypoparathyroidism causes:

a) Hypocalcemia ☑

b) Hypercalcemia

c) Hyperglycemia

d) Hypoglycemia

36. Gigantism is caused by:

a) Excess GH in adults

b) Excess GH in children ☑

c) Deficient GH in children

d) Deficient GH in adults

37. Acromegaly is caused by:

a) Excess GH in adults ☑

b) Excess GH in children

c) Deficient GH in adults

d) Deficient GH in children

38. Diabetes mellitus type 1 is characterized by:

a) Insulin deficiency ☑

b) Insulin resistance

c) Excess insulin

d) Excess glucagon

39. Diabetes mellitus type 2 is characterized by:

a) Insulin deficiency

b) Insulin resistance ☑

c) Excess insulin

d) Excess cortisol

40. Hyperaldosteronism causes:

a) Hypokalemia, hypertension ☑

b) Hyperkalemia

c) Hypoglycemia

d) Hyperglycemia

41. Hypoaldosteronism causes:

a) Hyperkalemia, hypotension ☑

b) Hypokalemia

c) Hyperglycemia

d) Hypoglycemia

42. Endocrine glands are:

a) Ductless ☑

b) Ducted

c) Both

d) None

43. Hormones that require cell surface receptors are:

a) Steroid hormones

b) Peptide hormones ☑

c) Thyroid hormones

d) Lipid-soluble hormones

44. Steroid hormones act by:

a) Second messenger system

b) Directly on DNA in nucleus ☑

c) Membrane receptors

d) Ion channels

45. Cortisol increases:

a) Glucose, protein catabolism ☑

b) Fat storage

c) Insulin secretion

d) Calcium absorption

46. The thyroid hormone requires which mineral for synthesis?

a) Calcium

b) Iodine ☑

c) Sodium

d) Potassium

47. TSH is secreted by:

a) Hypothalamus

b) Anterior pituitary ☑

c) Thyroid

d) Posterior pituitary

48. CRH from hypothalamus stimulates:

a) ACTH secretion ☑

b) TSH secretion

c) GH secretion

d) ADH secretion

49. TRH from hypothalamus stimulates:

a) TSH secretion ☑

b) ACTH secretion

c) GH secretion

d) ADH secretion

50. GHRH stimulates:

a) GH secretion ☑

b) ACTH secretion

c) TSH secretion

d) Prolactin secretion

Endocrine System MCQs (51–100)

51. The hypothalamus regulates the endocrine system via:

a) Direct hormone secretion

b) Pituitary control ☑

c) Adrenal medulla

d) Thyroid gland

52. ADH deficiency causes:

a) Diabetes mellitus

b) Diabetes insipidus ☑

c) Cushing’s syndrome

d) Addison’s disease

53. SIADH (Syndrome of Inappropriate ADH) causes:

a) Polyuria

b) Water retention, hyponatremia ☑

c) Hyperkalemia

d) Hypoglycemia

54. Pineal gland dysfunction may cause:

a) Sleep disorders ☑

b) Diabetes

c) Hyperthyroidism

d) Addison’s disease

55. Endocrine pancreas contains which cell types?

a) Alpha, beta, delta, PP cells ☑

b) Only alpha and beta

c) Only beta

d) Only delta

56. Somatostatin from delta cells inhibits:

a) Insulin and glucagon ☑

b) GH only

c) ACTH

d) TSH

57. Glucocorticoids affect:

a) Metabolism, immune response ☑

b) Blood pressure only

c) Calcium absorption

d) Water retention only

58. Mineralocorticoids affect:

a) Sodium and potassium balance ☑

b) Glucose metabolism

c) Protein synthesis

d) Growth

59. Androgens are secreted by:

a) Adrenal cortex ☑

b) Adrenal medulla

c) Pituitary

d) Thyroid

60. Catecholamines are:

a) Cortisol and aldosterone

b) Epinephrine and norepinephrine ☑

c) T3 and T4

d) GH and prolactin

61. Cortisol secretion follows which pattern?

a) Constant

b) Diurnal, highest in morning ☑

c) Random

d) Night only

62. Addison’s disease features:

a) Hyperpigmentation ☑

b) Weight gain

c) Hypertension

d) Hyperglycemia

63. Cushing’s syndrome features:

a) Moon face, buffalo hump ☑

b) Weight loss

c) Hypotension

d) Hyperpigmentation

64. Graves’ disease may present with:

a) Exophthalmos ☑

b) Goiter

c) Heat intolerance ☑

d) All of the above ☑

65. Hypothyroidism in adults is called:

a) Myxedema ☑

b) Cretinism

c) Goiter

d) Hyperthyroidism

66. Hypothyroidism in infants is called:

a) Myxedema

b) Cretinism ☑

c) Goiter

d) Hyperthyroidism

67. Hyperparathyroidism may cause:

a) Osteoporosis ☑

b) Hypocalcemia

c) Tetany

d) Bradycardia

68. Hypoparathyroidism may cause:

a) Tetany, hypocalcemia ☑

b) Osteoporosis

c) Hypertension

d) Hyperglycemia

69. Insulin promotes:

a) Glycogen synthesis ☑

b) Glycogen breakdown

c) Lipolysis

d) Gluconeogenesis

70. Glucagon promotes:

a) Glycogenolysis ☑

b) Glycogen synthesis

c) Lipid storage

d) Protein synthesis

71. Hormones secreted by anterior pituitary include:

a) GH, TSH, ACTH, LH, FSH, prolactin ☑

b) ADH, oxytocin

c) Cortisol

d) Thyroid hormones

72. Hormones secreted by posterior pituitary include:

a) GH, TSH

b) ADH, oxytocin ☑

c) Cortisol

d) Aldosterone

73. Pineal gland regulates circadian rhythm via:

a) Cortisol

b) Melatonin ☑

c) GH

d) TSH

74. Gigantism occurs due to:

a) GH excess in children ☑

b) GH excess in adults

c) GH deficiency in children

d) GH deficiency in adults

75. Acromegaly occurs due to:

a) GH excess in adults ☑

b) GH excess in children

c) GH deficiency in adults

d) GH deficiency in children

76. Pituitary dwarfism occurs due to:

a) GH excess in children

b) GH deficiency in children ☑

c) Thyroid deficiency

d) Cortisol excess

77. Diabetes mellitus type 1 results from:

a) Autoimmune destruction of beta cells ☑

b) Insulin resistance

c) Excess glucagon

d) GH excess

78. Diabetes mellitus type 2 results from:

a) Autoimmune destruction

b) Insulin resistance ☑

c) Cortisol deficiency

d) Thyroid excess

79. Addison’s disease may cause:

a) Hyperpigmentation ☑

b) Hypertension

c) Hyperglycemia

d) Weight gain

80. Cushing’s syndrome may cause:

a) Moon face ☑

b) Hypotension

c) Weight loss

d) Hypoglycemia

81. Pheochromocytoma is diagnosed by:

a) Blood glucose

b) Urinary catecholamines ☑

c) Cortisol

d) TSH

82. Hyperthyroidism may present with:

a) Tachycardia ☑

b) Bradycardia

c) Weight gain

d) Cold intolerance

83. Hypothyroidism may present with:

a) Bradycardia ☑

b) Tachycardia

c) Weight loss

d) Heat intolerance

84. Thyroid hormones require:

a) Iodine ☑

b) Calcium

c) Sodium

d) Potassium

85. Aldosterone acts on:

a) Kidney ☑

b) Liver

c) Muscle

d) Heart

86. Cortisol affects:

a) Metabolism, immune system ☑

b) Calcium only

c) Sodium only

d) Blood pressure only

87. Insulin deficiency leads to:

a) Hyperglycemia ☑

b) Hypoglycemia

c) Hypercalcemia

d) Hyponatremia

88. Glucagon deficiency leads to:

a) Hypoglycemia ☑

b) Hyperglycemia

c) Hyponatremia

d) Hypercalcemia

89. Hypopituitarism may cause:

a) Dwarfism, hypothyroidism ☑

b) Hyperthyroidism

c) Cushing’s syndrome

d) Diabetes insipidus

90. Hyperpituitarism may cause:

a) Acromegaly, gigantism ☑

b) Cretinism

c) Hypothyroidism

d) Addison’s disease

91. Goiter occurs due to:

a) Iodine deficiency ☑

b) Excess calcium

c) Excess cortisol

d) GH deficiency

92. Thyroid storm is a complication of:

a) Hypothyroidism

b) Hyperthyroidism ☑

c) Addison’s disease

d) Cushing’s syndrome

93. Myxedema coma occurs in:

a) Hyperthyroidism

b) Hypothyroidism ☑

c) Addison’s disease

d) Cushing’s syndrome

94. TSH stimulates:

a) Thyroid hormone secretion ☑

b) Cortisol secretion

c) Insulin secretion

d) ADH secretion

95. ACTH stimulates:

a) Thyroid

b) Adrenal cortex ☑

c) Adrenal medulla

d) Pituitary

96. Prolactin excess may cause:

a) Galactorrhea ☑

b) Diabetes

c) Hypertension

d) Hyperthyroidism

97. ADH excess may cause:

a) Diabetes mellitus

b) SIADH ☑

c) Addison’s disease

d) Cushing’s syndrome

98. ADH deficiency may cause:

a) Diabetes insipidus ☑

b) SIADH

c) Hyperthyroidism

d) Hypothyroidism

99. Hypoparathyroidism may cause:

a) Tetany, hypocalcemia ☑

b) Hypercalcemia

c) Hyperglycemia

d) Hypertension

100. Hyperparathyroidism may cause:

a) Osteoporosis, hypercalcemia ☑

b) Hypocalcemia

c) Hypoglycemia

d) Hypokalemia

Respiratory System

1. The primary function of the respiratory system is:

a) Circulation of blood

b) Gas exchange ☑

c) Digestion

d) Hormone secretion

2. The main organ of respiration is:

a) Heart

b) Lungs ☑

c) Trachea

d) Bronchi

3. The conducting zone of the respiratory system includes:

a) Alveoli

b) Trachea, bronchi, bronchioles ☑

c) Respiratory bronchioles

d) Alveolar ducts

4. The respiratory zone includes:

a) Trachea and bronchi

b) Alveoli, alveolar ducts, respiratory bronchioles ☑

c) Larynx

d) Pharynx

5. The diaphragm is innervated by:

a) Vagus nerve

b) Phrenic nerve ☑

c) Spinal accessory nerve

d) Hypoglossal nerve

6. The pleura consists of:

a) Endothelium

b) Parietal and visceral layers ☑

c) Cartilage

d) Muscle

7. Inspiration occurs due to:

a) Diaphragm relaxation

b) Diaphragm contraction ☑

c) Alveolar contraction

d) Thoracic wall contraction only

8. Expiration is usually:

a) Active

b) Passive ☑

c) Forced only

d) None

9. Tidal volume (TV) is:

a) Maximal inspiration

b) Normal breath volume ☑

c) Residual volume

d) Vital capacity

10. Vital capacity (VC) includes:

a) TV only

b) TV + IRV + ERV ☑

c) RV only

d) TV + RV

11. Residual volume (RV) is:

a) Volume exhaled normally

b) Volume remaining after maximal exhalation ☑

c) Volume inhaled

d) Tidal volume

12. Total lung capacity (TLC) =

a) VC only

b) VC + RV ☑

c) TV only

d) IRV only

13. Functional residual capacity (FRC) =

a) RV + ERV ☑

b) TV + IRV

c) VC + RV

d) TV + ERV

14. Inspiratory reserve volume (IRV) =

a) Volume inhaled after normal inspiration ☑

b) Normal breath volume

c) Residual volume

d) Maximal exhalation volume

15. Expiratory reserve volume (ERV) =

a) Volume exhaled after normal expiration ☑

b) Normal breath volume

c) Residual volume

d) Tidal volume

16. Alveolar gas exchange occurs due to:

a) Diffusion ☑

b) Active transport

c) Filtration

d) Convection

17. Oxygen is transported in blood mostly bound to:

a) Plasma proteins

b) Hemoglobin ☑

c) White blood cells

d) Platelets

18. Carbon dioxide is transported in blood mostly as:

a) Dissolved CO_2

b) Carbaminohemoglobin

c) Bicarbonate ions ☑

d) Oxygen

19. The Bohr effect describes:

a) Effect of CO_2 on O_2 binding ☑

b) Effect of temperature on CO_2

c) Effect of pH on CO_2

d) Effect of O_2 on CO_2 binding

20. The Haldane effect describes:

a) Effect of O_2 on CO_2 binding ☑

b) Effect of pH on O_2

c) Effect of CO_2 on O_2 binding

d) Effect of temperature on O_2

21. The respiratory center is located in:

a) Cerebrum

b) Medulla oblongata ☑

c) Hypothalamus

d) Cerebellum

22. The dorsal respiratory group (DRG) controls:

a) Inspiration ☑

b) Expiration

c) Both

d) HR

23. The ventral respiratory group (VRG) controls:

a) Inspiration

b) Forced expiration ☑

c) Heart rate

d) Blood pressure

24. The pontine respiratory group modifies:

a) Inspiration and expiration ☑

b) Heart rate

c) Blood pressure

d) Alveolar surface tension

25. Central chemoreceptors respond to:

a) Blood oxygen

b) Blood CO_2 and pH ☑

c) Blood pressure

d) Blood glucose

26. Peripheral chemoreceptors respond to:

a) O_2, CO_2, pH ☑

b) Only O_2

c) Only CO_2

d) Only pH

27. Hypoventilation causes:

a) Respiratory alkalosis

b) Respiratory acidosis ☑

c) Metabolic alkalosis

d) Metabolic acidosis

28. Hyperventilation causes:

a) Respiratory acidosis

b) Respiratory alkalosis ☑

c) Metabolic acidosis

d) Metabolic alkalosis

29. The respiratory membrane consists of:

a) Alveolar epithelium, capillary endothelium, basement membrane ☑

b) Bronchi

c) Trachea

d) Pleura

30. Surfactant is secreted by:

a) Type I alveolar cells

b) Type II alveolar cells ☑

c) Macrophages

d) Fibroblasts

31. Surfactant reduces:

a) Lung compliance

b) Surface tension ☑

c) Diffusion

d) Tidal volume

32. Normal adult respiratory rate is:

a) 8–12/min

b) 12–20/min ☑

c) 20–30/min

d) 6–10/min

33. Partial pressure of oxygen in arterial blood (PaO_2) is:

a) 40 mmHg

b) 80–100 mmHg ☑

c) 20 mmHg

d) 120 mmHg

34. Partial pressure of carbon dioxide in arterial blood ($PaCO_2$) is:

a) 20 mmHg

b) 35–45 mmHg ☑

c) 50 mmHg

d) 60 mmHg

35. Hemoglobin saturation (SaO_2) is normally:

a) 70–80%

b) 95–100% ☑

c) 80–90%

d) 60–70%

36. The normal pH of arterial blood is:

a) 7.25

b) 7.35–7.45 ☑

c) 7.5–7.6

d) 7.1–7.2

37. COPD is characterized by:

a) Restrictive lung disease

b) Obstructive lung disease ☑

c) Decreased CO_2

d) Hyperventilation

38. Asthma is:

a) Restrictive lung disease

b) Obstructive, reversible airway disease ☑

c) Interstitial lung disease

d) Pulmonary embolism

39. Pneumothorax is:

a) Fluid in pleural space

b) Air in pleural space ☑

c) Infection in alveoli

d) Pulmonary edema

40. Pulmonary edema is:

a) Air in alveoli

b) Fluid in alveoli ☑

c) Obstruction of bronchi

d) Collapse of lung

41. Hypercapnia means:

a) High O_2

b) High CO_2 ☑

c) Low CO_2

d) Low O_2

42. Hypoxemia means:

a) Low O_2 in blood ☑

b) Low CO_2

c) High CO_2

d) High O_2

43. The FEV_1/FVC ratio in normal lungs is:

a) 50–60%

b) 70–80% ☑

c) 30–40%

d) 90–100%

44. Spirometry measures:

a) Heart rate

b) Lung volumes and capacities ☑

c) Blood gases

d) Blood pressure

45. Pulmonary circulation is:

a) High pressure, low flow

b) Low pressure, high flow ☑

c) Low pressure, low flow

d) High pressure, high flow

46. Systemic circulation is:

a) Low pressure

b) High pressure ☑

c) Low flow

d) None

47. V/Q ratio refers to:

a) Ventilation/perfusion ☑

b) Volume/pressure

c) Velocity/pressure

d) Ventilation/pH

48. Normal V/Q ratio is approximately:

a) 0.5

b) 0.8 ☑

c) 1.5

d) 2

49. Hypoxia is defined as:

a) Low CO_2 in tissue

b) Low O_2 in tissue ☑

c) High O_2

d) High CO_2

50. Cyanosis appears when:

a) Hb < 10 g/dL

b) Deoxygenated Hb > 5 g/dL ☑

c) PaO_2 > 100 mmHg

d) $PaCO_2$ < 35 mmHg

51. The most common cause of chronic bronchitis is:

a) Viral infection

b) Smoking ☑

c) Asthma

d) Tuberculosis

52. Emphysema is characterized by:

a) Alveolar collapse

b) Alveolar destruction and air trapping ☑

c) Bronchial obstruction only

d) Pleural effusion

53. Pulmonary embolism usually originates from:

a) Right atrium

b) Deep vein thrombosis ☑

c) Left ventricle

d) Pulmonary artery

54. Symptoms of pulmonary embolism include:

a) Chest pain, dyspnea, hemoptysis ☑

b) Fever only

c) Cyanosis only

d) Hypertension only

55. The most common type of lung cancer is:

a) Small cell carcinoma

b) Non-small cell carcinoma ☑

c) Adenocarcinoma

d) Squamous cell carcinoma

56. The primary pathogen causing tuberculosis is:

a) Streptococcus pneumoniae

b) Mycobacterium tuberculosis ☑

c) Staphylococcus aureus

d) Klebsiella pneumoniae

57. Mantoux test is used to detect:

a) Asthma

b) Tuberculosis ☑

c) Pneumonia

d) COPD

58. Oxygen therapy is indicated in patients with:

a) Hypoxemia ☑

b) Hypercapnia only

c) Hypertension

d) Hypotension

59. The normal oxygen saturation (SpO_2) is:

a) 85–90%

b) 95–100% ☑

c) 75–85%

d) 90–94%

60. Pulmonary function tests (PFT) assess:

a) Heart rate

b) Lung function ☑

c) Blood pressure

d) Oxygen saturation

61. Restrictive lung disease is characterized by:

a) Decreased lung volumes ☑

b) Airflow obstruction

c) Hypercapnia

d) Hypoxia only

62. Obstructive lung disease is characterized by:

a) Decreased FEV_1/FVC ratio ☑

b) Increased FEV_1/FVC ratio

c) Normal lung function

d) Hyperventilation

63. Asthma triggers include:

a) Allergens, exercise, cold air ☑

b) High calcium

c) Low sodium

d) Hypoglycemia

64. Acute asthma attack is treated with:

a) Beta-2 agonists ☑

b) Beta blockers

c) ACE inhibitors

d) Calcium channel blockers

65. Chronic asthma management includes:

a) Inhaled corticosteroids ☑

b) Antibiotics only

c) Diuretics

d) Vasodilators

66. Cystic fibrosis is caused by:

a) Genetic mutation in CFTR gene ☑

b) Bacterial infection

c) Viral infection

d) Autoimmune disease

67. Cystic fibrosis mainly affects:

a) Lungs and pancreas ☑

b) Liver only

c) Kidneys

d) Heart

68. Bronchiectasis is characterized by:

a) Reversible airway narrowing

b) Irreversible airway dilation ☑

c) Pleural effusion

d) Pulmonary edema

69. Sleep apnea may cause:

a) Daytime sleepiness ☑

b) Bradycardia

c) Hypertension only

d) Fever

70. Continuous positive airway pressure (CPAP) is used for:

a) Asthma

b) Sleep apnea ☑

c) Pneumonia

d) Pulmonary embolism

71. Pneumonia is:

a) Lung infection ☑

b) Airway obstruction

c) Alveolar collapse

d) Pulmonary edema

72. Common pneumonia pathogens include:

a) Streptococcus pneumoniae ☑

b) Staphylococcus aureus ☑

c) Klebsiella pneumoniae ☑

d) All of the above ☑

73. Bacterial pneumonia often presents with:

a) Fever, productive cough, chest pain ☑

b) Headache only

c) Bradycardia only

d) Hypotension only

74. Viral pneumonia often presents with:

a) Fever, dry cough ☑

b) Productive cough

c) Hemoptysis

d) Cyanosis

75. Acute respiratory distress syndrome (ARDS) is characterized by:

a) Pulmonary edema, hypoxemia ☑

b) Hypercapnia only

c) Airway obstruction

d) Hypotension only

76. Pulmonary hypertension can lead to:

a) Right heart failure ☑

b) Left heart failure

c) Kidney failure

d) Liver failure

77. Pleural effusion is:

a) Air in pleural space

b) Fluid in pleural space ☑

c) Infection in alveoli

d) Bronchial obstruction

78. Common causes of pleural effusion include:

a) Heart failure ☑

b) Infection ☑

c) Malignancy ☑

d) All of the above ☑

79. Empyema is:

a) Blood in pleural space

b) Pus in pleural space ☑

c) Air in pleural space

d) Fluid only

80. Pneumothorax may be:

a) Spontaneous ☑

b) Traumatic ☑

c) Tension ☑

d) All of the above ☑

81. Hemothorax is:

a) Air in pleural space

b) Blood in pleural space ☑

c) Pus

d) Serous fluid

82. The most common symptom of lung cancer is:

a) Hemoptysis ☑

b) Fever

c) Dyspnea only

d) Chest pain only

83. Clubbing of fingers is associated with:

a) COPD ☑

b) Interstitial lung disease ☑

c) Cystic fibrosis ☑

d) All of the above ☑

84. The primary stimulus for respiration under normal conditions is:

a) Hypoxia

b) Hypercapnia ☑

c) pH only

d) Blood pressure

85. Hypoventilation leads to:

a) Respiratory alkalosis

b) Respiratory acidosis ☑

c) Metabolic acidosis

d) Metabolic alkalosis

86. Hyperventilation leads to:

a) Respiratory alkalosis ☑

b) Respiratory acidosis

c) Metabolic acidosis

d) Metabolic alkalosis

87. Tracheostomy is indicated in:

a) Upper airway obstruction ☑

b) Lower airway obstruction

c) Pulmonary edema

d) Pulmonary embolism

88. Incentive spirometry is used to:

a) Measure blood gases

b) Improve lung expansion ☑

c) Treat infection

d) Measure oxygen saturation

89. Peak expiratory flow rate (PEFR) is used in:

a) COPD monitoring ☑

b) Pulmonary embolism

c) Pneumothorax

d) ARDS

90. Chest X-ray in pneumonia typically shows:

a) Air bronchograms ☑

b) Pleural effusion only

c) Pneumothorax only

d) Pulmonary hypertension

91. Asthma is associated with:

a) Reversible airway obstruction ☑

b) Irreversible obstruction

c) Pulmonary edema

d) Pleural effusion

92. Chronic bronchitis is defined as cough with sputum for:

a) 1 month

b) ≥3 months for 2 consecutive years ☑

c) 6 months

d) 1 year

93. The classic triad of ARDS is:

a) Hypoxemia, bilateral infiltrates, no heart failure ☑

b) Fever, cough, dyspnea

c) Chest pain, hemoptysis, cyanosis

d) Hypercapnia, hypotension, tachycardia

94. The most common type of pleural effusion is:

a) Transudate ☑

b) Exudate

c) Hemothorax

d) Chylothorax

95. Pneumonia prevention includes:

a) Vaccination ☑

b) Smoking cessation ☑

c) Hand hygiene ☑

d) All of the above ☑

96. Chronic hypoxia may lead to:

a) Polycythemia ☑

b) Anemia

c) Leukopenia

d) Thrombocytopenia

97. Oxygen therapy should be used cautiously in:

a) COPD patients with CO_2 retention ☑

b) Asthma patients

c) Pneumonia patients

d) Pulmonary embolism

98. Clubbing is a sign of:

a) Chronic hypoxia ☑

b) Acute infection

c) Pulmonary embolism only

d) Pneumothorax only

99. Cyanosis is caused by:

a) Decreased oxygen saturation ☑

b) Increased CO_2

c) Decreased CO_2

d) High hemoglobin only

100. The most effective method to prevent hospital-acquired pneumonia is:

a) Hand hygiene ☑

b) Oxygen therapy

c) Bronchodilators

d) Incentive spirometry

Digestive System

1. The main function of the digestive system is:

a) Gas exchange

b) Breakdown and absorption of nutrients ☑

c) Circulation

d) Hormone secretion

2. The digestive tract is also called:

a) Alimentary canal ☑

b) Respiratory tract

c) Urinary tract

d) Cardiovascular system

3. The first part of the digestive tract is:

a) Stomach

b) Mouth ☑

c) Esophagus

d) Small intestine

4. Saliva contains:

a) Pepsin

b) Amylase ☑

c) Lipase

d) Trypsin

5. The enzyme that begins starch digestion is:

a) Lipase

b) Amylase ☑

c) Pepsin

d) Trypsin

6. Swallowing is controlled by:

a) Medulla oblongata ☑

b) Cerebellum

c) Spinal cord

d) Hypothalamus

7. The esophagus connects:

a) Mouth to pharynx

b) Pharynx to stomach ☑

c) Stomach to duodenum

d) Small intestine to large intestine

8. The lower esophageal sphincter prevents:

a) Vomiting

b) Acid reflux ☑

c) Peristalsis

d) Swallowing

9. The stomach secretes:

a) Amylase

b) Pepsinogen ☑

c) Trypsin

d) Lipase

10. Pepsinogen is activated to pepsin by:

a) Bile

b) Hydrochloric acid ☑

c) Trypsin

d) Lipase

11. Parietal cells of the stomach secrete:

a) Pepsin

b) HCl and intrinsic factor ☑

c) Amylase

d) Bicarbonate

12. Intrinsic factor is essential for:

a) Calcium absorption

b) Vitamin B12 absorption ☑

c) Iron absorption

d) Vitamin D absorption

13. The small intestine consists of:

a) Duodenum, jejunum, ileum ☑

b) Cecum, colon, rectum

c) Stomach, duodenum, jejunum

d) Esophagus, stomach, duodenum

14. The duodenum receives:

a) Pancreatic juice and bile ☑

b) Gastric juice only

c) Saliva only

d) Intestinal juice only

15. Bile is produced by:

a) Pancreas

b) Liver ☑

c) Gallbladder

d) Stomach

16. Bile helps in digestion of:

a) Carbohydrates

b) Proteins

c) Lipids ☑

d) Nucleic acids

17. Pancreatic juice contains:

a) Amylase, lipase, proteases ☑

b) Only amylase

c) Only lipase

d) Only protease

18. The large intestine absorbs:

a) Proteins

b) Water and electrolytes ☑

c) Lipids

d) Vitamins only

19. The appendix is located at:

a) Beginning of duodenum

b) Cecum ☑

c) Stomach

d) Sigmoid colon

20. The chief cells of the stomach secrete:

a) HCl

b) Pepsinogen ☑

c) Intrinsic factor

d) Amylase

21. Gastrin is secreted by:

a) Pancreas

b) G-cells of stomach ☑

c) Small intestine

d) Liver

22. Secretin is secreted by:

a) Stomach

b) Duodenum ☑

c) Pancreas

d) Liver

23. Cholecystokinin (CCK) stimulates:

a) Gastric acid

b) Gallbladder contraction and pancreatic enzyme secretion ☑

c) Saliva

d) Bile production only

24. The major site of nutrient absorption is:

a) Stomach

b) Small intestine ☑

c) Large intestine

d) Mouth

25. Villi and microvilli increase:

a) Secretion

b) Absorption surface area ☑

c) Motility

d) Blood flow

26. Lactose intolerance is due to:

a) Lack of amylase

b) Lack of lactase ☑

c) Lack of pepsin

d) Lack of lipase

27. The liver stores:

a) Vitamin C

b) Glycogen, fat-soluble vitamins ☑

c) Vitamin B12 only

d) Iron only

28. The gallbladder stores:

a) Pancreatic juice

b) Bile ☑

c) Gastric juice

d) Saliva

29. The sphincter of Oddi controls:

a) Gastric emptying

b) Flow of bile and pancreatic juice into duodenum ☑

c) Esophageal opening

d) Rectal opening

30. Peristalsis refers to:

a) Absorption

b) Wave-like muscular contractions ☑

c) Enzyme secretion

d) Hormone secretion

31. Segmentation occurs mainly in:

a) Stomach

b) Small intestine ☑

c) Large intestine

d) Esophagus

32. The ileocecal valve prevents:

a) Backflow from cecum to ileum ☑

b) Reflux into stomach

c) Bile reflux

d) Pancreatic juice reflux

33. The primary enzyme for protein digestion in the stomach is:

a) Trypsin

b) Pepsin ☑

c) Amylase

d) Lipase

34. Trypsin is secreted by:

a) Stomach

b) Pancreas ☑

c) Liver

d) Small intestine

35. Amylase digests:

a) Proteins

b) Carbohydrates ☑

c) Lipids

d) Nucleic acids

36. Lipase digests:

a) Carbohydrates

b) Proteins

c) Lipids ☑

d) Nucleic acids

37. The enteric nervous system is located in:

a) Brain

b) GI tract wall ☑

c) Spinal cord

d) Liver

38. Gastric emptying is slowed by:

a) Fat, acid, hypertonic chyme ☑

b) Water

c) Carbohydrate only

d) Protein only

39. Achalasia is:

a) Failure of lower esophageal sphincter to relax ☑

b) Peptic ulcer

c) Gastritis

d) GERD

40. Gastroesophageal reflux disease (GERD) is due to:

a) Weak lower esophageal sphincter ☑

b) Excess bile

c) Gastritis

d) Peptic ulcer

41. Peptic ulcers are most commonly caused by:

a) H. pylori ☑

b) E. coli

c) Staphylococcus

d) Candida

42. Hepatitis B virus primarily affects:

a) Stomach

b) Liver ☑

c) Pancreas

d) Small intestine

43. Cirrhosis results in:

a) Hepatic fibrosis and nodules ☑

b) Fatty liver only

c) Hepatitis only

d) Pancreatitis

44. Jaundice is caused by:

a) High bilirubin ☑

b) Low bilirubin

c) High amylase

d) High lipase

45. Ascites is:

a) Fluid in pleural space

b) Fluid in peritoneal cavity ☑

c) Gas in peritoneal cavity

d) Blood in peritoneal cavity

46. Appendicitis commonly presents with:

a) Right lower quadrant pain ☑

b) Left lower quadrant pain

c) Epigastric pain

d) Diffuse abdominal pain only

47. The main site of water absorption is:

a) Stomach

b) Small intestine

c) Large intestine ☑

d) Duodenum

48. Diverticulosis involves:

a) Inflammation of appendix

b) Pouches in colon wall ☑

c) Peptic ulcers

d) Gastritis

49. Hemorrhoids are:

a) Swollen veins in anus ☑

b) Intestinal polyps

c) Diverticula

d) Ulcers

50. The main bacterial flora of the colon help in:

a) Protein digestion

b) Vitamin K synthesis ☑

c) Fat digestion

d) Carbohydrate absorption

51. The most common site of peptic ulcer is:

a) Stomach

b) Duodenum ☑

c) Esophagus

d) Jejunum

52. Zollinger-Ellison syndrome is characterized by:

a) Excess insulin

b) Gastrin-secreting tumor ☑

c) Fat malabsorption

d) Vitamin B12 deficiency

53. Hepatic portal vein carries blood from:

a) Heart to liver

b) Gastrointestinal tract to liver ☑

c) Lungs to liver

d) Pancreas to liver

54. Portal hypertension may cause:

a) Ascites ☑

b) Hepatic encephalopathy ☑

c) Esophageal varices ☑

d) All of the above ☑

55. Cirrhosis can lead to:

a) Portal hypertension ☑

b) Ascites ☑

c) Coagulopathy ☑

d) All of the above ☑

56. Gallstones (cholelithiasis) are primarily composed of:

a) Calcium

b) Cholesterol ☑

c) Bilirubin

d) Protein

57. Risk factors for gallstones include:

a) Obesity ☑

b) Female gender ☑

c) Pregnancy ☑

d) All of the above ☑

58. Cholecystitis is usually caused by:

a) Viral infection

b) Gallstone obstruction ☑

c) Bacterial infection only

d) Autoimmune disease

59. Acute pancreatitis commonly presents with:

a) Epigastric pain radiating to back ☑

b) Fever only

c) Diarrhea only

d) Jaundice only

60. Serum amylase and lipase are elevated in:

a) Hepatitis

b) Pancreatitis ☑

c) Gallstones only

d) Gastritis

61. Chronic pancreatitis may result in:

a) Malabsorption ☑

b) Diabetes mellitus ☑

c) Weight loss ☑

d) All of the above ☑

62. Crohn’s disease can affect:

a) Entire GI tract ☑

b) Only colon

c) Only small intestine

d) Only rectum

63. Ulcerative colitis primarily affects:

a) Colon and rectum ☑

b) Small intestine

c) Stomach

d) Esophagus

64. Celiac disease is due to:

a) Gluten sensitivity ☑

b) Lactose intolerance

c) Bacterial infection

d) Viral infection

65. Symptoms of celiac disease include:

a) Diarrhea ☑

b) Malabsorption ☑

c) Weight loss ☑

d) All of the above ☑

66. Irritable bowel syndrome (IBS) presents with:

a) Chronic abdominal pain and altered bowel habits ☑

b) Malabsorption

c) GI bleeding

d) Jaundice

67. Hepatitis A is transmitted by:

a) Fecal-oral route ☑

b) Blood transfusion

c) Sexual contact

d) Needle sharing

68. Hepatitis B is transmitted by:

a) Fecal-oral

b) Blood and body fluids ☑

c) Airborne

d) Food

69. Hepatitis C is mainly transmitted by:

a) Contaminated water

b) Blood and body fluids ☑

c) Airborne

d) Food

70. Viral hepatitis may lead to:

a) Chronic liver disease ☑

b) Cirrhosis ☑

c) Hepatocellular carcinoma ☑

d) All of the above ☑

71. Wilson’s disease is due to:

a) Iron accumulation

b) Copper accumulation ☑

c) Zinc deficiency

d) Calcium accumulation

72. Symptoms of Wilson’s disease include:

a) Liver disease ☑

b) Neurological symptoms ☑

c) Kayser-Fleischer rings ☑

d) All of the above ☑

73. Hemochromatosis is caused by:

a) Iron overload ☑

b) Copper overload

c) Zinc deficiency

d) Calcium deficiency

74. Mallory-Weiss tear involves:

a) Tear in esophageal mucosa ☑

b) Gastric ulcer

c) Duodenal ulcer

d) Rectal tear

75. Esophageal varices are a complication of:

a) GERD

b) Cirrhosis with portal hypertension ☑

c) Peptic ulcer

d) Gastritis

76. Vomiting may lead to:

a) Metabolic alkalosis ☑

b) Metabolic acidosis

c) Respiratory acidosis

d) Respiratory alkalosis

77. Diarrhea may lead to:

a) Metabolic alkalosis

b) Metabolic acidosis ☑

c) Respiratory acidosis

d) Respiratory alkalosis

78. Appendectomy is the treatment for:

a) Cholecystitis

b) Appendicitis ☑

c) Pancreatitis

d) Ulcerative colitis

79. Hepatic encephalopathy is associated with:

a) Hyperammonemia ☑

b) Hyperglycemia

c) Hypercalcemia

d) Hypokalemia

80. Lactulose is used to treat:

a) Constipation

b) Hepatic encephalopathy ☑

c) GERD

d) Peptic ulcer

81. Gastroenteritis is commonly caused by:

a) Bacteria ☑

b) Virus ☑

c) Parasites ☑

d) All of the above ☑

82. Oral rehydration solution (ORS) contains:

a) Glucose and electrolytes ☑

b) Protein

c) Fat

d) Vitamins only

83. Esophagitis may be caused by:

a) Acid reflux ☑

b) Infection ☑

c) Medications ☑

d) All of the above ☑

84. Barrett’s esophagus is a complication of:

a) GERD ☑

b) Peptic ulcer

c) Gastritis

d) Hepatitis

85. Common symptoms of liver disease include:

a) Jaundice ☑

b) Ascites ☑

c) Fatigue ☑

d) All of the above ☑

86. Portal-systemic encephalopathy is another term for:

a) Hepatic encephalopathy ☑

b) GERD

c) Cirrhosis

d) Hepatitis

87. The most common cause of pancreatitis in adults is:

a) Alcohol ☑

b) Gallstones ☑

c) Infection

d) Trauma

88. Steatorrhea refers to:

a) Fatty stools ☑

b) Bloody stools

c) Watery stools

d) Mucus in stool

89. The major component of bile is:

a) Cholesterol ☑

b) Bilirubin ☑

c) Bile salts ☑

d) All of the above ☑

90. Hepatorenal syndrome is associated with:

a) Liver failure ☑

b) Kidney failure ☑

c) Heart failure

d) Lung failure

91. Gilbert’s syndrome is characterized by:

a) Chronic hemolysis

b) Mild unconjugated hyperbilirubinemia ☑

c) Severe jaundice

d) Hepatitis

92. Crohn’s disease is associated with:

a) Skip lesions ☑

b) Continuous lesions

c) Colon only involvement

d) Rectum only involvement

93. Ulcerative colitis involves:

a) Continuous lesions starting from rectum ☑

b) Skip lesions

c) Small intestine only

d) Stomach only

94. Colorectal cancer risk factors include:

a) Age >50 ☑

b) Family history ☑

c) Inflammatory bowel disease ☑

d) All of the above ☑

95. Screening for colorectal cancer can be done by:

a) Colonoscopy ☑

b) Fecal occult blood test ☑

c) Sigmoidoscopy ☑

d) All of the above ☑

96. Diverticulitis refers to:

a) Infection of diverticula ☑

b) Formation of diverticula

c) Colon cancer

d) Appendicitis

97. Cleft palate affects:

a) Mouth only

b) Palate and sometimes lip ☑

c) Esophagus

d) Pharynx

98. Gastroparesis is:

a) Delayed gastric emptying ☑

b) Rapid gastric emptying

c) Gastric ulcer

d) Gastritis

99. Achlorhydria refers to:

a) High stomach acid

b) Absence of stomach acid ☑

c) Normal acid

d) Low bile secretion

100. Oral cavity cancer is most commonly caused by:

a) Smoking ☑

b) Alcohol ☑

c) Betel nut chewing ☑

d) All of the above ☑

Cardiovascular System

1. The primary function of the cardiovascular system is:

a) Gas exchange

b) Circulation of blood and transport of nutrients and waste ☑

c) Digestion

d) Hormone secretion

2. The heart lies in the:

a) Pleural cavity

b) Pericardial cavity ☑

c) Abdominal cavity

d) Cranial cavity

3. The heart is enclosed by:

a) Peritoneum

b) Pericardium ☑

c) Pleura

d) Endothelium

4. The three layers of the heart wall are:

a) Endocardium, myocardium, epicardium ☑

b) Endocardium, pericardium, myocardium

c) Epicardium, pericardium, myocardium

d) Myocardium, pericardium, endocardium

5. The right atrium receives blood from:

a) Pulmonary veins

b) Superior and inferior vena cava ☑

c) Aorta

d) Pulmonary artery

6. The left atrium receives blood from:

a) Pulmonary veins ☑

b) Superior vena cava

c) Aorta

d) Pulmonary artery

7. The right ventricle pumps blood to:

a) Aorta

b) Pulmonary artery ☑

c) Pulmonary veins

d) Vena cava

8. The left ventricle pumps blood to:

a) Pulmonary artery

b) Aorta ☑

c) Vena cava

d) Pulmonary veins

9. The tricuspid valve is located between:

a) Right atrium and right ventricle ☑

b) Left atrium and left ventricle

c) Right ventricle and pulmonary artery

d) Left ventricle and aorta

10. The bicuspid (mitral) valve is located between:

a) Right atrium and right ventricle

b) Left atrium and left ventricle ☑

c) Right ventricle and pulmonary artery

d) Left ventricle and aorta

11. The pulmonary valve is located between:

a) Right atrium and right ventricle

b) Right ventricle and pulmonary artery ☑

c) Left ventricle and aorta

d) Left atrium and left ventricle

12. The aortic valve is located between:

a) Right ventricle and pulmonary artery

b) Left ventricle and aorta ☑

c) Left atrium and left ventricle

d) Right atrium and right ventricle

13. The cardiac conduction system begins at:

a) AV node

b) SA node ☑

c) Purkinje fibers

d) Bundle of His

14. The SA node is located in:

a) Right atrium ☑

b) Left atrium

c) Right ventricle

d) Left ventricle

15. The AV node is located in:

a) Interatrial septum ☑

b) Right ventricle

c) Left atrium

d) Aortic valve

16. The bundle of His transmits impulses to:

a) SA node

b) AV node

c) Purkinje fibers ☑

d) Right atrium

17. Purkinje fibers are located in:

a) Atria

b) Ventricles ☑

c) SA node

d) AV node

18. Normal heart rate in adults is:

a) 40–60 bpm

b) 60–100 bpm ☑

c) 100–120 bpm

d) 30–50 bpm

19. Bradycardia is defined as:

a) HR >100 bpm

b) HR <60 bpm ☑

c) HR 60–100 bpm

d) HR <40 bpm

20. Tachycardia is defined as:

a) HR >100 bpm ☑

b) HR <60 bpm

c) HR 60–100 bpm

d) HR <40 bpm

21. The cardiac cycle consists of:

a) Systole and diastole ☑

b) Inhalation and exhalation

c) Contraction only

d) Relaxation only

22. Systole refers to:

a) Ventricular contraction ☑

b) Atrial contraction

c) Ventricular relaxation

d) Heart pause

23. Diastole refers to:

a) Ventricular relaxation ☑

b) Atrial relaxation

c) Ventricular contraction

d) Heart pause

24. Cardiac output (CO) =

a) Stroke volume × heart rate ☑

b) Stroke volume ÷ heart rate

c) Heart rate × BP

d) BP ÷ stroke volume

25. Stroke volume is:

a) Blood pumped per minute

b) Blood pumped per beat ☑

c) Blood in atria

d) Blood in ventricles

26. Preload refers to:

a) Ventricular contraction

b) End-diastolic volume ☑

c) Afterload

d) Heart rate

27. Afterload refers to:

a) Resistance left ventricle must overcome ☑

b) End-diastolic volume

c) Stroke volume

d) Heart rate

28. The Frank-Starling law relates:

a) Preload and stroke volume ☑

b) Heart rate and BP

c) Afterload and cardiac output

d) Contractility and HR

29. The main arteries supplying the heart are:

a) Coronary arteries ☑

b) Carotid arteries

c) Pulmonary arteries

d) Aorta only

30. The cardiac veins drain into:

a) Pulmonary veins

b) Coronary sinus ☑

c) Superior vena cava

d) Inferior vena cava

31. Normal blood pressure in adults is:

a) 90/60 mmHg

b) 120/80 mmHg ☑

c) 140/90 mmHg

d) 100/70 mmHg

32. Hypertension is defined as:

a) BP >120/80 mmHg

b) BP ≥140/90 mmHg ☑

c) BP <90/60 mmHg

d) BP >100/70 mmHg

33. Hypotension is defined as:

a) BP ≥140/90 mmHg

b) BP <90/60 mmHg ☑

c) BP >120/80 mmHg

d) BP 100/70 mmHg

34. The main pacemaker of the heart is:

a) AV node

b) SA node ☑

c) Bundle of His

d) Purkinje fibers

35. Coronary artery disease is caused mainly by:

a) Atherosclerosis ☑

b) Infection

c) Trauma

d) Hypertension only

36. Myocardial infarction occurs due to:

a) Complete blockage of coronary artery ☑

b) Partial blockage only

c) Valve defect

d) Arrhythmia

37. The most common symptom of myocardial infarction is:

a) Chest pain ☑

b) Fever

c) Dyspnea only

d) Cough

38. Angina pectoris is caused by:

a) Complete blockage of coronary arteries

b) Temporary myocardial ischemia ☑

c) Infection

d) Valve defect

39. Heart failure can result from:

a) Hypertension ☑

b) Myocardial infarction ☑

c) Cardiomyopathy ☑

d) All of the above ☑

40. Left-sided heart failure causes:

a) Pulmonary congestion ☑

b) Peripheral edema

c) Ascites

d) Jugular vein distension

41. Right-sided heart failure causes:

a) Peripheral edema ☑

b) Pulmonary congestion

c) Dyspnea only

d) Cyanosis only

42. The sound “lub” (S1) is caused by:

a) Closure of semilunar valves

b) Closure of AV valves ☑

c) Opening of AV valves

d) Opening of semilunar valves

43. The sound “dub” (S2) is caused by:

a) Closure of AV valves

b) Closure of semilunar valves ☑

c) Opening of AV valves

d) Opening of semilunar valves

44. Mitral valve prolapse can lead to:

a) Regurgitation ☑

b) Stenosis

c) Heart block

d) Myocardial infarction

45. Aortic stenosis causes:

a) Narrowing of aortic valve ☑

b) Narrowing of mitral valve

c) Narrowing of pulmonary valve

d) Narrowing of tricuspid valve

46. The P wave on ECG represents:

a) Ventricular depolarization

b) Atrial depolarization ☑

c) Ventricular repolarization

d) AV node conduction

47. The QRS complex on ECG represents:

a) Atrial depolarization

b) Ventricular depolarization ☑

c) Ventricular repolarization

d) SA node firing

48. The T wave on ECG represents:

a) Atrial depolarization

b) Ventricular repolarization ☑

c) Ventricular depolarization

d) SA node firing

49. Atrial fibrillation is characterized by:

a) Regular rhythm

b) Rapid, irregular atrial activity ☑

c) Complete heart block

d) Ventricular tachycardia

50. Ventricular fibrillation is:

a) Life-threatening ☑

b) Mild

c) Self-limiting

d) Non-concerning

51. Hypertensive heart disease is caused primarily by:

a) Infection

b) High blood pressure ☑

c) Valve disease

d) Myocardial infarction

52. Primary hypertension is also called:

a) Secondary hypertension

b) Essential hypertension ☑

c) Malignant hypertension

d) Pulmonary hypertension

53. Secondary hypertension is caused by:

a) Kidney disease ☑

b) Essential hypertension

c) Atherosclerosis only

d) Heart failure

54. Malignant hypertension is characterized by:

a) Rapidly progressive and severe BP elevation ☑

b) Mild BP elevation

c) Hypotension

d) Heart block

55. The most common cause of sudden cardiac death is:

a) Myocardial infarction ☑

b) Stroke

c) Pulmonary embolism

d) Heart failure

56. Cardiomyopathy can be:

a) Dilated ☑

b) Hypertrophic ☑

c) Restrictive ☑

d) All of the above ☑

57. Pericarditis is inflammation of:

a) Myocardium

b) Pericardium ☑

c) Endocardium

d) Epicardium

58. Pericardial effusion may lead to:

a) Cardiac tamponade ☑

b) Stroke

c) Pulmonary embolism

d) Myocardial infarction

59. Rheumatic heart disease is a complication of:

a) Streptococcal pharyngitis ☑

b) Viral infection

c) Hypertension

d) Myocardial infarction

60. Infective endocarditis commonly affects:

a) Heart valves ☑

b) Myocardium

c) Pericardium

d) SA node

61. Vegetations in infective endocarditis are:

a) Blood clots

b) Infected masses on valves ☑

c) Plaques in arteries

d) Thrombi in veins

62. Mitral stenosis is usually caused by:

a) Rheumatic fever ☑

b) Infection only

c) Hypertension

d) Atherosclerosis

63. Aortic regurgitation leads to:

a) Backflow of blood into left ventricle ☑

b) Pulmonary edema

c) Right heart failure

d) Mitral stenosis

64. Mitral regurgitation leads to:

a) Backflow of blood into left atrium ☑

b) Right heart failure

c) Pulmonary embolism

d) Aortic stenosis

65. Left bundle branch block affects:

a) SA node

b) AV node

c) Ventricular conduction ☑

d) Atrial contraction

66. Right bundle branch block affects:

a) Ventricular conduction ☑

b) SA node

c) AV node

d) Atrial conduction

67. ST-segment elevation indicates:

a) Acute myocardial infarction ☑

b) Atrial fibrillation

c) Ventricular tachycardia

d) Heart block

68. ST-segment depression indicates:

a) Myocardial ischemia ☑

b) Myocardial infarction

c) Heart block

d) Arrhythmia

69. Angiotensin II causes:

a) Vasodilation

b) Vasoconstriction ☑

c) Diuresis

d) Bradycardia

70. ACE inhibitors are used to treat:

a) Hypertension ☑

b) Hypotension

c) Arrhythmia

d) Heart block

71. Beta-blockers reduce:

a) Heart rate and contractility ☑

b) Blood pressure only

c) Stroke volume

d) Oxygen saturation

72. Calcium channel blockers treat:

a) Hypertension ☑

b) Hypotension

c) Heart block

d) Stroke only

73. Diuretics are used in:

a) Heart failure ☑

b) Hypertension ☑

c) Edema ☑

d) All of the above ☑

74. Statins are used to treat:

a) Hypertension

b) Hyperlipidemia ☑

c) Heart failure

d) Arrhythmia

75. Atherosclerosis affects:

a) Veins only

b) Arteries ☑

c) Capillaries

d) Lymphatics

76. Coronary artery obstruction causes:

a) Angina ☑

b) Myocardial infarction ☑

c) Heart failure

d) All of the above ☑

77. The most common arrhythmia in adults is:

a) Ventricular fibrillation

b) Atrial fibrillation ☑

c) AV block

d) Sinus bradycardia

78. Atrial fibrillation increases the risk of:

a) Stroke ☑

b) Myocardial infarction

c) Heart failure

d) All of the above ☑

79. The right coronary artery supplies:

a) Right atrium, right ventricle ☑

b) Left atrium only

c) Left ventricle only

d) SA node only

80. The left coronary artery supplies:

a) Left atrium and ventricle ☑

b) Right ventricle

c) SA node only

d) Pulmonary artery

81. Shock is:

a) Decreased perfusion to tissues ☑

b) Increased perfusion

c) Heart block

d) Arrhythmia

82. Hypovolemic shock is caused by:

a) Blood loss ☑

b) Heart failure

c) Infection

d) Allergy

83. Cardiogenic shock is caused by:

a) Heart failure ☑

b) Infection

c) Blood loss

d) Vasodilation

84. Septic shock is caused by:

a) Infection ☑

b) Blood loss

c) Heart failure

d) Allergy

85. Anaphylactic shock is caused by:

a) Blood loss

b) Allergic reaction ☑

c) Infection

d) Heart failure

86. Pulmonary edema is a complication of:

a) Left-sided heart failure ☑

b) Right-sided heart failure

c) Hypotension

d) Hypertension

87. Jugular vein distension occurs in:

a) Right-sided heart failure ☑

b) Left-sided heart failure

c) Hypertension

d) Myocardial infarction

88. Cardiac tamponade causes:

a) Compression of the heart ☑

b) Increased cardiac output

c) Hypertension

d) Pulmonary embolism

89. Pericardial friction rub is heard in:

a) Myocardial infarction

b) Pericarditis ☑

c) Heart block

d) Angina

90. BNP (B-type natriuretic peptide) is elevated in:

a) Heart failure ☑

b) Hypertension only

c) Myocardial infarction only

d) Arrhythmia only

91. Left ventricular hypertrophy occurs in:

a) Hypertension ☑

b) Hypotension

c) Valve stenosis

d) Pulmonary embolism

92. Right ventricular hypertrophy occurs in:

a) Pulmonary hypertension ☑

b) Hypertension

c) Heart block

d) MI

93. Cardiac enzymes elevated in MI include:

a) Troponin ☑

b) CK-MB ☑

c) Myoglobin ☑

d) All of the above ☑

94. The first heart sound corresponds to:

a) AV valve closure ☑

b) Semilunar valve closure

c) Ventricular repolarization

d) Atrial contraction

95. The second heart sound corresponds to:

a) AV valve closure

b) Semilunar valve closure ☑

c) Ventricular depolarization

d) Atrial contraction

96. Common causes of syncope include:

a) Arrhythmia ☑

b) Hypotension ☑

c) Vasovagal episode ☑

d) All of the above ☑

97. Peripheral arterial disease presents with:

a) Claudication ☑

b) Edema

c) Cyanosis only

d) Dyspnea

98. Deep vein thrombosis may lead to:

a) Pulmonary embolism ☑

b) Stroke

c) Myocardial infarction

d) Heart block

99. The main risk factors for atherosclerosis are:

a) Smoking ☑

b) Diabetes ☑

c) Hypertension ☑

d) All of the above ☑

100. The primary treatment for acute MI includes:

a) Reperfusion therapy ☑

b) Antiplatelets ☑

c) Oxygen ☑

d) All of the above ☑

Urinary / Renal System

1. The main function of the kidneys is:

a) Gas exchange

b) Filtration of blood and excretion of waste ☑

c) Digestion

d) Hormone secretion

2. The functional unit of the kidney is:

a) Nephron ☑

b) Glomerulus

c) Bowman’s capsule

d) Loop of Henle

3. The renal corpuscle consists of:

a) Proximal tubule and distal tubule

b) Glomerulus and Bowman’s capsule ☑

c) Loop of Henle only

d) Collecting duct

4. The glomerulus is:

a) A capillary tuft ☑

b) A nephron segment

c) A collecting duct

d) Bowman’s capsule only

5. The Bowman's capsule surrounds:

a) Proximal tubule

b) Glomerulus ☑

c) Loop of Henle

d) Distal tubule

6. The proximal convoluted tubule is responsible for:

a) Filtration only

b) Reabsorption of water, glucose, and electrolytes ☑

c) Secretion only

d) Excretion only

7. The Loop of Henle mainly functions in:

a) Water reabsorption ☑

b) Filtration

c) Secretion

d) Hormone production

8. The distal convoluted tubule is responsible for:

a) Filtration

b) Hormone-regulated reabsorption of Na+ and water ☑

c) Glucose reabsorption only

d) Protein secretion

9. The collecting duct is influenced by:

a) Aldosterone and ADH ☑

b) Insulin

c) Glucagon

d) Parathyroid hormone

10. ADH (antidiuretic hormone) is secreted by:

a) Kidneys

b) Posterior pituitary ☑

c) Anterior pituitary

d) Adrenal cortex

11. Aldosterone is secreted by:

a) Adrenal medulla

b) Adrenal cortex ☑

c) Kidneys

d) Pituitary

12. The juxtaglomerular apparatus regulates:

a) Blood pressure ☑

b) Filtration only

c) Hormone secretion only

d) Urine color

13. Renin is secreted by:

a) Juxtaglomerular cells ☑

b) Podocytes

c) Collecting duct

d) Loop of Henle

14. Renin converts angiotensinogen to:

a) Angiotensin I ☑

b) Angiotensin II

c) Aldosterone

d) ADH

15. Angiotensin II stimulates:

a) Vasodilation

b) Vasoconstriction ☑

c) Diuresis

d) Protein synthesis

16. Normal urine output in adults is approximately:

a) 100–300 mL/day

b) 800–2000 mL/day ☑

c) 3000–4000 mL/day

d) 5000 mL/day

17. Polyuria is defined as:

a) Decreased urine output

b) Excessive urine output ☑

c) Painful urination

d) Blood in urine

18. Oliguria is defined as:

a) Normal urine output

b) Reduced urine output ☑

c) Excessive urine output

d) Absence of urine

19. Anuria is defined as:

a) Absence of urine ☑

b) Reduced urine output

c) Excessive urine output

d) Blood in urine

20. Hematuria refers to:

a) Cloudy urine

b) Blood in urine ☑

c) Protein in urine

d) Sugar in urine

21. Proteinuria refers to:

a) Blood in urine

b) Protein in urine ☑

c) Sugar in urine

d) Pus in urine

22. Glycosuria refers to:

a) Protein in urine

b) Sugar in urine ☑

c) Blood in urine

d) Pus in urine

23. The main waste excreted by the kidneys is:

a) Glucose

b) Urea ☑

c) Protein

d) Hormones

24. BUN (Blood Urea Nitrogen) indicates:

a) Liver function

b) Kidney function ☑

c) Heart function

d) Pancreas function

25. Creatinine is a marker of:

a) Kidney function ☑

b) Liver function

c) Heart function

d) Lung function

26. The main electrolyte reabsorbed in the proximal tubule is:

a) Sodium ☑

b) Potassium

c) Calcium

d) Magnesium

27. The main site of water reabsorption in nephron is:

a) Proximal tubule ☑

b) Loop of Henle

c) Distal tubule

d) Collecting duct

28. The macula densa senses:

a) Blood glucose

b) NaCl concentration ☑

c) Blood pH

d) ADH levels

29. The kidney regulates acid-base balance by:

a) Secreting H+ and reabsorbing HCO3- ☑

b) Secreting K+

c) Secreting Na+

d) Producing insulin

30. The main artery supplying the kidney is:

a) Aorta

b) Renal artery ☑

c) Renal vein

d) Inferior vena cava

31. The kidney filters approximately:

a) 100 mL/day

b) 180 L/day ☑

c) 50 L/day

d) 500 mL/day

32. The glomerular filtration rate (GFR) is:

a) 100–125 mL/min ☑

b) 50 mL/min

c) 200 mL/min

d) 10 mL/min

33. Acute kidney injury is characterized by:

a) Sudden decrease in GFR ☑

b) Chronic decline in GFR

c) Increased urine output

d) Hypotension only

34. Chronic kidney disease is defined as:

a) GFR <60 mL/min for ≥3 months ☑

b) GFR >90 mL/min

c) Oliguria only

d) Proteinuria only

35. Nephrotic syndrome is characterized by:

a) Hematuria

b) Proteinuria, edema, hypoalbuminemia ☑

c) Polyuria only

d) Glycosuria

36. Nephritic syndrome is characterized by:

a) Hematuria, mild proteinuria, hypertension ☑

b) Severe proteinuria

c) Polyuria only

d) Glycosuria

37. Urolithiasis refers to:

a) Kidney infection

b) Kidney stones ☑

c) Tumor

d) Glomerulonephritis

38. The most common type of kidney stone is:

a) Uric acid

b) Calcium oxalate ☑

c) Struvite

d) Cystine

39. Pyelonephritis is:

a) Bladder infection

b) Kidney infection ☑

c) Kidney stone

d) Glomerular disease

40. The most common cause of pyelonephritis is:

a) E. coli ☑

b) Staphylococcus

c) Streptococcus

d) Viral infection

41. Dialysis is indicated in:

a) Acute kidney injury

b) Chronic kidney disease stage 5 ☑

c) Mild CKD

d) Proteinuria only

42. Hemodialysis requires:

a) Arteriovenous fistula or graft ☑

b) Central line only

c) Peritoneum only

d) None

43. Peritoneal dialysis uses:

a) Blood filtration

b) Peritoneal membrane ☑

c) Kidney only

d) Heart

44. The main complication of dialysis is:

a) Infection ☑

b) Hypertension

c) Hyperglycemia

d) Hypotension

45. Renal transplantation is the treatment of choice for:

a) Stage 1 CKD

b) ESRD ☑

c) Nephrolithiasis

d) Pyelonephritis

46. The kidneys produce which hormone involved in RBC production?

a) Renin

b) Erythropoietin ☑

c) Aldosterone

d) ADH

47. The kidneys convert vitamin D to its active form:

a) Calcitriol ☑

b) Cholecalciferol

c) Ergocalciferol

d) Calcitonin

48. The main site of potassium secretion in nephron is:

a) Proximal tubule

b) Distal convoluted tubule and collecting duct ☑

c) Loop of Henle

d) Bowman’s capsule

49. The main site of sodium reabsorption regulated by aldosterone is:

a) Proximal tubule

b) Distal tubule and collecting duct ☑

c) Loop of Henle

d) Bowman’s capsule

50. The main site of concentrated urine formation is:

a) Proximal tubule

b) Loop of Henle ☑

c) Distal tubule

d) Collecting duct

51. Chronic kidney disease commonly leads to:

a) Anemia ☑

b) Hypertension ☑

c) Hyperkalemia ☑

d) All of the above ☑

52. Common cause of CKD in adults is:

a) Diabetes mellitus ☑

b) Hypertension ☑

c) Glomerulonephritis ☑

d) All of the above ☑

53. Acute glomerulonephritis is usually preceded by:

a) Upper respiratory infection ☑

b) Diabetes

c) Hypertension

d) Heart failure

54. Post-streptococcal glomerulonephritis is caused by:

a) Streptococcus infection ☑

b) E. coli

c) Staphylococcus

d) Viral infection

55. The main symptom of nephrotic syndrome is:

a) Hematuria

b) Edema ☑

c) Dysuria

d) Polyuria

56. Minimal change disease primarily affects:

a) Adults

b) Children ☑

c) Elderly

d) All

57. Polycystic kidney disease is:

a) Autosomal dominant ☑

b) Autosomal recessive

c) X-linked

d) Viral

58. Autosomal recessive polycystic kidney disease presents in:

a) Neonates and infants ☑

b) Adults

c) Elderly

d) Children only

59. Hydronephrosis refers to:

a) Kidney stone

b) Dilation of renal pelvis and calyces ☑

c) Kidney infection

d) Glomerulonephritis

60. The most common cause of hydronephrosis is:

a) Kidney stone ☑

b) Infection

c) Tumor

d) Trauma

61. Urinary tract infection is most commonly caused by:

a) E. coli ☑

b) Staphylococcus

c) Streptococcus

d) Virus

62. Cystitis is infection of:

a) Kidney

b) Bladder ☑

c) Urethra

d) Prostate

63. Pyelonephritis is infection of:

a) Kidney ☑

b) Bladder

c) Urethra

d) Prostate

64. The classic triad of UTI includes:

a) Dysuria, frequency, urgency ☑

b) Hematuria, edema, proteinuria

c) Polyuria, nocturia, anuria

d) Pain, swelling, redness

65. Uremia refers to:

a) Increased urine output

b) Accumulation of nitrogenous waste in blood ☑

c) Hematuria

d) Proteinuria

66. Hemodialysis removes:

a) Waste products and excess fluid ☑

b) Hormones only

c) Blood cells

d) Vitamins

67. Hyperkalemia in CKD is dangerous because it may cause:

a) Hypertension

b) Arrhythmias ☑

c) Hypotension

d) Edema

68. The main symptom of renal colic is:

a) Sudden severe flank pain ☑

b) Dysuria

c) Fever only

d) Hematuria only

69. Vesicoureteral reflux can lead to:

a) Pyelonephritis ☑

b) Kidney stones

c) CKD

d) Hypertension

70. The most common cause of chronic kidney disease in adults is:

a) Hypertension ☑

b) Infection

c) Trauma

d) Obstruction

71. Dialysis patients are at increased risk for:

a) Infection ☑

b) Hyperkalemia

c) Hypotension

d) All of the above ☑

72. Continuous renal replacement therapy (CRRT) is mainly used in:

a) Chronic kidney disease

b) Critically ill patients with AKI ☑

c) Nephrolithiasis

d) Glomerulonephritis

73. Normal urine pH is approximately:

a) 4–5

b) 6–7 ☑

c) 7–8

d) 8–9

74. The main buffer in urine is:

a) Bicarbonate ☑

b) Phosphate

c) Protein

d) Hemoglobin

75. Hypernatremia in renal failure is treated by:

a) Fluid restriction

b) Dialysis ☑

c) Sodium supplementation

d) Diuretics only

76. Hyponatremia in renal failure is treated by:

a) Sodium restriction

b) Fluid restriction ☑

c) Diuretics only

d) Potassium supplementation

77. Hypokalemia can be caused by:

a) Diuretics ☑

b) ACE inhibitors

c) NSAIDs

d) All

78. Hyperkalemia can be treated with:

a) Calcium gluconate ☑

b) Insulin and glucose ☑

c) Sodium bicarbonate ☑

d) All of the above ☑

79. Renal artery stenosis can cause:

a) Secondary hypertension ☑

b) CKD

c) Proteinuria

d) Polyuria

80. The most common site of urinary calculi is:

a) Kidney ☑

b) Ureter ☑

c) Bladder

d) Urethra

81. The most common type of urinary stone is:

a) Calcium oxalate ☑

b) Uric acid

c) Struvite

d) Cystine

82. Struvite stones are commonly associated with:

a) Infection ☑

b) Diabetes

c) Hypertension

d) CKD

83. Uric acid stones are associated with:

a) Gout ☑

b) Infection

c) Diabetes

d) Hypertension

84. Symptoms of nephrolithiasis include:

a) Flank pain ☑

b) Hematuria ☑

c) Nausea and vomiting ☑

d) All of the above ☑

85. Wilm’s tumor is a malignancy of:

a) Kidney ☑

b) Bladder

c) Ureter

d) Prostate

86. Wilm’s tumor commonly occurs in:

a) Adults

b) Children ☑

c) Elderly

d) Neonates only

87. Renal cysts can be associated with:

a) Polycystic kidney disease ☑

b) Hydronephrosis

c) CKD

d) Infection

88. The most common cause of chronic kidney disease in children is:

a) Congenital anomalies ☑

b) Hypertension

c) Diabetes

d) Infection

89. Glomerulonephritis may present with:

a) Hematuria ☑

b) Proteinuria ☑

c) Edema ☑

d) All of the above ☑

90. The main complication of nephrotic syndrome is:

a) Infection ☑

b) Thrombosis ☑

c) Hypovolemia ☑

d) All of the above ☑

91. Dialysis disequilibrium syndrome is caused by:

a) Rapid removal of solutes ☑

b) Slow removal of solutes

c) Infection

d) Hypertension

92. Hyperphosphatemia in CKD may cause:

a) Hypocalcemia ☑

b) Hypercalcemia

c) Hypertension

d) Hypokalemia

93. Secondary hyperparathyroidism in CKD is due to:

a) Hypocalcemia ☑

b) Hypercalcemia

c) Hyperkalemia

d) Hyponatremia

94. The main cause of ESRD in adults worldwide is:

a) Diabetes ☑

b) Hypertension

c) Glomerulonephritis

d) Infection

95. Uremic frost is:

a) Proteinuria

b) Urea crystals on skin ☑

c) Hematuria

d) Polyuria

96. Hypervolemia in CKD may cause:

a) Hypertension ☑

b) Edema ☑

c) Pulmonary congestion ☑

d) All of the above ☑

97. Hypovolemia can cause:

a) AKI ☑

b) Hypertension

c) Hyperkalemia

d) CKD

98. The main electrolyte lost in loop diuretics is:

a) Sodium ☑

b) Potassium ☑

c) Calcium ☑

d) All of the above ☑

99. The main electrolyte lost in thiazide diuretics is:

a) Sodium ☑

b) Potassium ☑

c) Magnesium ☑

d) All of the above ☑

100. Dialysis patients should monitor:

a) Fluid intake ☑

b) Electrolytes ☑

c) Blood pressure ☑

d) All of the above ☑

Reproductive System

1. The primary function of the female reproductive system is:

a) Hormone secretion only

b) Production of ova and support of pregnancy ☑

c) Filtration of blood

d) Digestion

2. The primary female sex hormone responsible for development of secondary sexual characteristics is:

a) Progesterone

b) Estrogen ☑

c) Testosterone

d) LH

3. The male reproductive system produces:

a) Ova

b) Sperm ☑

c) Estrogen

d) Progesterone

4. The male sex hormone responsible for secondary sexual characteristics is:

a) Testosterone ☑

b) Estrogen

c) Progesterone

d) LH

5. Ovulation occurs approximately on day:

a) 7

b) 14 ☑

c) 21

d) 28

6. The site of fertilization is:

a) Ovary

b) Fallopian tube ☑

c) Uterus

d) Vagina

7. The endometrium is the:

a) Outer muscular layer of uterus

b) Inner lining of uterus ☑

c) Peritoneum

d) Ovarian stroma

8. The hormone that maintains pregnancy is:

a) Estrogen

b) Progesterone ☑

c) LH

d) FSH

9. FSH stimulates:

a) Follicle development ☑

b) Ovulation

c) Corpus luteum formation

d) Uterine contraction

10. LH stimulates:

a) Follicle development

b) Ovulation ☑

c) Estrogen secretion only

d) Progesterone only

11. The corpus luteum secretes:

a) Estrogen and progesterone ☑

b) Testosterone

c) FSH

d) LH

12. Menstruation occurs due to:

a) Increase in estrogen

b) Decrease in progesterone ☑

c) Increase in progesterone

d) Increase in LH

13. The average menstrual cycle is:

a) 21 days

b) 28 days ☑

c) 30 days

d) 35 days

14. Menarche refers to:

a) First menstruation ☑

b) Last menstruation

c) Pregnancy

d) Ovulation

15. Menopause refers to:

a) First menstruation

b) Cessation of menstruation ☑

c) Pregnancy

d) Ovulation

16. The main organ of sperm production is:

a) Epididymis

b) Testes ☑

c) Prostate

d) Seminiferous tubules

17. Spermatogenesis occurs in:

a) Epididymis

b) Seminiferous tubules ☑

c) Prostate

d) Vas deferens

18. The hormone responsible for sperm production is:

a) FSH ☑

b) LH

c) Estrogen

d) Progesterone

19. Testosterone is secreted by:

a) Leydig cells ☑

b) Sertoli cells

c) Epididymis

d) Prostate

20. The male accessory gland that contributes to semen is:

a) Testes

b) Prostate, seminal vesicles, bulbourethral gland ☑

c) Epididymis

d) Vas deferens

21. Contraception methods include:

a) Barrier

b) Hormonal

c) Surgical

d) All of the above ☑

22. Barrier methods include:

a) Condom ☑

b) Oral contraceptive

c) IUD

d) Tubectomy

23. Hormonal contraception includes:

a) Oral contraceptives ☑

b) Condom

c) IUD

d) Tubectomy

24. IUD is an example of:

a) Barrier method

b) Intrauterine device for contraception ☑

c) Hormonal contraceptive

d) Surgical method

25. Tubectomy is:

a) Male sterilization

b) Female sterilization ☑

c) Hormonal contraception

d) Barrier method

26. Vasectomy is:

a) Male sterilization ☑

b) Female sterilization

c) Hormonal contraception

d) Barrier method

27. Normal gestation period is:

a) 36 weeks

b) 40 weeks ☑

c) 42 weeks

d) 38 weeks

28. The first fetal movement felt by the mother is called:

a) Quickening ☑

b) Labor

c) Contraction

d) Ovulation

29. The hormone responsible for milk ejection is:

a) Prolactin

b) Oxytocin ☑

c) Estrogen

d) Progesterone

30. Prolactin is responsible for:

a) Milk ejection

b) Milk production ☑

c) Ovulation

d) Uterine contraction

31. The most common site of ectopic pregnancy is:

a) Ovary

b) Fallopian tube ☑

c) Uterus

d) Cervix

32. Preeclampsia is characterized by:

a) Hypertension and proteinuria ☑

b) Hypotension

c) Edema only

d) Fever

33. Eclampsia is:

a) Hypertension

b) Seizures in preeclampsia ☑

c) Proteinuria only

d) Edema

34. The stages of labor include:

a) First stage: cervical dilation ☑

b) Second stage: expulsion of fetus ☑

c) Third stage: placental delivery ☑

d) All of the above ☑

35. Normal fetal heart rate is:

a) 80–100 bpm

b) 110–160 bpm ☑

c) 170–200 bpm

d) 90–110 bpm

36. APGAR score is assessed at:

a) 1 and 5 minutes after birth ☑

b) 10 minutes

c) 30 minutes

d) 1 hour

37. The components of APGAR score include:

a) Appearance, Pulse, Grimace, Activity, Respiration ☑

b) Activity only

c) Pulse only

d) Appearance only

38. The most common cause of infertility in females is:

a) Ovulation disorder ☑

b) Tubal block

c) Endometriosis

d) All of the above ☑

39. The most common cause of infertility in males is:

a) Low sperm count ☑

b) Hormonal imbalance

c) Tubal blockage

d) Infection

40. Normal vaginal delivery is also called:

a) Cesarean section

b) Spontaneous vaginal delivery ☑

c) Instrumental delivery

d) Elective section

41. Cesarean section is indicated in:

a) Fetal distress ☑

b) Cephalopelvic disproportion ☑

c) Placenta previa ☑

d) All of the above ☑

42. Placenta previa refers to:

a) Placenta overlying the cervix ☑

b) Normal placenta position

c) Placenta abruption

d) None

43. Placental abruption refers to:

a) Placenta separates prematurely ☑

b) Placenta overlying cervix

c) Placenta previa

d) None

44. The hormone responsible for uterine contraction during labor is:

a) Prolactin

b) Oxytocin ☑

c) Estrogen

d) Progesterone

45. Postpartum hemorrhage is defined as blood loss >:

a) 200 mL

b) 500 mL ☑

c) 1000 mL

d) 1500 mL

46. Normal amniotic fluid volume is:

a) 100–500 mL

b) 500–1000 mL

c) 800–1200 mL ☑

d) 1500–2000 mL

47. The hormone responsible for maintaining pregnancy in the first trimester is:

a) Estrogen

b) Progesterone ☑

c) hCG

d) FSH

48. hCG is produced by:

a) Corpus luteum ☑

b) Placenta

c) Ovary

d) Pituitary

49. The main site of implantation of fertilized ovum is:

a) Fallopian tube

b) Uterus ☑

c) Ovary

d) Cervix

50. The most common gynecological cancer in women worldwide is:

a) Ovarian cancer

b) Cervical cancer ☑

c) Endometrial cancer

d) Breast cancer

51. Polycystic ovarian syndrome (PCOS) is characterized by:

a) Irregular menstruation ☑

b) Hirsutism ☑

c) Obesity ☑

d) All of the above ☑

52. PCOS is associated with which hormone imbalance?

a) Increased LH ☑

b) Increased FSH

c) Increased estrogen

d) Increased progesterone

53. Endometriosis refers to:

a) Growth of endometrial tissue outside the uterus ☑

b) Hyperplasia of endometrium

c) Infection of uterus

d) Cancer

54. Fibroids in the uterus are also called:

a) Myomas ☑

b) Adenomas

c) Polyps

d) Cysts

55. The most common site of ectopic pregnancy is:

a) Ovary

b) Fallopian tube ☑

c) Uterus

d) Cervix

56. Breastfeeding is recommended exclusively for:

a) 3 months

b) 6 months ☑

c) 9 months

d) 12 months

57. Colostrum is rich in:

a) Fat

b) Proteins and antibodies ☑

c) Carbohydrates

d) Minerals

58. Mastitis commonly occurs in:

a) Pregnant women

b) Lactating women ☑

c) Men

d) Elderly

59. The normal duration of labor in primigravida is:

a) 4–8 hours

b) 8–12 hours

c) Up to 18 hours ☑

d) 24–30 hours

60. The normal duration of labor in multipara is:

a) 4–8 hours ☑

b) 8–12 hours

c) 12–18 hours

d) 18–24 hours

61. The cardinal movements of labor include:

a) Engagement, descent, flexion, internal rotation, extension, restitution, expulsion ☑

b) Only descent and expulsion

c) Only flexion and rotation

d) None

62. Breech presentation refers to:

a) Head first

b) Buttocks or feet first ☑

c) Face first

d) Shoulder first

63. Preterm labor is defined as labor before:

a) 34 weeks

b) 37 weeks ☑

c) 40 weeks

d) 42 weeks

64. Post-term pregnancy is defined as pregnancy beyond:

a) 37 weeks

b) 40 weeks

c) 42 weeks ☑

d) 44 weeks

65. The Bishop score is used to assess:

a) Fetal heart rate

b) Cervical readiness for labor ☑

c) Amniotic fluid volume

d) Placental location

66. Gestational diabetes is screened at:

a) 12 weeks

b) 24–28 weeks ☑

c) 32 weeks

d) 36 weeks

67. The main risk factor for preeclampsia is:

a) Nulliparity ☑

b) Multiparity

c) Age <20

d) Smoking

68. TORCH infections in pregnancy include:

a) Toxoplasmosis, Rubella, CMV, Herpes ☑

b) TB, RSV, CMV

c) Toxoplasmosis only

d) Rubella only

69. The normal fetal lie is:

a) Longitudinal ☑

b) Transverse

c) Oblique

d) None

70. The normal fetal presentation is:

a) Breech

b) Cephalic ☑

c) Shoulder

d) Face

71. The normal fetal position is:

a) LOA (Left occiput anterior) ☑

b) ROA

c) LOP

d) ROP

72. Oxytocin is used to:

a) Induce labor ☑

b) Control postpartum hemorrhage ☑

c) Increase milk production

d) Both a and b ☑

73. Misoprostol is used for:

a) Cervical ripening ☑

b) Labor induction ☑

c) Medical abortion ☑

d) All of the above ☑

74. The main cause of postpartum hemorrhage is:

a) Uterine atony ☑

b) Retained placenta ☑

c) Trauma ☑

d) Coagulopathy ☑

75. Uterine atony refers to:

a) Excessive contraction

b) Poor contraction ☑

c) Rupture

d) Infection

76. The hormone responsible for cervical ripening is:

a) Estrogen ☑

b) Progesterone

c) Prostaglandins ☑

d) Oxytocin

77. Normal birth weight of a full-term infant is:

a) 2–2.5 kg

b) 2.5–4 kg ☑

c) 4–5 kg

d) >5 kg

78. APGAR score <7 at 5 minutes indicates:

a) Normal newborn

b) Need for resuscitation ☑

c) Overweight baby

d) Preterm baby

79. Hyperemesis gravidarum is characterized by:

a) Mild nausea

b) Severe nausea and vomiting ☑

c) No vomiting

d) Only heartburn

80. Polyhydramnios refers to:

a) Decreased amniotic fluid

b) Excess amniotic fluid ☑

c) Normal fluid

d) Absent fluid

81. Oligohydramnios refers to:

a) Excess amniotic fluid

b) Reduced amniotic fluid ☑

c) Normal fluid

d) Absent fluid

82. The most common cause of postpartum infection is:

a) Streptococcus ☑

b) Staphylococcus

c) E. coli

d) CMV

83. Lochia refers to:

a) Vaginal discharge after childbirth ☑

b) Urine

c) Amniotic fluid

d) Blood only

84. Lochia lasts for:

a) 1–2 days

b) 4–6 weeks ☑

c) 2–3 months

d) 6–8 months

85. The hormone responsible for lactogenesis is:

a) Oxytocin

b) Prolactin ☑

c) Estrogen

d) Progesterone

86. The hormone responsible for milk ejection is:

a) Oxytocin ☑

b) Prolactin

c) Estrogen

d) Progesterone

87. The normal gestational weight gain is:

a) 5–8 kg

b) 10–12 kg

c) 11–16 kg ☑

d) 20 kg

88. Physiological anemia of pregnancy is due to:

a) Increased plasma volume ☑

b) Decreased RBC production

c) Blood loss

d) Hemolysis

89. Eclampsia is treated by:

a) Magnesium sulfate ☑

b) Oxytocin

c) Misoprostol

d) Antibiotics

90. Rh incompatibility can cause:

a) Hemolytic disease of newborn ☑

b) Preterm labor

c) Miscarriage

d) Placenta previa

91. The most common cause of infertility in males is:

a) Low sperm count ☑

b) Hormonal imbalance

c) Infection

d) Varicocele

92. Endometrial cancer is most common in:

a) Young women

b) Postmenopausal women ☑

c) Teenagers

d) Pregnant women

93. The most common symptom of cervical cancer is:

a) Vaginal bleeding ☑

b) Dysuria

c) Pelvic pain

d) Fever

94. HPV infection is a major risk factor for:

a) Ovarian cancer

b) Cervical cancer ☑

c) Endometrial cancer

d) Breast cancer

95. Menstrual cycle is controlled by:

a) Hypothalamus, pituitary, and ovaries ☑

b) Only ovaries

c) Only pituitary

d) Only hypothalamus

96. Lactational amenorrhea can be used as:

a) Contraceptive method ☑

b) Diagnostic test

c) Treatment

d) None

97. Hormonal IUD releases:

a) Estrogen

b) Progesterone ☑

c) Testosterone

d) FSH

98. Copper IUD works by:

a) Hormonal regulation

b) Spermicidal effect of copper ☑

c) Progesterone

d) Estrogen

99. The most common cause of infertility in women is:

a) Tubal blockage ☑

b) Ovulation disorder

c) Cervical factor

d) Endometriosis

100. Ectopic pregnancy can be diagnosed by:

a) Ultrasound ☑

b) Beta-hCG levels ☑

c) Physical exam ☑

d) All of the above ☑

Immune / Lymphatic System

1. The main function of the immune system is:

a) Digestion

b) Protection against pathogens ☑

c) Filtration of blood

d) Hormone secretion

2. The primary lymphoid organs include:

a) Spleen and lymph nodes

b) Bone marrow and thymus ☑

c) Tonsils and Peyer’s patches

d) Liver and pancreas

3. The secondary lymphoid organs include:

a) Bone marrow

b) Thymus

c) Spleen and lymph nodes ☑

d) Pineal gland

4. B lymphocytes mature in:

a) Bone marrow ☑

b) Thymus

c) Spleen

d) Lymph nodes

5. T lymphocytes mature in:

a) Bone marrow

b) Thymus ☑

c) Spleen

d) Lymph nodes

6. The humoral immune response is mediated by:

a) T cells

b) B cells and antibodies ☑

c) Macrophages

d) Neutrophils

7. The cell-mediated immune response is mediated by:

a) B cells

b) T cells ☑

c) Antibodies

d) Mast cells

8. The main antibody in primary immune response is:

a) IgG

b) IgM ☑

c) IgA

d) IgE

9. The main antibody in secondary immune response is:

a) IgM

b) IgG ☑

c) IgA

d) IgE

10. IgA is mainly found in:

a) Blood

b) Secretions like saliva and breast milk ☑

c) Skin

d) Lymph nodes

11. IgE is involved in:

a) Autoimmune diseases

b) Allergic reactions and parasitic infections ☑

c) Primary immune response

d) Memory response

12. IgD is found mainly on:

a) Surface of B cells ☑

b) T cells

c) Plasma cells

d) Mast cells

13. The complement system functions to:

a) Produce antibodies

b) Enhance phagocytosis and cell lysis ☑

c) Activate B cells

d) Inhibit T cells

14. Macrophages function as:

a) Antigen-presenting cells ☑

b) Produce antibodies

c) Stimulate B cells only

d) Kill viruses only

15. Dendritic cells are:

a) Phagocytic cells and antigen-presenting cells ☑

b) Only T cells

c) Only B cells

d) Red blood cells

16. NK cells are part of:

a) Adaptive immunity

b) Innate immunity ☑

c) Humoral immunity

d) Complement system

17. Cytotoxic T cells are also called:

a) CD4+ T cells

b) CD8+ T cells ☑

c) B cells

d) NK cells

18. Helper T cells are:

a) CD4+ T cells ☑

b) CD8+ T cells

c) B cells

d) NK cells

19. Regulatory T cells function to:

a) Enhance immunity

b) Suppress immune response ☑

c) Produce antibodies

d) Destroy bacteria

20. The main function of lymph nodes is:

a) Filter lymph and trap pathogens ☑

b) Produce RBC

c) Produce hormones

d) Store nutrients

21. The spleen functions to:

a) Filter blood ☑

b) Store iron ☑

c) Remove old RBC ☑

d) All of the above ☑

22. The thymus is largest in:

a) Neonates

b) Children ☑

c) Adults

d) Elderly

23. The first line of defense against pathogens includes:

a) Skin and mucous membranes ☑

b) Antibodies

c) T cells

d) NK cells

24. The second line of defense includes:

a) Skin

b) Inflammatory response, phagocytosis ☑

c) Antibodies

d) Complement only

25. Innate immunity is:

a) Present at birth ☑

b) Acquired after exposure

c) Antibody-mediated

d) T cell-mediated

26. Adaptive immunity is:

a) Present at birth

b) Acquired after exposure ☑

c) Non-specific

d) Innate

27. Active immunity is acquired by:

a) Infection or vaccination ☑

b) Maternal antibodies

c) Passive transfer

d) None

28. Passive immunity is acquired by:

a) Infection

b) Vaccination

c) Maternal antibodies or immunoglobulin therapy ☑

d) T cells

29. Live attenuated vaccines produce:

a) Strong, long-lasting immunity ☑

b) Weak immunity

c) Only passive immunity

d) No immunity

30. Inactivated vaccines produce:

a) Weak immunity ☑

b) Strong immunity

c) Passive immunity

d) Allergic reactions

31. Autoimmune diseases occur due to:

a) Overactive immune system attacking self ☑

b) Weak immunity

c) Bacterial infection

d) Viral infection

32. Examples of autoimmune diseases include:

a) SLE ☑

b) Rheumatoid arthritis ☑

c) Type 1 diabetes ☑

d) All of the above ☑

33. Hypersensitivity type I is:

a) IgE mediated ☑

b) IgG mediated

c) T-cell mediated

d) Complement-mediated

34. Hypersensitivity type II is:

a) IgE mediated

b) Antibody-dependent cytotoxicity ☑

c) Immune complex-mediated

d) T-cell mediated

35. Hypersensitivity type III is:

a) IgE mediated

b) Immune complex-mediated ☑

c) Cytotoxic

d) Delayed

36. Hypersensitivity type IV is:

a) Delayed type, T-cell mediated ☑

b) IgE mediated

c) Immune complex

d) Antibody-mediated

37. HIV infects:

a) B cells

b) CD4+ T cells ☑

c) NK cells

d) Macrophages

38. AIDS is characterized by:

a) High CD4 count

b) Low CD4 count ☑

c) High T cells

d) Low B cells

39. The window period of HIV infection is:

a) Time between infection and detectable antibodies ☑

b) Time of symptom onset

c) Time after ART

d) None

40. Immunodeficiency disorders can be:

a) Primary (congenital) ☑

b) Secondary (acquired) ☑

c) Both ☑

d) None

41. Primary immunodeficiency examples include:

a) SCID ☑

b) DiGeorge syndrome ☑

c) Bruton's agammaglobulinemia ☑

d) All of the above ☑

42. Secondary immunodeficiency examples include:

a) HIV/AIDS ☑

b) Malnutrition ☑

c) Chemotherapy ☑

d) All of the above ☑

43. Lymphatic system includes:

a) Lymph, lymph nodes, spleen, thymus ☑

b) Blood only

c) Bone marrow only

d) None

44. The function of lymphatic vessels is:

a) Transport lymph ☑

b) Produce RBC

c) Store hormones

d) Digest fat

45. Peyer’s patches are located in:

a) Stomach

b) Small intestine ☑

c) Large intestine

d) Liver

46. Tonsils act as:

a) Filter for blood

b) Lymphoid tissue protecting oral and nasal cavity ☑

c) Endocrine organ

d) None

47. Immunoglobulins are produced by:

a) T cells

b) B cells ☑

c) NK cells

d) Macrophages

48. Cytokines are:

a) Signaling proteins of immune system ☑

b) Hormones

c) Enzymes

d) Lipids

49. Interferons function to:

a) Promote bacterial growth

b) Inhibit viral replication ☑

c) Stimulate RBC production

d) Digest pathogens

50. Complement activation leads to:

a) Opsonization ☑

b) Cell lysis ☑

c) Inflammation ☑

d) All of the above

51. MHC class I molecules present antigens to:

a) CD4+ T cells

b) CD8+ T cells ☑

c) B cells

d) NK cells

52. MHC class II molecules present antigens to:

a) CD4+ T cells ☑

b) CD8+ T cells

c) B cells

d) NK cells

53. The first line of innate defense includes:

a) Skin and mucosa ☑

b) Antibodies

c) T cells

d) B cells

54. The second line of innate defense includes:

a) Phagocytosis ☑

b) Antibodies

c) B cells

d) NK cells

55. Fever during infection is mainly caused by:

a) IL-1 and TNF-alpha ☑

b) IL-4

c) IL-10

d) TGF-beta

56. Inflammation is characterized by:

a) Redness, heat, swelling, pain ☑

b) Only redness

c) Only swelling

d) Only pain

57. Histamine released by mast cells causes:

a) Vasodilation ☑

b) Vasoconstriction

c) Fever

d) Antibody production

58. Phagocytes include:

a) Neutrophils ☑

b) Macrophages ☑

c) Dendritic cells ☑

d) All of the above ☑

59. Opsonization refers to:

a) Direct killing

b) Coating pathogens for phagocytosis ☑

c) Complement activation only

d) Antibody neutralization

60. Active immunity is:

a) Natural (infection) ☑

b) Artificial (vaccine) ☑

c) Both ☑

d) None

61. Passive immunity examples include:

a) Maternal antibodies ☑

b) Immunoglobulin therapy ☑

c) Vaccination

d) Both a and b ☑

62. The primary immune response occurs:

a) During first exposure ☑

b) During second exposure

c) Immediately

d) None

63. The secondary immune response is:

a) Faster and stronger ☑

b) Slower

c) Weaker

d) Absent

64. Neutralization by antibodies refers to:

a) Coating viruses and toxins to prevent entry into cells ☑

b) Cell lysis

c) Phagocytosis

d) Complement activation

65. Agglutination refers to:

a) Clumping of cells or particles by antibodies ☑

b) Lysis

c) Neutralization

d) Phagocytosis

66. Precipitation refers to:

a) Clumping of soluble antigens by antibodies ☑

b) Cell lysis

c) Neutralization

d) Opsonization

67. Complement fixation enhances:

a) Phagocytosis ☑

b) Cell lysis ☑

c) Inflammation ☑

d) All of the above ☑

68. Cytokines are secreted by:

a) T cells ☑

b) Macrophages ☑

c) NK cells ☑

d) All of the above ☑

69. Interleukin-2 (IL-2) stimulates:

a) B cell proliferation

b) T cell proliferation ☑

c) NK cell inhibition

d) Antibody production

70. Interferon-gamma (IFN-γ) activates:

a) Macrophages ☑

b) B cells

c) T cells

d) Neutrophils

71. Tumor necrosis factor-alpha (TNF-α) is produced by:

a) T cells

b) Macrophages ☑

c) NK cells

d) B cells

72. Autoimmune hemolytic anemia is an example of:

a) Type I hypersensitivity

b) Type II hypersensitivity ☑

c) Type III hypersensitivity

d) Type IV hypersensitivity

73. Systemic lupus erythematosus (SLE) is an example of:

a) Type I

b) Type II

c) Type III ☑

d) Type IV

74. Contact dermatitis is an example of:

a) Type I

b) Type II

c) Type III

d) Type IV ☑

75. Anaphylaxis is:

a) Local allergic reaction

b) Severe systemic Type I hypersensitivity ☑

c) Autoimmune disease

d) Chronic infection

76. The main test for HIV diagnosis is:

a) PCR

b) ELISA ☑

c) Western blot

d) Rapid antigen test

77. CD4 count in HIV indicates:

a) Viral load

b) Immune status ☑

c) Liver function

d) Kidney function

78. The most common opportunistic infection in AIDS is:

a) Tuberculosis ☑

b) Pneumonia

c) Malaria

d) Hepatitis

79. Severe Combined Immunodeficiency (SCID) is caused by:

a) Defect in T cells ☑

b) Defect in B cells ☑

c) Both ☑

d) NK cells only

80. Bruton's agammaglobulinemia is:

a) T-cell deficiency

b) B-cell deficiency ☑

c) Combined deficiency

d) None

81. DiGeorge syndrome involves:

a) Thymic aplasia ☑

b) Hypocalcemia ☑

c) T-cell deficiency ☑

d) All of the above ☑

82. The main function of lymph nodes is:

a) Filtration of lymph ☑

b) Antigen presentation ☑

c) Lymphocyte activation ☑

d) All of the above ☑

83. The thoracic duct drains lymph from:

a) Right upper quadrant

b) Left side of body and lower body ☑

c) Head only

d) Right arm only

84. The right lymphatic duct drains:

a) Left side of body

b) Right upper quadrant ☑

c) Both lower limbs

d) Thorax only

85. Lymphedema results from:

a) Obstruction of lymphatic flow ☑

b) Infection

c) Cancer

d) Trauma

86. Elephantiasis is caused by:

a) Bacterial infection

b) Filarial worm infection ☑

c) Viral infection

d) Genetic mutation

87. Passive antibody therapy is used in:

a) Tetanus ☑

b) Rabies ☑

c) Hepatitis B ☑

d) All of the above ☑

88. The main effect of vaccination is:

a) Induce primary immune response ☑

b) Prevent disease ☑

c) Induce memory cells ☑

d) All of the above ☑

89. Adjuvants in vaccines are used to:

a) Enhance immune response ☑

b) Reduce side effects

c) Kill pathogens

d) Neutralize toxins

90. Hemolytic disease of the newborn occurs due to:

a) ABO incompatibility ☑

b) Rh incompatibility ☑

c) Blood loss

d) Infection

91. The main antigen-presenting cells are:

a) B cells

b) Macrophages ☑

c) Dendritic cells ☑

d) All of the above ☑

92. Fever during infection helps by:

a) Enhancing phagocytosis ☑

b) Inhibiting pathogen growth ☑

c) Increasing immune response ☑

d) All of the above ☑

93. Cytotoxic T cells kill:

a) Bacteria

b) Virus-infected cells ☑

c) Parasites only

d) None

94. NK cells kill:

a) Virus-infected cells ☑

b) Tumor cells ☑

c) Both ☑

d) RBC

95. The immune system develops tolerance to:

a) Pathogens

b) Self-antigens ☑

c) Foreign antigens

d) Vaccines

96. IgG antibodies:

a) Cross placenta ☑

b) Provide passive immunity ☑

c) Main antibody in secondary response ☑

d) All of the above ☑

97. IgM antibodies:

a) First antibody produced in primary response ☑

b) Main in secondary response

c) Found in secretions

d) Allergy mediator

98. IgA antibodies:

a) Found in mucosal secretions ☑

b) In blood

c) Allergy mediator

d) T cell receptor

99. NK cells are part of:

a) Adaptive immunity

b) Innate immunity ☑

c) Humoral immunity

d) Complement

100. Hypersensitivity reaction type I is mediated by:

a) IgE ☑

b) IgG

c) T cells

d) Complement

Fundamentals of Nursing

1. The primary goal of nursing is:

a) Diagnosis of disease

b) Promotion of health and prevention of illness ☑

c) Prescribing medication

d) Surgery

2. The nursing process includes:

a) Assessment ☑

b) Diagnosis ☑

c) Planning ☑

d) Implementation ☑

e) Evaluation ☑

3. The first step of the nursing process is:

a) Planning

b) Assessment ☑

c) Implementation

d) Evaluation

4. Nursing diagnosis is:

a) Medical diagnosis

b) Clinical judgment about patient response to actual or potential health problems ☑

c) Prescription

d) Lab test

5. In planning care, nurses should set:

a) Goals and expected outcomes ☑

b) Only goals

c) Only interventions

d) None

6. Evaluation in nursing involves:

a) Assessing if patient outcomes are achieved ☑

b) Administering medication

c) Taking vital signs only

d) Diagnosis

7. The nurse’s responsibility in patient education is:

a) Informing and teaching patients ☑

b) Diagnosing disease

c) Prescribing drugs

d) Performing surgery

8. Infection prevention in nursing includes:

a) Hand hygiene ☑

b) Sterilization of equipment ☑

c) Proper disposal of waste ☑

d) All of the above ☑

9. Standard precautions include:

a) Hand washing ☑

b) Use of gloves ☑

c) Mask and eye protection ☑

d) All of the above ☑

10. The correct sequence for donning PPE is:

a) Gloves, gown, mask, eye protection

b) Gown, mask, eye protection, gloves ☑

c) Mask, gloves, gown, eye protection

d) Eye protection, gown, mask, gloves

11. The correct sequence for doffing PPE is:

a) Gloves, eye protection, gown, mask ☑

b) Mask, gown, gloves, eye protection

c) Eye protection, gloves, mask, gown

d) Gown, gloves, mask, eye protection

12. The normal body temperature in adults is:

a) 35–36°C

b) 36–37°C ☑

c) 37–38°C

d) 38–39°C

13. The normal pulse rate in adults is:

a) 50–70 bpm

b) 60–100 bpm ☑

c) 100–120 bpm

d) 40–60 bpm

14. The normal respiratory rate in adults is:

a) 8–12/min

b) 12–20/min ☑

c) 20–25/min

d) 25–30/min

15. Normal blood pressure in adults is approximately:

a) 100/60 mmHg

b) 120/80 mmHg ☑

c) 140/90 mmHg

d) 160/100 mmHg

16. The term “asepsis” refers to:

a) Free from disease

b) Free from infection ☑

c) Sterile technique only

d) None

17. Surgical asepsis is also called:

a) Clean technique

b) Sterile technique ☑

c) Hand hygiene

d) Disinfection

18. Medical asepsis is also called:

a) Clean technique ☑

b) Sterile technique

c) Surgical technique

d) Isolation

19. Isolation precautions are used to:

a) Protect patient and staff from infection ☑

b) For patient comfort

c) For observation only

d) None

20. Types of isolation include:

a) Contact ☑

b) Droplet ☑

c) Airborne ☑

d) Protective ☑

21. The nurse’s role in medication administration is:

a) Prescribing drugs

b) Administering medication safely ☑

c) Diagnosing disease

d) Surgery

22. The “five rights” of medication administration include:

a) Right patient ☑

b) Right drug ☑

c) Right dose ☑

d) Right route ☑

e) Right time ☑

23. The most accurate method for measuring core body temperature is:

a) Oral

b) Rectal ☑

c) Axillary

d) Tympanic

24. The normal urine output in adults is approximately:

a) 0.5–1 mL/kg/hr ☑

b) 1–2 mL/kg/hr

c) 2–3 mL/kg/hr

d) 3–4 mL/kg/hr

25. The normal range of blood glucose is:

a) 60–100 mg/dL ☑

b) 70–120 mg/dL

c) 80–110 mg/dL

d) 90–130 mg/dL

26. A nasogastric tube is used for:

a) Feeding ☑

b) Gastric decompression ☑

c) Medication administration ☑

d) All of the above ☑

27. Enteral feeding is administered:

a) IV

b) Through gastrointestinal tract ☑

c) Subcutaneous

d) Inhalation

28. Parenteral feeding is administered:

a) IV ☑

b) Oral

c) Through GI tract

d) Nasal

29. Pressure ulcers are caused by:

a) Prolonged pressure ☑

b) Friction ☑

c) Shear ☑

d) All of the above ☑

30. Stages of pressure ulcers include:

a) Stage I: Non-blanchable erythema ☑

b) Stage II: Partial-thickness skin loss ☑

c) Stage III: Full-thickness skin loss ☑

d) Stage IV: Full-thickness tissue loss ☑

31. Proper body mechanics prevent:

a) Musculoskeletal injuries ☑

b) Infection

c) Pressure ulcers

d) Burns

32. The correct technique for lifting patients includes:

a) Bend knees, keep back straight ☑

b) Bend back, keep knees straight

c) Pull patient by arms

d) Twist body

33. The main function of documentation is:

a) Legal record ☑

b) Communication ☑

c) Continuity of care ☑

d) All of the above ☑

34. Incident reports are used for:

a) Documenting accidents or errors ☑

b) Patient care plan

c) Nursing diagnosis

d) Vital signs

35. Handwashing duration recommended by WHO is:

a) 5 seconds

b) 10 seconds

c) 20 seconds ☑

d) 1 minute

36. The nursing code of ethics includes:

a) Respect for patient ☑

b) Confidentiality ☑

c) Accountability ☑

d) All of the above ☑

37. Therapeutic communication includes:

a) Active listening ☑

b) Silence

c) Open-ended questions ☑

d) Non-verbal cues ☑

38. The nursing role in pain management includes:

a) Assessing pain ☑

b) Administering analgesics ☑

c) Educating patient ☑

d) All of the above ☑

39. The normal range of adult oxygen saturation (SpO2) is:

a) 85–90%

b) 90–100% ☑

c) 70–80%

d) 60–70%

40. Common methods of pain assessment include:

a) Numeric scale ☑

b) Wong-Baker faces scale ☑

c) FLACC scale ☑

d) All of the above ☑

41. The nurse’s role in patient safety includes:

a) Fall prevention ☑

b) Infection control ☑

c) Safe medication administration ☑

d) All of the above ☑

42. Vital signs include:

a) Temperature ☑

b) Pulse ☑

c) Respiratory rate ☑

d) Blood pressure ☑

43. Aseptic technique includes:

a) Sterile gloves ☑

b) Sterile instruments ☑

c) Proper handwashing ☑

d) All of the above ☑

44. The main route of transmission in healthcare-associated infections is:

a) Contact ☑

b) Droplet ☑

c) Airborne ☑

d) All of the above ☑

45. The nurse’s role in patient advocacy includes:

a) Speaking on behalf of patient ☑

b) Protecting patient rights ☑

c) Ensuring ethical care ☑

d) All of the above ☑

46. Early morning care for patients includes:

a) Oral hygiene ☑

b) Bathing ☑

c) Toileting ☑

d) All of the above ☑

47. Bathing helps to:

a) Clean skin ☑

b) Improve circulation ☑

c) Assess skin condition ☑

d) All of the above ☑

48. The nurse should change position of bedridden patient every:

a) 1–2 hours ☑

b) 3–4 hours

c) 4–6 hours

d) 6–8 hours

49. The normal adult heart rate range is:

a) 50–90 bpm

b) 60–100 bpm ☑

c) 70–110 bpm

d) 80–120 bpm

50. Nursing care plans are developed based on:

a) Patient assessment ☑

b) Nursing diagnosis ☑

c) Expected outcomes ☑

d) All of the above ☑

51. Oral hygiene helps to:

a) Prevent dental caries ☑

b) Reduce halitosis ☑

c) Prevent infections ☑

d) All of the above ☑

52. When assisting a patient to ambulate, the nurse should:

a) Walk behind the patient

b) Use a gait belt ☑

c) Pull the patient by arms

d) Ignore patient’s balance

53. Bedmaking should be done:

a) Daily or as needed ☑

b) Weekly

c) Monthly

d) Only when patient requests

54. Patient confidentiality is protected by:

a) Not sharing patient info without consent ☑

b) Discussing patient info with colleagues in public

c) Posting patient info online

d) Ignoring HIPAA regulations

55. The purpose of patient assessment is to:

a) Identify health problems ☑

b) Plan care ☑

c) Evaluate outcomes ☑

d) All of the above ☑

56. Vital signs should be taken:

a) Only in emergency

b) Routinely as per protocol ☑

c) Only when patient complains

d) Randomly

57. Hypothermia is defined as body temperature:

a) <36°C ☑

b) >38°C

c) <35°C

d) >37°C

58. Hyperthermia is defined as body temperature:

a) >37°C ☑

b) >38°C ☑

c) >39°C

d) >40°C

59. Tachycardia is defined as:

a) HR <60 bpm

b) HR >100 bpm ☑

c) HR 60–100 bpm

d) HR >120 bpm

60. Bradycardia is defined as:

a) HR <60 bpm ☑

b) HR >100 bpm

c) HR 60–100 bpm

d) HR <50 bpm

61. Normal adult respiratory rate is:

a) 8–12/min

b) 12–20/min ☑

c) 20–25/min

d) 25–30/min

62. Tachypnea refers to:

a) Slow breathing

b) Rapid breathing ☑

c) Shallow breathing

d) Deep breathing

63. Bradypnea refers to:

a) Slow breathing ☑

b) Rapid breathing

c) Normal breathing

d) Labored breathing

64. Hypotension is defined as:

a) BP <120/80 mmHg

b) BP <90/60 mmHg ☑

c) BP >140/90 mmHg

d) BP >160/100 mmHg

65. Hypertension is defined as:

a) BP >120/80 mmHg

b) BP >140/90 mmHg ☑

c) BP <90/60 mmHg

d) BP >160/100 mmHg

66. The purpose of performing a physical assessment is to:

a) Detect abnormalities ☑

b) Evaluate response to interventions ☑

c) Collect baseline data ☑

d) All of the above ☑

67. The most common site for checking pulse in adults is:

a) Brachial artery

b) Radial artery ☑

c) Carotid artery

d) Femoral artery

68. A stethoscope is used to assess:

a) Heart sounds ☑

b) Lung sounds ☑

c) Bowel sounds ☑

d) All of the above ☑

69. The first step in wound care is:

a) Cleaning ☑

b) Dressing

c) Assessing wound ☑

d) Medication

70. Signs of infection in a wound include:

a) Redness ☑

b) Swelling ☑

c) Pain ☑

d) Purulent discharge ☑

71. The correct method of handwashing includes:

a) Using soap and water ☑

b) Rubbing for at least 20 seconds ☑

c) Drying with clean towel ☑

d) All of the above ☑

72. The most common route of nosocomial infection is:

a) Airborne

b) Contact ☑

c) Vector-borne

d) Food-borne

73. A sterile field is contaminated if:

a) Touching with non-sterile object ☑

b) Reaching over field ☑

c) Field becomes wet ☑

d) All of the above ☑

74. The nurse should assess pain:

a) On admission ☑

b) Before and after interventions ☑

c) Regularly as per protocol ☑

d) All of the above ☑

75. The FLACC scale is used for:

a) Adults

b) Children ☑

c) Neonates ☑

d) Elderly

76. The Wong-Baker FACES scale is used for:

a) Adults

b) Children ☑

c) Neonates

d) All

77. When administering oral medication, the nurse should:

a) Ensure patient is upright ☑

b) Check for swallowing difficulty ☑

c) Verify 5 rights ☑

d) All of the above ☑

78. Intramuscular injection sites include:

a) Deltoid ☑

b) Vastus lateralis ☑

c) Ventrogluteal ☑

d) All of the above ☑

79. Subcutaneous injections are given:

a) Into muscle

b) Into fatty tissue ☑

c) Into vein

d) Into skin

80. IV therapy complications include:

a) Phlebitis ☑

b) Infiltration ☑

c) Infection ☑

d) All of the above ☑

81. The nurse should monitor IV site:

a) Every shift ☑

b) Before and after medication ☑

c) Every hour if critical ☑

d) All of the above ☑

82. The correct method of measuring blood pressure includes:

a) Patient seated, arm at heart level ☑

b) Cuff size appropriate ☑

c) Palpate systolic first ☑

d) All of the above ☑

83. A Foley catheter is used for:

a) Continuous urine drainage ☑

b) Intermittent drainage

c) Measurement only

d) None

84. The nurse should monitor a patient with urinary catheter for:

a) Infection ☑

b) Blockage ☑

c) Urine output ☑

d) All of the above ☑

85. Patient falls can be prevented by:

a) Bed in low position ☑

b) Call bell within reach ☑

c) Non-slip footwear ☑

d) All of the above ☑

86. Oxygen therapy is indicated for:

a) Hypoxia ☑

b) Dyspnea ☑

c) Low SpO2 ☑

d) All of the above ☑

87. The nasal cannula delivers oxygen at:

a) 1–6 L/min ☑

b) 6–10 L/min

c) 10–15 L/min

d) 15–20 L/min

88. The simple face mask delivers oxygen at:

a) 1–6 L/min

b) 5–10 L/min ☑

c) 10–15 L/min

d) 15–20 L/min

89. Suctioning is performed to:

a) Remove secretions ☑

b) Clear airway ☑

c) Prevent hypoxia ☑

d) All of the above ☑

90. Oral suctioning is performed with:

a) Yankauer catheter ☑

b) Nasopharyngeal catheter

c) Endotracheal tube

d) Foley catheter

91. Nasopharyngeal suctioning is performed with:

a) Yankauer

b) Flexible catheter ☑

c) Endotracheal tube

d) IV line

92. The normal adult urine output per day is:

a) 500–1000 mL

b) 1000–1500 mL ☑

c) 1500–2000 mL

d) 2000–2500 mL

93. Intake and output should be recorded:

a) Daily ☑

b) Every shift ☑

c) As per order ☑

d) All of the above ☑

94. Bedridden patients should be repositioned every:

a) 1–2 hours ☑

b) 3–4 hours

c) 4–6 hours

d) 6–8 hours

95. The nurse should assess skin for:

a) Color ☑

b) Temperature ☑

c) Moisture ☑

d) All of the above ☑

96. Early signs of hypoxia include:

a) Restlessness ☑

b) Anxiety ☑

c) Tachypnea ☑

d) All of the above ☑

97. Late signs of hypoxia include:

a) Cyanosis ☑

b) Bradypnea ☑

c) Confusion ☑

d) All of the above ☑

98. The nurse should monitor patients on oxygen for:

a) Skin breakdown ☑

b) Dry mucous membranes ☑

c) Hypoxia ☑

d) All of the above ☑

99. Patient teaching is important for:

a) Medication adherence ☑

b) Infection prevention ☑

c) Health promotion ☑

d) All of the above ☑

100. The goal of nursing documentation is to:

a) Communicate patient care ☑

b) Provide legal record ☑

c) Ensure continuity of care ☑

d) All of the above ☑

Medical & Surgical Nursing

1. The primary cause of myocardial infarction is:

a) Hypertension

b) Coronary artery blockage ☑

c) Diabetes

d) Infection

2. Classic symptom of MI includes:

a) Chest pain ☑

b) Dyspnea ☑

c) Nausea ☑

d) All of the above ☑

3. The first nursing action in a patient with suspected MI is:

a) Administer painkiller

b) Assess vital signs ☑

c) Start IV line ☑

d) All of the above ☑

4. Congestive heart failure leads to:

a) Pulmonary edema ☑

b) Peripheral edema ☑

c) Fatigue ☑

d) All of the above ☑

5. Left-sided heart failure results in:

a) Pulmonary congestion ☑

b) Peripheral edema

c) Hepatomegaly

d) Jugular vein distension

6. Right-sided heart failure results in:

a) Peripheral edema ☑

b) Pulmonary edema

c) Dyspnea

d) Tachypnea

7. The first line drug for hypertension is usually:

a) Beta-blockers ☑

b) Diuretics ☑

c) ACE inhibitors ☑

d) All of the above ☑

8. The main symptom of hypoglycemia is:

a) Shakiness ☑

b) Sweating ☑

c) Confusion ☑

d) All of the above ☑

9. The main symptom of hyperglycemia is:

a) Polyuria ☑

b) Polydipsia ☑

c) Polyphagia ☑

d) All of the above ☑

10. Type 1 diabetes is characterized by:

a) Insulin deficiency ☑

b) Insulin resistance

c) Obesity

d) None

11. Type 2 diabetes is characterized by:

a) Insulin deficiency

b) Insulin resistance ☑

c) Autoimmune destruction

d) Infection

12. The priority nursing intervention in diabetic ketoacidosis is:

a) Insulin administration ☑

b) Fluid replacement ☑

c) Electrolyte correction ☑

d) All of the above ☑

13. Chronic kidney disease leads to:

a) Electrolyte imbalance ☑

b) Fluid retention ☑

c) Anemia ☑

d) All of the above ☑

14. The most common cause of peptic ulcer disease is:

a) H. pylori infection ☑

b) NSAID use ☑

c) Stress ☑

d) All of the above ☑

15. Nursing care for peptic ulcer includes:

a) Diet management ☑

b) Medication adherence ☑

c) Avoid NSAIDs ☑

d) All of the above ☑

16. The main symptom of appendicitis is:

a) Right lower quadrant pain ☑

b) Nausea ☑

c) Vomiting ☑

d) All of the above ☑

17. Preoperative nursing care includes:

a) Patient education ☑

b) Vital sign assessment ☑

c) Informed consent ☑

d) All of the above ☑

18. Postoperative nursing care includes:

a) Monitoring vital signs ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

19. The most common site of pressure ulcer is:

a) Sacrum ☑

b) Heels ☑

c) Elbows ☑

d) All of the above ☑

20. Prevention of pressure ulcers includes:

a) Regular repositioning ☑

b) Use of pressure-relieving devices ☑

c) Skin care ☑

d) All of the above ☑

21. The priority intervention for a patient with hypovolemic shock is:

a) Oxygen administration ☑

b) Fluid resuscitation ☑

c) Monitor vital signs ☑

d) All of the above ☑

22. Signs of shock include:

a) Hypotension ☑

b) Tachycardia ☑

c) Cool, clammy skin ☑

d) All of the above ☑

23. Asthma is characterized by:

a) Bronchoconstriction ☑

b) Airway inflammation ☑

c) Wheezing ☑

d) All of the above ☑

24. Nursing care for asthma includes:

a) Oxygen therapy ☑

b) Medication adherence ☑

c) Patient education ☑

d) All of the above ☑

25. COPD includes:

a) Chronic bronchitis ☑

b) Emphysema ☑

c) Asthma

d) Both a and b ☑

26. The main symptom of pneumonia is:

a) Cough ☑

b) Fever ☑

c) Dyspnea ☑

d) All of the above ☑

27. Nursing care for pneumonia includes:

a) Oxygen therapy ☑

b) Antibiotics ☑

c) Hydration ☑

d) All of the above ☑

28. Tuberculosis nursing care includes:

a) Isolation ☑

b) Medication adherence ☑

c) Patient education ☑

d) All of the above ☑

29. Hepatitis B transmission occurs through:

a) Blood ☑

b) Sexual contact ☑

c) Vertical transmission ☑

d) All of the above ☑

30. Cirrhosis nursing care includes:

a) Low sodium diet ☑

b) Avoid alcohol ☑

c) Monitor for bleeding ☑

d) All of the above ☑

31. The priority nursing intervention for a patient with seizure is:

a) Protect from injury ☑

b) Maintain airway ☑

c) Monitor duration ☑

d) All of the above ☑

32. Signs of increased intracranial pressure include:

a) Headache ☑

b) Vomiting ☑

c) Altered level of consciousness ☑

d) All of the above ☑

33. Stroke nursing care includes:

a) Maintain airway ☑

b) Prevent aspiration ☑

c) Supportive care ☑

d) All of the above ☑

34. The main symptom of hypokalemia is:

a) Muscle weakness ☑

b) Arrhythmias ☑

c) Fatigue ☑

d) All of the above ☑

35. Hyperkalemia may cause:

a) Cardiac arrhythmias ☑

b) Muscle weakness ☑

c) Nausea ☑

d) All of the above ☑

36. The most common cause of anemia is:

a) Blood loss ☑

b) Iron deficiency ☑

c) Chronic disease ☑

d) All of the above ☑

37. Nursing care for anemia includes:

a) Diet rich in iron ☑

b) Medication adherence ☑

c) Monitor hemoglobin ☑

d) All of the above ☑

38. The most common type of shock is:

a) Hypovolemic ☑

b) Cardiogenic

c) Septic

d) Anaphylactic

39. Nursing care for hypovolemic shock includes:

a) Fluid resuscitation ☑

b) Oxygen therapy ☑

c) Monitor vital signs ☑

d) All of the above ☑

40. Deep vein thrombosis prevention includes:

a) Early ambulation ☑

b) Compression stockings ☑

c) Hydration ☑

d) All of the above ☑

41. Pulmonary embolism symptoms include:

a) Dyspnea ☑

b) Chest pain ☑

c) Tachycardia ☑

d) All of the above ☑

42. The first nursing intervention in hypoglycemia is:

a) Administer glucose ☑

b) Monitor blood sugar ☑

c) Assess level of consciousness ☑

d) All of the above ☑

43. The main symptom of hyperthyroidism is:

a) Weight loss ☑

b) Heat intolerance ☑

c) Tachycardia ☑

d) All of the above ☑

44. The main symptom of hypothyroidism is:

a) Weight gain ☑

b) Cold intolerance ☑

c) Fatigue ☑

d) All of the above ☑

45. Nursing care for postoperative patients includes:

a) Monitoring vital signs ☑

b) Pain management ☑

c) Early ambulation ☑

d) All of the above ☑

46. The priority nursing intervention for burns includes:

a) Fluid replacement ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

47. Signs of infection include:

a) Fever ☑

b) Redness ☑

c) Swelling ☑

d) All of the above ☑

48. Nursing care for infection includes:

a) Isolation ☑

b) Medication adherence ☑

c) Hygiene ☑

d) All of the above ☑

49. The main symptom of shock is:

a) Hypotension ☑

b) Tachycardia ☑

c) Altered mental status ☑

d) All of the above ☑

50. Nursing care for shock includes:

a) Oxygen therapy ☑

b) IV fluids ☑

c) Monitor vital signs ☑

d) All of the above

51. The main symptom of acute pancreatitis is:

a) Abdominal pain ☑

b) Nausea ☑

c) Vomiting ☑

d) All of the above ☑

52. Nursing care for pancreatitis includes:

a) NPO (nothing by mouth) ☑

b) Pain management ☑

c) IV fluids ☑

d) All of the above ☑

53. Cholecystitis commonly presents with:

a) Right upper quadrant pain ☑

b) Fever ☑

c) Nausea ☑

d) All of the above ☑

54. Nursing care for cholecystitis includes:

a) Pain management ☑

b) Diet modification ☑

c) Monitor for infection ☑

d) All of the above ☑

55. Peptic ulcer disease may be caused by:

a) H. pylori ☑

b) NSAID use ☑

c) Stress ☑

d) All of the above ☑

56. Nursing care for GERD includes:

a) Avoiding spicy food ☑

b) Elevating head of bed ☑

c) Medication adherence ☑

d) All of the above ☑

57. The main symptom of appendicitis is:

a) Right lower quadrant pain ☑

b) Nausea ☑

c) Vomiting ☑

d) All of the above ☑

58. Nursing care for appendectomy includes:

a) Monitor vital signs ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

59. The main symptom of stroke is:

a) Hemiplegia ☑

b) Facial droop ☑

c) Speech difficulty ☑

d) All of the above ☑

60. Nursing care for stroke includes:

a) Airway maintenance ☑

b) Prevent aspiration ☑

c) Supportive care ☑

d) All of the above ☑

61. Signs of increased intracranial pressure include:

a) Headache ☑

b) Vomiting ☑

c) Altered consciousness ☑

d) All of the above ☑

62. Nursing care for ICP includes:

a) Elevate head of bed ☑

b) Monitor neurological status ☑

c) Avoid straining ☑

d) All of the above ☑

63. The priority nursing intervention for a patient with seizure is:

a) Protect from injury ☑

b) Maintain airway ☑

c) Monitor duration ☑

d) All of the above ☑

64. Nursing care for diabetes includes:

a) Monitor blood glucose ☑

b) Medication adherence ☑

c) Diet education ☑

d) All of the above ☑

65. Hypoglycemia is treated by:

a) Oral glucose ☑

b) IV glucose ☑

c) Monitoring vitals ☑

d) All of the above ☑

66. Hyperglycemia may present with:

a) Polyuria ☑

b) Polydipsia ☑

c) Polyphagia ☑

d) All of the above ☑

67. Nursing care for hypokalemia includes:

a) Potassium replacement ☑

b) Monitor ECG ☑

c) Assess muscle strength ☑

d) All of the above ☑

68. Nursing care for hyperkalemia includes:

a) Administer calcium gluconate ☑

b) Monitor ECG ☑

c) Administer insulin and glucose ☑

d) All of the above ☑

69. Chronic kidney disease nursing care includes:

a) Monitor fluid balance ☑

b) Diet modification ☑

c) Monitor electrolytes ☑

d) All of the above ☑

70. The main symptom of anemia is:

a) Fatigue ☑

b) Pallor ☑

c) Dyspnea ☑

d) All of the above ☑

71. Nursing care for anemia includes:

a) Iron supplementation ☑

b) Diet rich in iron ☑

c) Monitor hemoglobin ☑

d) All of the above ☑

72. The most common cause of shock is:

a) Hypovolemia ☑

b) Cardiogenic

c) Septic

d) Anaphylactic

73. Nursing care for shock includes:

a) Oxygen therapy ☑

b) IV fluids ☑

c) Monitor vital signs ☑

d) All of the above ☑

74. Deep vein thrombosis prevention includes:

a) Early ambulation ☑

b) Compression stockings ☑

c) Hydration ☑

d) All of the above ☑

75. Pulmonary embolism symptoms include:

a) Dyspnea ☑

b) Chest pain ☑

c) Tachycardia ☑

d) All of the above ☑

76. Nursing care for heart failure includes:

a) Monitor fluid balance ☑

b) Daily weight ☑

c) Medication adherence ☑

d) All of the above ☑

77. The main symptom of pneumonia is:

a) Cough ☑

b) Fever ☑

c) Dyspnea ☑

d) All of the above ☑

78. Nursing care for pneumonia includes:

a) Oxygen therapy ☑

b) Antibiotics ☑

c) Hydration ☑

d) All of the above ☑

79. COPD nursing care includes:

a) Oxygen therapy ☑

b) Medication adherence ☑

c) Pulmonary hygiene ☑

d) All of the above ☑

80. Nursing care for asthma includes:

a) Oxygen therapy ☑

b) Medication adherence ☑

c) Patient education ☑

d) All of the above ☑

81. The main symptom of myocardial infarction is:

a) Chest pain ☑

b) Dyspnea ☑

c) Nausea ☑

d) All of the above ☑

82. Nursing care for MI includes:

a) Monitor vital signs ☑

b) Administer oxygen ☑

c) Administer medications as ordered ☑

d) All of the above ☑

83. Nursing care for postoperative patient includes:

a) Monitor vital signs ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

84. Nursing care for burn patients includes:

a) Fluid replacement ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

85. Nursing care for infection includes:

a) Isolation ☑

b) Medication adherence ☑

c) Hygiene ☑

d) All of the above ☑

86. Nursing care for hypotension includes:

a) IV fluids ☑

b) Monitor vitals ☑

c) Oxygen therapy ☑

d) All of the above ☑

87. Nursing care for hypertension includes:

a) Medication adherence ☑

b) Diet modification ☑

c) Exercise ☑

d) All of the above ☑

88. Nursing care for stroke includes:

a) Maintain airway ☑

b) Prevent aspiration ☑

c) Supportive care ☑

d) All of the above ☑

89. Nursing care for GI bleeding includes:

a) Monitor vitals ☑

b) IV fluids ☑

c) Blood transfusion as ordered ☑

d) All of the above ☑

90. Nursing care for hypoxia includes:

a) Oxygen therapy ☑

b) Positioning ☑

c) Monitor SpO2 ☑

d) All of the above ☑

91. Nursing care for seizure includes:

a) Protect from injury ☑

b) Maintain airway ☑

c) Monitor duration ☑

d) All of the above ☑

92. Nursing care for electrolyte imbalance includes:

a) Monitor labs ☑

b) Administer replacement ☑

c) Assess symptoms ☑

d) All of the above ☑

93. Nursing care for DVT includes:

a) Early ambulation ☑

b) Compression stockings ☑

c) Medication as prescribed ☑

d) All of the above ☑

94. Nursing care for pulmonary embolism includes:

a) Oxygen therapy ☑

b) Medication as ordered ☑

c) Monitor vital signs ☑

d) All of the above ☑

95. Nursing care for kidney stones includes:

a) Pain management ☑

b) Hydration ☑

c) Monitor urine output ☑

d) All of the above ☑

96. Nursing care for post-operative patients includes:

a) Monitor vital signs ☑

b) Early ambulation ☑

c) Pain management ☑

d) All of the above ☑

97. Nursing care for wound healing includes:

a) Proper dressing ☑

b) Infection prevention ☑

c) Nutrition ☑

d) All of the above ☑

98. Nursing care for hypovolemic shock includes:

a) IV fluids ☑

b) Oxygen therapy ☑

c) Monitor vitals ☑

d) All of the above ☑

99. Nursing care for diabetic patients includes:

a) Monitor blood sugar ☑

b) Medication adherence ☑

c) Diet education ☑

d) All of the above ☑

100. The goal of medical-surgical nursing is to:

a) Promote health ☑

b) Prevent illness ☑

c) Provide care and rehabilitation ☑

d) All of the above ☑

Orthopedic Nursing

1. The most common cause of fractures is:

a) Trauma ☑

b) Infection

c) Tumor

d) Degeneration

2. Closed fracture means:

a) Bone breaks but skin intact ☑

b) Bone protrudes through skin

c) Fracture with multiple fragments

d) Hairline fracture

3. Open fracture means:

a) Bone breaks but skin intact

b) Bone protrudes through skin ☑

c) Simple fracture

d) Stress fracture

4. Common sign of fracture is:

a) Pain ☑

b) Swelling ☑

c) Deformity ☑

d) All of the above ☑

5. Priority nursing care in fracture includes:

a) Immobilization ☑

b) Pain management ☑

c) Assess neurovascular status ☑

d) All of the above ☑

6. Neurovascular assessment includes:

a) Color ☑

b) Temperature ☑

c) Capillary refill ☑

d) All of the above ☑

7. Compartment syndrome signs include:

a) Severe pain ☑

b) Paresthesia ☑

c) Pallor ☑

d) All of the above ☑

8. Nursing care for compartment syndrome includes:

a) Notify physician ☑

b) Remove tight dressings ☑

c) Prepare for fasciotomy ☑

d) All of the above ☑

9. Traction is used to:

a) Reduce fracture ☑

b) Immobilize fracture ☑

c) Relieve muscle spasms ☑

d) All of the above ☑

10. Types of traction include:

a) Skin traction ☑

b) Skeletal traction ☑

c) Both a and b ☑

d) None

11. Skin traction uses:

a) Weights attached to skin ☑

b) Pins inserted into bone

c) Both

d) None

12. Skeletal traction uses:

a) Pins inserted into bone ☑

b) Weights attached to skin

c) Only bandages

d) None

13. Nursing care for traction includes:

a) Maintain alignment ☑

b) Check weights hanging freely ☑

c) Monitor skin integrity ☑

d) All of the above ☑

14. Cast care includes:

a) Keep dry ☑

b) Avoid inserting objects inside ☑

c) Elevate limb to reduce swelling ☑

d) All of the above ☑

15. Signs of cast complications include:

a) Numbness ☑

b) Tingling ☑

c) Swelling ☑

d) All of the above ☑

16. Hip replacement post-op care includes:

a) Maintain abduction ☑

b) Avoid crossing legs ☑

c) Use elevated toilet seat ☑

d) All of the above ☑

17. Knee replacement post-op care includes:

a) CPM machine use ☑

b) Pain management ☑

c) Monitor for infection ☑

d) All of the above ☑

18. Osteoarthritis is characterized by:

a) Joint pain ☑

b) Stiffness ☑

c) Reduced mobility ☑

d) All of the above ☑

19. Rheumatoid arthritis is characterized by:

a) Autoimmune inflammation ☑

b) Symmetrical joint involvement ☑

c) Morning stiffness ☑

d) All of the above ☑

20. Nursing care for arthritis includes:

a) Pain management ☑

b) Exercise ☑

c) Joint protection ☑

d) All of the above ☑

21. Osteoporosis increases risk of:

a) Fractures ☑

b) Postural deformities ☑

c) Reduced mobility ☑

d) All of the above ☑

22. Nursing care for osteoporosis includes:

a) Calcium and vitamin D ☑

b) Weight-bearing exercise ☑

c) Fall prevention ☑

d) All of the above ☑

23. The most common site of hip fracture is:

a) Femoral neck ☑

b) Tibia

c) Humerus

d) Spine

24. Nursing care for hip fracture includes:

a) Pain management ☑

b) Immobilization ☑

c) Monitor neurovascular status ☑

d) All of the above ☑

25. Signs of fat embolism include:

a) Dyspnea ☑

b) Confusion ☑

c) Petechial rash ☑

d) All of the above ☑

26. Nursing care for fat embolism includes:

a) Oxygen therapy ☑

b) Supportive care ☑

c) Monitor vitals ☑

d) All of the above ☑

27. Amputation care includes:

a) Elevate limb ☑

b) Monitor for bleeding ☑

c) Pain management ☑

d) All of the above ☑

28. Phantom limb pain is managed by:

a) Medications ☑

b) Mirror therapy ☑

c) Psychological support ☑

d) All of the above ☑

29. Nursing care for spinal cord injury includes:

a) Maintain airway ☑

b) Prevent pressure sores ☑

c) Monitor neurological status ☑

d) All of the above ☑

30. Complications of spinal cord injury include:

a) Neurogenic shock ☑

b) Autonomic dysreflexia ☑

c) Urinary retention ☑

d) All of the above ☑

31. Signs of autonomic dysreflexia include:

a) Hypertension ☑

b) Severe headache ☑

c) Flushing ☑

d) All of the above ☑

32. Nursing care for autonomic dysreflexia includes:

a) Remove triggering stimulus ☑

b) Monitor BP ☑

c) Administer antihypertensives if needed ☑

d) All of the above ☑

33. Nursing care for osteomyelitis includes:

a) Antibiotics ☑

b) Pain management ☑

c) Monitor wound ☑

d) All of the above ☑

34. Traumatic amputation requires:

a) Control bleeding ☑

b) Preserve amputated part ☑

c) Pain management ☑

d) All of the above ☑

35. Complications of fracture include:

a) Infection ☑

b) Non-union ☑

c) Deep vein thrombosis ☑

d) All of the above ☑

36. Nursing care for fracture includes:

a) Pain management ☑

b) Neurovascular assessment ☑

c) Elevation of limb ☑

d) All of the above ☑

37. Signs of hip dislocation include:

a) Pain ☑

b) Limb shortening ☑

c) Abnormal rotation ☑

d) All of the above ☑

38. Nursing care for dislocation includes:

a) Immobilization ☑

b) Pain management ☑

c) Monitor neurovascular status ☑

d) All of the above ☑

39. Cast removal care includes:

a) Support limb ☑

b) Skin care ☑

c) Monitor for swelling ☑

d) All of the above ☑

40. Nursing care for scoliosis includes:

a) Monitor curvature ☑

b) Exercise ☑

c) Supportive devices ☑

d) All of the above ☑

41. Nursing care for kyphosis includes:

a) Posture training ☑

b) Exercise ☑

c) Pain management ☑

d) All of the above ☑

42. Nursing care for lordosis includes:

a) Exercise ☑

b) Posture training ☑

c) Pain management ☑

d) All of the above ☑

43. Nursing care for sports injuries includes:

a) RICE (Rest, Ice, Compression, Elevation) ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

44. Nursing care for tendon injuries includes:

a) Immobilization ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

45. Nursing care for ligament injuries includes:

a) Immobilization ☑

b) Ice therapy ☑

c) Rehabilitation ☑

d) All of the above ☑

46. Nursing care for bursitis includes:

a) Rest ☑

b) Ice therapy ☑

c) Anti-inflammatory medications ☑

d) All of the above ☑

47. Nursing care for joint replacement includes:

a) Pain management ☑

b) Early ambulation ☑

c) Monitor for infection ☑

d) All of the above ☑

48. Nursing care for skeletal traction includes:

a) Maintain weights ☑

b) Check alignment ☑

c) Monitor skin ☑

d) All of the above ☑

49. Nursing care for skin traction includes:

a) Maintain skin integrity ☑

b) Monitor circulation ☑

c) Check weights ☑

d) All of the above ☑

50. Nursing care for musculoskeletal surgery includes:

a) Pain management ☑

b) Monitor vital signs ☑

c) Prevent complications ☑

d) All of the above

51. Nursing care for hip arthroplasty includes:

a) Avoid crossing legs ☑

b) Maintain abduction ☑

c) Use elevated toilet seat ☑

d) All of the above ☑

52. Nursing care for knee arthroplasty includes:

a) Continuous passive motion (CPM) ☑

b) Pain management ☑

c) Monitor for infection ☑

d) All of the above ☑

53. Postoperative care for fracture includes:

a) Monitor vital signs ☑

b) Pain management ☑

c) Assess neurovascular status ☑

d) All of the above ☑

54. Signs of cast complications include:

a) Numbness ☑

b) Tingling ☑

c) Swelling ☑

d) All of the above ☑

55. Nursing care for joint dislocation includes:

a) Immobilization ☑

b) Pain management ☑

c) Monitor neurovascular status ☑

d) All of the above ☑

56. Nursing care for rotator cuff injury includes:

a) Rest ☑

b) Ice therapy ☑

c) Pain management ☑

d) All of the above ☑

57. Nursing care for sprain includes:

a) Rest ☑

b) Ice ☑

c) Compression ☑

d) Elevation ☑

58. Nursing care for strain includes:

a) Rest ☑

b) Ice ☑

c) Pain management ☑

d) All of the above ☑

59. Nursing care for tendon rupture includes:

a) Immobilization ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

60. Nursing care for ligament rupture includes:

a) Immobilization ☑

b) Ice therapy ☑

c) Rehabilitation ☑

d) All of the above ☑

61. Nursing care for bursitis includes:

a) Rest ☑

b) Ice therapy ☑

c) Anti-inflammatory medications ☑

d) All of the above ☑

62. Nursing care for osteomyelitis includes:

a) Antibiotics ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

63. Nursing care for skeletal traction includes:

a) Maintain weights ☑

b) Check alignment ☑

c) Monitor skin ☑

d) All of the above ☑

64. Nursing care for skin traction includes:

a) Maintain skin integrity ☑

b) Monitor circulation ☑

c) Check weights ☑

d) All of the above ☑

65. Nursing care for spinal cord injury includes:

a) Maintain airway ☑

b) Prevent pressure sores ☑

c) Monitor neurological status ☑

d) All of the above ☑

66. Complications of spinal cord injury include:

a) Neurogenic shock ☑

b) Autonomic dysreflexia ☑

c) Urinary retention ☑

d) All of the above ☑

67. Signs of autonomic dysreflexia include:

a) Hypertension ☑

b) Severe headache ☑

c) Flushing ☑

d) All of the above ☑

68. Nursing care for autonomic dysreflexia includes:

a) Remove triggering stimulus ☑

b) Monitor BP ☑

c) Administer antihypertensives if needed ☑

d) All of the above ☑

69. Nursing care for amputation includes:

a) Elevate limb ☑

b) Monitor for bleeding ☑

c) Pain management ☑

d) All of the above ☑

70. Phantom limb pain is managed by:

a) Medications ☑

b) Mirror therapy ☑

c) Psychological support ☑

d) All of the above ☑

71. Nursing care for osteoporosis includes:

a) Calcium and vitamin D ☑

b) Weight-bearing exercise ☑

c) Fall prevention ☑

d) All of the above ☑

72. Nursing care for osteoarthritis includes:

a) Pain management ☑

b) Exercise ☑

c) Joint protection ☑

d) All of the above ☑

73. Nursing care for rheumatoid arthritis includes:

a) Pain management ☑

b) Exercise ☑

c) Joint protection ☑

d) All of the above ☑

74. Nursing care for scoliosis includes:

a) Monitor curvature ☑

b) Exercise ☑

c) Supportive devices ☑

d) All of the above ☑

75. Nursing care for kyphosis includes:

a) Posture training ☑

b) Exercise ☑

c) Pain management ☑

d) All of the above ☑

76. Nursing care for lordosis includes:

a) Exercise ☑

b) Posture training ☑

c) Pain management ☑

d) All of the above ☑

77. Nursing care for fractures includes:

a) Pain management ☑

b) Neurovascular assessment ☑

c) Elevation of limb ☑

d) All of the above ☑

78. Nursing care for fat embolism includes:

a) Oxygen therapy ☑

b) Supportive care ☑

c) Monitor vitals ☑

d) All of the above ☑

79. Signs of fat embolism include:

a) Dyspnea ☑

b) Confusion ☑

c) Petechial rash ☑

d) All of the above ☑

80. Nursing care for DVT includes:

a) Early ambulation ☑

b) Compression stockings ☑

c) Medication as prescribed ☑

d) All of the above ☑

81. Pulmonary embolism nursing care includes:

a) Oxygen therapy ☑

b) Medication as prescribed ☑

c) Monitor vital signs ☑

d) All of the above ☑

82. Nursing care for musculoskeletal surgery includes:

a) Pain management ☑

b) Monitor vital signs ☑

c) Prevent complications ☑

d) All of the above ☑

83. Nursing care for postoperative orthopedic patients includes:

a) Vital signs monitoring ☑

b) Pain management ☑

c) Wound care ☑

d) All of the above ☑

84. Nursing care for casts includes:

a) Keep dry ☑

b) Avoid inserting objects inside ☑

c) Elevate limb ☑

d) All of the above ☑

85. Neurovascular assessment includes:

a) Pulse ☑

b) Color ☑

c) Capillary refill ☑

d) All of the above ☑

86. Signs of compartment syndrome include:

a) Severe pain ☑

b) Paresthesia ☑

c) Pallor ☑

d) All of the above ☑

87. Nursing care for tendon injuries includes:

a) Immobilization ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

88. Nursing care for ligament injuries includes:

a) Immobilization ☑

b) Ice therapy ☑

c) Rehabilitation ☑

d) All of the above ☑

89. Nursing care for sports injuries includes:

a) RICE (Rest, Ice, Compression, Elevation) ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

90. Nursing care for joint replacement includes:

a) Pain management ☑

b) Early ambulation ☑

c) Monitor for infection ☑

d) All of the above ☑

91. Nursing care for fracture healing includes:

a) Nutrition ☑

b) Immobilization ☑

c) Pain management ☑

d) All of the above ☑

92. Nursing care for bone tumor includes:

a) Pain management ☑

b) Monitor for infection ☑

c) Supportive care ☑

d) All of the above ☑

93. Nursing care for post-cast removal includes:

a) Support limb ☑

b) Skin care ☑

c) Monitor for swelling ☑

d) All of the above ☑

94. Nursing care for sports-related fractures includes:

a) Immobilization ☑

b) Pain management ☑

c) Rehabilitation ☑

d) All of the above ☑

95. Nursing care for spinal injury includes:

a) Airway management ☑

b) Neurovascular assessment ☑

c) Pressure sore prevention ☑

d) All of the above ☑

96. Nursing care for amputation stump includes:

a) Elevate limb ☑

b) Monitor for infection ☑

c) Pain management ☑

d) All of the above ☑

97. Nursing care for joint stiffness includes:

a) Exercise ☑

b) Pain management ☑

c) Physical therapy ☑

d) All of the above ☑

98. Nursing care for postoperative orthopedic patient includes:

a) Pain management ☑

b) Monitor vitals ☑

c) Early ambulation ☑

d) All of the above ☑

99. Nursing care for orthopedic trauma includes:

a) Pain management ☑

b) Neurovascular assessment ☑

c) Immobilization ☑

d) All of the above ☑

100. The ultimate goal of orthopedic nursing is:

a) Promote healing ☑

b) Prevent complications ☑

c) Restore function ☑

d) All of the above ☑

Maternal and Child Health Nursing

1. Normal duration of pregnancy is:

a) 36 weeks

b) 38 weeks

c) 40 weeks ☑

d) 42 weeks

2. The first stage of labor includes:

a) Latent phase ☑

b) Active phase ☑

c) Transition phase ☑

d) All of the above ☑

3. The second stage of labor ends with:

a) Complete cervical dilation

b) Delivery of the baby ☑

c) Placental expulsion

d) Onset of contractions

4. Signs of preeclampsia include:

a) Hypertension ☑

b) Proteinuria ☑

c) Edema ☑

d) All of the above ☑

5. Eclampsia is characterized by:

a) Hypertension ☑

b) Proteinuria ☑

c) Seizures ☑

d) All of the above ☑

6. The normal fetal heart rate is:

a) 100–120 bpm

b) 120–140 bpm

c) 110–160 bpm ☑

d) 160–180 bpm

7. Nursing care for preterm labor includes:

a) Bed rest ☑

b) Monitor contractions ☑

c) Administer tocolytics as prescribed ☑

d) All of the above ☑

8. Normal weight of a newborn is:

a) 2.5–4 kg ☑

b) 1.5–2 kg

c) 4–5 kg

d) 2–3 kg

9. Signs of newborn distress include:

a) Grunting ☑

b) Nasal flaring ☑

c) Cyanosis ☑

d) All of the above ☑

10. Nursing care for postpartum hemorrhage includes:

a) Monitor vital signs ☑

b) Fundal massage ☑

c) Administer medications as prescribed ☑

d) All of the above ☑

11. APGAR score is assessed at:

a) 1 and 5 minutes ☑

b) 5 and 10 minutes

c) 1 and 10 minutes

d) Only at 1 minute

12. Components of APGAR score include:

a) Appearance ☑

b) Pulse ☑

c) Grimace ☑

d) All of the above ☑

13. Normal respiratory rate of a newborn is:

a) 20–30/min

b) 30–60/min ☑

c) 40–70/min

d) 60–80/min

14. Colostrum is important because:

a) Rich in antibodies ☑

b) Provides immunity ☑

c) First milk ☑

d) All of the above ☑

15. Exclusive breastfeeding is recommended for:

a) 3 months

b) 4 months

c) 6 months ☑

d) 12 months

16. Signs of dehydration in a child include:

a) Sunken eyes ☑

b) Dry mouth ☑

c) Decreased urine output ☑

d) All of the above ☑

17. Nursing care for neonatal jaundice includes:

a) Phototherapy ☑

b) Monitor bilirubin ☑

c) Ensure hydration ☑

d) All of the above ☑

18. The most common cause of maternal death is:

a) Hemorrhage ☑

b) Infection

c) Hypertension

d) Embolism

19. Nursing care for eclampsia includes:

a) Administer magnesium sulfate ☑

b) Monitor vital signs ☑

c) Prevent injury during seizure ☑

d) All of the above ☑

20. Signs of labor include:

a) Regular contractions ☑

b) Bloody show ☑

c) Rupture of membranes ☑

d) All of the above ☑

21. Nursing care for PROM (Premature Rupture of Membranes) includes:

a) Monitor fetal heart rate ☑

b) Monitor signs of infection ☑

c) Prepare for delivery ☑

d) All of the above ☑

22. Postpartum period is:

a) 2 weeks

b) 4 weeks

c) 6 weeks ☑

d) 8 weeks

23. Lochia normally lasts:

a) 1–2 days

b) 2–4 weeks ☑

c) 4–6 weeks

d) 6–8 weeks

24. Nursing care for cesarean section includes:

a) Pain management ☑

b) Wound care ☑

c) Early ambulation ☑

d) All of the above ☑

25. Signs of neonatal hypoglycemia include:

a) Jitteriness ☑

b) Poor feeding ☑

c) Lethargy ☑

d) All of the above ☑

26. Nursing care for neonatal hypoglycemia includes:

a) Early feeding ☑

b) IV glucose if needed ☑

c) Monitor blood sugar ☑

d) All of the above ☑

27. APGAR score less than 7 indicates:

a) Normal

b) Requires resuscitation ☑

c) Excellent health

d) Mild distress

28. Nursing care for urinary tract infection in pregnancy includes:

a) Encourage fluids ☑

b) Administer antibiotics ☑

c) Monitor symptoms ☑

d) All of the above ☑

29. Signs of postpartum infection include:

a) Fever ☑

b) Foul-smelling lochia ☑

c) Abdominal tenderness ☑

d) All of the above ☑

30. Nursing care for preterm infant includes:

a) Maintain thermoregulation ☑

b) Monitor for hypoglycemia ☑

c) Provide supportive care ☑

d) All of the above ☑

31. Normal pulse rate for newborn:

a) 80–120 bpm

b) 100–150 bpm

c) 120–160 bpm ☑

d) 140–180 bpm

32. Nursing care for newborn with respiratory distress includes:

a) Oxygen therapy ☑

b) Monitor vital signs ☑

c) Suction airway if needed ☑

d) All of the above ☑

33. Signs of postpartum depression include:

a) Sadness ☑

b) Anxiety ☑

c) Fatigue ☑

d) All of the above ☑

34. Nursing care for postpartum depression includes:

a) Emotional support ☑

b) Monitor safety ☑

c) Referral for counseling ☑

d) All of the above ☑

35. Normal temperature of a newborn:

a) 36.5–37.5°C ☑

b) 35–36°C

c) 37.5–38.5°C

d) 38–39°C

36. Nursing care for breastfeeding mother includes:

a) Encourage frequent feeding ☑

b) Correct latch technique ☑

c) Monitor for mastitis ☑

d) All of the above ☑

37. Signs of hypothermia in newborn include:

a) Cold skin ☑

b) Lethargy ☑

c) Poor feeding ☑

d) All of the above ☑

38. Normal gestational weight gain in pregnancy is:

a) 5–10 kg

b) 10–15 kg ☑

c) 15–20 kg

d) 20–25 kg

39. Nursing care for high-risk pregnancy includes:

a) Frequent antenatal visits ☑

b) Monitor maternal and fetal health ☑

c) Educate mother ☑

d) All of the above ☑

40. Signs of newborn sepsis include:

a) Temperature instability ☑

b) Lethargy ☑

c) Poor feeding ☑

d) All of the above ☑

41. Nursing care for newborn sepsis includes:

a) Antibiotics as prescribed ☑

b) Monitor vital signs ☑

c) Supportive care ☑

d) All of the above ☑

42. Breastfeeding should start:

a) Within 1 hour of birth ☑

b) Within 6 hours

c) After 12 hours

d) After 24 hours

43. Signs of placenta previa include:

a) Painless bleeding ☑

b) Normal contractions

c) Fever

d) Abdominal tenderness

44. Nursing care for placenta previa includes:

a) Monitor bleeding ☑

b) Prepare for cesarean delivery ☑

c) Monitor maternal vital signs ☑

d) All of the above ☑

45. Signs of abruptio placentae include:

a) Painful vaginal bleeding ☑

b) Abdominal pain ☑

c) Uterine tenderness ☑

d) All of the above ☑

46. Nursing care for abruptio placentae includes:

a) Monitor maternal vital signs ☑

b) Prepare for emergency delivery ☑

c) Administer IV fluids ☑

d) All of the above ☑

47. Normal cervical dilation during active labor:

a) 1–3 cm

b) 4–7 cm ☑

c) 8–10 cm

d) 10–12 cm

48. Nursing care for cord prolapse includes:

a) Elevate hips ☑

b) Relieve pressure on cord ☑

c) Prepare for emergency delivery ☑

d) All of the above ☑

49. Nursing care for multiple pregnancy includes:

a) Frequent monitoring ☑

b) Educate mother ☑

c) Plan for delivery ☑

d) All of the above ☑

50. Recommended immunization at birth:

a) BCG ☑

b) OPV ☑

c) Hepatitis B ☑

d) All of the above ☑

51. Signs of preterm labor include:

a) Regular contractions ☑

b) Low back pain ☑

c) Pelvic pressure ☑

d) All of the above ☑

52. Nursing care for preterm infant includes:

a) Maintain thermoregulation ☑

b) Monitor for hypoglycemia ☑

c) Provide supportive care ☑

d) All of the above ☑

53. Normal respiratory rate for newborn:

a) 30–50/min

b) 40–60/min ☑

c) 50–70/min

d) 60–80/min

54. Nursing care for neonatal jaundice includes:

a) Phototherapy ☑

b) Monitor bilirubin ☑

c) Ensure hydration ☑

d) All of the above ☑

55. Breastfeeding helps prevent:

a) Infant infections ☑

b) Maternal breast cancer ☑

c) Infant malnutrition ☑

d) All of the above ☑

56. Signs of neonatal hypoglycemia include:

a) Jitteriness ☑

b) Poor feeding ☑

c) Lethargy ☑

d) All of the above ☑

57. Nursing care for postpartum hemorrhage includes:

a) Monitor vital signs ☑

b) Fundal massage ☑

c) Administer medications as prescribed ☑

d) All of the above ☑

58. APGAR score is assessed at:

a) 1 and 5 minutes ☑

b) 5 and 10 minutes

c) 1 and 10 minutes

d) Only at 1 minute

59. Signs of eclampsia include:

a) Hypertension ☑

b) Proteinuria ☑

c) Seizures ☑

d) All of the above ☑

60. Nursing care for eclampsia includes:

a) Administer magnesium sulfate ☑

b) Monitor vital signs ☑

c) Prevent injury during seizure ☑

d) All of the above ☑

61. Normal maternal pulse rate during pregnancy:

a) 60–80 bpm

b) 70–90 bpm

c) 80–100 bpm ☑

d) 90–110 bpm

62. Nursing care for gestational diabetes includes:

a) Monitor blood glucose ☑

b) Diet education ☑

c) Medication as prescribed ☑

d) All of the above ☑

63. Nursing care for postpartum depression includes:

a) Emotional support ☑

b) Monitor safety ☑

c) Referral for counseling ☑

d) All of the above ☑

64. Nursing care for PROM includes:

a) Monitor fetal heart rate ☑

b) Monitor signs of infection ☑

c) Prepare for delivery ☑

d) All of the above ☑

65. Normal fetal heart rate:

a) 110–160 bpm ☑

b) 100–120 bpm

c) 120–180 bpm

d) 150–180 bpm

66. Signs of neonatal distress include:

a) Grunting ☑

b) Nasal flaring ☑

c) Cyanosis ☑

d) All of the above ☑

67. Nursing care for neonatal hypothermia includes:

a) Warm environment ☑

b) Skin-to-skin contact ☑

c) Monitor temperature ☑

d) All of the above ☑

68. Nursing care for mastitis includes:

a) Continue breastfeeding ☑

b) Apply warm compress ☑

c) Administer antibiotics as prescribed ☑

d) All of the above ☑

69. Normal weight of a newborn:

a) 2.5–4 kg ☑

b) 1.5–2 kg

c) 4–5 kg

d) 2–3 kg

70. Nursing care for cleft lip/palate includes:

a) Feeding support ☑

b) Monitor growth ☑

c) Prepare for surgery ☑

d) All of the above ☑

71. Signs of dehydration in children include:

a) Sunken eyes ☑

b) Dry mouth ☑

c) Decreased urine output ☑

d) All of the above ☑

72. Nursing care for congenital heart disease includes:

a) Monitor vital signs ☑

b) Monitor for cyanosis ☑

c) Administer medications as prescribed ☑

d) All of the above ☑

73. Signs of respiratory distress in newborn include:

a) Nasal flaring ☑

b) Grunting ☑

c) Retractions ☑

d) All of the above ☑

74. Nursing care for respiratory distress includes:

a) Oxygen therapy ☑

b) Monitor vital signs ☑

c) Suction airway if needed ☑

d) All of the above ☑

75. Recommended immunization at birth:

a) BCG ☑

b) OPV ☑

c) Hepatitis B ☑

d) All of the above ☑

76. Nursing care for tetanus-prone wounds in neonates includes:

a) Administer tetanus vaccine ☑

b) Monitor for infection ☑

c) Provide supportive care ☑

d) All of the above ☑

77. Nursing care for preterm infant includes:

a) Thermoregulation ☑

b) Infection prevention ☑

c) Nutritional support ☑

d) All of the above ☑

78. Signs of neonatal sepsis include:

a) Temperature instability ☑

b) Lethargy ☑

c) Poor feeding ☑

d) All of the above ☑

79. Nursing care for neonatal sepsis includes:

a) Administer antibiotics as prescribed ☑

b) Monitor vital signs ☑

c) Supportive care ☑

d) All of the above ☑

80. Nursing care for cord care includes:

a) Keep dry ☑

b) Monitor for infection ☑

c) Avoid pulling cord ☑

d) All of the above ☑

81. Nursing care for postpartum infection includes:

a) Administer antibiotics ☑

b) Monitor vitals ☑

c) Assess uterine involution ☑

d) All of the above ☑

82. Signs of placenta previa include:

a) Painless vaginal bleeding ☑

b) Normal contractions

c) Fever

d) Abdominal tenderness

83. Nursing care for placenta previa includes:

a) Monitor bleeding ☑

b) Prepare for cesarean delivery ☑

c) Monitor maternal vital signs ☑

d) All of the above ☑

84. Signs of abruptio placentae include:

a) Painful vaginal bleeding ☑

b) Abdominal pain ☑

c) Uterine tenderness ☑

d) All of the above ☑

85. Nursing care for abruptio placentae includes:

a) Monitor maternal vital signs ☑

b) Prepare for emergency delivery ☑

c) Administer IV fluids ☑

d) All of the above ☑

86. Signs of labor include:

a) Regular contractions ☑

b) Bloody show ☑

c) Rupture of membranes ☑

d) All of the above ☑

87. Nursing care for multiple pregnancy includes:

a) Frequent monitoring ☑

b) Educate mother ☑

c) Plan for delivery ☑

d) All of the above ☑

88. Normal cervical dilation during active labor:

a) 1–3 cm

b) 4–7 cm ☑

c) 8–10 cm

d) 10–12 cm

89. Nursing care for cord prolapse includes:

a) Elevate hips ☑

b) Relieve pressure on cord ☑

c) Prepare for emergency delivery ☑

d) All of the above ☑

90. Nursing care for postpartum hemorrhage includes:

a) Monitor vital signs ☑

b) Fundal massage ☑

c) Administer medications as prescribed ☑

d) All of the above ☑

91. Signs of neonatal hypoglycemia include:

a) Jitteriness ☑

b) Poor feeding ☑

c) Lethargy ☑

d) All of the above ☑

92. Nursing care for neonatal hypoglycemia includes:

a) Early feeding ☑

b) IV glucose if needed ☑

c) Monitor blood sugar ☑

d) All of the above ☑

93. Breastfeeding should start:

a) Within 1 hour of birth ☑

b) Within 6 hours

c) After 12 hours

d) After 24 hours

94. Nursing care for high-risk pregnancy includes:

a) Frequent antenatal visits ☑

b) Monitor maternal and fetal health ☑

c) Educate mother ☑

d) All of the above ☑

95. Normal gestational weight gain is:

a) 5–10 kg

b) 10–15 kg ☑

c) 15–20 kg

d) 20–25 kg

96. Nursing care for preeclampsia includes:

a) Monitor blood pressure ☑

b) Monitor urine output ☑

c) Administer medications as prescribed ☑

d) All of the above ☑

97. Nursing care for labor pain includes:

a) Supportive care ☑

b) Breathing techniques ☑

c) Administer analgesics as prescribed ☑

d) All of the above ☑

98. Nursing care for newborn with birth asphyxia includes:

a) Resuscitation ☑

b) Oxygen therapy ☑

c) Monitor vital signs ☑

d) All of the above ☑

99. Nursing care for maternal anemia includes:

a) Iron supplementation ☑

b) Diet education ☑

c) Monitor hemoglobin ☑

d) All of the above ☑

100. The ultimate goal of MCH nursing is:

a) Promote maternal and child health ☑

b) Prevent complications ☑

c) Educate families ☑

d) All of the above ☑

Pharmacology

1. The antidote for heparin overdose is:

a) Vitamin K

b) Protamine sulfate ☑

c) Atropine

d) Naloxone

2. The antidote for acetaminophen (paracetamol) toxicity is:

a) Atropine

b) N-acetylcysteine ☑

c) Protamine sulfate

d) Vitamin K

3. Drug of choice for anaphylaxis:

a) Epinephrine ☑

b) Atropine

c) Norepinephrine

d) Dopamine

4. Loop diuretics act on:

a) Proximal tubule

b) Distal convoluted tubule

c) Loop of Henle ☑

d) Collecting duct

5. Thiazide diuretics act on:

a) Proximal tubule

b) Distal convoluted tubule ☑

c) Loop of Henle

d) Collecting duct

6. ACE inhibitors are contraindicated in:

a) Pregnancy ☑

b) Hypertension

c) Heart failure

d) Diabetes

7. Common side effect of ACE inhibitors:

a) Cough ☑

b) Bradycardia

c) Hyperglycemia

d) Rash

8. Beta-blockers are used to treat:

a) Hypertension ☑

b) Asthma

c) Diabetes

d) Hyperthyroidism

9. Non-selective beta-blockers are contraindicated in:

a) Hypertension

b) Asthma ☑

c) Angina

d) Migraine

10. Calcium channel blockers are used for:

a) Hypertension ☑

b) Hyperthyroidism

c) Asthma

d) Diabetes

11. Common side effect of loop diuretics:

a) Hyperkalemia

b) Hypokalemia ☑

c) Hypercalcemia

d) Hypoglycemia

12. Drug of choice for status epilepticus:

a) Phenytoin

b) Diazepam ☑

c) Valproate

d) Carbamazepine

13. NSAIDs inhibit:

a) COX-1 and COX-2 ☑

b) Beta receptors

c) Calcium channels

d) ACE enzyme

14. Side effect of long-term NSAIDs use:

a) Gastric ulcer ☑

b) Hypotension

c) Hyperglycemia

d) Bradycardia

15. Drug of choice for type 1 diabetes:

a) Insulin ☑

b) Metformin

c) Glibenclamide

d) Pioglitazone

16. Oral hypoglycemic drug used in type 2 diabetes:

a) Insulin

b) Metformin ☑

c) Glucagon

d) Prednisone

17. Side effect of corticosteroids:

a) Immunosuppression ☑

b) Bradycardia

c) Hypoglycemia

d) Hyponatremia

18. Drug of choice for anaphylactic shock:

a) Dopamine

b) Epinephrine ☑

c) Atropine

d) Norepinephrine

19. Antihistamines are used for:

a) Allergic reactions ☑

b) Hypertension

c) Diabetes

d) Arrhythmia

20. Common side effect of digoxin:

a) Bradycardia ☑

b) Tachycardia

c) Hypertension

d) Hyperkalemia

21. Antidote for digoxin toxicity:

a) Atropine

b) Digoxin immune fab ☑

c) N-acetylcysteine

d) Protamine sulfate

22. Anticoagulant drug used in MI and DVT:

a) Heparin ☑

b) Aspirin

c) Atropine

d) Epinephrine

23. Warfarin acts by inhibiting:

a) Vitamin K ☑

b) Platelets

c) Calcium

d) ACE enzyme

24. Common side effect of aminoglycosides:

a) Nephrotoxicity ☑

b) Hypoglycemia

c) Hypertension

d) Bradycardia

25. Antibiotic contraindicated in pregnancy:

a) Penicillin

b) Tetracycline ☑

c) Amoxicillin

d) Cephalosporin

26. Drug used to treat TB:

a) Isoniazid ☑

b) Metformin

c) Digoxin

d) Atropine

27. Side effect of isoniazid:

a) Hepatotoxicity ☑

b) Hypotension

c) Bradycardia

d) Hyperglycemia

28. Drug used to treat malaria:

a) Chloroquine ☑

b) Metformin

c) Digoxin

d) Atropine

29. Antiviral drug used for HIV:

a) Zidovudine ☑

b) Metformin

c) Digoxin

d) Atropine

30. Drug used in Parkinson’s disease:

a) Levodopa ☑

b) Metformin

c) Digoxin

d) Atropine

31. Common side effect of antipsychotic drugs:

a) Extrapyramidal symptoms ☑

b) Bradycardia

c) Hypertension

d) Hypoglycemia

32. Common side effect of benzodiazepines:

a) Sedation ☑

b) Hypertension

c) Tachycardia

d) Hyperglycemia

33. Drug used for peptic ulcer disease:

a) Omeprazole ☑

b) Metformin

c) Digoxin

d) Atropine

34. Antiemetic drug:

a) Ondansetron ☑

b) Metformin

c) Digoxin

d) Atropine

35. Drug used for hyperthyroidism:

a) Propylthiouracil ☑

b) Metformin

c) Digoxin

d) Atropine

36. Drug used for hypothyroidism:

a) Levothyroxine ☑

b) Metformin

c) Digoxin

d) Atropine

37. Drug used for hyperlipidemia:

a) Atorvastatin ☑

b) Metformin

c) Digoxin

d) Atropine

38. Anticoagulant used in pregnancy:

a) Warfarin

b) Heparin ☑

c) Digoxin

d) Atropine

39. Drug used for asthma:

a) Salbutamol ☑

b) Metformin

c) Digoxin

d) Atropine

40. Drug used for chronic obstructive pulmonary disease:

a) Ipratropium ☑

b) Metformin

c) Digoxin

d) Atropine

41. Common side effect of statins:

a) Myopathy ☑

b) Bradycardia

c) Hypertension

d) Hypoglycemia

42. Drug used for migraine:

a) Sumatriptan ☑

b) Metformin

c) Digoxin

d) Atropine

43. Drug used for epilepsy:

a) Phenytoin ☑

b) Metformin

c) Digoxin

d) Atropine

44. Drug used for anxiety:

a) Diazepam ☑

b) Metformin

c) Digoxin

d) Atropine

45. Antifungal drug:

a) Fluconazole ☑

b) Metformin

c) Digoxin

d) Atropine

46. Antiviral drug for herpes simplex:

a) Acyclovir ☑

b) Metformin

c) Digoxin

d) Atropine

47. Antimalarial drug:

a) Chloroquine ☑

b) Metformin

c) Digoxin

d) Atropine

48. Drug used for heart failure:

a) Digoxin ☑

b) Metformin

c) Ondansetron

d) Atropine

49. Antihypertensive safe in pregnancy:

a) Methyldopa ☑

b) ACE inhibitors

c) ARBs

d) Beta blockers (non-selective)

50. Drug used for angina:

a) Nitroglycerin ☑

b) Metformin

c) Digoxin

d) Atropine

Pharmacology

51. Drug of choice for anaphylactic shock:

a) Epinephrine ☑

b) Atropine

c) Dopamine

d) Norepinephrine

52. Antidote for opioid overdose:

a) Naloxone ☑

b) Atropine

c) Protamine sulfate

d) Vitamin K

53. Antiplatelet drug used in MI and stroke prevention:

a) Aspirin ☑

b) Warfarin

c) Heparin

d) Clopidogrel

54. Anticoagulant drug used in DVT:

a) Heparin ☑

b) Aspirin

c) Clopidogrel

d) Atropine

55. Drug used for peptic ulcer disease:

a) Omeprazole ☑

b) Metformin

c) Digoxin

d) Atropine

56. H2 receptor blocker:

a) Ranitidine ☑

b) Omeprazole

c) Metformin

d) Atropine

57. Drug used for GERD:

a) Omeprazole ☑

b) Metformin

c) Digoxin

d) Atropine

58. Drug used for hypothyroidism:

a) Levothyroxine ☑

b) Propylthiouracil

c) Methimazole

d) Atropine

59. Drug used for hyperthyroidism:

a) Propylthiouracil ☑

b) Levothyroxine

c) Metformin

d) Atropine

60. Beta-blocker used in hypertension:

a) Atenolol ☑

b) Metoprolol ☑

c) Propranolol ☑

d) All of the above ☑

61. Calcium channel blocker used in angina:

a) Nifedipine ☑

b) Amlodipine ☑

c) Verapamil ☑

d) All of the above ☑

62. ACE inhibitor used in hypertension:

a) Enalapril ☑

b) Lisinopril ☑

c) Captopril ☑

d) All of the above ☑

63. ARB used in hypertension:

a) Losartan ☑

b) Valsartan ☑

c) Telmisartan ☑

d) All of the above ☑

64. Diuretic used in heart failure:

a) Furosemide ☑

b) Spironolactone ☑

c) Hydrochlorothiazide ☑

d) All of the above ☑

65. Common side effect of loop diuretics:

a) Hypokalemia ☑

b) Hyperkalemia

c) Hypercalcemia

d) Hypoglycemia

66. Common side effect of thiazide diuretics:

a) Hypokalemia ☑

b) Hyperkalemia

c) Hypocalcemia

d) Hyperglycemia

67. Drug used in asthma:

a) Salbutamol ☑

b) Ipratropium ☑

c) Montelukast ☑

d) All of the above ☑

68. Drug used in COPD:

a) Ipratropium ☑

b) Salbutamol ☑

c) Tiotropium ☑

d) All of the above ☑

69. Corticosteroid used in asthma:

a) Prednisolone ☑

b) Hydrocortisone ☑

c) Budesonide ☑

d) All of the above ☑

70. Drug used in status epilepticus:

a) Diazepam ☑

b) Lorazepam ☑

c) Phenytoin ☑

d) All of the above ☑

71. Anticonvulsant drug:

a) Phenytoin ☑

b) Carbamazepine ☑

c) Valproate ☑

d) All of the above ☑

72. Drug used for Parkinson’s disease:

a) Levodopa ☑

b) Carbidopa ☑

c) Selegiline ☑

d) All of the above ☑

73. Antidepressant drug:

a) Fluoxetine ☑

b) Sertraline ☑

c) Amitriptyline ☑

d) All of the above ☑

74. Antipsychotic drug:

a) Risperidone ☑

b) Olanzapine ☑

c) Haloperidol ☑

d) All of the above ☑

75. Drug used in peptic ulcer:

a) Omeprazole ☑

b) Ranitidine ☑

c) Sucralfate ☑

d) All of the above ☑

76. Antiemetic drug:

a) Ondansetron ☑

b) Metoclopramide ☑

c) Prochlorperazine ☑

d) All of the above ☑

77. Antiviral drug used for HIV:

a) Zidovudine ☑

b) Lamivudine ☑

c) Nevirapine ☑

d) All of the above ☑

78. Antifungal drug:

a) Fluconazole ☑

b) Amphotericin B ☑

c) Nystatin ☑

d) All of the above ☑

79. Antimalarial drug:

a) Chloroquine ☑

b) Artemisinin ☑

c) Quinine ☑

d) All of the above ☑

80. Antibiotic contraindicated in pregnancy:

a) Tetracycline ☑

b) Penicillin

c) Cephalosporin

d) Erythromycin

81. Aminoglycoside side effect:

a) Nephrotoxicity ☑

b) Ototoxicity ☑

c) Neurotoxicity ☑

d) All of the above ☑

82. Macrolide antibiotic:

a) Azithromycin ☑

b) Erythromycin ☑

c) Clarithromycin ☑

d) All of the above ☑

83. Fluoroquinolone antibiotic:

a) Ciprofloxacin ☑

b) Levofloxacin ☑

c) Moxifloxacin ☑

d) All of the above ☑

84. Penicillin group antibiotic:

a) Amoxicillin ☑

b) Ampicillin ☑

c) Penicillin G ☑

d) All of the above ☑

85. Cephalosporin antibiotic:

a) Ceftriaxone ☑

b) Cefotaxime ☑

c) Cephalexin ☑

d) All of the above ☑

86. Anticoagulant safe in pregnancy:

a) Heparin ☑

b) Warfarin

c) Rivaroxaban

d) Dabigatran

87. Statin drug:

a) Atorvastatin ☑

b) Simvastatin ☑

c) Rosuvastatin ☑

d) All of the above ☑

88. Common side effect of statins:

a) Myopathy ☑

b) Hepatotoxicity ☑

c) GI upset ☑

d) All of the above ☑

89. Drug used in angina:

a) Nitroglycerin ☑

b) Isosorbide dinitrate ☑

c) Metoprolol ☑

d) All of the above ☑

90. Antihypertensive safe in pregnancy:

a) Methyldopa ☑

b) Labetalol ☑

c) Nifedipine ☑

d) All of the above ☑

91. Beta-blocker contraindicated in asthma:

a) Propranolol ☑

b) Atenolol

c) Metoprolol

d) Labetalol

92. Drug used in heart failure:

a) Digoxin ☑

b) Furosemide ☑

c) Spironolactone ☑

d) All of the above ☑

93. Common side effect of digoxin:

a) Bradycardia ☑

b) Nausea ☑

c) Visual disturbances ☑

d) All of the above ☑

94. Antihistamine drug:

a) Diphenhydramine ☑

b) Loratadine ☑

c) Cetirizine ☑

d) All of the above ☑

95. Drug used in gout:

a) Allopurinol ☑

b) Colchicine ☑

c) Febuxostat ☑

d) All of the above ☑

96. Drug used for rheumatoid arthritis:

a) Methotrexate ☑

b) Sulfasalazine ☑

c) Hydroxychloroquine ☑

d) All of the above ☑

97. NSAID drug:

a) Ibuprofen ☑

b) Naproxen ☑

c) Diclofenac ☑

d) All of the above ☑

98. Drug used for acute migraine:

a) Sumatriptan ☑

b) Rizatriptan ☑

c) Eletriptan ☑

d) All of the above ☑

99. Drug used in anaphylaxis:

a) Epinephrine ☑

b) Antihistamines ☑

c) Corticosteroids ☑

d) All of the above ☑

100. Drug used in shock:

a) Dopamine ☑

b) Norepinephrine ☑

c) Epinephrine ☑

d) All of the above ☑

Microbiology & Parasitology

1. Staphylococcus aureus commonly causes:

a) Skin infections ☑

b) Urinary tract infection

c) Pneumonia

d) Meningitis

2. Gram-positive cocci in clusters:

a) Staphylococcus ☑

b) Streptococcus

c) Neisseria

d) Escherichia

3. Gram-positive cocci in chains:

a) Staphylococcus

b) Streptococcus ☑

c) Neisseria

d) Escherichia

4. Gram-negative diplococci:

a) Neisseria ☑

b) Streptococcus

c) Staphylococcus

d) Clostridium

5. Most common cause of urinary tract infection:

a) Escherichia coli ☑

b) Staphylococcus aureus

c) Pseudomonas

d) Klebsiella

6. Acid-fast bacteria:

a) Mycobacterium tuberculosis ☑

b) Streptococcus

c) Staphylococcus

d) Escherichia

7. Causative agent of malaria:

a) Plasmodium falciparum ☑

b) Plasmodium vivax

c) Plasmodium malariae

d) All of the above ☑

8. Transmission of malaria occurs through:

a) Anopheles mosquito ☑

b) Culex mosquito

c) Aedes mosquito

d) Housefly

9. Protozoan causing amoebic dysentery:

a) Entamoeba histolytica ☑

b) Giardia lamblia

c) Plasmodium

d) Trypanosoma

10. Giardia lamblia causes:

a) Amoebiasis

b) Giardiasis ☑

c) Malaria

d) Leishmaniasis

11. Toxoplasmosis is caused by:

a) Toxoplasma gondii ☑

b) Plasmodium

c) Entamoeba histolytica

d) Giardia lamblia

12. Transmission of Toxoplasmosis:

a) Undercooked meat ☑

b) Mosquito bite

c) Contaminated water

d) Respiratory droplets

13. Causative agent of tuberculosis:

a) Mycobacterium tuberculosis ☑

b) Streptococcus pneumoniae

c) Staphylococcus aureus

d) Neisseria meningitidis

14. Causative agent of typhoid fever:

a) Salmonella typhi ☑

b) Salmonella paratyphi

c) Escherichia coli

d) Vibrio cholerae

15. Cholera is caused by:

a) Vibrio cholerae ☑

b) Salmonella

c) Escherichia coli

d) Shigella

16. Causative agent of diphtheria:

a) Corynebacterium diphtheriae ☑

b) Clostridium tetani

c) Streptococcus

d) Staphylococcus

17. Causative agent of tetanus:

a) Clostridium tetani ☑

b) Clostridium botulinum

c) Staphylococcus aureus

d) Streptococcus pyogenes

18. Causative agent of botulism:

a) Clostridium botulinum ☑

b) Clostridium tetani

c) Staphylococcus aureus

d) Bacillus anthracis

19. Gram-negative rods causing diarrhea:

a) Escherichia coli ☑

b) Salmonella

c) Shigella

d) All of the above ☑

20. Shigella causes:

a) Typhoid

b) Dysentery ☑

c) Cholera

d) Giardiasis

21. Hepatitis B virus is:

a) DNA virus ☑

b) RNA virus

c) Retrovirus

d) None of the above

22. Hepatitis C virus is:

a) DNA virus

b) RNA virus ☑

c) Retrovirus

d) None of the above

23. HIV is:

a) DNA virus

b) RNA retrovirus ☑

c) Bacterium

d) Protozoan

24. Causative agent of measles:

a) Rubeola virus ☑

b) Rubella virus

c) Varicella-zoster

d) Parvovirus

25. Causative agent of rubella:

a) Rubeola virus

b) Rubella virus ☑

c) Varicella-zoster

d) Parvovirus

26. Causative agent of mumps:

a) Paramyxovirus ☑

b) Adenovirus

c) Enterovirus

d) Herpesvirus

27. Common nosocomial infection:

a) Staphylococcus aureus ☑

b) E. coli

c) Pseudomonas

d) All of the above ☑

28. Infection control in hospital includes:

a) Hand hygiene ☑

b) Sterilization ☑

c) Isolation precautions ☑

d) All of the above ☑

29. Blood-borne pathogens include:

a) HIV ☑

b) Hepatitis B ☑

c) Hepatitis C ☑

d) All of the above ☑

30. Causative agent of ringworm:

a) Dermatophytes ☑

b) Candida

c) Aspergillus

d) Microsporum

31. Candida causes:

a) Oral thrush ☑

b) Vaginal candidiasis ☑

c) Skin infection ☑

d) All of the above ☑

32. Aspergillus causes:

a) Respiratory infection ☑

b) Skin infection

c) Oral thrush

d) None of the above

33. Protozoa causing African sleeping sickness:

a) Trypanosoma brucei ☑

b) Plasmodium

c) Giardia

d) Entamoeba

34. Protozoa causing Chagas disease:

a) Trypanosoma cruzi ☑

b) Plasmodium

c) Giardia

d) Entamoeba

35. Parasite causing schistosomiasis:

a) Schistosoma ☑

b) Giardia

c) Plasmodium

d) Entamoeba

36. Parasite causing lymphatic filariasis:

a) Wuchereria bancrofti ☑

b) Brugia malayi ☑

c) Ascaris lumbricoides

d) Trichuris trichiura

37. Causative agent of amoebic liver abscess:

a) Entamoeba histolytica ☑

b) Giardia lamblia

c) Plasmodium

d) Trypanosoma

38. Transmission of giardiasis:

a) Contaminated water ☑

b) Mosquito bite

c) Airborne droplets

d) Sexual contact

39. Transmission of ascariasis:

a) Fecal-oral route ☑

b) Respiratory droplets

c) Mosquito bite

d) Sexual contact

40. Hookworm infection occurs through:

a) Skin penetration ☑

b) Ingestion of eggs

c) Airborne droplets

d) Mosquito bite

41. Pinworm infection causes:

a) Perianal itching ☑

b) Diarrhea

c) Fever

d) Cough

42. Trichuris trichiura causes:

a) Whipworm infection ☑

b) Hookworm infection

c) Ascariasis

d) Filariasis

43. Entamoeba histolytica causes:

a) Dysentery ☑

b) Giardiasis

c) Malaria

d) Leishmaniasis

44. Giardia lamblia causes:

a) Malaria

b) Giardiasis ☑

c) Amoebiasis

d) Trypanosomiasis

45. Plasmodium vivax causes:

a) Malaria ☑

b) Typhoid

c) Cholera

d) Giardiasis

46. Plasmodium falciparum causes:

a) Severe malaria ☑

b) Typhoid

c) Cholera

d) Giardiasis

47. Schistosoma mansoni affects:

a) Intestine ☑

b) Liver ☑

c) Lung

d) Skin

48. Schistosoma haematobium affects:

a) Urinary bladder ☑

b) Intestine

c) Liver

d) Lung

49. Wuchereria bancrofti causes:

a) Elephantiasis ☑

b) Malaria

c) Giardiasis

d) Dysentery

50. Brugia malayi causes:

a) Lymphatic filariasis ☑

b) Malaria

c) Giardiasis

d) Dysentery

Microbiology & Parasitology

51. Causative agent of giardiasis:

a) Giardia lamblia ☑

b) Entamoeba histolytica

c) Plasmodium falciparum

d) Trypanosoma brucei

52. Giardia lamblia infection commonly presents with:

a) Diarrhea ☑

b) Jaundice

c) Fever

d) Rash

53. Entamoeba histolytica infection commonly causes:

a) Amoebic dysentery ☑

b) Giardiasis

c) Malaria

d) Filariasis

54. Entamoeba histolytica can cause:

a) Liver abscess ☑

b) Kidney infection

c) Heart infection

d) Lung abscess

55. Causative agent of malaria:

a) Plasmodium falciparum ☑

b) Giardia lamblia

c) Entamoeba histolytica

d) Trypanosoma cruzi

56. Severe malaria is most commonly caused by:

a) Plasmodium falciparum ☑

b) Plasmodium vivax

c) Plasmodium malariae

d) Plasmodium ovale

57. Relapsing malaria is caused by:

a) Plasmodium vivax ☑

b) Plasmodium falciparum

c) Plasmodium malariae

d) Plasmodium ovale

58. Transmission of malaria:

a) Female Anopheles mosquito ☑

b) Male Anopheles mosquito

c) Culex mosquito

d) Aedes mosquito

59. Causative agent of African sleeping sickness:

a) Trypanosoma brucei ☑

b) Trypanosoma cruzi

c) Plasmodium falciparum

d) Giardia lamblia

60. Transmission of African sleeping sickness:

a) Tsetse fly ☑

b) Anopheles mosquito

c) Aedes mosquito

d) Sandfly

61. Chagas disease is caused by:

a) Trypanosoma cruzi ☑

b) Trypanosoma brucei

c) Plasmodium falciparum

d) Giardia lamblia

62. Transmission of Chagas disease:

a) Reduviid bug ☑

b) Anopheles mosquito

c) Culex mosquito

d) Sandfly

63. Causative agent of schistosomiasis:

a) Schistosoma ☑

b) Giardia lamblia

c) Entamoeba histolytica

d) Trypanosoma

64. Schistosoma mansoni primarily affects:

a) Intestine ☑

b) Liver

c) Urinary bladder

d) Lungs

65. Schistosoma haematobium primarily affects:

a) Urinary bladder ☑

b) Liver

c) Intestine

d) Lungs

66. Wuchereria bancrofti causes:

a) Lymphatic filariasis ☑

b) Malaria

c) Giardiasis

d) Amoebiasis

67. Brugia malayi also causes:

a) Lymphatic filariasis ☑

b) Malaria

c) Giardiasis

d) Amoebiasis

68. Hookworm larvae penetrate the skin causing:

a) Cutaneous larva migrans ☑

b) Diarrhea

c) Fever

d) Rash

69. Ascariasis is transmitted by:

a) Fecal-oral route ☑

b) Skin penetration

c) Mosquito bite

d) Blood transfusion

70. Trichuris trichiura infection causes:

a) Whipworm infection ☑

b) Hookworm infection

c) Ascariasis

d) Filariasis

71. Enterobius vermicularis causes:

a) Pinworm infection ☑

b) Hookworm infection

c) Ascariasis

d) Whipworm infection

72. Toxoplasma gondii infection can cause:

a) Congenital infection ☑

b) Malaria

c) Giardiasis

d) Filariasis

73. Toxoplasmosis is transmitted through:

a) Undercooked meat ☑

b) Mosquito bite

c) Fecal-oral route

d) Airborne droplets

74. Cryptosporidium causes:

a) Diarrhea ☑

b) Skin rash

c) Fever

d) Vomiting

75. Transmission of Cryptosporidium:

a) Contaminated water ☑

b) Mosquito bite

c) Airborne droplets

d) Sexual contact

76. Common fungal pathogen in immunocompromised patients:

a) Candida ☑

b) Aspergillus ☑

c) Cryptococcus ☑

d) All of the above ☑

77. Candida albicans causes:

a) Oral thrush ☑

b) Vaginal candidiasis ☑

c) Skin infection ☑

d) All of the above ☑

78. Aspergillus species commonly cause:

a) Respiratory infection ☑

b) Skin infection

c) GI infection

d) Urinary infection

79. Cryptococcus neoformans causes:

a) Meningitis ☑

b) Skin infection

c) Respiratory infection

d) GI infection

80. Dermatophytes cause:

a) Ringworm ☑

b) Tinea infections ☑

c) Nail infections ☑

d) All of the above ☑

81. Common hospital-acquired bacteria:

a) Staphylococcus aureus ☑

b) Pseudomonas aeruginosa ☑

c) Klebsiella ☑

d) All of the above ☑

82. Nosocomial infection prevention includes:

a) Hand hygiene ☑

b) Sterilization ☑

c) Isolation precautions ☑

d) All of the above ☑

83. Blood-borne pathogens include:

a) HIV ☑

b) Hepatitis B ☑

c) Hepatitis C ☑

d) All of the above ☑

84. Hepatitis B virus is:

a) DNA virus ☑

b) RNA virus

c) Retrovirus

d) None of the above

85. Hepatitis C virus is:

a) DNA virus

b) RNA virus ☑

c) Retrovirus

d) None of the above

86. HIV is:

a) DNA virus

b) RNA retrovirus ☑

c) Bacterium

d) Protozoan

87. Causative agent of measles:

a) Rubeola virus ☑

b) Rubella virus

c) Varicella-zoster

d) Parvovirus

88. Causative agent of rubella:

a) Rubeola virus

b) Rubella virus ☑

c) Varicella-zoster

d) Parvovirus

89. Causative agent of mumps:

a) Paramyxovirus ☑

b) Adenovirus

c) Enterovirus

d) Herpesvirus

90. Poliomyelitis is caused by:

a) Poliovirus ☑

b) Enterovirus

c) Paramyxovirus

d) Adenovirus

91. Smallpox is caused by:

a) Variola virus ☑

b) Vaccinia virus

c) Herpesvirus

d) Adenovirus

92. Chickenpox is caused by:

a) Varicella-zoster virus ☑

b) Herpes simplex virus

c) Epstein-Barr virus

d) Cytomegalovirus

93. Common viral hemorrhagic fever:

a) Dengue ☑

b) Ebola

c) Marburg

d) All of the above ☑

94. Dengue fever is transmitted by:

a) Aedes mosquito ☑

b) Anopheles mosquito

c) Culex mosquito

d) Tsetse fly

95. Yellow fever is transmitted by:

a) Aedes mosquito ☑

b) Anopheles mosquito

c) Culex mosquito

d) Tsetse fly

96. Japanese encephalitis is transmitted by:

a) Culex mosquito ☑

b) Anopheles mosquito

c) Aedes mosquito

d) Tsetse fly

97. Rabies is caused by:

a) Rabies virus ☑

b) Influenza virus

c) Herpes virus

d) Adenovirus

98. Rabies is transmitted by:

a) Animal bite ☑

b) Mosquito bite

c) Contaminated water

d) Respiratory droplets

99. Causative agent of typhoid fever:

a) Salmonella typhi ☑

b) Salmonella paratyphi

c) Escherichia coli

d) Vibrio cholerae

100. Causative agent of cholera:

a) Vibrio cholerae ☑

b) Salmonella

c) Shigella

d) Escherichia coli

Nutrition & Dietetics, Vitamins & Minerals

1. Carbohydrates provide how many kcal/g?

a) 4 ☑

b) 9

c) 7

d) 2

2. Protein provides how many kcal/g?

a) 4 ☑

b) 9

c) 7

d) 2

3. Fat provides how many kcal/g?

a) 4

b) 9 ☑

c) 7

d) 2

4. Main function of carbohydrates:

a) Energy production ☑

b) Hormone synthesis

c) Muscle contraction

d) Blood clotting

5. Main function of protein:

a) Tissue repair ☑

b) Energy production

c) Enzyme production ☑

d) All of the above ☑

6. Main function of fat:

a) Energy storage ☑

b) Insulation ☑

c) Cell membrane formation ☑

d) All of the above ☑

7. Vitamin A is important for:

a) Vision ☑

b) Immunity ☑

c) Reproduction ☑

d) All of the above ☑

8. Deficiency of Vitamin A causes:

a) Night blindness ☑

b) Xerophthalmia ☑

c) Impaired immunity ☑

d) All of the above ☑

9. Vitamin D is important for:

a) Calcium absorption ☑

b) Phosphate metabolism ☑

c) Bone health ☑

d) All of the above ☑

10. Deficiency of Vitamin D causes:

a) Rickets in children ☑

b) Osteomalacia in adults ☑

c) Weak bones ☑

d) All of the above ☑

11. Vitamin E is important for:

a) Antioxidant ☑

b) Skin health ☑

c) Red blood cell protection ☑

d) All of the above ☑

12. Deficiency of Vitamin E causes:

a) Hemolytic anemia ☑

b) Neurological problems ☑

c) Muscle weakness ☑

d) All of the above ☑

13. Vitamin K is important for:

a) Blood clotting ☑

b) Bone metabolism ☑

c) Coenzyme function

d) All of the above ☑

14. Deficiency of Vitamin K causes:

a) Bleeding tendency ☑

b) Easy bruising ☑

c) Prolonged PT/INR ☑

d) All of the above ☑

15. Vitamin B1 (Thiamine) is important for:

a) Energy metabolism ☑

b) Nervous system function ☑

c) Muscle function ☑

d) All of the above ☑

16. Deficiency of Vitamin B1 causes:

a) Beriberi ☑

b) Wernicke-Korsakoff syndrome ☑

c) Neuropathy ☑

d) All of the above ☑

17. Vitamin B2 (Riboflavin) is important for:

a) Energy metabolism ☑

b) Skin and eye health ☑

c) Red blood cell production ☑

d) All of the above ☑

18. Deficiency of Vitamin B2 causes:

a) Cheilosis ☑

b) Glossitis ☑

c) Eye disorders ☑

d) All of the above ☑

19. Vitamin B3 (Niacin) is important for:

a) Energy metabolism ☑

b) NAD/NADP formation ☑

c) Skin health ☑

d) All of the above ☑

20. Deficiency of Vitamin B3 causes:

a) Pellagra ☑

b) Dermatitis ☑

c) Diarrhea ☑

d) Dementia ☑

21. Vitamin B6 (Pyridoxine) is important for:

a) Amino acid metabolism ☑

b) Neurotransmitter synthesis ☑

c) Hemoglobin synthesis ☑

d) All of the above ☑

22. Deficiency of Vitamin B6 causes:

a) Neuropathy ☑

b) Irritability ☑

c) Seizures ☑

d) All of the above ☑

23. Vitamin B12 (Cobalamin) is important for:

a) DNA synthesis ☑

b) Red blood cell formation ☑

c) Neurological function ☑

d) All of the above ☑

24. Deficiency of Vitamin B12 causes:

a) Megaloblastic anemia ☑

b) Neuropathy ☑

c) Fatigue ☑

d) All of the above ☑

25. Folate (Vitamin B9) is important for:

a) DNA synthesis ☑

b) Red blood cell formation ☑

c) Neural tube development ☑

d) All of the above ☑

26. Deficiency of folate causes:

a) Megaloblastic anemia ☑

b) Neural tube defects ☑

c) Fatigue ☑

d) All of the above ☑

27. Vitamin C is important for:

a) Collagen synthesis ☑

b) Wound healing ☑

c) Antioxidant ☑

d) All of the above ☑

28. Deficiency of Vitamin C causes:

a) Scurvy ☑

b) Bleeding gums ☑

c) Poor wound healing ☑

d) All of the above ☑

29. Calcium is important for:

a) Bone and teeth health ☑

b) Muscle contraction ☑

c) Blood clotting ☑

d) All of the above ☑

30. Deficiency of calcium causes:

a) Osteoporosis ☑

b) Muscle cramps ☑

c) Tetany ☑

d) All of the above ☑

31. Phosphorus is important for:

a) Bone formation ☑

b) ATP production ☑

c) DNA/RNA synthesis ☑

d) All of the above ☑

32. Deficiency of phosphorus causes:

a) Weak bones ☑

b) Muscle weakness ☑

c) Fatigue ☑

d) All of the above ☑

33. Iron is important for:

a) Hemoglobin formation ☑

b) Oxygen transport ☑

c) Energy metabolism ☑

d) All of the above ☑

34. Deficiency of iron causes:

a) Iron-deficiency anemia ☑

b) Fatigue ☑

c) Pallor ☑

d) All of the above ☑

35. Iodine is important for:

a) Thyroid hormone synthesis ☑

b) Growth and development ☑

c) Metabolism regulation ☑

d) All of the above ☑

36. Deficiency of iodine causes:

a) Goiter ☑

b) Hypothyroidism ☑

c) Cretinism in children ☑

d) All of the above ☑

37. Zinc is important for:

a) Immune function ☑

b) Wound healing ☑

c) Growth ☑

d) All of the above ☑

38. Deficiency of zinc causes:

a) Growth retardation ☑

b) Delayed wound healing ☑

c) Immune dysfunction ☑

d) All of the above ☑

39. Magnesium is important for:

a) Muscle and nerve function ☑

b) Enzyme cofactor ☑

c) Bone health ☑

d) All of the above ☑

40. Deficiency of magnesium causes:

a) Muscle cramps ☑

b) Tetany ☑

c) Arrhythmias ☑

d) All of the above ☑

41. Sodium is important for:

a) Fluid balance ☑

b) Nerve impulse transmission ☑

c) Muscle contraction ☑

d) All of the above ☑

42. Potassium is important for:

a) Nerve function ☑

b) Muscle contraction ☑

c) Heart rhythm ☑

d) All of the above ☑

43. Excess sodium intake may cause:

a) Hypertension ☑

b) Edema ☑

c) Heart disease ☑

d) All of the above ☑

44. Deficiency of potassium causes:

a) Muscle weakness ☑

b) Arrhythmias ☑

c) Fatigue ☑

d) All of the above ☑

45. Copper is important for:

a) Hemoglobin synthesis ☑

b) Iron metabolism ☑

c) Enzyme function ☑

d) All of the above ☑

46. Selenium is important for:

a) Antioxidant function ☑

b) Thyroid hormone metabolism ☑

c) Immune function ☑

d) All of the above ☑

47. Fluoride is important for:

a) Dental health ☑

b) Bone strength ☑

c) Prevents dental caries ☑

d) All of the above ☑

48. Chromium is important for:

a) Glucose metabolism ☑

b) Insulin function ☑

c) Energy production ☑

d) All of the above ☑

49. Manganese is important for:

a) Bone formation ☑

b) Enzyme cofactor ☑

c) Metabolism ☑

d) All of the above ☑

50. Biotin (Vitamin B7) is important for:

a) Fat metabolism ☑

b) Carbohydrate metabolism ☑

c) Hair, skin, and nail health ☑

d) All of the above ☑

ঠিক আছে! এবার Nutrition & Dietetics, Vitamins & Minerals MCQs (51–100) দিচ্ছি, প্রতিটি প্রশ্নের পাশে সঠিক উত্তর থাকবে।

Nutrition & Dietetics, Vitamins & Minerals MCQs (51–100)

51. Biotin deficiency causes:

a) Hair loss ☑

b) Skin rash ☑

c) Neurological symptoms ☑

d) All of the above ☑

52. Pantothenic acid (Vitamin B5) is important for:

a) Coenzyme A synthesis ☑

b) Energy metabolism ☑

c) Fatty acid metabolism ☑

d) All of the above ☑

53. Deficiency of pantothenic acid causes:

a) Fatigue ☑

b) Numbness ☑

c) Headache ☑

d) All of the above ☑

54. Choline is important for:

a) Neurotransmitter synthesis (acetylcholine) ☑

b) Liver function ☑

c) Fat metabolism ☑

d) All of the above ☑

55. Deficiency of choline causes:

a) Liver damage ☑

b) Muscle damage ☑

c) Fatty liver ☑

d) All of the above ☑

56. Water-soluble vitamins include:

a) Vitamin B complex ☑

b) Vitamin C ☑

c) Vitamin A

d) Both a & b ☑

57. Fat-soluble vitamins include:

a) Vitamin A ☑

b) Vitamin D ☑

c) Vitamin E ☑

d) All of the above ☑

58. Deficiency of fat-soluble vitamins may cause:

a) Vision problems ☑

b) Bone disorders ☑

c) Bleeding tendency ☑

d) All of the above ☑

59. Recommended daily allowance (RDA) of protein for adults:

a) 0.8 g/kg body weight ☑

b) 1.2 g/kg

c) 1.5 g/kg

d) 2 g/kg

60. Essential amino acids cannot be synthesized by:

a) Human body ☑

b) Liver

c) Kidney

d) All of the above

61. Non-essential amino acids can be synthesized by:

a) Human body ☑

b) Only liver

c) Only kidney

d) None

62. Omega-3 fatty acids are important for:

a) Heart health ☑

b) Brain function ☑

c) Anti-inflammatory effect ☑

d) All of the above ☑

63. Omega-6 fatty acids are important for:

a) Skin health ☑

b) Inflammatory response ☑

c) Growth ☑

d) All of the above ☑

64. Saturated fats are mainly found in:

a) Animal products ☑

b) Olive oil

c) Fish oil

d) Nuts

65. Unsaturated fats are mainly found in:

a) Vegetable oils ☑

b) Animal fat

c) Butter

d) Lard

66. Trans fats are:

a) Artificially hydrogenated fats ☑

b) Naturally occurring fats

c) Healthy fats

d) None of the above

67. Excess trans fats may cause:

a) Cardiovascular disease ☑

b) Obesity ☑

c) Diabetes ☑

d) All of the above ☑

68. Water is important for:

a) Temperature regulation ☑

b) Nutrient transport ☑

c) Waste elimination ☑

d) All of the above ☑

69. Recommended daily water intake for adults:

a) 2–3 liters ☑

b) 1 liter

c) 4–5 liters

d) 500 ml

70. Dietary fiber helps in:

a) Bowel movement ☑

b) Cholesterol reduction ☑

c) Blood sugar control ☑

d) All of the above ☑

71. Sources of dietary fiber include:

a) Whole grains ☑

b) Vegetables ☑

c) Fruits ☑

d) All of the above ☑

72. Iron absorption is enhanced by:

a) Vitamin C ☑

b) Calcium

c) Phytates

d) Tannins

73. Iron absorption is inhibited by:

a) Phytates ☑

b) Tannins ☑

c) Calcium ☑

d) All of the above ☑

74. Iodine deficiency leads to:

a) Goiter ☑

b) Hypothyroidism ☑

c) Cretinism ☑

d) All of the above ☑

75. Zinc is required for:

a) Growth ☑

b) Wound healing ☑

c) Immune function ☑

d) All of the above ☑

76. Selenium is important for:

a) Antioxidant enzymes ☑

b) Thyroid hormone metabolism ☑

c) Immune system ☑

d) All of the above ☑

77. Calcium absorption is enhanced by:

a) Vitamin D ☑

b) Lactose ☑

c) Acidic environment ☑

d) All of the above ☑

78. Calcium absorption is inhibited by:

a) Oxalates ☑

b) Phytates ☑

c) Excess phosphate ☑

d) All of the above ☑

79. Magnesium is important for:

a) Muscle function ☑

b) Nerve conduction ☑

c) Enzyme cofactor ☑

d) All of the above ☑

80. Phosphorus is important for:

a) Bone formation ☑

b) Energy production (ATP) ☑

c) Acid-base balance ☑

d) All of the above ☑

81. Deficiency of Vitamin B12 may cause:

a) Pernicious anemia ☑

b) Neuropathy ☑

c) Fatigue ☑

d) All of the above ☑

82. Folic acid supplementation in pregnancy prevents:

a) Neural tube defects ☑

b) Anemia ☑

c) Pre-eclampsia

d) All of the above ☑

83. Vitamin K is synthesized by:

a) Intestinal bacteria ☑

b) Liver

c) Kidney

d) Pancreas

84. Excess Vitamin A can cause:

a) Hypervitaminosis A ☑

b) Liver damage ☑

c) Headache ☑

d) All of the above ☑

85. Vitamin D toxicity may cause:

a) Hypercalcemia ☑

b) Kidney stones ☑

c) Nausea and vomiting ☑

d) All of the above ☑

86. Vitamin E excess may cause:

a) Bleeding tendency ☑

b) Nausea ☑

c) Fatigue ☑

d) All of the above ☑

87. Recommended daily allowance (RDA) of Vitamin C:

a) 75–90 mg ☑

b) 50 mg

c) 100 mg

d) 200 mg

88. Recommended daily allowance (RDA) of calcium for adults:

a) 1000 mg ☑

b) 500 mg

c) 1500 mg

d) 2000 mg

89. Iron RDA for adult men:

a) 8 mg ☑

b) 18 mg

c) 10 mg

d) 15 mg

90. Iron RDA for adult women:

a) 18 mg ☑

b) 8 mg

c) 10 mg

d) 15 mg

91. Sodium daily requirement:

a) <2.3 g ☑

b) <1 g

c) <3 g

d) <5 g

92. Potassium daily requirement:

a) 3.5–4.7 g ☑

b) 2 g

c) 5 g

d) 6 g

93. Whole grains are rich in:

a) Fiber ☑

b) B-vitamins ☑

c) Minerals ☑

d) All of the above ☑

94. Animal sources of protein include:

a) Meat ☑

b) Eggs ☑

c) Milk ☑

d) All of the above ☑

95. Plant sources of protein include:

a) Legumes ☑

b) Nuts ☑

c) Soy ☑

d) All of the above ☑

96. Omega-3 fatty acids are mainly found in:

a) Fish oil ☑

b) Flaxseed ☑

c) Walnuts ☑

d) All of the above ☑

97. Vitamin B complex is:

a) Water-soluble ☑

b) Fat-soluble

c) Both

d) None

98. Vitamin C is important for:

a) Collagen formation ☑

b) Antioxidant ☑

c) Immunity ☑

d) All of the above ☑

99. Excess fluoride intake may cause:

a) Dental fluorosis ☑

b) Skeletal fluorosis ☑

c) Nausea

d) Both a & b ☑

100. Recommended daily intake of water for adult women:

a) 2–2.5 liters ☑

b) 1 liter

c) 3–4 liters

d) 500 ml

Mental Health & Psychiatric Nursing

1. Common symptom of depression:

a) Persistent sadness ☑

b) Hallucinations

c) Mania

d) Delusions

2. Major depressive disorder is characterized by:

a) Low mood for at least 2 weeks ☑

b) Elevated mood

c) Rapid speech

d) Hyperactivity

3. First-line pharmacological treatment for depression:

a) SSRIs ☑

b) Antipsychotics

c) Benzodiazepines

d) Mood stabilizers

4. Common side effect of SSRIs:

a) Nausea ☑

b) Bradycardia

c) Hypotension

d) Constipation

5. Bipolar disorder is characterized by:

a) Alternating mania and depression ☑

b) Only depression

c) Only anxiety

d) Schizophrenia

6. Lithium is used for:

a) Bipolar disorder ☑

b) Schizophrenia

c) Anxiety disorder

d) Depression

7. Therapeutic lithium level:

a) 0.6–1.2 mEq/L ☑

b) 0.1–0.5 mEq/L

c) 1.5–2.5 mEq/L

d) 2.5–3.5 mEq/L

8. Signs of lithium toxicity:

a) Tremor ☑

b) Nausea ☑

c) Confusion ☑

d) All of the above ☑

9. Schizophrenia is primarily a disorder of:

a) Thought and perception ☑

b) Mood

c) Anxiety

d) Personality

10. Positive symptoms of schizophrenia include:

a) Hallucinations ☑

b) Delusions ☑

c) Disorganized speech ☑

d) All of the above ☑

11. Negative symptoms of schizophrenia include:

a) Apathy ☑

b) Social withdrawal ☑

c) Blunted affect ☑

d) All of the above ☑

12. First-generation antipsychotics primarily treat:

a) Positive symptoms ☑

b) Negative symptoms

c) Anxiety

d) Depression

13. Second-generation antipsychotics treat:

a) Positive and some negative symptoms ☑

b) Only positive symptoms

c) Only anxiety

d) Only depression

14. Common side effect of first-generation antipsychotics:

a) Extrapyramidal symptoms (EPS) ☑

b) Sedation

c) Weight gain

d) All of the above ☑

15. Anxiety disorder is characterized by:

a) Excessive worry ☑

b) Hallucinations

c) Mania

d) Delusions

16. First-line treatment for generalized anxiety disorder:

a) SSRIs ☑

b) Antipsychotics

c) Lithium

d) Mood stabilizers

17. Panic attack features include:

a) Palpitations ☑

b) Shortness of breath ☑

c) Trembling ☑

d) All of the above ☑

18. Obsessive-compulsive disorder (OCD) involves:

a) Obsessions ☑

b) Compulsions ☑

c) Both a & b ☑

d) None

19. First-line treatment for OCD:

a) SSRIs ☑

b) Benzodiazepines

c) Antipsychotics

d) Mood stabilizers

20. Post-traumatic stress disorder (PTSD) is caused by:

a) Traumatic event ☑

b) Genetic factors

c) Nutritional deficiency

d) Infection

21. PTSD symptoms include:

a) Flashbacks ☑

b) Hyperarousal ☑

c) Avoidance ☑

d) All of the above ☑

22. Common nursing intervention for suicidal patient:

a) Close observation ☑

b) Remove harmful objects ☑

c) Provide support ☑

d) All of the above ☑

23. Mania is characterized by:

a) Elevated mood ☑

b) Decreased need for sleep ☑

c) Grandiosity ☑

d) All of the above ☑

24. First-line pharmacological treatment for mania:

a) Lithium ☑

b) SSRIs

c) Benzodiazepines

d) Antipsychotics

25. Electroconvulsive therapy (ECT) is used for:

a) Severe depression ☑

b) Mania

c) Schizophrenia

d) All of the above ☑

26. Common side effect of ECT:

a) Short-term memory loss ☑

b) Nausea

c) Tremor

d) Rash

27. Personality disorders are characterized by:

a) Long-term maladaptive patterns ☑

b) Short-term stress reactions

c) Acute illness

d) Infectious causes

28. Borderline personality disorder features:

a) Instability in relationships ☑

b) Impulsivity ☑

c) Emotional dysregulation ☑

d) All of the above ☑

29. Nursing intervention for aggressive patient:

a) Maintain calm environment ☑

b) Set clear limits ☑

c) Ensure safety ☑

d) All of the above ☑

30. Delirium is characterized by:

a) Acute confusion ☑

b) Hallucinations ☑

c) Fluctuating consciousness ☑

d) All of the above ☑

31. Dementia is characterized by:

a) Progressive cognitive decline ☑

b) Chronic course ☑

c) Memory loss ☑

d) All of the above ☑

32. Alzheimer’s disease is a type of:

a) Dementia ☑

b) Delirium

c) Depression

d) Anxiety

33. Nursing intervention for dementia patient:

a) Maintain routine ☑

b) Provide safety ☑

c) Encourage social interaction ☑

d) All of the above ☑

34. Common side effect of benzodiazepines:

a) Sedation ☑

b) Dizziness ☑

c) Dependence ☑

d) All of the above ☑

35. Electroconvulsive therapy is contraindicated in:

a) Recent myocardial infarction ☑

b) Severe hypertension ☑

c) Intracranial pressure ☑

d) All of the above ☑

36. Acute psychosis nursing priority:

a) Ensure safety ☑

b) Monitor vital signs ☑

c) Provide supportive care ☑

d) All of the above ☑

37. Mood stabilizers include:

a) Lithium ☑

b) Valproate ☑

c) Carbamazepine ☑

d) All of the above ☑

38. Clozapine is reserved for:

a) Treatment-resistant schizophrenia ☑

b) Depression

c) Anxiety

d) Mania

39. Side effect of clozapine:

a) Agranulocytosis ☑

b) Weight gain ☑

c) Sedation ☑

d) All of the above ☑

40. Common defense mechanisms in psychiatric patients:

a) Denial ☑

b) Projection ☑

c) Regression ☑

d) All of the above ☑

41. Hallucination is:

a) False sensory perception ☑

b) Reality-based thought

c) Memory problem

d) Mood disorder

42. Delusion is:

a) False belief ☑

b) Hallucination

c) Confusion

d) Memory loss

43. Nursing intervention for hallucinating patient:

a) Speak calmly ☑

b) Reorient to reality ☑

c) Ensure safety ☑

d) All of the above ☑

44. Electroconvulsive therapy requires:

a) Anesthesia ☑

b) Muscle relaxants ☑

c) Monitoring ☑

d) All of the above ☑

45. Positive reinforcement is used in:

a) Behavioral therapy ☑

b) Psychoanalysis

c) ECT

d) Pharmacotherapy

46. Cognitive-behavioral therapy (CBT) helps in:

a) Changing negative thought patterns ☑

b) Resolving delusions

c) Treating infection

d) Pain management

47. Anxiety nursing intervention:

a) Provide calm environment ☑

b) Encourage relaxation techniques ☑

c) Educate about coping strategies ☑

d) All of the above ☑

48. Electroconvulsive therapy is effective for:

a) Severe depression ☑

b) Mania

c) Schizophrenia

d) All of the above ☑

49. Suicide risk assessment includes:

a) Previous attempts ☑

b) Psychiatric history ☑

c) Current stressors ☑

d) All of the above ☑

50. Milieu therapy focuses on:

a) Therapeutic environment ☑

b) Medication administration

c) Surgery

d) Physical therapy

ঠিক আছে! এবার Mental Health & Psychiatric Nursing MCQs (51–100) দিচ্ছি, প্রতিটি প্রশ্নের পাশে সঠিক উত্তর থাকবে।

Mental Health & Psychiatric Nursing MCQs (51–100)

51. Hallucinations are most commonly associated with:

a) Schizophrenia ☑

b) Depression

c) Anxiety

d) Dementia

52. Delusions of grandeur involve:

a) Exaggerated sense of importance ☑

b) Feeling persecuted

c) Hearing voices

d) Memory loss

53. Delusions of persecution involve:

a) Belief of being targeted ☑

b) Exaggerated importance

c) Hallucinations

d) Mania

54. A common symptom of panic disorder:

a) Sudden palpitations ☑

b) Gradual sadness

c) Hallucinations

d) Memory loss

55. Nursing intervention for panic attack:

a) Stay with patient ☑

b) Encourage deep breathing ☑

c) Reduce environmental stimuli ☑

d) All of the above ☑

56. Generalized anxiety disorder (GAD) duration:

a) ≥6 months ☑

b) 1 month

c) 2 weeks

d) 1 year

57. First-line medication for GAD:

a) SSRIs ☑

b) Antipsychotics

c) Lithium

d) Mood stabilizers

58. Obsessive-compulsive disorder (OCD) common compulsions:

a) Hand washing ☑

b) Checking ☑

c) Counting ☑

d) All of the above ☑

59. PTSD nursing interventions include:

a) Safety assurance ☑

b) Emotional support ☑

c) Encourage expression of feelings ☑

d) All of the above ☑

60. Common medication for PTSD:

a) SSRIs ☑

b) Benzodiazepines

c) Lithium

d) Antipsychotics

61. Mania nursing priority:

a) Safety ☑

b) Encourage rest ☑

c) Provide structured environment ☑

d) All of the above ☑

62. Signs of severe mania include:

a) Agitation ☑

b) Impulsivity ☑

c) Grandiosity ☑

d) All of the above ☑

63. Schizophrenia onset typically occurs in:

a) Late adolescence to early adulthood ☑

b) Childhood

c) Late adulthood

d) Middle age

64. Extrapyramidal side effects include:

a) Tremor ☑

b) Akathisia ☑

c) Dystonia ☑

d) All of the above ☑

65. Tardive dyskinesia is:

a) Involuntary movements due to long-term antipsychotics ☑

b) Short-term tremor

c) Anxiety symptom

d) Hallucination

66. Clozapine requires monitoring for:

a) White blood cell count ☑

b) Liver function

c) Kidney function

d) Electrolytes

67. Common mood stabilizers:

a) Lithium ☑

b) Valproate ☑

c) Carbamazepine ☑

d) All of the above ☑

68. Antidepressant classes include:

a) SSRIs ☑

b) SNRIs ☑

c) Tricyclic antidepressants ☑

d) All of the above ☑

69. Serotonin syndrome is caused by:

a) Excess serotonergic activity ☑

b) Deficiency of serotonin

c) Lithium overdose

d) Antipsychotic use

70. Symptoms of serotonin syndrome:

a) Hyperthermia ☑

b) Agitation ☑

c) Tremor ☑

d) All of the above ☑

71. Nursing intervention for serotonin syndrome:

a) Stop serotonergic drugs ☑

b) Provide supportive care ☑

c) Monitor vitals ☑

d) All of the above ☑

72. Delirium is:

a) Acute confusion ☑

b) Chronic memory loss

c) Depression

d) Mania

73. Common causes of delirium include:

a) Infection ☑

b) Electrolyte imbalance ☑

c) Drug toxicity ☑

d) All of the above ☑

74. Nursing interventions for delirium:

a) Reorientation ☑

b) Safety measures ☑

c) Monitor vitals ☑

d) All of the above ☑

75. Dementia commonly affects:

a) Memory ☑

b) Cognition ☑

c) Daily functioning ☑

d) All of the above ☑

76. Alzheimer’s disease hallmark:

a) Beta-amyloid plaques ☑

b) Lewy bodies

c) Demyelination

d) Infection

77. Parkinson’s disease dementia is characterized by:

a) Motor symptoms first ☑

b) Memory loss first

c) Hallucinations only

d) Depression only

78. Anxiety nursing interventions:

a) Calm environment ☑

b) Relaxation techniques ☑

c) Patient education ☑

d) All of the above ☑

79. Electroconvulsive therapy (ECT) requires:

a) Anesthesia ☑

b) Muscle relaxant ☑

c) Monitoring ☑

d) All of the above ☑

80. Milieu therapy aims to:

a) Provide therapeutic environment ☑

b) Treat infection

c) Administer medications only

d) Physical therapy

81. First-line treatment for acute psychosis:

a) Antipsychotics ☑

b) Benzodiazepines

c) Lithium

d) SSRIs

82. Nursing intervention for hallucinations:

a) Avoid confrontation ☑

b) Reorient to reality ☑

c) Ensure safety ☑

d) All of the above ☑

83. Defense mechanism: projection means:

a) Attributing own feelings to others ☑

b) Denying reality

c) Regression

d) Sublimation

84. Defense mechanism: repression means:

a) Blocking unacceptable thoughts ☑

b) Acting out

c) Rationalization

d) Displacement

85. Common side effects of antipsychotics:

a) Sedation ☑

b) Weight gain ☑

c) Extrapyramidal symptoms ☑

d) All of the above ☑

86. Nursing intervention for aggressive patient:

a) Remain calm ☑

b) Maintain safe distance ☑

c) Set limits ☑

d) All of the above ☑

87. Suicide risk factors include:

a) Previous attempt ☑

b) Psychiatric disorder ☑

c) Family history ☑

d) All of the above ☑

88. First-line treatment for OCD:

a) SSRIs ☑

b) Benzodiazepines

c) Antipsychotics

d) Lithium

89. PTSD common symptoms:

a) Flashbacks ☑

b) Hyperarousal ☑

c) Avoidance ☑

d) All of the above ☑

90. Nursing priority for suicidal ideation:

a) Ensure safety ☑

b) Provide supportive communication ☑

c) Remove harmful objects ☑

d) All of the above ☑

91. Bipolar disorder management includes:

a) Mood stabilizers ☑

b) Psychotherapy ☑

c) Lifestyle modification ☑

d) All of the above ☑

92. Lithium toxicity signs include:

a) Tremor ☑

b) Confusion ☑

c) Nausea ☑

d) All of the above ☑

93. Schizoaffective disorder has features of:

a) Schizophrenia ☑

b) Mood disorder ☑

c) Both a & b ☑

d) None

94. Delirium onset is:

a) Acute ☑

b) Gradual

c) Chronic

d) None

95. Dementia onset is:

a) Chronic ☑

b) Acute

c) Reversible

d) None

96. Panic disorder nursing intervention:

a) Stay calm ☑

b) Encourage deep breathing ☑

c) Reduce stimuli ☑

d) All of the above ☑

97. Anxiety medications may include:

a) SSRIs ☑

b) Benzodiazepines ☑

c) Buspirone ☑

d) All of the above ☑

98. Milieu therapy provides:

a) Structure ☑

b) Safety ☑

c) Social support ☑

d) All of the above ☑

99. Delusions are:

a) False beliefs ☑

b) Hallucinations

c) Memory loss

d) Anxiety

100. Hallucinations are:

a) False sensory perceptions ☑

b) False beliefs

c) Memory deficits

d) Mood swings

Community Health Nursing

1. Primary goal of community health nursing:

a) Health promotion ☑

b) Disease treatment

c) Surgery

d) Emergency care

2. Levels of prevention include:

a) Primary, secondary, tertiary ☑

b) Acute, chronic, sub-acute

c) Preventive, curative, rehabilitative

d) None

3. Example of primary prevention:

a) Immunization ☑

b) Chemotherapy

c) Physical therapy

d) Surgery

4. Example of secondary prevention:

a) Screening for hypertension ☑

b) Vaccination

c) Health education

d) Rehabilitation

5. Example of tertiary prevention:

a) Rehabilitation after stroke ☑

b) Immunization

c) Screening

d) Health education

6. WHO defines health as:

a) Complete physical, mental, and social well-being ☑

b) Absence of disease

c) Only physical health

d) Only mental health

7. Epidemiology is the study of:

a) Disease distribution and determinants ☑

b) Individual treatment

c) Surgery

d) Rehabilitation

8. Incidence refers to:

a) Number of new cases ☑

b) Total cases

c) Number of deaths

d) Recovery rate

9. Prevalence refers to:

a) Total number of existing cases ☑

b) New cases

c) Mortality

d) Cure rate

10. Morbidity rate indicates:

a) Frequency of disease ☑

b) Deaths

c) Recovery

d) Prevention

11. Mortality rate indicates:

a) Frequency of deaths ☑

b) New cases

c) Recovery

d) Disease prevalence

12. Infant mortality rate measures:

a) Deaths of infants <1 year per 1000 live births ☑

b) Maternal deaths

c) Child deaths <5 years

d) Total deaths

13. Maternal mortality rate measures:

a) Deaths of mothers per 100,000 live births ☑

b) Infant deaths

c) Child deaths

d) Total deaths

14. Leading cause of death in children under 5 globally:

a) Pneumonia ☑

b) Malaria

c) Diarrhea

d) Measles

15. Major public health problem in developing countries:

a) Malnutrition ☑

b) Obesity

c) Hypertension

d) Diabetes

16. Essential component of community health nursing:

a) Health education ☑

b) Surgery

c) Radiology

d) Laboratory

17. Community diagnosis refers to:

a) Identifying health needs of a population ☑

b) Individual diagnosis

c) Laboratory testing

d) Treatment plan

18. Epidemiologic triad includes:

a) Agent, host, environment ☑

b) Patient, nurse, doctor

c) Virus, bacteria, parasite

d) Health, disease, therapy

19. Notifiable disease means:

a) Must report to public health authorities ☑

b) Optional reporting

c) Personal disease

d) Non-infectious disease

20. Example of notifiable disease:

a) Tuberculosis ☑

b) Diabetes

c) Hypertension

d) Obesity

21. Herd immunity is achieved by:

a) Vaccination coverage ☑

b) Quarantine

c) Isolation

d) Treatment

22. Health education aims to:

a) Promote healthy behavior ☑

b) Cure disease

c) Surgery

d) Diagnose

23. Primary health care includes:

a) Universal accessibility ☑

b) Specialized care

c) Tertiary hospital care

d) Emergency surgery

24. Components of primary health care:

a) Education, nutrition, immunization ☑

b) Surgery, chemotherapy, dialysis

c) ICU care

d) Laboratory testing

25. Community nurse roles include:

a) Educator ☑

b) Caregiver ☑

c) Advocate ☑

d) All of the above ☑

26. Home visits are important for:

a) Assessing family health ☑

b) Surgery

c) Radiology

d) ICU care

27. Community assessment includes:

a) Demographic data ☑

b) Epidemiological data ☑

c) Socioeconomic data ☑

d) All of the above ☑

28. Environmental health focuses on:

a) Air, water, sanitation ☑

b) Surgery

c) Medications

d) Rehabilitation

29. Safe water reduces risk of:

a) Diarrhea ☑

b) Hypertension

c) Diabetes

d) Obesity

30. Sanitation reduces:

a) Infectious diseases ☑

b) Chronic diseases

c) Genetic disorders

d) Trauma

31. Vector control is essential for:

a) Malaria ☑

b) Hypertension

c) Diabetes

d) Obesity

32. Role of community nurse in immunization:

a) Education ☑

b) Vaccine administration ☑

c) Record keeping ☑

d) All of the above ☑

33. Family health nursing includes:

a) Family assessment ☑

b) Counseling ☑

c) Planning interventions ☑

d) All of the above ☑

34. Growth monitoring helps to detect:

a) Malnutrition ☑

b) Hypertension

c) Diabetes

d) Obesity

35. Oral rehydration therapy (ORT) is used for:

a) Diarrhea ☑

b) Hypertension

c) Diabetes

d) Pneumonia

36. Common community health problem in children:

a) Malnutrition ☑

b) Hypertension

c) Diabetes

d) Arthritis

37. Role of nurse in disaster management:

a) Triage ☑

b) First aid ☑

c) Health education ☑

d) All of the above ☑

38. Surveillance in public health means:

a) Continuous data collection ☑

b) Surgery

c) Rehabilitation

d) Lab testing

39. Epidemic is defined as:

a) Sudden increase in disease cases ☑

b) Normal prevalence

c) Decline in disease

d) Immunization

40. Pandemic refers to:

a) Global spread of disease ☑

b) Local outbreak

c) Endemic

d) Sporadic cases

41. Endemic means:

a) Constant presence of disease in a population ☑

b) Global spread

c) Sudden outbreak

d) Vaccination

42. Screening program aims to:

a) Early detection of disease ☑

b) Surgery

c) Emergency care

d) Rehabilitation

43. Example of secondary prevention in CHN:

a) Blood pressure measurement ☑

b) Vaccination

c) Rehabilitation

d) Health education

44. Rehabilitation is part of:

a) Tertiary prevention ☑

b) Primary prevention

c) Secondary prevention

d) Health promotion

45. Nutritional program in community targets:

a) Malnutrition prevention ☑

b) Surgery

c) ICU care

d) Medication therapy

46. DOTS strategy is for:

a) Tuberculosis treatment ☑

b) Malaria prevention

c) Hypertension control

d) Diabetes management

47. Role of nurse in DOTS:

a) Supervise medication ☑

b) Educate patient ☑

c) Record keeping ☑

d) All of the above ☑

48. Community mental health nursing focuses on:

a) Prevention and management ☑

b) Surgery

c) Laboratory tests

d) ICU care

49. Health promotion includes:

a) Lifestyle modification ☑

b) Surgery

c) Medication only

d) None

50. Advocacy by community nurse involves:

a) Protecting patient rights ☑

b) Medication administration

c) Surgery

d) Lab testing

Nursing Leadership & Management

1. Leadership in nursing is primarily about:

a) Influencing others to achieve goals ☑

b) Performing only clinical tasks

c) Administrative paperwork

d) Medication administration

2. Management focuses on:

a) Planning, organizing, directing, and controlling ☑

b) Only patient care

c) Only teaching

d) Only research

3. Transformational leadership emphasizes:

a) Inspiring and motivating staff ☑

b) Routine supervision

c) Task-oriented work only

d) Maintaining rules

4. Transactional leadership emphasizes:

a) Rewards and penalties ☑

b) Innovation

c) Staff empowerment

d) Visionary thinking

5. Autocratic leadership style is characterized by:

a) Centralized decision making ☑

b) Staff involvement

c) Collaborative approach

d) Participative style

6. Democratic leadership style is characterized by:

a) Staff participation in decision-making ☑

b) Decisions made by leader alone

c) Authoritarian control

d) No guidance

7. Laissez-faire leadership style:

a) Minimal supervision ☑

b) Strict rules

c) Team-oriented

d) Highly structured

8. Nursing manager roles include:

a) Planning ☑

b) Organizing ☑

c) Directing ☑

d) All of the above ☑

9. Planning involves:

a) Setting goals and objectives ☑

b) Performing procedures

c) Teaching patients

d) Research

10. Organizing involves:

a) Allocating resources ☑

b) Administering medication

c) Conducting lab tests

d) Counseling patients

11. Directing involves:

a) Guiding staff to achieve objectives ☑

b) Lab analysis

c) Surgery

d) Medication administration

12. Controlling in management means:

a) Monitoring performance ☑

b) Patient education

c) Surgery

d) Counseling

13. Span of control refers to:

a) Number of subordinates a manager can effectively supervise ☑

b) Distance between hospital units

c) Budget allocation

d) Nurse-patient ratio

14. Decision making is:

a) Choosing the best course of action ☑

b) Performing procedures

c) Teaching only

d) Medication administration

15. Problem-solving process includes:

a) Identifying problem ☑

b) Generating alternatives ☑

c) Implementing solutions ☑

d) All of the above ☑

16. Time management in nursing includes:

a) Prioritization ☑

b) Scheduling ☑

c) Delegation ☑

d) All of the above ☑

17. Delegation means:

a) Assigning tasks to appropriate personnel ☑

b) Doing all work yourself

c) Supervising without task assignment

d) Ignoring tasks

18. Effective delegation requires:

a) Clear instructions ☑

b) Appropriate authority ☑

c) Accountability ☑

d) All of the above ☑

19. Nursing ethics include:

a) Autonomy ☑

b) Beneficence ☑

c) Justice ☑

d) All of the above ☑

20. Autonomy in nursing means:

a) Ability to make independent decisions ☑

b) Following orders blindly

c) Performing only routine tasks

d) Reporting errors

21. Beneficence refers to:

a) Doing good for patients ☑

b) Avoiding responsibility

c) Delegating tasks

d) Controlling staff

22. Justice in nursing refers to:

a) Fair and equal treatment ☑

b) Favoring some patients

c) Ignoring ethical issues

d) Random assignment

23. Conflict management strategies include:

a) Avoiding ☑

b) Competing ☑

c) Collaborating ☑

d) All of the above ☑

24. Maslow’s hierarchy of needs places which need at the top:

a) Self-actualization ☑

b) Safety

c) Love and belonging

d) Physiological

25. Motivation theories help managers to:

a) Encourage staff performance ☑

b) Treat patients only

c) Conduct research

d) Perform surgeries

26. Total quality management (TQM) aims to:

a) Continuous improvement ☑

b) Reducing nursing staff

c) Increasing costs

d) Ignoring patient satisfaction

27. Evidence-based management means:

a) Making decisions based on data and research ☑

b) Following tradition

c) Only experience

d) Random decision making

28. Change management in nursing requires:

a) Planning ☑

b) Communication ☑

c) Staff involvement ☑

d) All of the above ☑

29. Leadership and management in nursing differ in:

a) Leadership inspires, management controls ☑

b) Leadership controls, management inspires

c) Both do same tasks

d) Both unrelated

30. Magnet hospital recognition emphasizes:

a) Nursing excellence ☑

b) Cost reduction

c) Hospital size

d) Physician autonomy

31. Effective communication in nursing management is:

a) Clear, concise, and timely ☑

b) Lengthy messages

c) Only written

d) Only verbal

32. Staff development includes:

a) Continuing education ☑

b) Training ☑

c) Mentoring ☑

d) All of the above ☑

33. Budgeting in nursing management involves:

a) Planning and allocation of resources ☑

b) Surgery

c) Patient counseling

d) Medication administration

34. Staffing in nursing management considers:

a) Patient acuity ☑

b) Nurse skill level ☑

c) Staff availability ☑

d) All of the above ☑

35. Performance appraisal helps to:

a) Evaluate staff performance ☑

b) Hire new staff

c) Patient care

d) Surgery

36. Policies in nursing management are:

a) Guidelines for practice ☑

b) Optional suggestions

c) Legal documents only

d) Not important

37. Procedures in nursing management are:

a) Step-by-step instructions ☑

b) Optional advice

c) Only verbal instructions

d) Not required

38. Risk management in nursing aims to:

a) Minimize patient harm ☑

b) Avoid work

c) Reduce staff

d) Ignore errors

39. Nursing audit includes:

a) Reviewing patient care quality ☑

b) Surgery

c) Research only

d) Medication administration

40. Staff morale affects:

a) Patient care quality ☑

b) Cost only

c) Hospital building

d) Medication

41. Communication barriers include:

a) Language differences ☑

b) Noise ☑

c) Cultural differences ☑

d) All of the above ☑

42. Team building in nursing improves:

a) Collaboration ☑

b) Staff satisfaction ☑

c) Patient outcomes ☑

d) All of the above ☑

43. Stress management in nursing includes:

a) Relaxation techniques ☑

b) Time management ☑

c) Support groups ☑

d) All of the above ☑

44. Delegation is inappropriate when:

a) Task requires professional judgment ☑

b) Task is routine

c) Task is non-complex

d) Task is teachable

45. Ethical decision-making model includes:

a) Identify problem ☑

b) Consider alternatives ☑

c) Choose best action ☑

d) All of the above ☑

46. Leadership in nursing affects:

a) Staff satisfaction ☑

b) Patient safety ☑

c) Quality of care ☑

d) All of the above ☑

47. Transformational leaders:

a) Inspire change ☑

b) Follow only rules

c) Avoid innovation

d) Focus on routine

48. Transactional leaders:

a) Focus on tasks and rewards ☑

b) Inspire vision

c) Encourage innovation

d) Avoid rules

49. Ethical principles in management include:

a) Autonomy ☑

b) Nonmaleficence ☑

c) Justice ☑

d) All of the above ☑

50. Leadership effectiveness is measured by:

a) Staff performance ☑

b) Patient satisfaction ☑

c) Achievement of organizational goals ☑

d) All of the above ☑

Nursing Research & Methodology

1. Research in nursing is primarily aimed at:

a) Generating new knowledge ☑

b) Only patient care

c) Surgery

d) Documentation

2. Evidence-based practice relies on:

a) Research findings ☑

b) Tradition

c) Personal opinion

d) Only textbooks

3. Quantitative research involves:

a) Numerical data ☑

b) Opinions

c) Narratives

d) Observation only

4. Qualitative research involves:

a) Descriptive data ☑

b) Numbers

c) Laboratory tests

d) Vital signs

5. Descriptive research focuses on:

a) Describing phenomena ☑

b) Establishing cause-effect

c) Hypothesis testing

d) Intervention only

6. Experimental research focuses on:

a) Cause-effect relationships ☑

b) Description only

c) Observation

d) Literature review

7. Hypothesis is:

a) Testable statement ☑

b) Fact

c) Observation

d) Theory

8. Independent variable is:

a) Variable manipulated by researcher ☑

b) Outcome variable

c) Constant

d) Control variable

9. Dependent variable is:

a) Outcome measured ☑

b) Manipulated variable

c) Constant

d) Sample size

10. Population in research refers to:

a) Entire group of interest ☑

b) Sample only

c) Literature

d) Variables

11. Sample in research is:

a) Subset of population ☑

b) Entire population

c) Variable

d) Control

12. Sampling method that ensures each member has equal chance:

a) Random sampling ☑

b) Purposive sampling

c) Convenience sampling

d) Quota sampling

13. Purposive sampling involves:

a) Selecting participants based on purpose ☑

b) Random selection

c) Convenience

d) Stratified selection

14. Reliability in research means:

a) Consistency of measurement ☑

b) Accuracy

c) Truthfulness

d) Validity

15. Validity in research means:

a) Accuracy of measurement ☑

b) Consistency

c) Sample size

d) Hypothesis

16. Ethical principles in research include:

a) Informed consent ☑

b) Confidentiality ☑

c) Beneficence ☑

d) All of the above ☑

17. Informed consent ensures:

a) Participant agrees voluntarily ☑

b) Participant is forced

c) Data fabrication

d) None

18. Confidentiality in research refers to:

a) Protecting participant data ☑

b) Publishing names

c) Sharing results without consent

d) Ignoring privacy

19. Randomized controlled trial is an example of:

a) Experimental research ☑

b) Descriptive research

c) Qualitative research

d) Observational research

20. Literature review is important for:

a) Understanding previous research ☑

b) Designing study ☑

c) Identifying gaps ☑

d) All of the above ☑

21. Data collection methods include:

a) Questionnaires ☑

b) Interviews ☑

c) Observation ☑

d) All of the above ☑

22. Pilot study is conducted to:

a) Test feasibility ☑

b) Analyze results only

c) Randomize sample

d) None

23. Control group in research:

a) Does not receive intervention ☑

b) Receives intervention

c) Is excluded

d) Observed only

24. Experimental group in research:

a) Receives intervention ☑

b) Does not receive

c) Only observed

d) Excluded

25. Randomization reduces:

a) Selection bias ☑

b) Sample size

c) Reliability

d) Literature gap

26. Blinding in research prevents:

a) Bias ☑

b) Sampling errors

c) Hypothesis testing

d) Data collection

27. Single-blind study:

a) Participant unaware of group ☑

b) Researcher unaware

c) Both unaware

d) Neither unaware

28. Double-blind study:

a) Both participant and researcher unaware ☑

b) Only participant unaware

c) Only researcher unaware

d) Neither unaware

29. Data analysis in quantitative research involves:

a) Statistical methods ☑

b) Narratives

c) Observation

d) Literature review

30. Mean, median, and mode are:

a) Measures of central tendency ☑

b) Variability

c) Hypothesis

d) Sampling methods

31. Standard deviation measures:

a) Variability ☑

b) Central tendency

c) Population

d) Reliability

32. Qualitative data analysis involves:

a) Thematic analysis ☑

b) Statistical analysis

c) Randomization

d) Control

33. Research proposal includes:

a) Title ☑

b) Objectives ☑

c) Methodology ☑

d) All of the above ☑

34. Research report includes:

a) Introduction ☑

b) Methods ☑

c) Results ☑

d) All of the above ☑

35. In nursing research, evidence-based practice improves:

a) Patient outcomes ☑

b) Staff satisfaction

c) Administrative tasks

d) Cost only

36. Ethical committee approves:

a) Research protocol ☑

b) Medication orders

c) Surgery schedule

d) Staff leave

37. Confidentiality of participants is maintained by:

a) Coding data ☑

b) Publishing names

c) Sharing results openly

d) None

38. Hypothesis testing determines:

a) Whether the hypothesis is supported ☑

b) Sample size

c) Data collection

d) Literature review

39. P-value <0.05 indicates:

a) Statistically significant ☑

b) Not significant

c) Error in data

d) Reliability issue

40. Nursing research contributes to:

a) Knowledge base ☑

b) Clinical practice ☑

c) Policy making ☑

d) All of the above ☑

41. Cross-sectional study observes:

a) Population at single point in time ☑

b) Population over time

c) Experimental group only

d) Literature

42. Longitudinal study observes:

a) Population over time ☑

b) Single point

c) Only sample

d) Experimental group

43. Correlational study identifies:

a) Relationships between variables ☑

b) Cause-effect

c) Intervention only

d) Description only

44. Case study research is:

a) In-depth study of single or few subjects ☑

b) Large population

c) Experimental only

d) Quantitative only

45. Nursing research helps in:

a) Improving patient care ☑

b) Reducing errors ☑

c) Guiding policies ☑

d) All of the above ☑

46. Data triangulation increases:

a) Validity ☑

b) Bias

c) Error

d) Randomness

47. Action research involves:

a) Solving practical problems ☑

b) Theory testing only

c) Literature review only

d) Observation only

48. Reliability testing methods include:

a) Test-retest ☑

b) Inter-rater ☑

c) Internal consistency ☑

d) All of the above ☑

49. Sampling error occurs due to:

a) Sample not representing population ☑

b) Correct sampling

c) Pilot study

d) Literature review

50. Ethical principle of non-maleficence means:

a) Do no harm ☑

b) Promote good only

c) Justice

d) Autonomy

Basic Science & Behavioral Science

1. The basic unit of life is:

a) Cell ☑

b) Tissue

c) Organ

d) System

2. DNA is responsible for:

a) Genetic information ☑

b) Energy production

c) Protein digestion

d) Hormone secretion

3. RNA differs from DNA in:

a) Sugar is ribose ☑

b) Sugar is deoxyribose

c) Double-stranded

d) Contains thymine

4. Mitosis results in:

a) Two identical daughter cells ☑

b) Four cells

c) Gametes

d) None

5. Meiosis results in:

a) Four non-identical gametes ☑

b) Two identical cells

c) Somatic cells

d) Tissue repair

6. Enzymes are:

a) Biological catalysts ☑

b) Hormones

c) Vitamins

d) Minerals

7. Proteins are made of:

a) Amino acids ☑

b) Fatty acids

c) Nucleotides

d) Sugars

8. Carbohydrates are:

a) Primary energy source ☑

b) Proteins

c) Fats

d) Minerals

9. Lipids function as:

a) Energy storage ☑

b) Genetic material

c) Enzymes

d) Hormones only

10. Water-soluble vitamins include:

a) B-complex, C ☑

b) A, D, E, K

c) Calcium, Iron

d) Sodium, Potassium

11. Fat-soluble vitamins include:

a) A, D, E, K ☑

b) B-complex

c) C

d) Iron

12. Major minerals include:

a) Calcium, Sodium, Potassium ☑

b) Zinc, Copper

c) Manganese

d) Fluoride only

13. Trace elements include:

a) Iron, Zinc, Copper ☑

b) Calcium, Sodium

c) Potassium

d) Magnesium only

14. Homeostasis refers to:

a) Maintaining internal stability ☑

b) Growth

c) Reproduction

d) Movement

15. Nervous system function includes:

a) Coordination ☑

b) Digestion

c) Excretion

d) Nutrition

16. Endocrine system regulates:

a) Hormones ☑

b) Digestion

c) Respiration

d) Locomotion

17. Sympathetic nervous system:

a) Activates “fight or flight” ☑

b) Rest and digest

c) Digestion only

d) None

18. Parasympathetic nervous system:

a) Rest and digest ☑

b) Fight or flight

c) Skeletal movement

d) None

19. Behavioral science studies:

a) Human behavior ☑

b) Chemistry

c) Physics

d) Anatomy only

20. Motivation in behavioral science refers to:

a) Driving forces behind behavior ☑

b) Physical growth

c) Enzyme activity

d) Reflex action

21. Maslow’s hierarchy of needs has which at the base:

a) Physiological needs ☑

b) Safety needs

c) Love and belonging

d) Self-actualization

22. Classical conditioning was developed by:

a) Pavlov ☑

b) Skinner

c) Maslow

d) Freud

23. Operant conditioning was developed by:

a) Skinner ☑

b) Pavlov

c) Freud

d) Maslow

24. Positive reinforcement:

a) Increases behavior ☑

b) Decreases behavior

c) Punishment

d) Ignoring

25. Negative reinforcement:

a) Removal of unpleasant stimulus to increase behavior ☑

b) Punishment

c) Ignore behavior

d) Positive reward

26. Freud’s psychoanalytic theory emphasizes:

a) Unconscious mind ☑

b) Behavior only

c) Motivation only

d) Learning theory

27. Defense mechanisms include:

a) Repression ☑

b) Denial ☑

c) Projection ☑

d) All of the above ☑

28. Stress is:

a) Physical or psychological response to demands ☑

b) Only physical pain

c) Only emotion

d) None

29. Coping mechanisms help to:

a) Manage stress ☑

b) Increase stress

c) Cause illness

d) Reduce intelligence

30. Group dynamics studies:

a) Interactions within a group ☑

b) Individual learning

c) Biological growth

d) Reflexes

31. Leadership in behavioral science:

a) Influences group behavior ☑

b) Only administrative

c) Only clinical

d) None

32. Communication includes:

a) Verbal ☑

b) Non-verbal ☑

c) Written ☑

d) All of the above ☑

33. Effective communication is:

a) Clear, concise, understandable ☑

b) Lengthy and complicated

c) Only verbal

d) Only written

34. Health psychology studies:

a) Behavior related to health ☑

b) Only disease

c) Only medicine

d) Only physiology

35. Human development stages include:

a) Infancy, childhood, adolescence, adulthood ☑

b) Only childhood

c) Only adulthood

d) Only infancy

36. Piaget’s cognitive development includes:

a) Sensorimotor, preoperational, concrete operational, formal operational ☑

b) Only sensorimotor

c) Only formal operational

d) Only preoperational

37. Erickson’s psychosocial stages include:

a) Trust vs. mistrust, autonomy vs. shame ☑

b) Only trust

c) Only identity

d) Only integrity

38. Learning in behavioral science is:

a) Change in behavior due to experience ☑

b) Genetic only

c) Reflex only

d) None

39. Self-concept affects:

a) Behavior and motivation ☑

b) Physical growth

c) Only disease susceptibility

d) Reflexes

40. Behavior modification uses:

a) Reinforcement and punishment ☑

b) Only punishment

c) Only observation

d) None

41. Attitudes influence:

a) Decisions and behavior ☑

b) Reflex only

c) Genetic traits

d) None

42. Perception is:

a) Interpretation of sensory input ☑

b) Reflex

c) Hormone function

d) Nutrition

43. Personality refers to:

a) Consistent patterns of behavior ☑

b) Only intelligence

c) Only emotions

d) Reflexes

44. Motivation theories include:

a) Maslow ☑

b) Herzberg ☑

c) McGregor ☑

d) All of the above ☑

45. Stress management techniques include:

a) Relaxation ☑

b) Exercise ☑

c) Counseling ☑

d) All of the above ☑

46. Behavioral science helps nurses to:

a) Understand patient behavior ☑

b) Improve communication ☑

c) Plan interventions ☑

d) All of the above ☑

47. Biofeedback is used to:

a) Control physiological functions ☑

b) Only teach anatomy

c) Surgery

d) Only nutrition

48. Health beliefs affect:

a) Health practices ☑

b) Disease only

c) Reflex only

d) None

49. Group therapy aims to:

a) Improve mental health through group interaction ☑

b) Only medication

c) Only lab tests

d) Surgery

50. Patient education in behavioral science:

a) Improves self-care ☑

b) Only provides medication

c) Only documentation

d) Only referral

Critical Care Nursing

1. The primary focus of critical care nursing is:

a) Care of critically ill patients ☑

b) Routine health check-ups

c) Outpatient care

d) Home visits

2. Common ICU monitoring includes:

a) ECG ☑

b) Pulse oximetry ☑

c) Blood pressure ☑

d) All of the above ☑

3. Normal range of adult blood pressure:

a) 120/80 mmHg ☑

b) 140/90 mmHg

c) 100/70 mmHg

d) 160/100 mmHg

4. Normal adult heart rate:

a) 60–100 bpm ☑

b) 50–70 bpm

c) 100–120 bpm

d) 40–60 bpm

5. Hypotension in ICU is defined as:

a) BP <90/60 mmHg ☑

b) BP <120/80 mmHg

c) BP <100/70 mmHg

d) BP <130/90 mmHg

6. Hypertension in ICU is defined as:

a) BP >140/90 mmHg ☑

b) BP >120/80 mmHg

c) BP >100/70 mmHg

d) BP >130/85 mmHg

7. Shock is primarily characterized by:

a) Inadequate tissue perfusion ☑

b) High fever

c) Hyperactivity

d) Pain only

8. Types of shock include:

a) Hypovolemic ☑

b) Cardiogenic ☑

c) Septic ☑

d) All of the above ☑

9. Hypovolemic shock is caused by:

a) Blood or fluid loss ☑

b) Heart failure

c) Infection

d) Allergic reaction

10. Cardiogenic shock results from:

a) Heart pump failure ☑

b) Blood loss

c) Infection

d) Dehydration

11. Septic shock is associated with:

a) Infection and vasodilation ☑

b) Hypovolemia

c) Heart failure

d) Trauma

12. Anaphylactic shock is caused by:

a) Severe allergic reaction ☑

b) Heart failure

c) Blood loss

d) Infection

13. Early signs of shock include:

a) Tachycardia ☑

b) Hypotension

c) Cool clammy skin

d) All of the above ☑

14. Critical care patients often require:

a) Mechanical ventilation ☑

b) Oral medications only

c) Home care

d) Routine check-up

15. Normal oxygen saturation (SpO2) in adults:

a) 95–100% ☑

b) 90–94%

c) 85–89%

d) 80–84%

16. Hypoxemia is defined as:

a) PaO2 <80 mmHg ☑

b) PaO2 >100 mmHg

c) PaO2 90–100 mmHg

d) PaO2 >120 mmHg

17. Mechanical ventilation is indicated for:

a) Respiratory failure ☑

b) Mild cold

c) Routine check-up

d) Fever

18. Common ICU sedation drugs include:

a) Midazolam ☑

b) Propofol ☑

c) Fentanyl ☑

d) All of the above ☑

19. Critical care nursing prioritizes:

a) Airway, breathing, circulation (ABC) ☑

b) Diet only

c) Documentation

d) Social visits

20. Ventilator-associated pneumonia prevention includes:

a) Elevate head of bed ☑

b) Oral care ☑

c) Hand hygiene ☑

d) All of the above ☑

21. Sepsis bundle includes:

a) Early antibiotics ☑

b) Fluid resuscitation ☑

c) Blood cultures ☑

d) All of the above ☑

22. Glasgow Coma Scale (GCS) assesses:

a) Level of consciousness ☑

b) Blood pressure

c) Heart rate

d) Oxygen saturation

23. Normal GCS score:

a) 15 ☑

b) 10

c) 8

d) 3

24. Critical care patient with GCS <8 requires:

a) Airway protection and intubation ☑

b) Observation only

c) Oral medications

d) Diet therapy

25. Intracranial pressure (ICP) monitoring is indicated for:

a) Severe head injury ☑

b) Mild headache

c) Fever

d) Nausea

26. Normal ICP range:

a) 5–15 mmHg ☑

b) 20–25 mmHg

c) 0–5 mmHg

d) 15–25 mmHg

27. Hyperthermia in ICU can be caused by:

a) Infection ☑

b) Dehydration ☑

c) Malignant hyperthermia ☑

d) All of the above ☑

28. Hypothermia is defined as:

a) Core temperature <35°C ☑

b) Core temperature >37°C

c) Core temperature <36.5°C

d) Core temperature >38°C

29. DVT prophylaxis in ICU includes:

a) Low molecular weight heparin ☑

b) Compression stockings ☑

c) Early mobilization ☑

d) All of the above ☑

30. Stress ulcer prophylaxis in ICU includes:

a) Proton pump inhibitors ☑

b) H2 blockers ☑

c) Sucralfate ☑

d) All of the above ☑

31. Critical care fluid therapy is based on:

a) Type of shock ☑

b) Heart rate

c) Blood pressure only

d) Diet

32. Vasopressors are used to:

a) Increase blood pressure ☑

b) Decrease blood pressure

c) Sedate patient

d) Reduce fever

33. Common vasopressors include:

a) Norepinephrine ☑

b) Dopamine ☑

c) Vasopressin ☑

d) All of the above ☑

34. ECG monitoring in ICU detects:

a) Arrhythmias ☑

b) Blood pressure

c) Oxygen saturation

d) Infection

35. Common ICU arrhythmias include:

a) Atrial fibrillation ☑

b) Ventricular tachycardia ☑

c) Bradycardia ☑

d) All of the above ☑

36. Electrolyte imbalance common in ICU:

a) Potassium ☑

b) Sodium ☑

c) Calcium ☑

d) All of the above ☑

37. Hyperkalemia ECG changes include:

a) Tall peaked T waves ☑

b) ST depression

c) Prolonged QT

d) U waves

38. Hypokalemia ECG changes include:

a) Flattened T waves ☑

b) ST elevation

c) Tall R waves

d) Peaked T waves

39. ICU nutrition is provided via:

a) Enteral feeding ☑

b) Parenteral feeding ☑

c) Oral diet ☑

d) All of the above ☑

40. Enteral feeding is preferred because:

a) Maintains gut integrity ☑

b) Reduces infection ☑

c) Cost-effective ☑

d) All of the above ☑

41. Sedation vacation in ICU helps:

a) Assess neurological status ☑

b) Increase sedation

c) Cause agitation

d) Reduce nutrition

42. Pain assessment in ICU includes:

a) Behavioral indicators ☑

b) Vital signs ☑

c) Patient self-report ☑

d) All of the above ☑

43. Common ICU infections:

a) Pneumonia ☑

b) Urinary tract infection ☑

c) Bloodstream infection ☑

d) All of the above ☑

44. Critical care nursing emphasizes:

a) Multidisciplinary approach ☑

b) Only nursing care

c) Only physician care

d) Only diet

45. Ventilator weaning depends on:

a) Respiratory function ☑

b) Hemodynamic stability ☑

c) Level of consciousness ☑

d) All of the above ☑

46. Sedation drugs should be:

a) Titrated to minimal effective dose ☑

b) Maximum dose always

c) Not monitored

d) Given randomly

47. ICU delirium can be prevented by:

a) Early mobilization ☑

b) Sleep hygiene ☑

c) Minimizing sedation ☑

d) All of the above ☑

48. Critical care discharge planning involves:

a) Patient and family education ☑

b) Referral to rehabilitation ☑

c) Medication counseling ☑

d) All of the above ☑

49. Pain, agitation, and delirium management in ICU:

a) PAD guidelines ☑

b) ABC guidelines

c) TPN guidelines

d) Sepsis bundle

50. Primary goal of ICU nursing documentation:

a) Ensure continuity of care ☑

b) Legal record

c) Communication with team ☑

d) All of the above ☑

Emergency Nursing Care

1. The primary goal of emergency nursing is:

a) Rapid assessment and stabilization ☑

b) Long-term care

c) Routine check-ups

d) Only documentation

2. ABC in emergency care stands for:

a) Airway, Breathing, Circulation ☑

b) Assessment, Blood pressure, Care

c) Airway, Blood, Care

d) Alert, Breathing, Consciousness

3. First step in primary survey:

a) Check airway ☑

b) Check breathing

c) Check circulation

d) Check disability

4. Signs of airway obstruction include:

a) Stridor ☑

b) Cyanosis ☑

c) Gurgling sounds ☑

d) All of the above ☑

5. Oxygen therapy in emergency is indicated for:

a) Hypoxia ☑

b) Fever

c) Pain

d) Nausea

6. Normal adult respiratory rate:

a) 12–20 breaths/min ☑

b) 8–12

c) 20–25

d) 10–15

7. Normal adult pulse rate:

a) 60–100 bpm ☑

b) 50–70

c) 100–120

d) 40–60

8. Hypovolemic shock is commonly caused by:

a) Blood loss ☑

b) Infection

c) Heart failure

d) Allergic reaction

9. Cardiogenic shock results from:

a) Heart pump failure ☑

b) Blood loss

c) Infection

d) Dehydration

10. Septic shock is associated with:

a) Severe infection ☑

b) Blood loss

c) Trauma

d) Allergic reaction

11. Anaphylactic shock is caused by:

a) Severe allergic reaction ☑

b) Infection

c) Trauma

d) Heart failure

12. Emergency nursing for burns includes:

a) Stop burning process ☑

b) Cover with clean cloth ☑

c) Assess airway and breathing ☑

d) All of the above ☑

13. Rule of nines is used to:

a) Estimate burn surface area ☑

b) Measure blood pressure

c) Assess consciousness

d) Calculate medication dose

14. Electrical burn patients require:

a) Cardiac monitoring ☑

b) Only wound care

c) Routine check-up

d) Oral medications

15. Fracture management in emergency includes:

a) Immobilization ☑

b) Pain control ☑

c) Neurovascular assessment ☑

d) All of the above ☑

16. Emergency treatment for chest pain includes:

a) Oxygen ☑

b) ECG ☑

c) Nitroglycerin ☑

d) All of the above ☑

17. CPR is indicated for:

a) Cardiac arrest ☑

b) Hypotension

c) Fever

d) Mild pain

18. Compression to ventilation ratio in adult CPR:

a) 30:2 ☑

b) 15:2

c) 25:2

d) 20:2

19. Early defibrillation in cardiac arrest improves:

a) Survival ☑

b) Blood pressure

c) Oxygenation

d) Temperature

20. Stroke management in emergency includes:

a) Rapid neurological assessment ☑

b) CT scan ☑

c) Blood pressure control ☑

d) All of the above ☑

21. FAST in stroke stands for:

a) Face, Arm, Speech, Time ☑

b) Face, Alert, Speech, Temperature

c) Face, Arm, Saturation, Time

d) Face, Alert, Sensation, Timing

22. Emergency care for poisoning includes:

a) ABC assessment ☑

b) Identification of poison ☑

c) Decontamination ☑

d) All of the above ☑

23. Epinephrine is used in emergency for:

a) Anaphylaxis ☑

b) Hypoglycemia

c) Shock only

d) Seizures

24. Emergency treatment of hypoglycemia:

a) Oral glucose or IV dextrose ☑

b) Insulin

c) Fluids only

d) Pain medications

25. Seizure management in emergency includes:

a) Ensure safety ☑

b) Airway management ☑

c) Anticonvulsants ☑

d) All of the above ☑

26. Signs of shock include:

a) Hypotension ☑

b) Tachycardia ☑

c) Cool, clammy skin ☑

d) All of the above ☑

27. Emergency care of airway obstruction in choking:

a) Heimlich maneuver ☑

b) Back blows ☑

c) Chest thrusts ☑

d) All of the above ☑

28. Emergency triage prioritizes:

a) Severity of condition ☑

b) Age only

c) Gender only

d) Arrival time

29. Red tag in triage indicates:

a) Immediate attention ☑

b) Delayed

c) Minor

d) Dead

30. Yellow tag in triage indicates:

a) Delayed care ☑

b) Immediate care

c) Minor injury

d) Deceased

31. Green tag in triage indicates:

a) Minor injuries ☑

b) Immediate care

c) Delayed care

d) Dead

32. Black tag in triage indicates:

a) Deceased or non-salvageable ☑

b) Immediate care

c) Minor injury

d) Delayed care

33. CPR for pediatric patients compression:ventilation ratio:

a) 30:2 (single rescuer) ☑

b) 15:2 (two rescuers) ☑

c) 20:2

d) Both a and b ☑

34. Emergency nursing for airway burns includes:

a) Early intubation ☑

b) Oxygen ☑

c) Humidified air ☑

d) All of the above ☑

35. Triage in mass casualty incident is based on:

a) Severity and survivability ☑

b) Arrival time

c) Gender

d) Age

36. Emergency care for myocardial infarction includes:

a) Oxygen ☑

b) Aspirin ☑

c) Pain relief ☑

d) All of the above ☑

37. Shock positioning includes:

a) Supine with legs elevated ☑

b) Sitting upright

c) Prone

d) Trendelenburg only

38. Rapid sequence intubation in emergency uses:

a) Sedative and paralytic ☑

b) Only sedative

c) Only paralytic

d) Analgesic only

39. Signs of increased intracranial pressure:

a) Headache ☑

b) Vomiting ☑

c) Altered consciousness ☑

d) All of the above ☑

40. Emergency care for acute asthma attack includes:

a) Oxygen ☑

b) Bronchodilators ☑

c) Monitoring ☑

d) All of the above ☑

41. Pulseless electrical activity (PEA) is treated with:

a) CPR and epinephrine ☑

b) Defibrillation only

c) Oxygen only

d) Fluids only

42. Emergency care for severe bleeding includes:

a) Direct pressure ☑

b) Elevation ☑

c) Tourniquet if needed ☑

d) All of the above ☑

43. Emergency nursing documentation should include:

a) Vital signs ☑

b) Interventions ☑

c) Response to treatment ☑

d) All of the above ☑

44. Emergency care for poisoning includes activated charcoal:

a) To absorb toxins ☑

b) To induce vomiting

c) For hydration

d) For analgesia

45. Emergency care for stroke patient:

a) Maintain airway ☑

b) Monitor neurological status ☑

c) Rapid imaging ☑

d) All of the above ☑

46. Emergency care for anaphylaxis includes:

a) Epinephrine ☑

b) Oxygen ☑

c) IV fluids ☑

d) All of the above ☑

47. Hypovolemic shock management includes:

a) Rapid IV fluids ☑

b) Oxygen ☑

c) Identify source of bleeding ☑

d) All of the above ☑

48. Emergency care of poisoning by corrosives includes:

a) Do not induce vomiting ☑

b) Give milk or water ☑

c) Assess airway ☑

d) All of the above ☑

49. Critical vital signs in emergency assessment include:

a) Pulse ☑

b) BP ☑

c) Respiratory rate ☑

d) All of the above ☑

50. Primary assessment in emergency care is:

a) ABC ☑

b) History only

c) Secondary survey only

d) Lab tests only

Immunization

1. The primary purpose of immunization is to:

a) Prevent infectious diseases ☑

b) Cure diseases

c) Treat allergies

d) Provide nutrition

2. Herd immunity refers to:

a) Protection of unvaccinated individuals due to high vaccination coverage ☑

b) Immunity in animals only

c) Individual immunity only

d) Immunity after illness

3. BCG vaccine prevents:

a) Tuberculosis ☑

b) Polio

c) Measles

d) Diphtheria

4. OPV vaccine protects against:

a) Polio ☑

b) Measles

c) Tuberculosis

d) Hepatitis B

5. IPV vaccine is:

a) Inactivated polio vaccine ☑

b) Oral polio vaccine

c) Live vaccine

d) Bacterial vaccine

6. DPT vaccine protects against:

a) Diphtheria, Pertussis, Tetanus ☑

b) Measles, Mumps, Rubella

c) Polio

d) Hepatitis

7. Td vaccine is given for:

a) Tetanus and diphtheria booster ☑

b) Polio

c) Measles

d) BCG

8. Hepatitis B vaccine is given to:

a) All newborns ☑

b) Only adults

c) Only high-risk adults

d) Only children >5 years

9. Measles vaccine is usually given at:

a) 9 months ☑

b) 6 months

c) 12 months

d) 15 months

10. MMR vaccine protects against:

a) Measles, Mumps, Rubella ☑

b) Measles, Rubella only

c) Polio only

d) Diphtheria, Pertussis, Tetanus

11. Polio is eradicated in most countries due to:

a) Vaccination ☑

b) Antibiotics

c) Hygiene only

d) Nutrition

12. Influenza vaccine is recommended annually for:

a) High-risk groups ☑

b) All newborns

c) Only elderly

d) Only children <5 years

13. Vaccine contraindications include:

a) Severe allergic reaction ☑

b) Mild cold

c) Diarrhea

d) Minor fever

14. Live vaccines include:

a) BCG ☑

b) Measles ☑

c) OPV ☑

d) All of the above ☑

15. Inactivated vaccines include:

a) IPV ☑

b) Hepatitis B ☑

c) Influenza ☑

d) All of the above ☑

16. Adverse reactions to vaccines may include:

a) Fever ☑

b) Local swelling ☑

c) Rash ☑

d) All of the above ☑

17. The recommended site for intramuscular vaccine in infants:

a) Anterolateral thigh ☑

b) Deltoid

c) Gluteal

d) Abdomen

18. The recommended site for IM injection in older children:

a) Deltoid ☑

b) Thigh

c) Gluteal

d) Forearm

19. OPV is given orally because:

a) Provides intestinal immunity ☑

b) Easier to inject

c) More potent than injection

d) None

20. Cold chain maintenance ensures:

a) Vaccine potency ☑

b) Sterility

c) Pain reduction

d) Allergy prevention

21. BCG vaccination leaves:

a) Scar ☑

b) Rash

c) No mark

d) Bruise

22. Hepatitis B vaccine schedule for newborns:

a) At birth, 6 weeks, 10 weeks, 14 weeks ☑

b) At 1 year

c) At 9 months

d) Only at birth

23. DPT vaccine schedule:

a) 6, 10, 14 weeks ☑

b) 1 year only

c) 9 months

d) 12 months

24. MMR is given at:

a) 9 months and 15 months ☑

b) 6 months only

c) 12 months only

d) 18 months only

25. Polio eradication requires:

a) High vaccination coverage ☑

b) Sanitation only

c) Antibiotics

d) Isolation only

26. Adverse effects of BCG may include:

a) Mild ulcer at injection site ☑

b) Fever

c) Rash

d) Anaphylaxis

27. Contraindication for live vaccines:

a) Immunocompromised patient ☑

b) Mild fever

c) Local swelling

d) Cold

28. Vaccine vial monitor (VVM) indicates:

a) Vaccine potency ☑

b) Sterility

c) Dosage

d) Side effects

29. Tetanus vaccine is given to:

a) All newborns and mothers ☑

b) Only children

c) Only elderly

d) Only injured patients

30. Yellow fever vaccine is:

a) Live attenuated ☑

b) Inactivated

c) Subunit

d) Toxoid

31. Hepatitis A vaccine is recommended for:

a) High-risk groups ☑

b) All infants

c) Only elderly

d) Only adults

32. Rotavirus vaccine prevents:

a) Severe diarrhea in infants ☑

b) Pneumonia

c) Measles

d) Polio

33. Vaccine schedule is important to:

a) Ensure immunity ☑

b) Reduce cost

c) Reduce injection pain

d) Reduce hospital visits

34. IPV should be given:

a) Intramuscular or subcutaneous ☑

b) Oral only

c) Intradermal only

d) Topical

35. Cold chain temperature for vaccines:

a) 2–8°C ☑

b) 10–15°C

c) 0–1°C

d) 15–25°C

36. Vitamin A supplementation is given with:

a) Measles vaccine ☑

b) Polio

c) DPT

d) Hepatitis B

37. Booster doses are given to:

a) Maintain immunity ☑

b) Induce new immunity

c) Treat infection

d) Treat allergy

38. Polio drops given in campaigns are called:

a) Pulse polio ☑

b) Routine polio

c) IPV only

d) OPV only

39. Influenza vaccine is inactivated for:

a) High-risk adults ☑

b) Infants only

c) Children only

d) Pregnant women only

40. Immunization reduces:

a) Morbidity ☑

b) Mortality ☑

c) Disease outbreaks ☑

d) All of the above ☑

41. Vaccine vial should not be:

a) Frozen ☑

b) Refrigerated

c) Stored in icepack

d) Stored at 4°C

42. Combined vaccines reduce:

a) Number of injections ☑

b) Side effects

c) Cost only

d) Potency

43. Measles vaccine is contraindicated in:

a) Pregnant women ☑

b) Infants ≥9 months

c) Healthy children

d) Adults

44. Hepatitis B vaccine is:

a) Recombinant ☑

b) Live attenuated

c) Toxoid

d) Inactivated

45. Oral polio vaccine may cause:

a) Vaccine-associated paralytic polio (rare) ☑

b) Fever

c) Rash

d) Diarrhea

46. Immunization in pregnancy protects:

a) Mother and newborn ☑

b) Only mother

c) Only newborn

d) Neither

47. DPT booster is recommended at:

a) 4–6 years ☑

b) 2 years

c) Birth

d) 9 months

48. Cold chain failure may result in:

a) Loss of vaccine potency ☑

b) Reduced side effects

c) Easier administration

d) Improved immunity

49. Adverse reaction requiring medical attention:

a) Anaphylaxis ☑

b) Mild fever

c) Mild redness

d) Local pain

50. Documentation of immunization includes:

a) Vaccine name ☑

b) Date ☑

c) Dose and site ☑

d) All of the above

Nursing Process

1. The nursing process is:

a) Systematic method of providing nursing care ☑

b) Random care

c) Doctor’s order only

d) Routine check-ups

2. The first step of the nursing process is:

a) Assessment ☑

b) Diagnosis

c) Planning

d) Evaluation

3. Nursing assessment includes:

a) Physical assessment ☑

b) Psychological assessment ☑

c) Social assessment ☑

d) All of the above ☑

4. The purpose of nursing assessment is to:

a) Collect data for care planning ☑

b) Prescribe medications

c) Diagnose disease

d) Only observe

5. Subjective data refers to:

a) Information reported by patient ☑

b) Vital signs

c) Lab results

d) Physical findings

6. Objective data refers to:

a) Measurable and observable data ☑

b) Patient’s feelings

c) Perceptions

d) Opinions

7. Nursing diagnosis is:

a) Clinical judgment about patient responses to health problems ☑

b) Medical diagnosis

c) Lab report

d) Doctor’s order

8. Components of a nursing diagnosis include:

a) Problem, etiology, signs/symptoms ☑

b) Only problem

c) Only treatment

d) Only lab result

9. Example of nursing diagnosis:

a) Acute pain related to surgery as evidenced by facial grimacing ☑

b) Appendicitis

c) Diabetes mellitus

d) Hypertension

10. Planning phase involves:

a) Setting measurable goals ☑

b) Collecting data

c) Observing patient

d) Administering medication only

11. A short-term goal is usually:

a) Achieved within hours or days ☑

b) Achieved in months

c) Achieved in years

d) Not measurable

12. A long-term goal is usually:

a) Achieved over weeks or months ☑

b) Achieved in hours

c) Achieved immediately

d) Not measurable

13. Nursing interventions are:

a) Actions planned to achieve goals ☑

b) Medical procedures only

c) Documentation

d) Observation only

14. Independent nursing interventions are:

a) Performed without physician order ☑

b) Require doctor’s order

c) Lab investigations only

d) Medication administration only

15. Dependent nursing interventions:

a) Require physician order ☑

b) Performed independently

c) Observation only

d) Documentation only

16. Collaborative interventions are:

a) Involve coordination with healthcare team ☑

b) Independent actions

c) Observation only

d) Documentation only

17. Evaluation phase involves:

a) Determining whether goals were met ☑

b) Collecting initial data

c) Setting goals

d) Performing interventions

18. Nursing process is:

a) Cyclical ☑

b) Linear only

c) Random

d) Non-systematic

19. Documentation in nursing process is important for:

a) Continuity of care ☑

b) Legal record ☑

c) Communication ☑

d) All of the above ☑

20. Assessment data is obtained from:

a) Patient interview ☑

b) Physical examination ☑

c) Medical records ☑

d) All of the above ☑

21. Affective data includes:

a) Patient feelings, emotions ☑

b) Lab results

c) Vital signs

d) Physical examination

22. Cognitive data includes:

a) Patient knowledge and understanding ☑

b) Emotions

c) Vitals

d) Lab results

23. Behavioral data includes:

a) Actions and responses of patient ☑

b) Lab results

c) Vitals

d) Physician notes

24. NANDA stands for:

a) North American Nursing Diagnosis Association ☑

b) National Association of Nurses

c) Nursing Assessment and Diagnosis Association

d) None

25. Writing goals should be:

a) SMART (Specific, Measurable, Achievable, Relevant, Time-bound) ☑

b) Vague

c) Only measurable

d) Only achievable

26. Example of measurable goal:

a) Patient will ambulate 50 meters without assistance within 24 hours ☑

b) Patient will feel better

c) Patient will be comfortable

d) Patient will eat well

27. Prioritization in nursing process is guided by:

a) Maslow’s hierarchy of needs ☑

b) Age

c) Gender

d) Diagnosis only

28. First priority in Maslow’s hierarchy is:

a) Physiological needs ☑

b) Safety

c) Love/belonging

d) Self-actualization

29. Nursing assessment includes:

a) Health history ☑

b) Vital signs ☑

c) Physical examination ☑

d) All of the above ☑

30. A focused assessment is:

a) Assessment limited to specific problem ☑

b) Full body assessment only

c) Lab tests only

d) History only

31. Types of nursing diagnosis:

a) Actual ☑

b) Risk ☑

c) Health promotion ☑

d) All of the above ☑

32. Risk nursing diagnosis indicates:

a) Patient is at risk for problem ☑

b) Problem already exists

c) Health promotion

d) Lab values abnormal

33. Health promotion nursing diagnosis focuses on:

a) Patient readiness to improve health ☑

b) Current illness

c) Pain management

d) Lab monitoring

34. Evaluation of nursing care helps in:

a) Modifying plan if needed ☑

b) Continuing interventions ☑

c) Ensuring goal achievement ☑

d) All of the above ☑

35. Critical thinking in nursing process is essential for:

a) Accurate assessment ☑

b) Effective planning ☑

c) Appropriate interventions ☑

d) All of the above ☑

36. Nursing care plan serves as:

a) Guide for patient care ☑

b) Legal document ☑

c) Communication tool ☑

d) All of the above ☑

37. Interdisciplinary collaboration is important in:

a) Complex patient care ☑

b) Routine vitals

c) Simple observation

d) None

38. Nursing process improves:

a) Quality of care ☑

b) Patient outcomes ☑

c) Efficiency ☑

d) All of the above ☑

39. Reassessment is performed:

a) After interventions ☑

b) Before interventions

c) Only at admission

d) Only at discharge

40. Patient-centered care in nursing process ensures:

a) Patient preferences and needs considered ☑

b) Only physician preference

c) Only nurse preference

d) Standardized care only

41. Diagnosis in nursing process differs from medical diagnosis by:

a) Focuses on patient responses ☑

b) Focuses on disease only

c) Lab values only

d) Prescription only

42. Nursing process is taught in:

a) Nursing education programs ☑

b) Medical school

c) Pharmacy school

d) None

43. Evidence-based practice is incorporated in:

a) Planning and intervention ☑

b) Assessment only

c) Evaluation only

d) Documentation only

44. Short-term outcomes are usually:

a) Achieved in hours or days ☑

b) Weeks or months

c) Years

d) Not measurable

45. Long-term outcomes are:

a) Achieved over weeks or months ☑

b) Hours

c) Days

d) Not measurable

46. Nursing process promotes:

a) Systematic approach ☑

b) Random care

c) Only documentation

d) Physician-directed care only

47. Nursing care plan revision is based on:

a) Evaluation findings ☑

b) Initial assessment only

c) Physician preference only

d) Routine

48. Collaboration with healthcare team enhances:

a) Patient outcomes ☑

b) Nurse efficiency ☑

c) Communication ☑

d) All of the above ☑

49. Documentation should include:

a) Assessment data ☑

b) Nursing diagnosis ☑

c) Interventions and evaluation ☑

d) All of the above ☑

50. Nursing process is applicable to:

a) All patients ☑

b) Only ICU patients

c) Only pediatric patients

d) Only surgical patients

Vital Signs

পরিচিতি

Vital signs হলো রোগীর জীবনের মৌলিক ফিজিওলজিকাল প্যারামিটার, যা স্বাস্থ্য ও শারীরিক অবস্থার অবস্থা নির্ধারণে সহায়ক।

সাধারণত পাঁচটি প্রধান vital sign পরিমাপ করা হয়:

1. Temperature (তাপমাত্রা)

2. Pulse (নাড়ির স্পন্দন)

3. Respiratory Rate (শ্বাসের হার)

4. Blood Pressure (রক্তচাপ)

5. Oxygen Saturation (SpO_2)

উদ্দেশ্য: রোগীর শারীরিক অবস্থার প্রাথমিক মূল্যায়ন, রোগ নির্ণয়, চিকিৎসার প্রভাব নিরীক্ষণ।

১. Body Temperature (শরীরের তাপমাত্রা)

Definition:

শরীরের কেন্দ্রীয় তাপমাত্রা যা মেটাবলিজম এবং হোমিওস্টেসিসের সূচক।

Normal Range: 36.5–37.5°C (97.7–99.5°F)

Measurement Sites: Oral, Rectal, Axillary, Tympanic, Temporal

Abnormalities:

- Hyperpyrexia/Hyperthermia: >38°C
- Hypothermia: <36°C

Nursing Considerations:

- Device calibration
- Site-specific precautions
- Infection control

২. Pulse (নাড়ি)

Definition:

Heart contraction এর ফলে ধমনিতে রক্ত প্রবাহিত হওয়ার স্পন্দন।

Normal Range:

- Adult: 60–100 beats/min
- Child:

Common Sites of taking Pulse:

- Temporal artery
- Carotid artery
- Apical pulse
- Brachial artery
- Radial artery
- Ulna artery
- Femoral artery
- Popliteal artery
- Posterior Tibial artery
- Dorsalis Pedis

Characteristics:

1. Rate (slow, normal, fast)

2. Rhythm (regular/irregular)

3. Volume/strength (weak, strong)

Abnormalities:

Tachycardia: >100 bpm

Bradycardia: <60 bpm

Irregular rhythm: Atrial fibrillation

৩. Respiratory Rate (শ্বাসের হার)

Definition:

প্রতি মিনিটে শ্বাসপ্রশ্বাসের সংখ্যা

Normal Range:

- Adult: 12–20 breaths/min
- Child:

Assessment:

- Observe chest rise and fall
- Avoid patient awareness to prevent alteration

Abnormalities:

- Tachypnea: >20 breaths/min
- Bradypnea: <12 breaths/min
- Dyspnea: Labored breathing

৪. Blood Pressure (রক্তচাপ)

Definition:

Arterial pressure during heart contraction (systolic) এবং relaxation (diastolic)

Types:

- Systolic Blood Pressure
- Diastolic Blood Pressure
- Mean Pressure
- Pulse Pressure

Normal Range:

- Systolic: 100-140 mmHg
- Diastolic: 60-90 mmHg
- Mean:
- Pulse:

Abnormalities:

- Hypertension: ≥140/90 mmHg
- Hypotension: <90/60 mmHg

Causes: Heart disease, dehydration, sepsis

Nursing Considerations:

- Correct cuff size
- Arm at heart level
- Avoid caffeine, smoking before measurement

৫. Oxygen Saturation (SpO_2)

Definition:

রক্তে oxygenated hemoglobin এর শতকরা হার

Normal Range: 95–100%

Measurement: Pulse oximeter (finger, toe, earlobe)

Abnormalities:

- Hypoxemia: $SpO_2 < 90\%$

Causes: Respiratory diseases, cardiac diseases, hypoventilation

Nursing Role in Vital Signs Assessment

1. Regular monitoring (routine, post-op, emergency)
2. Accurate measurement using proper technique
3. Documentation of readings
4. Reporting abnormalities to physician
5. Patient education (importance, procedure, reassurance)

Factors Affecting Vital Signs

- Age
- Physical activity
- Emotional state
- Medications
- Environmental temperature

- Disease conditions

Summary

Vital signs হলো রোগীর প্রাথমিক স্বাস্থ্য সূচক

যথাযথ পরিমাপ, নিরীক্ষণ এবং রিপোর্টিং জরুরি

Nurses এর দায়িত্ব: Accurate assessment, patient safety এবং timely intervention

গুরুত্বপূর্ণ রোগ নির্ণয় ও চিকিৎসা পরিকল্পনার জন্য vital signs অপরিহার্য

Nursing Process:

পরিচিতি

Nursing Process হলো একটি সিস্টেম্যাটিক এবং সাইক্লিকাল পদ্ধতি, যা রোগীকে মানসম্মত এবং সুনির্দিষ্ট সেবা প্রদান করতে ব্যবহৃত হয়। এটি প্রতি ধাপে পরিকল্পনা, বাস্তবায়ন ও মূল্যায়ন নিশ্চিত করে।

উদ্দেশ্য: রোগীর স্বাস্থ্য সমস্যা শনাক্ত করা, যত্নের পরিকল্পনা করা, কার্যকর হস্তক্ষেপ প্রয়োগ করা এবং ফলাফল মূল্যায়ন করা।

নার্সিং প্রসেসের মূল ধাপ হল মোট ৫ টি-

১. Assessment (মূল্যায়ন)

২. Diagnosis (নির্ণয়)

৩. Planning (পরিকল্পনা)

৪ Implementation (

৫.Evaluation

১. Assessment (মূল্যায়ন)

সংজ্ঞা: রোগী সম্পর্কে তথ্য সংগ্রহের প্রক্রিয়া।

উদ্দেশ্য: রোগীর স্বাস্থ্য পরিস্থিতি বোঝা এবং সঠিক পরিকল্পনা তৈরি করা।

তথ্যের ধরন:

১.১. Subjective Data (প্রকাশিত তথ্য): রোগীর বর্ণিত অনুভূতি বা সমস্যা।

উদাহরণ: "আমার পেটে ব্যথা করছে।"

১.২. Objective Data (পরিমাপযোগ্য তথ্য): নার্স বা চিকিৎসক দ্বারা পর্যবেক্ষণযোগ্য।

উদাহরণ: রক্তচাপ 120/80 mmHg, তাপমাত্রা 101°F

মূল উপায়:

রোগীর সাক্ষাৎকার (Interview)

শারীরিক পরীক্ষা (Physical examination)

মেডিকেল রিপোর্ট ও ল্যাবরেটরি ফলাফল (Investigations)

২.Diagnosis (নির্ণয়)

সংজ্ঞা: রোগীর স্বাস্থ্য সমস্যার প্রতি নার্সের ক্লিনিক্যাল মূল্যায়ন।

প্রধান লক্ষ্য: রোগী বা তার পরিবারে প্রভাব ফেলতে পারে এমন সমস্যা চিহ্নিত করা।

ধরনসমূহ:

২.১. Actual Diagnosis (বাস্তব সমস্যা): ইতিমধ্যেই উপস্থিত সমস্যা।

উদাহরণ: Acute pain related to surgery as evidenced by facial grimacing

২.২. Risk Diagnosis (ঝুঁকিপূর্ণ সমস্যা): ভবিষ্যতে সমস্যা ঘটার সম্ভাবনা।

উদাহরণ: Risk for infection related to surgical wound

২.৩. Health Promotion Diagnosis: রোগী স্বাস্থ্য উন্নয়নের জন্য প্রস্তুত।

উদাহরণ: Readiness for enhanced nutrition

কম্পোনেন্ট:

- Problem (সমস্যা)
- Etiology (কারণ)
- Signs/Symptoms (লক্ষণ/উদাহরণ)

৩. Planning (পরিকল্পনা)

সংজ্ঞা: সমস্যার সমাধানের জন্য নির্দিষ্ট লক্ষ্য নির্ধারণ।

গুরুত্ব: রোগীকে নির্দিষ্ট লক্ষ্য অনুযায়ী পর্যবেক্ষণ ও যত্ন প্রদান করা যায়।

ধরন:

৩.১. Short-term goals: কয়েক ঘন্টা বা দিনের মধ্যে অর্জনযোগ্য।

উদাহরণ: Patient will ambulate 50 meters without assistance within 24 hours

৩.২. Long-term goals: কয়েক সপ্তাহ বা মাসের মধ্যে অর্জনযোগ্য।

উদাহরণ: Patient will maintain optimal nutritional status within 1 month

৪. Implementation (বাস্তবায়ন)

সংজ্ঞা: পরিকল্পিত হস্তক্ষেপ বা Nursing interventions কার্যকরভাবে সম্পন্ন করা।

ধরন:

৪.১. Independent interventions: নার্স নিজের দায়িত্বে করে

উদাহরণ: Patient education, repositioning

৪.২. Dependent interventions: চিকিৎসকের নির্দেশ প্রয়োজন

উদাহরণ: Medication administration, IV fluids

৪.৩. Collaborative interventions: অন্যান্য স্বাস্থ্যকর্মীর সাথে সমন্বয়

উদাহরণ: Physiotherapy, Lab tests

প্রধান লক্ষ্য: রোগীর স্বাস্থ্য উন্নয়ন, লক্ষ্যমাত্রা অর্জন এবং সমস্যার সমাধান।

৫. Evaluation (মূল্যায়ন)

সংজ্ঞা: Nursing interventions কতটা কার্যকর হয়েছে তা মূল্যায়ন।

উদ্দেশ্য: লক্ষ্য অর্জিত হয়েছে কিনা যাচাই এবং পরিকল্পনা সংশোধন।

মূল উপায়:

- রোগীর শারীরিক ও মানসিক অবস্থা পর্যবেক্ষণ
- লক্ষ্য অনুযায়ী ফলাফল যাচাই
- প্রয়োজনে পরিকল্পনায় পরিবর্তন

উদাহরণ:

Goal: Patient will have pain level < 3/10 within 2 hours

Evaluation: Pain reduced to 2/10

Nursing Process এর বৈশিষ্ট্য

1. Systematic: ধাপে ধাপে প্রক্রিয়া

2. Patient-centered: রোগীর প্রয়োজন ও অগ্রাধিকার ভিত্তিক

3. Cyclical: পরবর্তী ধাপের তথ্য পুনর্বিবেচনার জন্য চক্রাকারে

4. Dynamic: রোগীর অবস্থার পরিবর্তনের সাথে অভিযোজিত

Nursing Process এর গুরুত্ব

- মানসম্মত রোগী যত্ন নিশ্চিত করে
- রোগীর স্বাস্থ্য উন্নতি পর্যবেক্ষণ সম্ভব
- স্বাস্থ্যকর্মীদের মধ্যে যোগাযোগ ও সমন্বয় সহজ করে
- আইনগত ও পেশাদারী মানদণ্ড বজায় রাখে
- Nurse's critical thinking ও clinical judgement উন্নত করে

উপসংহার

Nursing Process হলো নার্সিং পেশার ভিত্তি। এটি রোগীর স্বাস্থ্য সমস্যা শনাক্ত, পরিকল্পনা, হস্তক্ষেপ এবং ফলাফল মূল্যায়নে সহায়ক। প্রতিটি নার্সকে Nursing Process সম্পূর্ণভাবে জানা এবং প্রয়োগ করতে সক্ষম হতে হবে।

CPR (Cardiopulmonary Resuscitation)

পরিচিতি

CPR হলো একটি জীবনরক্ষাকারী হঠাৎকার প্রক্রিয়া, যা হৃদয় বন্ধ হওয়া বা শ্বাসযন্ত্র ব্যর্থ হওয়া অবস্থায় প্রয়োগ করা হয়।

CPR এর উদ্দেশ্য হলো:

1. রক্তে অক্সিজেন সরবরাহ বজায় রাখা
2. মস্তিষ্ক ও অন্যান্য গুরুত্বপূর্ণ অঙ্গ রক্ষা করা
3. রোগীকে স্থিতিশীল অবস্থায় হাসপাতাল পৌঁছানো

CPR এর মূল উপাদান:

CPR মূলত দুটি অংশে বিভক্ত:

1. Chest Compressions (হৃদপিণ্ডে চেপে দেওয়া)

উদ্দেশ্য: রক্ত সঞ্চালন বজায় রাখা

পদ্ধতি:

স্থানে হাত: বক্ষপৃষ্ঠের মাঝখানে (sternum)

হাতের অবস্থান: হাতের কব্জি ব্যবহার

Compression rate: 100–120 per minute

Depth (প্রবেশ গভীরতা):

- Adult: 5–6 cm
- Child: 5 cm
- Infant: 4 cm

2. Rescue Breathing (শ্বাসদান)

উদ্দেশ্য: ফুসফুসে অক্সিজেন প্রদান

পদ্ধতি:

Airway খুলুন (head tilt, chin lift)

মুখে মুখে বা বাগে মুখে (mask) শ্বাস দিন

Adult/Child: 2 breaths after 30 compressions

Infant: 2 breaths after 30 compressions (single rescuer) / 15 compressions (two rescuers)

CPR এর ধাপ (Adult)

Primary Assessment

1. Safety first: নিজের এবং রোগীর নিরাপত্তা নিশ্চিত করুন

2. Check responsiveness: রোগী সচেতন কিনা দেখুন

3. Call for help: জরুরি সেবা/দূরবর্তী সহায়তা আহ্বান করুন

4. Check breathing and pulse: শ্বাস এবং পালস্ পরীক্ষা করুন 10 সেকেন্ডের মধ্যে

CPR Sequence (CAB)

1. C – Compressions: Chest compressions দিন

2. A – Airway: Airway খুলুন

3. B – Breathing: Rescue breaths দিন

Cycle: 30 compressions + 2 breaths

Repeat: যতক্ষণ না সাহায্য আসে বা রোগী সচেতন হয়

Special CPR Situations

Child CPR (1 year–puberty)

- Compression: 5 cm
- Rate: 100–120 per minute
- Single rescuer: 30:2
- Two rescuers: 15:2

Infant CPR (under 1 year)

- Compression: 4 cm
- Single rescuer: 30:2
- Two rescuers: 15:2
- Two fingers used for compressions

AED (Automated External Defibrillator) ব্যবহার

AED: হার্টের বৈদ্যুতিক কার্যক্রম পুনরুদ্ধারের যন্ত্র

Steps:

1. Switch on AED
2. Attach pads
3. Follow voice prompts
4. Deliver shock only when advised

AED + CPR: Survival rate অনেক বৃদ্ধি করে

CPR এর গুরুত্বপূর্ণ বিষয়

1. Immediate action: দ্রুত শুরু করুন

2. Quality compressions: গভীর ও দ্রুত, recoil সম্পূর্ণ নিশ্চিত করুন

3. Minimize interruptions: Chest compression কমপক্ষে 100/minute বজায় রাখুন

4. Chest recoil: প্রতিটি চাপের পরে সম্পূর্ণ ফ্লেক্স

5. Early defibrillation: AED যত দ্রুত সম্ভব ব্যবহার করুন

CPR এর C Contraindication

- Do Not Resuscitate (DNR) order থাকা রোগী
- Clearly dead (rigor mortis, decomposition)
- Injuries incompatible with life

CPR এর গুরুত্ব

1. মস্তিষ্ক ও অন্যান্য গুরুত্বপূর্ণ অঙ্গ রক্ষা

2. Survival rate বৃদ্ধি

3. Emergency response system এর অংশ

4. Life-saving skill হিসেবে সকল নার্স ও স্বাস্থ্যকর্মীর জানা জরুরি

উপসংহার

CPR হলো প্রাথমিক জীবন রক্ষা পদ্ধতি, যা রোগীর হঠাৎ cardiac arrest বা respiratory failure অবস্থায় প্রয়োগ করা হয়।

CAB (Compressions–Airway–Breathing) পদ্ধতি অনুসরণ করুন

AED ব্যবহার জীবন রক্ষা করতে অত্যন্ত গুরুত্বপূর্ণ

সমস্ত নার্স ও স্বাস্থ্যকর্মীকে CPR দক্ষতায় পারদর্শী হতে হবে

Patient Intubation

পরিচিতি

Intubation হলো রোগীর শ্বাসনালীতে একটি টিউব প্রবেশ করানো, যা শ্বাসনালীর অবরোধ প্রতিরোধ, শ্বাসপ্রশ্বাস নিশ্চিত করা এবং যন্ত্রের মাধ্যমে ভেন্টিলেশন প্রদান করতে ব্যবহৃত হয়।

উদ্দেশ্য:

1. Airway protection: শ্বাসনালী বন্ধ বা aspirate হওয়া থেকে রক্ষা
2. Ventilation support: রোগীকে mechanical ventilation বা oxygen delivery
3. Critical care management: Emergency বা surgery সময়ে

Intubation এর প্রয়োজনীয়তা

- Respiratory failure
- Airway obstruction
- Cardiac arrest
- Severe trauma or burns
- Major surgery requiring general anesthesia

- Protection from aspiration (vomitus, secretions)

Pre-intubation Assessment

1. Airway assessment

2. Vital signs: HR, BP, O_2 saturation

3. Equipment check:

4. Preoxygenation: 100% O_2 via bag-valve-mask 3–5 মিনিট

Equipment needed for Intubation:

- Larygoscope with blade
- Endotracheal tube (size according to age/sex)
- Suction apparatus
- Bag-valve mask for preoxygenation
- Stylet, tape, or tube holder

Procedure (Orotracheal Intubation)

1. Patient positioning:

- "Sniffing position" (neck flexed, head extended)
- Align oral, pharyngeal, and laryngeal axes

2. Laryngoscope insertion:

- Left hand use
- Blade lifts tongue and epiglottis to visualize vocal cords

3. Tube insertion:

- Right hand দিয়ে ET tube ভয়েস কর্ডের মধ্য দিয়ে প্রবেশ করানো

- Appropriate depth নির্ধারণ (Adult: 21–23 cm at teeth)

4. Tube verification:

- Bilateral chest rise
- Auscultation (lung fields and stomach)
- End-tidal CO_2 (capnography)
- O_2 saturation

5. Tube secure করা:

- Adhesive tape বা commercial tube holder ব্যবহার

Complications of Intubation

1. Early complications:

- Esophageal intubation
- Hypoxia
- Trauma to lips, teeth, airway
- Aspiration

2. Late complications:

- Tracheal stenosis
- Vocal cord injury
- Infection (VAP – Ventilator Associated Pneumonia)

Special Considerations

- Pediatric patients: smaller tube, careful depth
- Difficult airway: use of video laryngoscope, bougie, or fiberoptic scope
- Emergency intubation: RSI (Rapid Sequence Intubation) – sedative + paralytic
- Continuous monitoring: ECG, BP, O_2 saturation

Nursing Role in Intubation

1. Pre-intubation:

- Prepare equipment
- Assess patient
- Preoxygenate

2. During intubation:

- Monitor vitals
- Assist anesthetist or physician
- Ensure suction ready

3. Post-intubation:

- Verify tube position
- Secure tube
- Monitor oxygenation, ventilation, vital signs
- Document procedure and observations

Summary

- Intubation হলো critical life-saving procedure
- সঠিক assessment, preparation, technique এবং verification জরুরি
- Complications কমাতে skilled nursing support অপরিহার্য
- Patient safety, monitoring, এবং documentation সর্বদা নিশ্চিত করা উচিত

Tracheotomy

পরিচিতি

Tracheotomy হলো শ্বাসনালীর সার্জিকাল খোলা (surgical opening in the trachea), যাতে রোগীকে শ্বাস নিতে সহায়তা করা এবং airway নিশ্চিত করা যায়।

উদ্দেশ্য:

1. Airway obstruction এ শ্বাসনালী খোলা রাখা
2. Long-term mechanical ventilation নিশ্চিত করা
3. Secretions সহজে suction করা
4. Upper airway trauma বা swelling এ শ্বাসনালীর রক্ষা

Tracheotomy এর ধরন

1. Temporary tracheotomy: স্বল্প সময়ের জন্য

উদাহরণ: Severe airway obstruction

2. Permanent tracheotomy: দীর্ঘমেয়াদি বা স্থায়ী

উদাহরণ: Laryngeal cancer, irreversible airway damage

Indications (সৃষ্ট কারণ)

- Emergency Indications
- Upper airway obstruction (tumor, foreign body, swelling)
- Severe facial/neck trauma
- Epiglottitis
- Elective Indications
- Prolonged mechanical ventilation
- Neuromuscular disorders (e.g., ALS)
- Airway protection in head/neck surgery

Contraindications

- Uncorrectable bleeding disorder
- Severe cervical spine injury (unless expert care available)
- Infections over incision site (relative contraindication)

Pre-procedure Nursing Assessment

- Airway assessment – obstruction, swelling, anatomy
- Vital signs – BP, HR, O_2 saturation
- Lab investigations – CBC, coagulation profile
- Equipment preparation:
  1. Tracheostomy tube
  2. Suction apparatus
  3. Sterile dressing
  4. Oxygen source

Patient/family education:

- Purpose and procedure
- Possible complications
- Post-procedure care

Procedure

1. Patient in supine position, neck extended
2. Sterile preparation of surgical site (between 2nd and 3rd tracheal rings)
3. Local or general anesthesia administered
4. Skin incision followed by dissection of tissues
5. Tracheal opening created
6. Tracheostomy tube inserted
7. Tube secured with sutures or ties
8. Airway patency and tube position verified
9. Connect to oxygen or ventilator

Complications

Early Complications

- Bleeding
- Subcutaneous emphysema
- Pneumothorax
- Tube misplacement
- Infection

Late Complications

- Tracheal stenosis
- Tracheomalacia
- Granulation tissue formation
- Difficulty speaking

Post-Tracheotomy Care (Nursing Role)

1. Airway maintenance

- Suction secretions regularly
- Humidify inspired air
- Monitor for obstruction

2. Tube care

- Clean stoma site daily
- Check ties for secure fit, prevent skin breakdown

3. Monitoring

- Vital signs
- Oxygen saturation
- Signs of infection (redness, discharge)

4. Communication support

- Use of speaking valve or non-verbal communication

5. Emergency preparedness

- Have suction, spare tube, and resuscitation equipment ready

Nursing Considerations

- Maintain sterile technique
- Frequent airway assessment
- Document procedure, tube size, care provided
- Educate patient/family about home care if long-term tracheostomy

Summary

- Tracheotomy হলো critical surgical procedure for airway management
- Proper assessment, preparation, insertion, and care নিশ্চিত করতে হবে

- Nurse's role অপরিহার্য: airway maintenance, monitoring, suctioning, patient/family education
- Prompt recognition of complications জীবনরক্ষা করতে পারে

Communicable Diseases (Infectious Diseases)

পরিচিতি

Communicable diseases হলো এমন রোগ যা একজন ব্যক্তির থেকে অন্য ব্যক্তির মধ্যে সরাসরি বা অপ্রত্যক্ষভাবে সংক্রমিত হয়।

উদ্দেশ্য:

- রোগ প্রতিরোধ ও নিয়ন্ত্রণ
- জনস্বাস্থ্য উন্নয়ন
- চিকিৎসা এবং জনসচেতনতা বৃদ্ধি

সংক্রমণ কিভাবে হয় (Modes of Transmission)

1. Direct transmission (সরাসরি সংক্রমণ): Person-to-person contact

উদাহরণ: HIV, Hepatitis B, Influenza

2. Indirect transmission (অপ্রত্যক্ষ সংক্রমণ)

- Airborne/droplets: Tuberculosis, Measles
- Contaminated food/water: Cholera, Typhoid
- Fomites (contaminated surfaces): Common cold, Rotavirus

3. Vector-borne transmission: Insects/animals as carriers

উদাহরণ: Malaria (mosquito), Dengue (Aedes mosquito)

4. Vertical transmission: Mother to child during pregnancy, delivery, or breastfeeding

উদাহরণ: HIV, Hepatitis B, Syphilis

Types of Communicable Diseases

1. Bacterial Diseases

- Tuberculosis (Mycobacterium tuberculosis)
- Cholera (Vibrio cholerae)
- Typhoid fever (Salmonella typhi)
- Diphtheria (Corynebacterium diphtheriae)

2. Viral Diseases

- Influenza
- Measles
- Chickenpox (Varicella)
- Hepatitis (A, B, C)
- HIV/AIDS

3. Parasitic Diseases

- Malaria (Plasmodium spp.)
- Filariasis
- Amoebiasis (Entamoeba histolytica)

4. Fungal Diseases

- Candidiasis
- Ringworm (Tinea)

Chain of Infection:

1. Infectious agent (bacteria, virus, parasite, fungi)
2. Reservoir (humans, animals, environment)
3. Portal of exit (respiratory secretions, blood, feces, urine)
4. Mode of transmission (direct, indirect, vector-borne)
5. Portal of entry (respiratory tract, wounds, mucous membranes)
6. Susceptible host (immunocompromised, malnourished, unvaccinated)

Prevention and Control

1. Primary prevention

- Vaccination (Polio, Measles, Hepatitis B)
- Hand hygiene
- Safe food and water
- Vector control (mosquito nets, insecticides)

2. Secondary prevention

- Early diagnosis and treatment
- Isolation of infected patients
- Contact tracing

3. Tertiary prevention

- Rehabilitation
- Management of complications
- Preventing long-term disability

Role of Nurses in Communicable Diseases

1. Assessment and Monitoring

- Identify signs and symptoms
- Monitor vital signs and disease progression

2. Infection Control

- Hand hygiene and standard precautions
- Proper use of PPE (mask, gloves, gown)
- Isolation protocols

3. Health Education

- Educate patients and families about disease, transmission, and prevention
- Promote vaccination programs

4. Reporting and Documentation

- Notify public health authorities for epidemic monitoring
- Maintain patient records

5. Supportive Care

- Administer medications (antibiotics, antivirals, antimalarials)
- Monitor hydration and nutrition
- Symptomatic care

Summary

- Communicable diseases হলো সংক্রমণযোগ্য রোগ যা জনস্বাস্থ্যকে প্রভাবিত করে
- Transmission, prevention, এবং nursing care বোঝা জরুরি
- Vaccination, hygiene, isolation এবং patient education হল মূল প্রতিরোধমূলক ব্যবস্থা
- Nurses critical role: assessment, monitoring, infection control, education, and reporting

Routes of Drug Administration

পরিচিতি

Drug administration routes হলো এমন পদ্ধতি যার মাধ্যমে ঔষধ শরীরে প্রবেশ করানো হয়।

উদ্দেশ্য: ঔষধের কার্যকারিতা বৃদ্ধি, নিরাপদ ব্যবহার এবং দ্রুত প্রভাব নিশ্চিত করা।

1. Enteral Route (পর্যায়ক্রমিক পথ / Gastrointestinal tract)

Definition:

ঔষধ মুখ বা হজম পদ্ধতির মাধ্যমে শরীরে প্রবেশ করে

Types:

1.1. Oral (PO)

Tablet, capsule, syrup

Absorption: Stomach/intestine

Advantages: Safe, convenient

Disadvantages: Slow onset, first-pass metabolism

1.2. Sublingual (SL)

Tablet under tongue

Rapid absorption through oral mucosa

Avoid swallowing

1.3. Buccal

Tablet between gum and cheek

Slow, sustained absorption

1.4. Rectal (PR)

Suppository, enema

Useful if vomiting or unconscious

Absorption variable

2. Parenteral Route (Enteral/GIT ব্যতীত)

Definition:

ঔষধ রক্তে সরাসরি বা tissue/venous route প্রবেশ করে এবং দ্রুত কার্যকর

Types:

2.1. Intravenous (IV): Directly into vein

Rapid onset, controlled dosage

2.2. Intramuscular (IM): Injection into muscle (deltoid, gluteal)

Moderate absorption (depends on blood flow)

Example: Vaccines, antibiotics

2.3. Subcutaneous (SC or Sub-Q)

Injection into subcutaneous tissue (upper arm, thigh, abdomen)

Example: Insulin, heparin

2.4. Intradermal (ID)

Injection into dermis

Example: TB test, allergy test

2.5. Intrathecal / Epidural: Into spinal canal or epidural space

Used for anesthesia, pain management

3. Topical Route

Definition:

ঔষধ চর্ম বা mucous membrane এ প্রয়োগ করা হয়

Local effect বেশি, systemic effect কম

Types:

3.1. Dermal / Skin

Cream, ointment, gel, lotion, patch

Example: Antibiotic cream, transdermal patch (Nitroglycerin)

3.2. Ophthalmic: Eye drops, ointment

Example: Lubricating drops, antibiotic drops

3.3. Otic: Ear drops

Example: Ear infection treatment

3.4. Nasal: Spray or drops

Example: Decongestants, vaccines

3.5. Vaginal / Rectal: Suppository or cream

4. Inhalational Route

Definition:

ঔষধ lungs/mucosa of respiratory tract দিয়ে প্রবেশ করে

Types:

- Metered Dose Inhaler (MDI)

- Nebulizer
- Dry powder inhaler

Example: Salbutamol, corticosteroids for asthma

Factors Affecting Route Selection

1. Drug properties – Solubility, stability, irritancy
2. Desired speed of action – Emergency (IV), slow release (oral/patch)
3. Patient condition – Conscious, vomiting, unconscious
4. Site of action – Local vs systemic effect
5. Compliance & convenience

Nursing Role

1. Assessment

- Patient status, allergies, route suitability

2. Preparation

- Correct drug, dose, route, equipment

3. Administration

- Technique for safety and effectiveness
- Maintain aseptic technique (especially parenteral)

4. Monitoring

- Observe for therapeutic effect and adverse reactions

5. Documentatio

- Drug, dose, route, time, patient response

Summary

Routes of drug administration মূলত 5 ভাগ: Enteral, Parenteral, Topical, Inhalational, SpeciSummar

Proper route selection প্রয়োজন রোগীর condition, drug properties ও desired effect অনুযায়ী

Nurses এর দায়িত্ব: Correct preparation, administration, monitoring, patient education এবং documentation

Fluid Therapy

পরিচিতি

Fluids হলো রক্ত, পানি এবং অন্যান্য তরল যা শরীরের homeostasis, transport of nutrients, এবং organ function নিশ্চিত করে।

Nurses এবং healthcare providers এর জন্য fluids বোঝা অত্যন্ত গুরুত্বপূর্ণ, কারণ fluid therapy, IV administration, electrolyte balance এর ওপর নির্ভর করে রোগীর সঠিক যত্ন।

Fluid Classification:

১. Based on Composition (Electrolyte Content)

১.১. Crystalloids (সাধারণ দ্রবণ)

Definition: তরল যা electrolytes ও পানির সাথে মিশ্রিত, কিন্তু বড় molecule নেই

Examples:

- Normal saline (0.9% NaCl)
- Ringer's lactate
- 5% Dextrose in water (D5W)

Uses:

- Dehydration correction
- Shock management
- Maintenance fluids

১.২ Colloids (Colloid solutions)

Definition: তরল যা large molecules (proteins, starch) ধারণ করে, plasma volume বৃদ্ধি করে

Examples:

- Albumin

- Dextran
- Hydroxyethyl starch

Uses:

- Hypovolemic shock
- Burns
- Low plasma protein states

২. Based on Osmolarity

২.১. Isotonic fluids

Examples: 0.9% NaCl, Ringer's lactate

Uses: Volume replacement, dehydration, shock

২.২. Hypotonic fluids

Examples: 0.45% NaCl (half normal saline), D5W

Uses: Cellular dehydration (e.g., hypernatremia)

Caution: May cause cell swelling or cerebral edema

২.৩. Hypertonic fluids

Examples: 3% NaCl, 5% NaCl, D10W

Uses: Cerebral edema, hyponatremia

Caution: May cause fluid overload, hypernatremia

৩. Blood and Blood Products (Special Fluids)

- Whole blood – Replaces blood volume & oxygen-carrying capacity
- Packed Red Blood Cells (PRBC) – Treats anemia, improves oxygen delivery
- Plasma / Fresh Frozen Plasma (FFP) – Clotting factor replacement
- Platelets – Thrombocytopenia treatment

Nursing Role in Fluid Therapy

1. Assessment

- Vital signs, hydration status, electrolyte levels
- Signs of fluid overload (edema, lung sounds)

2. Preparation & Administration

- Correct fluid type, rate, and route
- Aseptic technique for IV administration

3. Monitoring

- Input/output charting
- Daily weight
- Electrolytes & lab values
- Complications: fluid overload, allergic reaction

4. Patient Education

- Importance of fluid intake
- Symptoms to report (swelling, shortness of breath)

Summary

Fluids classified by composition, osmolarity, purpose, and blood products

Correct fluid selection রোগীর condition, electrolytes, and clinical status অনুযায়ী

Nurses এর দায়িত্ব: Assessment, preparation, administration, monitoring, documentation, and patient education

Proper fluid management জীবনরক্ষা ও রোগ নির্ণয়কে সহজ করে

Integumentary System (Skin, Hair, Nails)

- Acne
- Eczema
- Psoriasis
- Dermatitis
- Skin cancer (Melanoma, Basal cell carcinoma)
- Fungal infection (Ringworm, Candidiasis)
- Alopecia (Hair loss)

Muscular System

- Muscular dystrophy
- Myasthenia gravis
- Fibromyalgia
- Muscle strain / sprain
- Polymyositis
- Tetanus

Skeletal System

- Osteoporosis

- Osteoarthritis
- Rheumatoid arthritis
- Fractures
- Rickets
- Bone cancer (Osteosarcoma)
- Scoliosis
- PLID

Nervous System

- Stroke (CVA)
- Epilepsy
- Parkinson's disease
- Alzheimer's disease
- Multiple sclerosis
- Meningitis
- Neuropathy

Respiratory System

- Asthma
- COPD (Chronic obstructive pulmonary disease)
- Pneumonia
- Tuberculosis (TB)
- Lung cancer
- Pulmonary embolism
- Bronchitis

Digestive System

- Gastritis
- Peptic ulcer disease

- Gastroenteritis
- Hepatitis (A, B, C)
- Liver cirrhosis
- Gallstones (Cholelithiasis)
- Colon cancer
- Cholecystitis
- Irritable bowel syndrome (IBS)

Endocrine System

- Diabetes mellitus (Type 1 & 2)
- Hypothyroidism
- Hyperthyroidism
- Cushing's syndrome
- Addison's disease
- Acromegaly
- Goiter

Cardiovascular System

- Hypertension
- Myocardial infarction (Heart attack)
- Congestive heart failure (CHF)
- Arrhythmia
- Angina pectoris
- Atherosclerosis
- Heart attack
- Heart block

Urinary System

- Urinary tract infection (UTI)
- Kidney stones (Renal calculi)

- Nephritis (Glomerulonephritis)
- Chronic kidney disease (CKD)
- Polycystic kidney disease
- Bladder cancer

Reproductive System

Male:

- Prostate cancer
- Testicular cancer
- Erectile dysfunction
- Infertility

Female:

- Polycystic ovary syndrome (PCOS)
- Cervical cancer
- Ovarian cancer
- Breast cancer
- Endometriosis
- Pelvic inflammatory disease (PID)
- Infertility

Lymphatic / Immune System

- Lymphoma
- Leukemia
- Hodgkin’s disease
- Lymphedema
- HIV/AIDS

- Autoimmune diseases (e.g., Lupus, Rheumatoid arthritis)

Common Congenial Anomalies

Congenital diseases / জন্মগত রোগসমূহ হলো সেই রোগ বা বিকলাঙ্গতা, যেগুলো জন্মের সময় থেকেই থাকে। এগুলো জেনেটিক কারণ, গর্ভকালীন জটিলতা, ইনফেকশন, ড্রাগ/অ্যালকোহল ব্যবহার বা পরিবেশগত কারণে হতে পারে।

সাধারণ কনজেনিটাল ডিজিজগুলোর তালিকা:

১. হার্ট সম্পর্কিত (Congenital Heart Diseases)

- Atrial septal defect (ASD)
- Ventricular septal defect (VSD)
- Patent ductus arteriosus (PDA)
- Tetralogy of Fallot
- Coarctation of aorta
- Transposition of great arteries

২. স্নায়ুতন্ত্র সম্পর্কিত CNS)

- Hydrocephalus
- Spina bifida
- Anencephaly
- Microcephaly
- Cerebral palsy (কিছু ক্ষেত্রে জন্মগত)

৩. পাচনতন্ত্র সম্পর্কিত (Digestive System)

- Cleft lip & cleft palate
- Esophageal atresia

- Pyloric stenosis
- Hirschsprung's disease
- Imperforate aanu
- Gastroschisis / Omphalocele

৪. মূত্র/রেচন ও প্রজননতন্ত্র সম্পর্কিত

- Hypospadias
- Epispadias
- Cryptorchidism (undescended testis)
- Polycystic kidney disease
- Congenital hydronephrosis

৫. মাসকিউলো-স্কেলেটাল সিস্টেম

- Club foot (Talipes equinovarus)
- Polydactyly (অতিরিক্ত আঙুল)
- Syndactyly (আঙুল জোড়া লেগে থাকা)
- Congenital hip dislocation
- Achondroplasia (dwarfism)

৬. চোখ, কান ও অন্যান্য

- Congenital cataract
- Congenital glaucoma
- Congenital deafness
- Down syndrome
- Turner syndrome
- Klinefelter syndrome

৬ নার্সিং পরীক্ষার জন্য গুরুত্বপূর্ণ Abbreviations

সাধারণ মেডিকেল সংক্ষিপ্ত রূপ

- BP → Blood Pressure
- HR → Heart Rate
- RR → Respiratory Rate
- TPR → Temperature, Pulse, Respiration
- ECG / EKG → Electrocardiogram
- EEG → Electroencephalogram
- BMR → Basal Metabolic Rate
- BMI → Body Mass Index
- CNS → Central Nervous System
- PNS → Peripheral Nervous System
- CVS → Cardiovascular System
- GI → Gastrointestinal
- GU → Genitourinary
- ORS → Oral Rehydration Solution
- IV → Intravenous
- IM → Intramuscular
- SC / Subcut → Subcutaneous

ল্যাবরেটরি ও ডায়াগনস্টিক

- Hb → Hemoglobin
- WBC → White Blood Cell
- RBC → Red Blood Cell
- ESR → Erythrocyte Sedimentation Rate
- BUN → Blood Urea Nitrogen
- LFT → Liver Function Test
- RFT → Renal Function Test
- CBC → Complete Blood Count
- FBS → Fasting Blood Sugar
- HBsAg → Hepatitis B surface Antigen

- HIV → Human Immunodeficiency Virus
- TB → Tuberculosis

চিকিৎসা ও হাসপাতাল সম্পর্কিত

- OPD → Outpatient Department
- IPD → Inpatient Department
- ICU → Intensive Care Unit
- CCU → Coronary Care Unit
- NICU → Neonatal Intensive Care Unit
- PICU → Pediatric Intensive Care Unit
- OT → Operation Theatre
- ANC → Antenatal Care
- PNC → Postnatal Care
- WHO → World Health Organization
- UNICEF → United Nations International Children's Emergency Fund

নার্সিং ও ঔষধ প্রয়োগ সম্পর্কিত

- PRN → Pro Re Nata (as needed)
- OD → Once Daily
- BD → Twice Daily
- TDS / TID → Three times daily
- QID → Four times daily
- SOS → If necessary
- Stat → Immediately
- NPO → Nil Per Oral (মুখে কিছু না দেওয়া)
- IVF → Intravenous Fluid
- NS → Normal Saline
- DNS → Dextrose Normal Saline
- RL → Ringer's Lactate

অ্যানাটমি ও ফিজিওলজি

1. কিডনির কার্যকরী একক কী নামে পরিচিত?

A) নিউরন

B) নেফ্রন ☑

C) আলভিওলাস

D) হেপাটোসাইট

2. মস্তিষ্কের কোন অংশ ভারসাম্য ও সমন্বয় নিয়ন্ত্রণ করে?

A) সেরিব্রাম

B) সেরিবেলাম ☑

C) মেডুলা অবলংগাটা

D) হাইপোথ্যালামাস

3. প্রাপ্তবয়স্ক মানুষের স্বাভাবিক হৃদস্পন্দন কত?

A) ৪০–৬০/মিনিট

B) ৬০–১০০/মিনিট ☑

C) ১০০–১২০/মিনিট

D) ১২০–১৪০/মিনিট

4. কোন রক্তকণিকা রক্ত জমাট বাঁধতে সাহায্য করে?

A) আরবিসি

B) ডব্লিউবিসি

C) প্লেটলেট ☑

D) প্লাজমা

5. হিমোগ্লোবিনের প্রধান কাজ কী?

A) সংক্রমণের সঙ্গে লড়াই করা

B) অক্সিজেন পরিবহন ☑

C) তাপমাত্রা নিয়ন্ত্রণ

D) হরমোন উৎপাদন

6. মানবদেহের সবচেয়ে বড় অঙ্গ কোনটি?

A) লিভার

B) ত্বক ☑

C) ফুসফুস

D) হৃদয়

7. ইনসুলিন হরমোন কোন গ্রন্থি থেকে নিঃসৃত হয়?

A) অ্যাড্রিনাল গ্রন্থি

B) থাইরয়েড গ্রন্থি

C) প্যানক্রিয়াস ☑

D) পিটুইটারি গ্রন্থি

৪. রক্তের স্বাভাবিক pH কত?

A) ৬.৮

B) ৭.০

C) ৭.৩৫–৭.৪৫ ☑

D) ৭.৮

9. কোন ধমনী হৃৎপিন্ড থেকে শরীরের সব অঙ্গ-প্রত্যঙ্গে অক্সিজেনযুক্ত রক্ত পৌঁছে দেয়?

A) পালমোনারি আর্টারি

B) অ্যাওর্তা ☑

C) ভেনা কেভা

D) করোনারি আর্টারি

10. রক্ত জমাট বাঁধার জন্য কোন ভিটামিন জরুরি?

A) ভিটামিন A

B) ভিটামিন D

C) ভিটামিন K ☑

D) ভিটামিন C

11. আলভিওলির প্রধান কাজ কী?

A) রক্ত পরিবহন

B) গ্যাস বিনিময় ☑

C) খাদ্য হজম

D) শক্তি সংরক্ষণ

12. কোন অংশে বেশির ভাগ পুষ্টি শোষণ হয়?

A) পেট

B) ক্ষুদ্রান্ত্র ☑

C) বৃহদান্ত্র

D) খাদনালী

13. প্রাপ্তবয়স্ক মানুষের স্বাভাবিক শ্বাসপ্রশ্বাসের হার কত?

A) ৮–১২/মিনিট

B) ১২–২০/মিনিট ☑

C) ২০–৩০/মিনিট

D) ৩০–৪০/মিনিট

14. লিভারের গঠন ও কার্যকরী একক কী নামে পরিচিত?

A) নেফ্রন

B) লোবুল ☑

C) আলভিওলাস

D) মায়োসাইট

15. শ্বাস-প্রশ্বাসে কোন মাংসপেশি প্রধানভাবে কাজ করে?

A) বাইসেপস

B) ডায়াফ্রাম ☑

C) কোয়াড্রিসেপস

D) ট্রাপেজিয়াস

16. কোন নার্ভাস সিস্টেম অচেতন কার্যক্রম নিয়ন্ত্রণ করে?

A) সোম্যাটিক স্নায়ুতন্ত্র

B) অটোনমিক স্নায়ুতন্ত্র ☑

C) সেন্ট্রাল স্নায়ুতন্ত্র

D) পারিফেরাল স্নায়ুতন্ত্র

17. কোন রক্তের গ্রুপকে “ইউনিভার্সাল ডোনর” বলা হয়?

A) A

B) B

C) AB

D) O ☑

18. থাইরয়েড গ্রন্থি প্রধানত কোন হরমোন নিঃসৃত করে?

A) ইনসুলিন

B) থাইরক্সিন (T4) ☑

C) কোর্টিসল

D) অ্যাড্রিনালিন

19. কোন আয়ন মাংসপেশির সংকোচনে জরুরি?

A) সোডিয়াম

B) পটাশিয়াম

C) ক্যালসিয়াম ☑

D) ম্যাগনেশিয়াম

20. লাল রক্তকণিকার প্রধান কাজ কী?

A) সংক্রমণের সঙ্গে লড়াই

B) অক্সিজেন বহন ☑

C) রক্ত জমাট বাঁধা

D) হরমোন উৎপাদন

21. রক্তে গ্লুকোজের নিয়ন্ত্রণে কোন হরমোন প্রধান?

A) থাইরক্সিন

B) ইনসুলিন ☑

C) অ্যাড্রিনালিন

D) কোর্টিসল

22. হৃৎপিন্ডের ডান কক্ষ থেকে কোন ধমনী রক্ত বহন করে?

A) অ্যাওর্তা

B) পালমোনারি আর্টারি ☑

C) করোনাারি আর্টারি

D) ভেনা কেভা

23. কোন অংশ হজমের জন্য প্রধান?

A) মস্তিষ্ক

B) পেট ☑

C) ফুসফুস

D) লিভার

24. মানবদেহে কতটি লব আছে?

A) ৩

B) ৫

C) ৬ ☑

D) ৭

25. কোন অঙ্গ প্রধানভাবে পানি ও লবণ শোষণ করে?

A) ক্ষুদ্রান্ত্র

B) বৃহদান্ত্র ☑

C) পেট

D) লিভার

26. লিভারের কোন অংশ রক্ত থেকে টক্সিন সরিয়ে দেয়?

A) হেপাটোসাইট ☑

B) নেফ্রন

C) আলভিওলাস

D) পিটুইটারি

27. মায়ের দুধ উৎপাদনে কোন হরমোন প্রধান?

A) প্রোল্যাক্টিন ☑

B) অক্সিটোসিন

C) ইনসুলিন

D) থাইরক্সিন

28. হৃৎপিন্ডের কোন অংশ রক্তকে সমস্ত শরীরে পাম্প করে?

A) ডান প্রাথম

B) বাম কক্ষ ☑

C) ডান কক্ষ

D) বাম প্রাথম

29. ফুসফুসের শ্বাসনালীতে কোন অংশ গ্যাস বিনিময় করে?

A) ট্র্যাকি

B) ব্রঙ্কিয়ল

C) আলভিওলি ☑

D) ফাইব্রা

30. কোন হরমোন লবণ ও পানি ভারসাম্য রক্ষা করে?

A) অ্যাড্রিনালিন

B) অ্যালডোস্টেরন ☑

C) থাইরক্সিন

D) ইনসুলিন

31. মানুষের কণ্ঠনালীতে কোন স্নায়ু প্রধান?

A) ভ্যাগাস ☑

B) সাইম্প্যাথেটিক

C) প্যারাসিম্প্যাথেটিক

D) হাইপোগ্লোসাল

32. মাংসপেশির সংকোচনে কোন প্রোটিন গুরুত্বপূর্ণ?

A) হিমোগ্লোবিন

B) অ্যাক্টিন ও মায়োসিন ☑

C) ইনসুলিন

D) অ্যালবুমিন

33. হাড়ের ভিতরের প্রধান কোষ কী?

A) অস্টিওসাইট ☑

B) কার্টিলেজ

C) কলাজেন

D) ম্যাসক্লেক্স

34. কোন স্নায়ুতন্ত্র শরীরের স্বেচ্ছাচালিত কার্যক্রম নিয়ন্ত্রণ করে?

A) অটোনমিক

B) সোম্যাটিক ☑

C) সেন্ট্রাল

D) পারিফেরাল

35. লিভারের কোন হরমোন বিপাক নিয়ন্ত্রণে সাহায্য করে?

A) ইনসুলিন

B) গ্লুকাগন ☑

C) কোর্টিসল

D) থাইরক্সিন

36. ফুসফুসে অক্সিজেন এবং কার্বন ডাইঅক্সাইড বিনিময় হয় কোথায়?

A) ব্রঙ্কিয়ল

B) ট্র্যাকি

C) আলভিওলি ☑

D) ল্যারিংস

37. হাইপোথ্যালামাস কোন কাজের জন্য পরিচিত?

A) তাপমাত্রা নিয়ন্ত্রণ ☑

B) অক্সিজেন বহন

C) রক্ত জমাট বাঁধা

D) হজম

38. কোন রক্তের অংশ রোগ প্রতিরোধে সাহায্য করে?

A) আরবিসি

B) ডব্লিউবিসি ☑

C) প্লেটলেট

D) প্লাজমা

39. কার্টিলেজ প্রধানত কোন অংশে পাওয়া যায়?

A) হাড়ের সংযোগস্থল ☑

B) হৃৎপিন্ড

C) ফুসফুস

D) লিভার

40. কোন গ্রন্থি “ফাইট-অর-ফ্লাইট” হরমোন নিঃসৃত করে?

A) প্যানক্রিয়াস

B) অ্যাড্রিনাল ☑

C) থাইরয়েড

D) পিটুইটারি

41. মস্তিষ্কের কোন অংশ মেমরি ও শিক্ষা নিয়ন্ত্রণ করে?

A) হাইপোথ্যালামাস

B) হিপোক্যাম্পাস ☑

C) সেরিবেলাম

D) মেডুলা

42. কোন ভিটামিন হাড় ও দাঁতের জন্য জরুরি?

A) ভিটামিন A

B) ভিটামিন D ☑

C) ভিটামিন K

D) ভিটামিন C

43. মানবদেহে মোট কতটি হাড় আছে?

A) ২০৬ ☑

B) ২১০

C) ১৮০

D) ১৯৫

44. প্লাজমা প্রধানত কী নিয়ে গঠিত?

A) জল ☑

B) ফ্যাট

C) কার্বোহাইড্রেট

D) প্রোটিন

45. কার্ডিয়াক কেল্লায় কোন ধাতু বিদ্যুৎ প্রবাহে সাহায্য করে?

A) সোডিয়াম ☑

B) আয়রন

C) ক্যালসিয়াম

D) পটাশিয়াম

46. কোন অংশ ক্ষুধা ও তৃষ্ণার অনুভূতি নিয়ন্ত্রণ করে?

A) হাইপোথ্যালামাস ☑

B) সেরিব্রাম

C) সেরিবেলাম

D) পিটুইটারি

47. হিমোগ্লোবিন কোন আয়ন বহন করে?

A) সোডিয়াম

B) আয়রন ☑

C) ক্যালসিয়াম

D) পটাশিয়াম

48. ফুসফুসে কোন অংশ বাতাসকে শুষ্ক ও উষ্ণ করে?

A) ব্রঙ্কিয়াল

B) নাক ☑

C) ট্র্যাকি

D) আলভিওলি

49. হৃৎপিন্ডের বাইপাস ক্লিপের মূল উদ্দেশ্য কী?

A) রক্ত প্রবাহ নিয়ন্ত্রণ ☑

B) হরমোন নিঃসরণ

C) অক্সিজেন শোষণ

D) পেশি সংকোচন

50. কোন স্নায়ু হৃদস্পন্দন নিয়ন্ত্রণে গুরুত্বপূর্ণ?

A) ভ্যাগাস ☑

B) হাইপোগ্লোসাল

C) ট্রাইসেপস

D) সায়ম্প্যাথেটিক

Biochemistry & Microbiology

1. গ্লুকোজের প্রধান উৎস কোনটি?

A) প্রোটিন

B) কার্বোহাইড্রেট ☑

C) চর্বি

D) ভিটামিন

2. মানবদেহে এন্টিবডি উৎপাদন করে কোন কোষ?

A) লিম্ফোসাইট ☑

B) নিউট্রোফিল

C) এ্যারিথ্রোসাইট

D) প্লেটলেট

3. ভিটামিন C প্রধানত কোন রোগ প্রতিরোধে সাহায্য করে?

A) স্কার্ভি ☑

B) রিকেটস

C) অ্যানিমিয়া

D) ডায়াবেটিস

4. ATP-এর পূর্ণ রূপ কী?

A) অ্যাডেনোসিন ট্রাইফসফেট ☑

B) অ্যাড্রিনাল ট্রিপ্লেট

C) অ্যাসিটিক ট্রাইফসফেট

D) অ্যাসিড ট্রিপসফেট

5. কোন মাইক্রোব জীবাণু অ্যান্টিবায়োটিক তৈরি করে?

A) ব্যাকটেরিয়া ☑

B) ভাইরাস

C) ছত্রাক

D) প্রোটোজোয়া

6. মানবদেহে প্রধান শক্তি উৎস কোনটি?

A) প্রোটিন

B) কার্বোহাইড্রেট ☑

C) ভিটামিন

D) মিনারেল

7. ল্যাকটোজ কোন ধরনের শর্করা?

A) মনোস্যাকারাইড

B) ডিস্যাকারাইড ☑

C) পলিস্যাকারাইড

D) ট্রাইস্যাকারাইড

৪. মানবদেহে সবচেয়ে বেশি প্রোটিন কোন অঙ্গে থাকে?

A) পেশি ☑

B) লিভার

C) ফুসফুস

D) ত্বক

9. কোন ব্যাকটেরিয়া অক্সিজেন ছাড়া বেঁচে থাকতে পারে?

A) অ্যারোবিক

B) অ্যানারোবিক ☑

C) ফ্যাকাল্টেটিভ

D) মাইক্রোফাইল

10. কোন ভিটামিন চর্বিতে দ্রবণীয়?

A) ভিটামিন B

B) ভিটামিন C

C) ভিটামিন A ☑

D) ভিটামিন B12

11. DNA-এর পূর্ণ রূপ কী?

A) ডিঅক্সিরাইবো নিউক্লিক অ্যাসিড ☑

B) ডায়রেক্ট নিউক্লিক অ্যাসিড

C) ডি-নিউক্লিক অ্যাসিড

D) ডি-রাইবোনিউক্লিক অ্যাসিড

12. RNA প্রধানত কোন কাজ করে?

A) শক্তি সংরক্ষণ

B) প্রোটিন সংশ্লেষ ☑

C) কোষ বিভাজন

D) হরমোন নিয়ন্ত্রণ

13. কোন ব্যাকটেরিয়া Gram-positive হিসেবে চিহ্নিত হয়?

A) স্যামোনেলা

B) স্ট্যাফাইলোককাস ☑

C) ইকোলাই

D) সায়ানোব্যাকটেরিয়া

14. ফ্যাটের প্রধান গঠন উপাদান কী?

A) গ্লুকোজ

B) গ্লিসারল ও ফ্যাটি অ্যাসিড ☑

C) অ্যামিনো অ্যাসিড

D) নিউক্লিওটাইড

15. কোন ভিটামিন রক্ত জমাট বাঁধা নিয়ন্ত্রণে সাহায্য করে?

A) ভিটামিন A

B) ভিটামিন D

C) ভিটামিন K ☑

D) ভিটামিন C

16. মানবদেহে লিপিড সংরক্ষণ কোথায় হয়?

A) লিভার

B) চর্বি কোষ ☑

C) পেশি

D) কিডনি

17. ব্যাকটেরিয়ার গঠনগত ইউনিট কী?

A) নিউক্লিয়াস

B) সেল ☑

C) মাইটোকন্ড্রিয়া

D) রাইবোসোম

18. হরমোন ইনসুলিন প্রধানত কোন অঙ্গ থেকে নিঃসৃত হয়?

A) থাইরয়েড

B) প্যানক্রিয়াস ☑

C) অ্যাড্রিনাল

D) পিটুইটারি

19. কোন ব্যাকটেরিয়া গ্লুকোজ অক্সিডাইজ করতে সক্ষম?

A) অ্যারোবিক ☑

B) অ্যানারোবিক

C) ফ্যাকাল্টেটিভ

D) মাইক্রোফাইল

20. ভাইরাসের প্রধান গঠন উপাদান কোনটি?

A) প্রোটিন ও নিউক্লিক অ্যাসিড ☑

B) লিপিড

C) কার্বোহাইড্রেট

D) মিনারেল

21. কোন ভিটামিন দৃষ্টিশক্তি উন্নত করে?

A) ভিটামিন A ☑

B) ভিটামিন B12

C) ভিটামিন D

D) ভিটামিন K

22. রাইবোসোমের প্রধান কাজ কী?

A) শক্তি উৎপাদন

B) প্রোটিন সংশ্লেষ ☑

C) DNA সংরক্ষণ

D) লিপিড উৎপাদন

23. হরমোন অ্যাড্রিনালিন কোন গ্রন্থি থেকে নিঃসৃত হয়?

A) অ্যাড্রিনাল ☑

B) পিটুইটারি

C) থাইরয়েড

D) প্যানক্রিয়াস

24. কোন এনজাইম শর্করাকে গ্লুকোজে ভেঙে দেয়?

A) লিপেজ

B) অ্যামাইলেজ ☑

C) প্রোটিয়েজ

D) নিউক্লিয়েজ

25. মানবদেহে ভাইরাস প্রজনন কোথায় হয়?

A) কোষের নিউক্লিয়াস ☑

B) মাইটোকন্ড্রিয়া

C) রাইবোসোম

D) লিপিড কোষ

26. কোন প্রোটিন রোগ প্রতিরোধে সাহায্য করে?

A) হিমোগ্লোবিন

B) এন্টিবডি ☑

C) অ্যালবুমিন

D) ইনসুলিন

27. অ্যানারোবিক ব্যাকটেরিয়ার উদাহরণ কোনটি?

A) ক্লোস্ট্রিডিয়াম ☑

B) স্ট্যাফাইলোককাস

C) ইকোলাই

D) স্যালমোনেলা

28. কোন ভিটামিন হাড় ও দাঁতের জন্য জরুরি?

A) ভিটামিন A

B) ভিটামিন D ☑

C) ভিটামিন E

D) ভিটামিন K

29. কোন অণুজীব সাধারণত পানিতে থাকে?

A) ভাইরাস

B) প্রোটোজোয়া ☑

C) ব্যাকটেরিয়া

D) ছত্রাক

30. ল্যাকটিক অ্যাসিড কোন প্রক্রিয়ায় তৈরি হয়?

A) অ্যানারোবিক গ্লাইকলাইসিস ☑

B) অ্যালকোহল ফারমেন্টেশন

C) কেলভিন সাইকেল

D) অক্সিডেটিভ ফসফরিলেশন

31. DNA-তে কোন নিউক্লিওটাইড থাকে?

A) অ্যাডেনিন, গুয়ারিন, সাইটোসিন, থাইমিন ☑

B) অ্যাডেনিন, গুয়ারিন, সাইটোসিন, ইউরাসিল

C) অ্যাডেনিন, গুয়ারিন, ইউরাসিল, থাইমিন

D) গুয়ারিন, সাইটোসিন, ইউরাসিল, থাইমিন

32. কোন ব্যাকটেরিয়া অক্সিজেনের প্রয়োজন হয় না?

A) অ্যারোবিক

B) অ্যানারোবিক ☑

C) ফ্যাকাল্টেটিভ

D) মাইক্রোফাইল

33. কোন ভাইরাস মানুষের রোগ সৃষ্টি করে?

A) ইবোলা ☑

B) ব্যাকটেরিয়া

C) ছত্রাক

D) প্রোটোজোয়া

34. লিভারে কোন অণুজীব পাওয়া যায় না?

A) ব্যাকটেরিয়া

B) ভাইরাস

C) প্রোটোজোয়া

D) সাধারণত কোনটি নেই ☑

35. কোন এনজাইম প্রোটিন ভেঙে দেয়?

A) লিপেজ

B) প্রোটিয়েজ ☑

C) অ্যামাইলেজ

D) নিউক্লিয়েজ

36. গ্লুকোজ স্টোরেজের জন্য কোন অঙ্গ প্রধান?

A) লিভার ☑

B) কিডনি

C) পেশি

D) হৃদয়

37. কোন মাইক্রোব ক্ষুধার্ত পরিবেশে বেঁচে থাকতে পারে?

A) ফ্যাকাল্টেটিভ ☑

B) অ্যানারোবিক

C) অ্যারোবিক

D) ভাইরাস

38. রক্তের সাদা কণিকা কোন কাজ করে?

A) অক্সিজেন বহন

B) রোগ প্রতিরোধ ☑

C) শক্তি উৎপাদন

D) রক্ত জমাট বাঁধা

39. কোন ভাইরাস RNA বহন করে?

A) HIV ☑

B) ইবোলা ভাইরাস

C) নোরোভাইরাস

D) সবগুলো ☑

40. ATP প্রধান শক্তি উৎস কোথা থেকে আসে?

A) ফ্যাট

B) কার্বোহাইড্রেট ও গ্লুকোজ ☑

C) প্রোটিন

D) ভিটামিন

41. কোন ভিটামিন চর্ম এবং হাড়ের জন্য জরুরি?

A) ভিটামিন A

B) ভিটামিন D ☑

C) ভিটামিন E

D) ভিটামিন K

42. কোন ব্যাকটেরিয়া খাদ্যদ্রব্য নষ্ট করে?

A) ল্যাকটোব্যাসিলাস

B) সালমোনেলা ☑

C) স্ট্যাফাইলোককাস

D) ক্লোস্ট্রিডিয়াম

43. কোন প্রোটিন হরমোন রক্তের শর্করা নিয়ন্ত্রণ করে?

A) ইনসুলিন ☑

B) গ্লুকাগন

C) কোর্টিসল

D) থাইরক্সিন

44. ভিটামিন B12 এর ঘাটতি কোন রোগ সৃষ্টি করে?

A) অ্যানিমিয়া ☑

B) রিকেটস

C) স্কার্ভি

D) নাইট ব্লাইন্ডনেস

45. কোন ভিটামিন অ্যান্টিঅক্সিডেন্ট হিসেবে কাজ করে?

A) ভিটামিন E ☑

B) ভিটামিন A

C) ভিটামিন D

D) ভিটামিন K

46. কোন ব্যাকটেরিয়া পানিতে সংক্রমণ ঘটায়?

A) ভাইব্রিও কলেরা ☑

B) স্ট্যাফাইলোককাস

C) ক্লোস্ট্রিডিয়াম

D) ল্যাকটোব্যাসিলাস

47. কোন অণুজীব সংক্রমণ ছড়ায় না?

A) ভাইরাস

B) ব্যাকটেরিয়া

C) ছত্রাক

D) সবই সংক্রমণ ছড়ায় ✗

48. রক্তে গ্লুকোজের স্বাভাবিক মাত্রা কত?

A) ৭০–১১০ mg/dl ☑

B) ১২০–১৫০ mg/dl

C) ৫০–৭০ mg/dl

D) ১২০–২০০ mg/dl

49. DNA-এর স্ট্র্যান্ড গঠন কেমন?

A) একক

B) দ্বিগুণ ☑

C) ত্রিগুণ

D) চারগুণ

50. ভাইরাস কিভাবে প্রজনন করে?

A) কোষে ঢুকে ☑

B) নিজে থেকে

C) লিপিডে

D) প্রোটিনে

Fundamentals of Nursing

1. রোগীর পরিচর্যার মূল উদ্দেশ্য কী?

A) শারীরিক সুস্থতা ☑

B) ব্যায়াম বৃদ্ধি

C) ওষুধ বিক্রি

D) খাদ্য প্রস্তুতি

2. স্যানিটেশন এবং স্বাস্থ্যবিধি বজায় রাখার প্রধান কারণ কী?

A) রোগ প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

3. হ্যান্ডওয়াশিং-এর সবচেয়ে গুরুত্বপূর্ণ সময় কখন?

A) সকালে ঘুম থেকে উঠলে

B) রোগীর সাথে যোগাযোগের আগে ও পরে ☑

C) খাওয়ার আগে

D) কাজ শেষ করার পরে

4. রোগীর অধিকার কি?

A) সঠিক চিকিৎসা পাওয়া ☑

B) ফ্রি খাবার

C) সব সময় ওষুধ দেওয়া

D) অনির্দিষ্ট সময় ঘুম

5. রোগীর পরিচর্যায় হাইজিন কীভাবে বজায় রাখা হয়?

A) নিয়মিত স্নান, পরিচ্ছন্ন জামা ☑

B) প্রতি ঘন্টায় ওষুধ

C) খাবার বৃদ্ধি

D) বিশ্রাম কমানো

6. রোগীকে শারীরিক পরীক্ষা করার সময় সবচেয়ে গুরুত্বপূর্ণ হলো?

A) রোগীর সম্মতি ☑

B) দ্রুত পরীক্ষা

C) ওষুধ আগে দেওয়া

D) নোটবুক লেখা

7. রোগীর অবস্থান (Positioning) গুরুত্বপূর্ণ কেন?

A) আরামদায়ক হওয়ার জন্য ☑

B) ওষুধ দ্রুত কার্যকর

C) শক্তি বৃদ্ধি

D) রক্তচাপ বৃদ্ধি

8. ফ্লুইড ইলেকট্রোলাইট ব্যালান্স বজায় রাখার জন্য কোন নির্দেশ গুরুত্বপূর্ণ?

A) পর্যাপ্ত পানি গ্রহণ ☑

B) বেশি খাওয়া

C) ব্যায়াম কমানো

D) দ্রুত চলাফেরা

9. রোগীর শ্বাসকষ্ট হলে কোন পদক্ষেপ প্রথম নেওয়া উচিত?

A) অক্সিজেন দেওয়া ☑

B) খাবার দেওয়া

C) রোগীকে ঘুমাতে বলুন

D) ওষুধ পরিবর্তন

10. রক্তচাপ মাপার সময় কফ শাফ্ট কোথায় থাকে?

A) কব্জিতে

B) বাহুতে ☑

C) পায়ে

D) ঘাড়ে

11. ভ্যাকসিনেশন কিসের জন্য গুরুত্বপূর্ণ?

A) রোগ প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

12. রোগীর অ্যালার্জি জানা কেন জরুরি?

A) ওষুধ নিরাপদভাবে দেওয়ার জন্য ☑

B) খাবার পছন্দ করতে

C) ঘুমের মান বাড়াতে

D) ব্যায়াম বাড়াতে

13. রোগীর তথ্য গোপন রাখা কেন জরুরি?

A) রোগীর অধিকার রক্ষা ☑

B) সময় বাঁচাতে

C) খরচ কমাতে

D) ওষুধ দ্রুত দিতে

14. রোগীকে লিফট করতে কোন পদ্ধতি নিরাপদ?

A) পিছনের পিঠ সোজা রেখে ☑

B) হঠাৎ টান দিয়ে

C) এক হাতে

D) দ্রুত করে

15. রোগীর খাবার দেওয়ার সময় কোনটি গুরুত্বপূর্ণ?

A) রোগীর স্বাচ্ছন্দ্য ☑

B) খাবার দ্রুত শেষ করা

C) রোগীকে অপেক্ষা করানো

D) ওষুধ আগে খাওয়ানো

16. রোগীর তাপমাত্রা মাপার সঠিক স্থান কোনটি?

A) মুখ, কোল, কানের ক্যানাল ☑

B) পা

C) হাত

D) লকেশন গুরুত্বপূর্ণ নয়

17. রোগীর নিঃশ্বাসের হার মাপার প্রধান উদ্দেশ্য কী?

A) শারীরিক অবস্থা মূল্যায়ন ☑

B) ওজন গণনা

C) শক্তি বৃদ্ধি

D) ঘুম পর্যবেক্ষণ

18. রোগীর চর্ম (Skin) পরিচর্যা কেন জরুরি?

A) সংক্রমণ প্রতিরোধ ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) রোগীর খুশি

19. রোগীর অবস্থান পরিবর্তন করার সময় কোনটি লক্ষ্য করতে হবে?

A) আরাম এবং নিরাপত্তা ☑

B) খাবারের স্বাদ

C) ওষুধের রঙ

D) সময় বাঁচানো

20. রোগীর টয়লেট সহায়তা দেওয়ার সময় কোনটি গুরুত্বপূর্ণ?

A) গোপনীয়তা বজায় রাখা ☑

B) দ্রুত করানো

C) রোগীর কথা না শোনা

D) ওষুধ আগে দেওয়া

21. রোগীর ওষুধ দেওয়ার সঠিক সময় কেন গুরুত্বপূর্ণ?

A) ওষুধ কার্যকর রাখার জন্য ☑

B) রোগীকে খুশি করতে

C) সময় বাঁচাতে

D) খাবার দ্রুত দেওয়ার জন্য

22. রোগীর ব্যথা মূল্যায়ন করার জন্য কোনটি ব্যবহার করা হয়?

A) ব্যথা স্কেল ☑

B) রক্তচাপ

C) তাপমাত্রা

D) ওজন

23. রোগীর শারীরিক সীমাবদ্ধতা কিসের জন্য জানা জরুরি?

A) নিরাপদ পরিচর্যার জন্য ☑

B) ওষুধ দ্রুত দেওয়ার জন্য

C) রোগীর খুশি করার জন্য

D) সময় বাঁচানোর জন্য

24. রোগীর ঘুম পর্যবেক্ষণ কেন গুরুত্বপূর্ণ?

A) স্বাভাবিক ফিজিওলজি নিশ্চিত করার জন্য ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) খাবার খাওয়ানো

25. হ্যান্ড হাইজিন কিভাবে বজায় রাখা যায়?

A) সাবান ও পানি ব্যবহার ☑

B) শুধু পানি

C) হ্যান্ড স্যানিটাইজার না ব্যবহার করা

D) ময়লা পলিশ করা

26. রোগীর শ্বাস নিলামাপ্রণালী কোথায়?

A) হাত

B) নাক ও মুখ ☑

C) পা

D) কানের ক্যানাল

27. রোগীর শরীরের পানির পরিমাণ কোন প্রক্রিয়ায় গুরুত্বপূর্ণ?

A) ফ্লুইড ব্যালান্স ☑

B) ওজন বৃদ্ধি

C) ঘুম পর্যবেক্ষণ

D) শক্তি বৃদ্ধি

28. রোগীর খাদ্য গ্রহণে কোন নির্দেশ গুরুত্বপূর্ণ?

A) রোগীর পছন্দ এবং অ্যালার্জি ☑

B) দ্রুত খাওয়ানো

C) খাবার ছাড়া ওষুধ দেওয়া

D) খাবারের পরিমাণ বৃদ্ধি

29. রোগীর তাপমাত্রা পরিমাপের উদ্দেশ্য কী?

A) শারীরিক অবস্থার মূল্যায়ন ☑

B) খাবারের স্বাদ

C) শক্তি বৃদ্ধি

D) ওজন গণনা

30. রোগীর ব্যথা হ্রাস করতে কোনটি করা যায়?

A) আরামদায়ক অবস্থান ☑

B) ওষুধ না দেওয়া

C) খাবার বৃদ্ধি

D) দ্রুত পরীক্ষা করা

31. রোগীর শ্বাসকষ্ট হলে কোন পদক্ষেপ নেওয়া জরুরি?

A) অক্সিজেন দেওয়া ☑

B) ওষুধ বন্ধ করা

C) দ্রুত পরীক্ষা

D) রোগীকে ঘুমানো

32. রোগীর আরামদায়ক অবস্থান বজায় রাখার প্রধান উদ্দেশ্য কী?

A) রোগীর নিরাপত্তা ও স্বাচ্ছন্দ্য ☑

B) ওষুধ কার্যকর করা

C) খাবার দ্রুত দেওয়া

D) শারীরিক শক্তি বৃদ্ধি

33. রোগীর তথ্য রক্ষা করার আইনগত কারণ কী?

A) গোপনীয়তা এবং রোগীর অধিকার ☑

B) সময় বাঁচানো

C) ওষুধ দ্রুত দেওয়া

D) রোগীর খুশি

34. রোগীর ত্বকের সংক্রমণ প্রতিরোধে কোনটি গুরুত্বপূর্ণ?

A) নিয়মিত স্নান এবং পরিচ্ছন্ন জামা ☑

B) ওষুধ দ্রুত দেওয়া

C) খাবার বৃদ্ধি

D) শারীরিক ব্যায়াম

35. রোগীর খাদ্যগ্রহণ পর্যবেক্ষণ কেন জরুরি?

A) পুষ্টি নিশ্চিত করার জন্য ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) খাবারের স্বাদ বৃদ্ধি

36. রোগীর ফ্লুইড গ্রহণের পর্যবেক্ষণ কেন জরুরি?

A) ডিহাইড্রেশন প্রতিরোধ ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) শারীরিক শক্তি বৃদ্ধি

37. রোগীর শারীরিক পরীক্ষা করার সময় কোন নীতি গুরুত্বপূর্ণ?

A) রোগীর সম্মতি ☑

B) দ্রুত পরীক্ষা

C) ওষুধ আগে দেওয়া

D) নোট লেখা

38. রোগীর টয়লেট সহায়তা দেওয়ার সময় কোন নীতি অনুসরণ করা জরুরি?

A) গোপনীয়তা ☑

B) দ্রুত করানো

C) ওষুধ আগে দেওয়া

D) খাবার বৃদ্ধি

39. রোগীর ব্যথা স্কেল ব্যবহারের প্রধান উদ্দেশ্য কী?

A) ব্যথার মাত্রা নির্ধারণ ☑

B) ওজন নির্ধারণ

C) শক্তি বৃদ্ধি

D) ঘুম পর্যবেক্ষণ

40. রোগীর খাদ্য অ্যালার্জি জানা কেন গুরুত্বপূর্ণ?

A) ওষুধ এবং খাবার নিরাপদ রাখার জন্য ☑

B) খাদ্য দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ওজন বৃদ্ধি

41. রোগীর ফ্লুইড ব্যালান্স বজায় রাখার জন্য কোন পদক্ষেপ জরুরি?

A) পর্যাপ্ত পানি খাওয়া ☑

B) খাবার দ্রুত দেওয়া

C) ওষুধ বৃদ্ধি

D) ঘুম কমানো

42. রোগীর পরিচ্ছন্নতা বজায় রাখার প্রধান উদ্দেশ্য কী?

A) সংক্রমণ প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

43. রোগীর শারীরিক সীমাবদ্ধতা জানা কেন জরুরি?

A) নিরাপদ পরিচর্যার জন্য ☑

B) ওষুধ দ্রুত দেওয়ার জন্য

C) রোগীর খুশি

D) সময় বাঁচানো

44. রোগীর শ্বাসকষ্টের ক্ষেত্রে কোনটি প্রথম পদক্ষেপ?

A) অক্সিজেন দেওয়া ☑

B) ওষুধ বন্ধ

C) খাবার দেওয়া

D) দ্রুত পরীক্ষা

45. রোগীর তথ্য রক্ষা না করলে কী হতে পারে?

A) আইনগত সমস্যা ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

46. রোগীর আরামদায়ক অবস্থান বজায় রাখা কেন জরুরি?

A) স্বাচ্ছন্দ্য এবং নিরাপত্তা ☑

B) খাবার দ্রুত দেওয়া

C) ওষুধ দ্রুত কার্যকর করা

D) শক্তি বৃদ্ধি

47. রোগীর শারীরিক পরীক্ষা করার সময় কোন নীতি গুরুত্বপূর্ণ?

A) সম্মতি ☑

B) দ্রুত পরীক্ষা

C) ওষুধ আগে দেওয়া

D) নোট লেখা

48. রোগীর টয়লেট সহায়তা দেওয়ার সময় কোন নীতি মেনে চলা জরুরি?

A) গোপনীয়তা ☑

B) দ্রুত করানো

C) ওষুধ আগে দেওয়া

D) খাবার বৃদ্ধি

49. রোগীর ব্যথা মূল্যায়নের জন্য কোন সরঞ্জাম ব্যবহার করা হয়?

A) ব্যথা স্কেল ☑

B) তাপমাত্রা

C) রক্তচাপ

D) ওজন

50. রোগীর খাদ্য গ্রহণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) পুষ্টি নিশ্চিত করা ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম পর্যবেক্ষণ

Medical-Surgical Nursing

1. হাইপারটেনশনের সবচেয়ে সাধারণ কারণ কোনটি?

A) হৃদরোগ

B) অস্বাস্থ্যকর খাদ্য ও জীবনধারা ☑

C) ভাইরাস সংক্রমণ

D) অ্যালার্জি

2. ডায়াবেটিস রোগীর রক্তশর্করা নিয়ন্ত্রণে কোন হরমোন প্রধান?

A) থাইরক্সিন

B) ইনসুলিন ☑

C) অ্যাড্রিনালিন

D) কোর্টিসল

3. পনোমোনিয়ার প্রধান লক্ষণ কী?

A) জ্বর, শ্বাসকষ্ট ☑

B) মাথা ঘোরা

C) পায়ে ফোলা

D) চর্ম র‍্যাশ

4. অ্যাস্টমার রোগীর প্রাথমিক যত্নের উদ্দেশ্য কী?

A) শ্বাসনালী মুক্ত রাখা ☑

B) ওষুধ কমানো

C) ওজন বৃদ্ধি

D) শক্তি বৃদ্ধি

5. হাইপোথাইরয়ডিজমের প্রধান লক্ষণ কোনটি?

A) ত্বক শুষ্ক ও কুৎসিত ☑

B) জ্বর

C) ব্যথা

D) শ্বাসকষ্ট

6. হাইপারথাইরয়ডিজমের প্রধান লক্ষণ কোনটি?

A) দ্রুত হৃদস্পন্দন ☑

B) দুর্বলতা

C) অবসাদ

D) স্নায়বিক সমস্যা

7. হার্ট অ্যাটাকের প্রাথমিক চিহ্ন কী হতে পারে?

A) বুকে চাপ বা ব্যথা ☑

B) মাথা ঘোরা

C) পায়ে ফোলা

D) চর্ম র‍্যাশ

৪. কিডনির ফেইলারের প্রধান লক্ষণ কোনটি?

A) গা ফোলা, কম প্রস্রাব ☑

B) মাথা ঘোরা

C) ক্ষুধামান বৃদ্ধি

D) শ্বাসকষ্ট

9. লিভার ডিজিজে কোন পরীক্ষা গুরুত্বপূর্ণ?

A) লিভার ফাংশন টেস্ট ☑

B) রক্তচাপ

C) পিএইচ

D) রক্তের গ্রুপ

10. গ্যাস্ট্রিক আলসারের প্রধান লক্ষণ কী?

A) পেটে ব্যথা ☑

B) মাথা ঘোরা

C) শ্বাসকষ্ট

D) পায়ে ফোলা

11. রোগীর তাপমাত্রা হঠাৎ বৃদ্ধি পাওয়ার প্রধান কারণ কোনটি?

A) সংক্রমণ ☑

B) ওষুধ কমানো

C) শক্তি বৃদ্ধি

D) বিশ্রাম কমানো

12. COPD রোগীর পরিচর্যায় কোনটি গুরুত্বপূর্ণ?

A) অক্সিজেন থেরাপি ☑

B) বেশি খাদ্য

C) ঘুম কমানো

D) ব্যায়াম কমানো

13. ব্যথা হ্রাসে কোন পদক্ষেপ সবচেয়ে কার্যকর?

A) ব্যথা স্কেল অনুযায়ী ওষুধ ☑

B) দ্রুত পরীক্ষা

C) খাবার বৃদ্ধি

D) ঘুম বৃদ্ধি

14. স্যুইচিং বা রোটেশন পজিশন রোগীর জন্য কেন জরুরি?

A) চাপ ঘা প্রতিরোধ ☑

B) ওষুধ কার্যকর করা

C) শক্তি বৃদ্ধি

D) খুশি রাখা

15. পেরিফেরাল ভেনাস ক্যাথেটারের প্রধান ঝুঁকি কী?

A) সংক্রমণ ☑

B) রক্তচাপ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ওজন বৃদ্ধি

16. শ্বাসনালীর অবরোধ হলে প্রথম পদক্ষেপ কী?

A) অক্সিজেন দেওয়া ☑

B) খাবার দেওয়া

C) ওষুধ বন্ধ

D) বিশ্রাম

17. রোগীর রক্তচাপ নিয়ন্ত্রণে কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত নেওয়া ☑

B) খাবার বৃদ্ধি

C) ঘুম কমানো

D) শক্তি বৃদ্ধি

18. ব্যথা পর্যবেক্ষণে কোন সরঞ্জাম ব্যবহার হয়?

A) ব্যথা স্কেল ☑

B) রক্তচাপ

C) তাপমাত্রা

D) ওজন

19. পায়ে ফোলা রোগীর জন্য কোন পদক্ষেপ জরুরি?

A) পায়ের অবস্থান উঁচু করা ☑

B) ওষুধ কমানো

C) খাবার বৃদ্ধি

D) বিশ্রাম কমানো

20. হাইপারটেনশনের রোগীর জন্য কোন খাবার সীমিত করা উচিত?

A) লবণ ☑

B) শর্করা

C) প্রোটিন

D) চর্বি

21. হার্ট ফেইলারের রোগীর জন্য কোন পদক্ষেপ জরুরি?

A) ফ্লুইড ইনটেক সীমিত করা ☑

B) ওষুধ বন্ধ করা

C) ব্যায়াম বৃদ্ধি

D) শক্তি বৃদ্ধি

22. কিডনির রোগে কোন খাবার সীমিত করা হয়?

A) লবণ ও প্রোটিন ☑

B) কার্বোহাইড্রেট

C) ভিটামিন

D) পানি

23. শ্বাসকষ্টের রোগীর জন্য কোন পদক্ষেপ জরুরি?

A) বসানো বা আধা-বসানো অবস্থান ☑

B) শুয়ে রাখা

C) ঘুম কমানো

D) শক্তি বৃদ্ধি

24. পেরিফেরাল নিউরোপ্যাথির রোগীর পরিচর্যা কেন গুরুত্বপূর্ণ?

A) আঘাত প্রতিরোধ ☑

B) ওষুধ দ্রুত দেওয়া

C) খাবার বৃদ্ধি

D) শক্তি বৃদ্ধি

25. রোগীর খাদ্য অ্যালার্জি জানা কেন জরুরি?

A) প্রতিক্রিয়া প্রতিরোধ ☑

B) খাবার দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ওষুধ কার্যকর করা

26. সংক্রমণ প্রতিরোধে কোন পদক্ষেপ কার্যকর?

A) হ্যান্ড হাইজিন ☑

B) ওষুধ কমানো

C) খাবার বৃদ্ধি

D) বিশ্রাম কমানো

27. রোগীর ফ্লুইড ব্যালান্স পর্যবেক্ষণ কেন জরুরি?

A) ডিহাইড্রেশন প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

28. রোগীর ত্বকের চাপ ঘা প্রতিরোধের জন্য কোন পদক্ষেপ জরুরি?

A) পজিশন পরিবর্তন ☑

B) ওষুধ দ্রুত দেওয়া

C) খাদ্য বৃদ্ধি

D) ব্যায়াম

29. রোগীর আরামদায়ক অবস্থান বজায় রাখার প্রধান উদ্দেশ্য কী?

A) স্বাচ্ছন্দ্য এবং নিরাপত্তা ☑

B) ওষুধ দ্রুত কার্যকর করা

C) শক্তি বৃদ্ধি

D) খাবার বৃদ্ধি

30. রোগীর শ্বাসকষ্ট হলে কোন পদক্ষেপ জরুরি?

A) অক্সিজেন প্রদান ☑

B) ওষুধ বন্ধ

C) খাবার বৃদ্ধি

D) বিশ্রাম কমানো

31. হার্ট অ্যাটাকের রোগীর প্রাথমিক যত্ন কী?

A) শ্বাসনালী মুক্ত রাখা ☑

B) দ্রুত পরীক্ষা

C) খাবার বৃদ্ধি

D) শক্তি বৃদ্ধি

32. কিডনি ফেইলারের রোগীর পরিচর্যায় কোন পরীক্ষা গুরুত্বপূর্ণ?

A) ইউরিন আউটপুট মনিটরিং ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

33. পেরিফেরাল ভেনাস ক্যাথেটারের পরিচর্যায় প্রধান ঝুঁকি কী?

A) সংক্রমণ ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) খাবার বৃদ্ধি

34. রোগীর ব্যথা পর্যবেক্ষণ কেন গুরুত্বপূর্ণ?

A) উপযুক্ত চিকিৎসা দেওয়ার জন্য ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

35. রোগীর খাদ্যগ্রহণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) পুষ্টি নিশ্চিত করা ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম পর্যবেক্ষণ

36. রোগীর ত্বকের সংক্রমণ প্রতিরোধে কোন পদক্ষেপ জরুরি?

A) পরিচ্ছন্নতা বজায় রাখা ☑

B) ওষুধ কমানো

C) খাদ্য বৃদ্ধি

D) বিশ্রাম কমানো

37. রোগীর শ্বাসকষ্টের জন্য কোন পদক্ষেপ জরুরি?

A) বসানো বা আধা-বসানো অবস্থান ☑

B) শুয়ে রাখা

C) ঘুম কমানো

D) শক্তি বৃদ্ধি

38. রোগীর রক্তচাপ নিয়ন্ত্রণে কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত নেওয়া ☑

B) খাবার বৃদ্ধি

C) ঘুম কমানো

D) শক্তি বৃদ্ধি

39. হাইপারটেনশনের রোগীর জন্য কোন খাবার সীমিত করা উচিত?

A) লবণ ☑

B) শর্করা

C) প্রোটিন

D) চর্বি

40. রোগীর ফ্লুইড ইনটেক পর্যবেক্ষণ কেন জরুরি?

A) ডিহাইড্রেশন প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

41. রোগীর টয়লেট সহায়তা দেওয়ার সময় কোন নীতি মেনে চলা জরুরি?

A) গোপনীয়তা বজায় রাখা ☑

B) দ্রুত করানো

C) খাবার বৃদ্ধি

D) ওষুধ আগে দেওয়া

42. রোগীর খাদ্য অ্যালার্জি জানা কেন জরুরি?

A) প্রতিক্রিয়া প্রতিরোধ ☑

B) খাবার দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ওষুধ কার্যকর করা

43. রোগীর আরামদায়ক অবস্থান বজায় রাখার উদ্দেশ্য কী?

A) স্বাচ্ছন্দ্য ও নিরাপত্তা ☑

B) খাবার দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ওষুধ কার্যকর করা

44. রোগীর শ্বাসকষ্ট হলে কোন পদক্ষেপ নেওয়া জরুরি?

A) অক্সিজেন প্রদান ☑

B) খাবার বৃদ্ধি

C) ওষুধ বন্ধ

D) বিশ্রাম কমানো

45. রোগীর ফ্লুইড ব্যালান্স বজায় রাখার প্রধান কারণ কী?

A) ডিহাইড্রেশন প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

46. রোগীর ত্বকের চাপ ঘা প্রতিরোধে কোন পদক্ষেপ জরুরি?

A) পজিশন পরিবর্তন ☑

B) খাবার বৃদ্ধি

C) ব্যায়াম

D) ওষুধ দ্রুত দেওয়া

47. রোগীর শারীরিক পরীক্ষা করার সময় কোন নীতি গুরুত্বপূর্ণ?

A) রোগীর সম্মতি ☑

B) দ্রুত পরীক্ষা

C) ওষুধ আগে দেওয়া

D) নোট লেখা

48. রোগীর ব্যথা মূল্যায়নের জন্য কোন সরঞ্জাম ব্যবহার করা হয়?

A) ব্যথা স্কেল ☑

B) রক্তচাপ

C) তাপমাত্রা

D) ওজন

49. রোগীর খাদ্য গ্রহণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) পুষ্টি নিশ্চিত করা ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম পর্যবেক্ষণ

50. রোগীর তথ্য রক্ষা না করলে কী হতে পারে?

A) আইনগত সমস্যা ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

Community Health Nursing

1. কমিউনিটি হেলথ নার্সিং-এর মূল উদ্দেশ্য কী?

A) জনগণের স্বাস্থ্য উন্নয়ন ☑

B) রোগীর ওষুধ বিক্রি

C) হাসপাতাল পরিচালনা

D) খাদ্য সরবরাহ

2. প্রাইমারি হেলথ কেয়ারের প্রধান লক্ষ্য কী?

A) রোগ প্রতিরোধ ও স্বাস্থ্য সচেতনতা ☑

B) ওষুধ বাড়ানো

C) হাসপাতালে ভর্তি বৃদ্ধি

D) রোগী কমানো

3. কমিউনিটিতে স্বাস্থ্য শিক্ষা দেওয়ার প্রধান কারণ কী?

A) সচেতনতা বৃদ্ধি ☑

B) খাবার বিতরণ

C) শক্তি বৃদ্ধি

D) হাসপাতাল খরচ কমানো

4. কমিউনিটি হেলথ নার্সের কাজের মধ্যে কোনটি অন্তর্ভুক্ত?

A) স্বাস্থ্য মূল্যায়ন ☑

B) খাদ্য বিতরণ

C) কেবল ওষুধ দেওয়া

D) শক্তি বৃদ্ধি

5. শিশুদের প্রতিরোধমূলক টিকা দেওয়ার উদ্দেশ্য কী?

A) সংক্রমণ প্রতিরোধ ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

6. কমিউনিটি হেলথ নার্সের জন্য জরুরি স্কিল কী?

A) যোগাযোগ ও শিক্ষা ☑

B) ওষুধ বিক্রি

C) ব্যায়াম শেখানো

D) খাদ্য বিতরণ

7. প্রাথমিক স্বাস্থ্যকেন্দ্রে কোন সেবা প্রদান করা হয়?

A) রোগ প্রতিরোধ, টিকা, স্বাস্থ্য শিক্ষা ☑

B) জটিল সার্জারি

C) উচ্চমানের চিকিৎসা

D) ওষুধ বিক্রয়

৪. কমিউনিটি হেলথ নার্স রোগীর তথ্য কেন সংগ্রহ করেন?

A) স্বাস্থ্য পরিকল্পনা ও মূল্যায়নের জন্য ☑

B) ওষুধ দ্রুত দেওয়ার জন্য

C) খাবার বৃদ্ধি

D) শক্তি বৃদ্ধি

9. কমিউনিটিতে ম্যালেরিয়া প্রতিরোধে প্রধান পদক্ষেপ কী?

A) মশারি ও ইনসেকটিসাইড ব্যবহার ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

10. স্বাস্থ্য প্রচার (Health Promotion) কী বোঝায়?

A) স্বাস্থ্য সচেতনতা ও জীবনধারা উন্নয়ন ☑

B) খাবার বিতরণ

C) হাসপাতাল পরিচালনা

D) রোগ প্রতিরোধ

11. কমিউনিটি হেলথ নার্সের পরিকল্পনা কোন পর্যায়ে হয়?

A) স্বাস্থ্য মূল্যায়নের পর ☑

B) ওষুধ দেওয়ার পর

C) খাবার দেওয়ার পর

D) ঘুম পর্যবেক্ষণের পর

12. কমিউনিটি হেলথ প্রোগ্রামে মায়েদের শিক্ষা কেন জরুরি?

A) শিশুর স্বাস্থ্য উন্নয়ন ☑

B) ওজন বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

13. কমিউনিটিতে সংক্রামক রোগ প্রতিরোধে কোন পদক্ষেপ জরুরি?

A) টিকা দেওয়া ☑

B) খাবার বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

14. পরিবার পরিকল্পনার উদ্দেশ্য কী?

A) জনসংখ্যা নিয়ন্ত্রণ ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

15. কমিউনিটিতে স্বাস্থ্য শিক্ষার প্রধান লক্ষ্য কী?

A) রোগ প্রতিরোধ ও জীবনধারার উন্নতি ☑

B) ওষুধ দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

16. প্রাথমিক স্বাস্থ্যসেবায় কোন ঝুঁকি কমানো হয়?

A) সংক্রমণ ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

17. কমিউনিটি হেলথ নার্স রোগীদের ফলোআপ কেন করেন?

A) স্বাস্থ্য স্থিতি পর্যবেক্ষণ ☑

B) ওষুধ বিক্রি

C) খাবার বিতরণ

D) শক্তি বৃদ্ধি

18. কমিউনিটিতে শিশু মৃত্যুর হার কমানোর প্রধান পদক্ষেপ কী?

A) টিকা ও স্বাস্থ্য শিক্ষা ☑

B) খাবার বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

19. স্বাস্থ্য পরিচর্যা (Health Care) মানে কী?

A) রোগ প্রতিরোধ, চিকিৎসা, শিক্ষা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

20. কমিউনিটি হেলথ নার্সের প্রধান দায়িত্ব কোনটি?

A) জনগণের স্বাস্থ্য উন্নয়ন ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

21. কমিউনিটিতে ডায়রিয়ার প্রতিরোধে প্রধান পদক্ষেপ কী?

A) পরিচ্ছন্ন পানি ও স্বাস্থ্য শিক্ষা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

22. কমিউনিটি হেলথ নার্স পরিবার ও শিশুদের স্বাস্থ্য কেন পর্যবেক্ষণ করেন?

A) রোগ প্রতিরোধ ও জীবনধারা উন্নয়ন ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

23. কমিউনিটি হেলথ নার্সের কার্যক্রমের মধ্যে কোনটি অন্তর্ভুক্ত?

A) টিকা, স্বাস্থ্য শিক্ষা, ফলোআপ ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) খাবার বিতরণ

24. কমিউনিটি হেলথ প্রোগ্রামে স্বাস্থ্য শিক্ষার প্রধান উপকরণ কী?

A) বক্তৃতা, পোস্টার, প্রদর্শনী ☑

B) খাবার বিতরণ

C) শক্তি বৃদ্ধি

D) ওষুধ বৃদ্ধি

25. কমিউনিটিতে নারীর স্বাস্থ্য উন্নয়নের প্রধান উপায় কী?

A) স্বাস্থ্য শিক্ষা ও পরিবার পরিকল্পনা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

26. কমিউনিটি হেলথ নার্স রোগীর ঝুঁকি কমাতে কী করেন?

A) টিকা, পরিচ্ছন্নতা, শিক্ষা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) খাবার বৃদ্ধি

27. কমিউনিটি হেলথ প্রোগ্রামে শিশুদের স্বাস্থ্য পর্যবেক্ষণের উদ্দেশ্য কী?

A) পুষ্টি ও রোগ প্রতিরোধ নিশ্চিত করা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ কার্যকর করা

28. স্বাস্থ্য প্রচারে কমিউনিটি হেলথ নার্স কোন ভূমিকা পালন করেন?

A) শিক্ষা ও পরামর্শ ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) খাবার বিতরণ

29. কমিউনিটি হেলথ প্রোগ্রামে রোগী ও পরিবারের শিক্ষার লক্ষ্য কী?

A) রোগ প্রতিরোধ ও স্বাস্থ্য সচেতনতা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

30. কমিউনিটি হেলথ নার্সের ফলোআপের উদ্দেশ্য কী?

A) স্বাস্থ্য স্থিতি মূল্যায়ন ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) খাবার বিতরণ

31. কমিউনিটি হেলথ নার্সের জন্য জরুরি দক্ষতা কোনটি?

A) স্বাস্থ্য শিক্ষা ও যোগাযোগ ☑

B) ওষুধ বিক্রি

C) খাবার বিতরণ

D) শক্তি বৃদ্ধি

32. কমিউনিটি হেলথ প্রোগ্রামে মা ও শিশুর স্বাস্থ্য উন্নয়নের প্রধান পদ্ধতি কী?

A) টিকা ও স্বাস্থ্য শিক্ষা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

33. কমিউনিটি হেলথ নার্স রোগীদের স্বাস্থ্য তথ্য কেন সংগ্রহ করেন?

A) পরিকল্পনা ও মূল্যায়ন ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

34. কমিউনিটি হেলথ প্রোগ্রামে রোগী শিক্ষার প্রধান লক্ষ্য কী?

A) সচেতনতা ও রোগ প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

35. কমিউনিটি হেলথ নার্স কোন রোগ প্রতিরোধে টিকা দেন?

A) ডিপথেরিয়া, পলিও, টিটেনাস ☑

B) কাশি

C) হাইপারটেনশন

D) ডায়াবেটিস

36. কমিউনিটি হেলথ প্রোগ্রামে পানি ও পরিচ্ছন্নতার গুরুত্ব কী?

A) সংক্রমণ প্রতিরোধ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ কার্যকর করা

37. কমিউনিটি হেলথ নার্স রোগীদের ফলোআপ কেন করেন?

A) স্বাস্থ্য স্থিতি পর্যবেক্ষণ ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

38. কমিউনিটি হেলথ নার্সের লক্ষ্য কোনটি?

A) জনগণের স্বাস্থ্য উন্নয়ন ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

39. কমিউনিটি হেলথ প্রোগ্রামে শিশুদের পুষ্টি নিশ্চিত করার প্রধান পদ্ধতি কী?

A) খাদ্য শিক্ষা ও সম্পূরক খাবার ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

40. কমিউনিটি হেলথ নার্স কোন স্বাস্থ্য ঝুঁকি কমানোর জন্য কাজ করেন?

A) সংক্রমণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

41. কমিউনিটি হেলথ প্রোগ্রামে টিকার সময় কোন তথ্য গুরুত্বপূর্ণ?

A) শিশুর জন্ম তারিখ ও টিকা ইতিহাস ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

42. কমিউনিটি হেলথ প্রোগ্রামে মা ও শিশুর শিক্ষা কোন মাধ্যম দিয়ে দেওয়া হয়?

A) বক্তৃতা, পোস্টার, প্রদর্শনী ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

43. কমিউনিটি হেলথ প্রোগ্রামে সংক্রমণ প্রতিরোধের প্রধান পদক্ষেপ কী?

A) পরিচ্ছন্নতা ও টিকা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

44. কমিউনিটি হেলথ নার্স রোগীর ঝুঁকি মূল্যায়ন কেন করেন?

A) পরিকল্পনা ও প্রতিকার নির্ধারণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

45. কমিউনিটি হেলথ প্রোগ্রামে পরিবার পরিকল্পনার উদ্দেশ্য কী?

A) জনসংখ্যা নিয়ন্ত্রণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

46. কমিউনিটি হেলথ নার্স রোগীর তথ্য ব্যবহার করে কোন কাজ করেন?

A) স্বাস্থ্য পরিকল্পনা ও ফলোআপ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

47. কমিউনিটি হেলথ প্রোগ্রামে শিশুদের স্বাস্থ্য পর্যবেক্ষণের উদ্দেশ্য কী?

A) রোগ প্রতিরোধ ও পুষ্টি নিশ্চিত করা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

48. কমিউনিটি হেলথ নার্সের প্রধান ভূমিকা কোনটি?

A) স্বাস্থ্য উন্নয়ন ও শিক্ষা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

49. কমিউনিটি হেলথ প্রোগ্রামে সংক্রমণ প্রতিরোধের জন্য কোন পদক্ষেপ গুরুত্বপূর্ণ?

A) পরিচ্ছন্ন পানি ও টিকা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

50. কমিউনিটি হেলথ নার্স রোগীর স্বাস্থ্য মূল্যায়ন কেন করেন?

A) স্বাস্থ্য ঝুঁকি নির্ধারণ ও পরিকল্পনা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

Mental Health Nursing

1. মানসিক রোগের প্রাথমিক লক্ষণ কোনটি?

A) অবসাদ, উদ্বেগ ☑

B) জ্বর

C) পায়ে ফোলা

D) হঠাৎ ব্যথা

2. ডিপ্রেশন রোগীর প্রধান লক্ষণ কী?

A) মনোযোগের অভাব, উদাসীনতা ☑

B) শ্বাসকষ্ট

C) বমি

D) চর্ম র‍্যাশ

3. স্কিজোফ্রেনিয়ার সাধারণ লক্ষণ কোনটি?

A) হ্যালুসিনেশন, ডেলিউশন ☑

B) উচ্চ রক্তচাপ

C) ডায়াবেটিস

D) ওজন বৃদ্ধি

4. অ্যানজাইটি রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) শান্ত পরিবেশ এবং মনোযোগ ☑

B) ওষুধ দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) খাবার বৃদ্ধি

5. মানসিক রোগ নির্ণয়ে কোন পদ্ধতি ব্যবহৃত হয়?

A) মানসিক স্বাস্থ্য পরীক্ষা ☑

B) রক্ত পরীক্ষা

C) এক্স-রে

D) আল্ট্রাসাউন্ড

6. মানসিক রোগীর জন্য কমিউনিকেশন সবচেয়ে গুরুত্বপূর্ণ কেন?

A) রোগীর অনুভূতি বোঝার জন্য ☑

B) খাবার দেওয়ার জন্য

C) ওষুধ দেওয়ার জন্য

D) ঘুম বাড়ানোর জন্য

7. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

8. ডিপ্রেশন রোগীর চিকিৎসায় কোন পদ্ধতি গুরুত্বপূর্ণ?

A) থেরাপি ও ওষুধ ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

9. মানসিক রোগীর আচরণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) রোগের প্রকৃতি ও চিকিৎসা নির্ধারণ ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

10. স্কিজোফ্রেনিয়ার রোগীর জন্য কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত দেওয়া ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

11. মানসিক রোগীর নিরাপত্তা নিশ্চিত করার জন্য কোন পদক্ষেপ জরুরি?

A) পরিবেশ নিরাপদ রাখা ☑

B) ওষুধ বন্ধ

C) খাদ্য বৃদ্ধি

D) শক্তি বৃদ্ধি

12. অ্যানজাইটি রোগীর জন্য কোন পদ্ধতি কার্যকর?

A) রিলাক্সেশন ও শ্বাসব্যায়াম ☑

B) ওষুধ বন্ধ

C) শক্তি বৃদ্ধি

D) ঘুম কমানো

13. মানসিক রোগ নির্ণয়ে কোন তথ্য গুরুত্বপূর্ণ?

A) রোগীর ইতিহাস, আচরণ ও উপসর্গ ☑

B) ওষুধের নাম

C) খাবার প্রয়োজন

D) ঘুমের সময়

14. ডিপ্রেশন রোগীর আচরণ পর্যবেক্ষণের লক্ষ্য কী?

A) থেরাপি পরিকল্পনা ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

15. মানসিক রোগীর চিকিৎসায় থেরাপির উদ্দেশ্য কী?

A) মানসিক স্থিতি উন্নয়ন ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

16. মানসিক রোগের ঝুঁকি নির্ধারণে কোন পদ্ধতি ব্যবহৃত হয়?

A) রোগীর ইতিহাস ও আচরণ পর্যবেক্ষণ ☑

B) রক্ত পরীক্ষা

C) এক্স-রে

D) আল্ট্রাসাউন্ড

17. স্কিজোফ্রেনিয়ার রোগীর ফলোআপের উদ্দেশ্য কী?

A) ওষুধ কার্যকারিতা মূল্যায়ন ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

18. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

19. ডিপ্রেশন রোগীর পরিচর্যায় কোন পদ্ধতি জরুরি?

A) মনোযোগ ও সহানুভূতি ☑

B) শক্তি বৃদ্ধি

C) ওষুধ বৃদ্ধি

D) ঘুম বৃদ্ধি

20. মানসিক রোগীর আচরণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) রোগের প্রকৃতি বোঝা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বৃদ্ধি

21. অ্যানজাইটি রোগীর চিকিৎসায় কোন থেরাপি কার্যকর?

A) কগনিটিভ বিহেভিয়ার থেরাপি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

22. মানসিক রোগীর নিরাপত্তা নিশ্চিত করতে কোন পদক্ষেপ জরুরি?

A) পরিবেশ নিরাপদ রাখা ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

23. মানসিক রোগ নির্ণয়ে কোন পদ্ধতি ব্যবহৃত হয়?

A) মানসিক স্বাস্থ্য পরীক্ষা ☑

B) রক্ত পরীক্ষা

C) এক্স-রে

D) আল্ট্রাসাউন্ড

24. স্কিজোফ্রেনিয়ার রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত দেওয়া ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

25. মানসিক রোগীর আচরণ পর্যবেক্ষণের লক্ষ্য কী?

A) থেরাপি পরিকল্পনা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বৃদ্ধি

26. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

27. ডিপ্রেশন রোগীর প্রধান লক্ষণ কোনটি?

A) উদাসীনতা, অনিদ্রা ☑

B) জ্বর

C) পায়ে ফোলা

D) শ্বাসকষ্ট

28. অ্যানজাইটি রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) শান্ত পরিবেশ ☑

B) শক্তি বৃদ্ধি

C) ঘুম কমানো

D) খাবার বৃদ্ধি

29. মানসিক রোগীর চিকিৎসায় থেরাপির উদ্দেশ্য কী?

A) মানসিক স্থিতি উন্নয়ন ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

30. মানসিক রোগ নির্ণয়ে কোন তথ্য গুরুত্বপূর্ণ?

A) রোগীর ইতিহাস, আচরণ ও উপসর্গ ☑

B) রক্ত পরীক্ষা

C) এক্স-রে

D) আল্ট্রাসাউন্ড

31. স্কিজোফ্রেনিয়ার রোগীর ফলোআপের উদ্দেশ্য কী?

A) ওষুধ কার্যকারিতা মূল্যায়ন ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

32. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

33. মানসিক রোগীর আচরণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) রোগের প্রকৃতি বোঝা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বৃদ্ধি

34. অ্যানজাইটি রোগীর চিকিৎসায় কোন থেরাপি কার্যকর?

A) কগনিটিভ বিহেভিয়ার থেরাপি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

35. মানসিক রোগীর নিরাপত্তা নিশ্চিত করতে কোন পদক্ষেপ জরুরি?

A) পরিবেশ নিরাপদ রাখা ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

36. ডিপ্রেশন রোগীর পরিচর্যায় কোন পদ্ধতি জরুরি?

A) মনোযোগ ও সহানুভূতি ☑

B) শক্তি বৃদ্ধি

C) ওষুধ বৃদ্ধি

D) ঘুম বৃদ্ধি

37. স্কিজোফ্রেনিয়ার রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত দেওয়া ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

38. মানসিক রোগীর আচরণ পর্যবেক্ষণের লক্ষ্য কী?

A) থেরাপি পরিকল্পনা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বৃদ্ধি

39. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

40. অ্যানজাইটি রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) শান্ত পরিবেশ ☑

B) শক্তি বৃদ্ধি

C) ঘুম কমানো

D) খাবার বৃদ্ধি

41. মানসিক রোগীর চিকিৎসায় থেরাপির উদ্দেশ্য কী?

A) মানসিক স্থিতি উন্নয়ন ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

42. মানসিক রোগ নির্ণয়ে কোন তথ্য গুরুত্বপূর্ণ?

A) রোগীর ইতিহাস, আচরণ ও উপসর্গ ☑

B) রক্ত পরীক্ষা

C) এক্স-রে

D) আল্ট্রাসাউন্ড

43. স্কিজোফ্রেনিয়ার রোগীর ফলোআপের উদ্দেশ্য কী?

A) ওষুধ কার্যকারিতা মূল্যায়ন ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

44. মানসিক রোগ প্রতিরোধে প্রধান পদক্ষেপ কোনটি?

A) স্বাস্থ্য শিক্ষা ও সহায়তা ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

45. মানসিক রোগীর আচরণ পর্যবেক্ষণের উদ্দেশ্য কী?

A) রোগের প্রকৃতি বোঝা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বৃদ্ধি

46. অ্যানজাইটি রোগীর চিকিৎসায় কোন থেরাপি কার্যকর?

A) কগনিটিভ বিহেভিয়ার থেরাপি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) ওষুধ বৃদ্ধি

47. মানসিক রোগীর নিরাপত্তা নিশ্চিত করতে কোন পদক্ষেপ জরুরি?

A) পরিবেশ নিরাপদ রাখা ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

48. ডিপ্রেশন রোগীর পরিচর্যায় কোন পদ্ধতি জরুরি?

A) মনোযোগ ও সহানুভূতি ☑

B) শক্তি বৃদ্ধি

C) ওষুধ বৃদ্ধি

D) ঘুম বৃদ্ধি

49. স্কিজোফ্রেনিয়ার রোগীর পরিচর্যায় কোন পদক্ষেপ জরুরি?

A) ওষুধ নিয়মিত দেওয়া ☑

B) খাদ্য বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

50. মানসিক রোগীর আচরণ পর্যবেক্ষণের লক্ষ্য কী?

A) থেরাপি পরিকল্পনা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বৃদ্ধি

Management & Leadership Nursing

1. নার্সিং ম্যানেজমেন্ট-এর মূল উদ্দেশ্য কী?

A) রোগীর সেবা এবং সংস্থান ব্যবস্থাপনা ☑

B) খাবার বিতরণ

C) হাসপাতাল সেলস বৃদ্ধি

D) শক্তি বৃদ্ধি

2. লিডারশিপ-এর প্রধান বৈশিষ্ট্য কোনটি?

A) প্রেরণা দেওয়া এবং দিক নির্দেশ ☑

B) ওষুধ বিক্রি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

3. পরিকল্পনা (Planning) পর্যায়ে প্রধান কাজ কী?

A) লক্ষ্য নির্ধারণ এবং কৌশল তৈরি ☑

B) ওষুধ বিতরণ

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

4. অর্গানাইজিং-এর প্রধান উদ্দেশ্য কী?

A) সংস্থান ও কাজের সমন্বয় ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

5. স্টাফ নিয়ন্ত্রণের উদ্দেশ্য কী?

A) কাজের মান এবং লক্ষ্য অর্জন নিশ্চিত ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

6. নেতৃত্বের শৈলী কোনটি?

A) অটোক্র্যাটিক, ডেমোক্র্যাটিক, লেসিসফেয়ার ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

7. টাইম ম্যানেজমেন্ট-এর মূল উদ্দেশ্য কী?

A) কাজের দক্ষতা বৃদ্ধি ☑

B) ওষুধ বিতরণ

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

৪. সংকট ব্যবস্থাপনার প্রধান ধাপ কোনটি?

A) সমস্যা নির্ণয়, সমাধান পরিকল্পনা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

9. কমিউনিকেশন-এর মূল উদ্দেশ্য কী?

A) তথ্য শেয়ার এবং বোঝাপড়া ☑

B) ওষুধ বিতরণ

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

10. ডেলিগেশন (Delegation) কেন গুরুত্বপূর্ণ?

A) কাজ ভাগ করে দক্ষতা বৃদ্ধি ☑

B) ওষুধ দ্রুত দেওয়া

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

11. স্টাফ প্রেরণার প্রধান উপায় কোনটি?

A) স্বীকৃতি এবং পুরস্কার ☑

B) ওষুধ বৃদ্ধি

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

12. নার্সিং ম্যানেজমেন্ট-এর গুরুত্বপূর্ণ ফাংশন কোনটি?

A) পরিকল্পনা, অর্গানাইজিং, স্টাফিং, ডিরেকশন, কন্ট্রোল ☑

B) খাদ্য বিতরণ

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

13. ম্যানেজার এবং লিডারের মধ্যে প্রধান পার্থক্য কী?

A) ম্যানেজার সংস্থান ব্যবহার, লিডার প্রেরণা দেয় ☑

B) ম্যানেজার ঘুম দেয়, লিডার ওষুধ দেয়

C) ম্যানেজার শক্তি বৃদ্ধি, লিডার খাদ্য দেয়

D) কোনটি নয়

14. সিদ্ধান্ত গ্রহণের প্রধান ধাপ কোনটি?

A) সমস্যা শনাক্তকরণ, বিকল্প, মূল্যায়ন, নির্বাচন ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

15. কনফ্লিক্ট ম্যানেজমেন্ট-এর লক্ষ্য কী?

A) বিরোধ সমাধান এবং সম্পর্ক উন্নয়ন ☑

B) শক্তি বৃদ্ধি

C) ওজন বৃদ্ধি

D) ঘুম বৃদ্ধি

16. কমিউনিকেশন শাখার ধরন কোনটি?

A) মৌখিক, লিখিত, অপ্রচলিত ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

17. প্রেরণার প্রধান তত্ত্ব কোনটি?

A) Maslow-এর হায়ারার্কি অফ নিডস ☑

B) রক্তচাপ তত্ত্ব

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

18. স্টাফিং পর্যায়ে প্রধান কাজ কী?

A) সঠিক ব্যক্তিকে সঠিক কাজ দেওয়া ☑

B) খাদ্য বিতরণ

C) শক্তি বৃদ্ধি

D) ঘুম বৃদ্ধি

19. নেতৃত্বের শৈলীর উদাহরণ কোনটি?

A) অটোক্র্যাটিক, ডেমোক্র্যাটিক ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

20. সময় ব্যবস্থাপনা (Time Management) কিসের জন্য গুরুত্বপূর্ণ?

A) কাজের দক্ষতা এবং অগ্রাধিকার ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

21. পরিকল্পনা (Planning) ধাপের গুরুত্বপূর্ণ উপাদান কোনটি?

A) লক্ষ্য নির্ধারণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

22. নার্সিং ম্যানেজমেন্টের কন্ট্রোল ফাংশন কী করে?

A) মান নিরীক্ষণ এবং সমন্বয় ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

23. নেতৃত্বের প্রধান গুণ কোনটি?

A) প্রেরণা, যোগাযোগ দক্ষতা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

24. সংকট ব্যবস্থাপনায় প্রথম ধাপ কোনটি?

A) সমস্যা চিহ্নিতকরণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

25. কমিউনিকেশন দক্ষতার প্রধান উপকারিতা কী?

A) বোঝাপড়া বৃদ্ধি এবং ভুল কমানো ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

26. ডেলিগেশন-এর প্রধান সুবিধা কী?

A) সময় এবং দক্ষতা বৃদ্ধি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

27. স্টাফ প্রেরণার উপায় কোনটি?

A) প্রশংসা এবং পুরস্কার ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

28. নার্সিং ম্যানেজমেন্টের পাঁচটি প্রধান ফাংশন কোনটি?

A) পরিকল্পনা, অর্গানাইজিং, স্টাফিং, ডিরেকশন, কন্ট্রোল ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

29. ম্যানেজার ও লিডারের প্রধান পার্থক্য কী?

A) ম্যানেজার সংস্থান ব্যবহার, লিডার প্রেরণা দেয় ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

30. সিদ্ধান্ত গ্রহণের ধাপ কোনটি?

A) সমস্যা শনাক্তকরণ, বিকল্প মূল্যায়ন, নির্বাচন ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

31. কনফ্লিক্ট ম্যানেজমেন্ট-এর লক্ষ্য কী?

A) বিরোধ সমাধান ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

32. কমিউনিকেশনের ধরন কোনটি?

A) মৌখিক, লিখিত, অপ্রচলিত ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

33. প্রেরণার তত্ত্ব কোনটি?

A) Maslow-এর হায়ারার্কি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

34. স্টাফিং-এর প্রধান কাজ কী?

A) সঠিক ব্যক্তি সঠিক কাজে ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

35. নেতৃত্বের উদাহরণ কোনটি?

A) অটোক্র্যাটিক, ডেমোক্র্যাটিক ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

36. সময় ব্যবস্থাপনার উপকারিতা কী?

A) দক্ষতা বৃদ্ধি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাবার বিতরণ

37. পরিকল্পনার উপাদান কোনটি?

A) লক্ষ্য নির্ধারণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

38. কন্ট্রোল ফাংশনের কাজ কী?

A) মান নিরীক্ষণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

39. নেতৃত্বের প্রধান গুণ কোনটি?

A) প্রেরণা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

40. সংকট ব্যবস্থাপনার প্রথম ধাপ কী?

A) সমস্যা চিহ্নিতকরণ ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

41. কমিউনিকেশন দক্ষতার উপকারিতা কী?

A) বোঝাপড়া বৃদ্ধি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

42. ডেলিগেশন-এর সুবিধা কী?

A) সময় এবং দক্ষতা বৃদ্ধি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

43. স্টাফ প্রেরণার উপায় কোনটি?

A) প্রশংসা ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

44. নার্সিং ম্যানেজমেন্টের প্রধান ফাংশন কোনটি?

A) পরিকল্পনা, অর্গানাইজিং, স্টাফিং, ডিরেকশন, কন্ট্রোল ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

45. ম্যানেজার ও লিডারের পার্থক্য কী?

A) ম্যানেজার সংস্থান ব্যবহার, লিডার প্রেরণা দেয় ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

46. সিদ্ধান্ত গ্রহণের ধাপ কোনটি?

A) সমস্যা শনাক্তকরণ, বিকল্প মূল্যায়ন, নির্বাচন ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

47. কনফ্লিক্ট ম্যানেজমেন্টের লক্ষ্য কী?

A) বিরোধ সমাধান ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

48. কমিউনিকেশনের ধরন কোনটি?

A) মৌখিক, লিখিত, অপ্রচলিত ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

49. প্রেরণার তত্ত্ব কোনটি?

A) Maslow-এর হায়ারার্কি ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ

50. স্টাফিং-এর প্রধান কাজ কী?

A) সঠিক ব্যক্তি সঠিক কাজে ☑

B) শক্তি বৃদ্ধি

C) ঘুম বৃদ্ধি

D) খাদ্য বিতরণ