

- **Establish CLI context (auth + environment setup)**
 - Check if PAC CLI is installed
 - If not installed → ask user for permission to install
 - Check CLI version
 - Run `pac --version`
 - If below supported version → ask user permission to update
 - Check existing authentication
 - Run `pac auth list` (lists all stored authentication profiles)
 - Identify active profile and associated environment
 - Confirm with user
 - Ask if the selected environment is correct
 - If incorrect environment
 - Switch using `pac auth select`
 - If no authentication exists
 - Run `pac auth create -u <env>`
 - End result
 - Valid authenticated session with correct environment context
- **Identify site context (site resolution step)**
 - Check for local context first
 - Look for `website.yml` in current directory
 - If present:
 - Extract:
 - `adx_name` (site name)
 - `adx_websiteid`
 - Confirm with user before proceeding
 - If `website.yml` not present
 - Ask user explicitly for:
 - Site name or Websiteid
 - This step ensures:
 - All further operations are tied to correct site
- **Site discovery and validate data model**
 - Run `pac pages list -v`
 - Locate site using input (site name / websiteid)
 - If not found → stop (Ask user to check if site name is correct and present in env)
 - Extract:

- WebsiteId
 - ModelVersion
- Validate data model:
 - If EDM → stop (only SDM → EDM supported)
 - If SDM → continue
- **Validate required dependencies (blocking checks)**
 - Verify required packages:
 - Dataverse base portal package
 - Power Pages Core package
 - Ensure minimum supported versions are present
 - If missing or outdated, request user consent to upgrade, then use the pac application install command.
- **Validate site template and check corresponding V2 package present or not**
 - Based on detected template:
 - Check if corresponding V2 package exists in environment
 - If V2 package not present:
 - Install using `pac application install`
 - If installation fails, halt the process. Verify the operation ID and suggest that the user to manually install the package by initiating a dummy site provision based on a similar template in the target env, which will install the required V2 package in the backend. If this also fails, please advise contacting customer support.
 - This is required because:
 - Migration depends on V2 template availability
- **Environment-level checks (non-blocking guidance)**
 - Admin mode check:
 - If env is in admin mode → background operations must be enabled
 - Not strictly validated via CLI → show warning
- **Generate customization report (first execution step)**
 - Run: `pac pages migrate-datamodel --webSiteId <id> --siteCustomizationReportPath <path>`
 - This extracts:

Commented [AK1]: @Ashish Choudhary Need a small discussion for this point.

Commented [PA2]: Can we help user here to upgrade?

Commented [AK3R2]: yes, pac application install updates the package version as well.

Commented [AK4]: @Gokul Raj Gopinathan Do we need this step, this taken from public doc <https://learn.microsoft.com/en-us/power-pages/admin/migrate-enhanced-data-model#considerations-for-site-customization-when-migrating-sites-from-standard-to-enhanced-data-model>:~:text=For%20an%20environment%20set%20up%20in%20administration%20mode%2C%20enable%20background%20operations.

Commented [GG5]: This is also needed only on dev environment

- SDM metadata
 - Customization issues and incompatibilities
- **Post-report processing (pre-migration gate)**
 - Convert report into readable format (HTML / summarized view)
 - Make it user-friendly (browser view)
 - Highlight:
 - Potential breakages
 - Customizations requiring fixes
 - Prompt user:
 - Review report
 - Confirm before migration execution
- **Determine environment type (pre-migration decision)**
 - Ask user for environment type (Dev / Test / UAT / Prod)
 - If user has only one environment:
 - Treat it as Dev by default
 - This input will be used to:
 - Recommend migration mode
 - Decide whether ALM deployment is required
- **Migration execution (controlled step)**
 - Ask user to select migration mode:
 - configurationData
 - configurationDataReferences
 - all
 - Suggest mode based on environment type:
 - Dev → recommended: all
 - Test / UAT / Prod
 - Recommended: configurationDataReferences only
 - Metadata should NOT be migrated using PAC CLI
 - Metadata must already be deployed from Dev via ALM
 - Allow user override
- **Migration monitoring**
 - Track status using CLI
 - Provide:

Commented [PA6]: Add information about these modes to help user decide.

- Progress updates
 - Retry/check mechanisms
- **Update data model (final switch)**
 - Run update step to activate EDM
 - SDM version gets deactivated
- **Customization remediation (Dev-driven, environment-aware)**
 - **In Dev environment**
 - Based on customization report:
 - AI analyzes report
 - Suggests required fixes:
 - Liquid updates
 - JS updates
 - Plugin/workflow adjustments
 - User reviews and applies fixes
 - Validate fixes before proceeding
 - **In Test/UAT/Prod environments**
 - Do NOT generate or re-analyze customization report
 - Do NOT apply direct fixes
 - Use ALM deployment to bring:
 - Updated metadata
 - Applied fixes from Dev
 - Ensure consistency across environments
- **Final site validation**
 - Validate:
 - Site accessibility
 - Data integrity
 - Template behavior
 - Ensure:
 - No broken pages
 - Customizations working in EDM

Commented [PA7]: We can use /test-site skill to validate working site after migration