



DPE Vision AI

Rapport AutoML – Prédiction DPE

Ce rapport présente les performances des modèles AutoML pour la prédiction de l'étiquette DPE, ainsi que leurs paramètres et matrices de confusion correspondantes.

Comparatif global des modèles


Modèle	Accuracy	F1-macro	Recall	Précision	Temps (s)
LogisticRegression	0.847	0.864	0.86	0.872	0.41
GradientBoostingClassifier	0.844	0.86	0.86	0.862	8.13
RandomForestClassifier	0.843	0.86	0.855	0.867	1.63
SVC (RBF kernel)	0.826	0.843	0.84	0.854	1.9
DecisionTreeClassifier	0.768	0.796	0.8	0.794	0.09
KNeighborsClassifier	0.511	0.536	0.52	0.578	0.09
AdaBoostClassifier	0.597	0.402	0.492	0.365	0.58

RandomForestClassifier

Paramètres du modèle :

- bootstrap: True
- ccp_alpha: 0.0
- class_weight: None
- criterion: gini
- max_depth: 25
- max_features: sqrt
- max_leaf_nodes: None
- max_samples: None
- min_impurity_decrease: 0.0
- min_samples_leaf: 1
- min_samples_split: 2
- min_weight_fraction_leaf: 0.0
- monotonic_cst: None
- n_estimators: 300
- n_jobs: -1
- oob_score: False
- random_state: 42
- verbose: 0
- warm_start: False

Matrice de confusion – RandomForestClassifier




DecisionTreeClassifier

Paramètres du modèle :

- ccp_alpha: 0.0
- class_weight: None
- criterion: gini
- max_depth: 20
- max_features: None
- max_leaf_nodes: None
- min_impurity_decrease: 0.0
- min_samples_leaf: 1
- min_samples_split: 2
- min_weight_fraction_leaf: 0.0
- monotonic_cst: None
- random_state: 42
- splitter: best

Matrice de confusion – DecisionTreeClassifier




GradientBoostingClassifier

Paramètres du modèle :

- ccp_alpha: 0.0
- criterion: friedman_mse
- init: None
- learning_rate: 0.1
- loss: log_loss
- max_depth: 3
- max_features: None
- max_leaf_nodes: None
- min_impurity_decrease: 0.0
- min_samples_leaf: 1
- min_samples_split: 2
- min_weight_fraction_leaf: 0.0
- n_estimators: 100
- n_iter_no_change: None
- random_state: 42
- subsample: 1.0
- tol: 0.0001
- validation_fraction: 0.1
- verbose: 0
- warm_start: False

Matrice de confusion – GradientBoostingClassifier




AdaBoostClassifier

Paramètres du modèle :

- algorithm: deprecated
- estimator: None
- learning_rate: 1.0
- n_estimators: 50
- random_state: 42

Matrice de confusion – AdaBoostClassifier




LogisticRegression

Paramètres du modèle :

- C: 1.0
- class_weight: None
- dual: False
- fit_intercept: True
- intercept_scaling: 1
- l1_ratio: None
- max_iter: 500
- multi_class: deprecated
- n_jobs: None
- penalty: l2
- random_state: 42
- solver: lbfgs
- tol: 0.0001
- verbose: 0
- warm_start: False

Matrice de confusion – LogisticRegression




KNeighborsClassifier

Paramètres du modèle :

- algorithm: auto
- leaf_size: 30
- metric: minkowski
- metric_params: None
- n_jobs: None
- n_neighbors: 7
- p: 2
- weights: uniform

Matrice de confusion – KNeighborsClassifier



SVC (RBF kernel)

Paramètres du modèle :

- C: 1.0
- break_ties: False
- cache_size: 200
- class_weight: None
- coef0: 0.0
- decision_function_shape: ovr
- degree: 3
- gamma: scale
- kernel: rbf
- max_iter: -1
- probability: False
- random_state: 42
- shrinking: True
- tol: 0.001
- verbose: False

Matrice de confusion – SVC (RBF kernel)

