Hickey Lab!

Mariah Culpepper

```
library(RColorBrewer)
library(tidyverse)
```

```
## — Attaching core tidyverse packages —
                                                                   — tidyverse 2.0.0 —
## ✓ dplyr
              1.1.4
                          ✓ readr
                                       2.1.5
## ✓ forcats 1.0.0

✓ stringr

                                       1.5.1
## ✓ ggplot2 3.5.0
                                       3.2.1

✓ tibble

## ## lubridate 1.9.3

✓ tidyr

                                       1.3.1
               1.0.2
## ✓ purrr
## — Conflicts —
                                                             — tidyverse_conflicts() —
## * dplyr::filter() masks stats::filter()
## * dplyr::lag() masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts
to become errors
```

```
library(dplyr)
library(ggplot2)
library(networkD3)
library(Polychrome)
library(lisa)
library(paletteer)
```

```
newmeta = read.csv("/Users/riahcul/Downloads/20241106_allmetadata.csv")
newmeta[newmeta == ""] <- NA</pre>
```

```
tissue_freq <- newmeta |>
  group_by(renamed_tissue) |>
  summarize(Frequency = n()) |>
  arrange(desc(Frequency))

print(tissue_freq)
```

```
## # A tibble: 37 × 2
      renamed_tissue Frequency
##
      <chr>
                         <int>
##
   1 skin
                           1040
##
   2 <NA>
                           827
   3 brain
                           803
##
   4 liver
                           686
##
##
   5 lung
                           454
   6 breast
                           289
##
   7 uterus
                           216
##
##
  8 colon
                           190
##
   9 lymph node
                            85
## 10 stomach
                            45
## # i 27 more rows
```


```
tissue_top <- head(tissue_freq, 11)
tissue_bigtop <- head(tissue_freq, 21)
print(tissue_top)</pre>
```

```
## # A tibble: 11 × 2
      renamed_tissue Frequency
##
      <chr>
##
                          <int>
   1 skin
                           1040
##
   2 <NA>
##
                            827
                            803
##
   3 brain
## 4 liver
                            686
##
   5 lung
                           454
   6 breast
                            289
##
   7 uterus
                           216
##
   8 colon
                            190
##
   9 lymph node
                            85
##
## 10 stomach
                             45
## 11 esophagus
                             44
```

```
#mypalette <- brewer.pal(length(tissues), "Set3")
#mypalette <- viridis(19)
#my_palette <- brewer.pal(19, "Set3")


tissue_bigtop |>
  filter(renamed_tissue != "NA")|>
  ggplot(
    aes(x= reorder(renamed_tissue, Frequency), y = Frequency, fill = renamed_tissue)
  ) + geom_bar(stat= "identity") + coord_flip() +
  theme_minimal() +
  theme(legend.position = "none") +
  labs(
    title = "Top 20 Tissue Types in Metadata (11/06/24)",
    x = "Tissue Types"
  )
```





```
library(RColorBrewer)
library(viridisLite)
#renamed_tissue <- table(tissue_top$tissue)</pre>
mypalette <- brewer.pal(10, "Set3")</pre>
#mypalette <- viridis(9)</pre>
#my_palette <- brewer.pal(19, "Set3")</pre>
tissue_top |>
  filter(renamed_tissue != "NA")|>
  ggplot(
    aes(x= reorder(renamed_tissue, Frequency), y = Frequency, fill = renamed_tissue)
  ) + geom_bar(stat = "identity", color = "black") +
  coord flip() +
  scale_fill_manual(values=mypalette) +
 theme_minimal() +
  theme(legend.position = "none") +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1)) +
  geom text(aes(label = Frequency), position = position dodge(width=.9), hjust=1.1) +
  labs(
    title = "10 Most Frequent Tissue Types in Metadata (11/06/24)",
    x = "Tissue Types"
  )
```

10 Most Frequent Tissue Types in Metadata (11/06/24)




```
disease_freqs <- newmeta |>
  group_by(disease) |>
  summarize(Frequency = n()) |>
  arrange(desc(Frequency))

print(disease_freqs)
```

```
## # A tibble: 12 × 2
##
      disease
                          Frequency
      <chr>
                              <int>
##
   1 cancer
                               1929
##
##
   2 normal
                               1605
##
   3 <NA>
                               1014
   4 COVID19
                                120
##
## 5 ARDS
                                 64
##
  6 inflammation
                                 48
##
   7 tuberculosis
                                 40
## 8 Healthy
                                 37
## 9 FLU
                                 16
## 10 osteoarthritis
                                 12
## 11 non-malignant tumor
                                 11
                                  3
## 12 crc
```


```
disease_freqs <- disease_freqs |>
 mutate(
   disease = if_else(disease == "Healthy", "normal", disease)
  )
disease_freqs <- disease_freqs |>
 mutate(
   disease = if else(disease == "Healthy", "normal", disease)
 )
#mypalette <- brewer.pal(length(tissues), "Set3")</pre>
library(ggplot2)
library(dplyr)
library(viridis)
disease long <- disease freqs |>
 mutate(disease_split = strsplit(disease, " ")) |>
 unnest(disease split)
diseased counts <- disease long |>
  group_by(disease_split) |>
 summarize(Frequency = sum(Frequency)) |>
 arrange(desc(Frequency))
mypalette <- brewer.pal(8, "Paired")</pre>
# Filtering out 'cancer' before passing to ggplot
disease freqs |>
 filter(disease != "cancer") |>
 filter(disease != "normal") |>
 ggplot(aes(x = reorder(disease, Frequency), y = Frequency, fill = mypalette)) +
 geom bar(stat = "identity", color = "black") +
 scale fill manual(values = mypalette) +
 theme minimal() +
 theme(legend.position = "none") +
 theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1)) +
 geom text(aes(label = Frequency), position = position dodge(width=.9), hjust=1.1) +
 labs(
   title = "Variation of Non-cancer Diseases in Metadata",
   x = "Disease"
  ) +
 coord_flip()
```

Variation of Non-cancer Diseases in Metadata




```
#mypalette <- brewer.pal(length(tissues), "Set3")</pre>
library(ggplot2)
library(dplyr)
library(viridis)
mypalette <- brewer.pal(8, "Paired")</pre>
# Filtering out 'cancer' before passing to ggplot
disease freqs |>
 filter(disease != "cancer") |>
  filter(disease != "normal") |>
  ggplot(aes(x = reorder(disease, -Frequency), y = Frequency, fill = mypalette)) +
  geom_bar(stat = "identity", color = "black") +
  scale_fill_manual(values = mypalette) +
  theme minimal() +
  theme(legend.position = "none") +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1)) +
 #geom_text(aes(label = Frequency), position = position_dodge(width=.9), hjust=.7) +
  labs(
    title = "Variation of Non-cancer Diseases in Metadata",
    x = "Disease"
  )
```

Variation of Non-cancer Diseases in Metadata



```
sex_freq <- newmeta |>
 group_by(sex) |>
 mutate(
    sex = if_else(sex == "unknown", NA_character_, sex)
    ) |>
 summarize(Frequency = n()) |>
 arrange(desc(Frequency))
sex_freq |>
 ggplot(
   aes(x= reorder(sex, Frequency), y = Frequency, fill = sex)
  ) + geom_bar(stat= "identity", color = "black") +
    scale_fill_manual(breaks = c("female", "male"),
                     values = c("#52854C", "#4E84C4"), na.value = "#D16103") +
  geom_text(aes(label = Frequency), position = position_dodge(width=.9), hjust=1.1) +
 theme minimal() +
 theme(legend.position = "none") + coord_flip() +
   title = "Sex distribution in Metadata (11/06/2024)",
   x = "Sex"
  )
```







```
#newmetaupdate represents cancer or other and standardizes age
newmeta_update <- newmeta |>
 mutate(
   newDisease = case_when(
      disease == "cancer" ~ "cancer",
      disease == "normal" ~ "normal",
      is.na(disease) ~ NA_character_,
      TRUE ~ "other"))
newmeta_update <- newmeta_update |>
 mutate(
   disease = if_else(disease == "Healthy", "normal", disease)
  )
newmeta_update <- newmeta_update |>
 mutate(
   newAge = round(as.numeric(age)),
    newDisease = factor(newDisease, levels = c("cancer", "other", "normal")))
```

```
## Warning: There was 1 warning in `mutate()`.
## i In argument: `newAge = round(as.numeric(age))`.
## Caused by warning:
## ! NAs introduced by coercion
```

Age Distribution by Cancer Status (11/06/2024)




```
newmeta_update |>
  filter(newAge != "NA") |>
  filter(renamed_tissue != "NA") |>
  filter(large_tissue_unit == "Reproductive System") |>
  ggplot(
   aes(x = newAge, y = renamed_tissue)
) +
  geom_point()
```



```
newmeta_update <- newmeta_update |>
  mutate(
    sex = if_else(sex == "unknown", NA_character_, sex)
newmeta_update |>
 ggplot(
   aes(x = sex, fill = renamed tissue)) +
 geom_bar(position = "stack") +
 facet wrap(~newDisease) +
 labs(
    title = "Gender differences in tissue type across cancer and non-cancer diseases"
 ) +
# scale_fill_manual(values = mypal, na.value = "grey50") +
 scale_fill_viridis_d(option="mako", na.value = "grey30") +
 theme_classic() +
 quides(fill = quide legend(nrow=6)) +
 theme(legend.position = "bottom",
    legend.title = element_text(size = 10),
    legend.text = element_text(size = 8),
    strip.text = element_text(size = 12)
  )
```

Gender differences in tissue type across cancer and non-cancer diseases




```
ggsave("plot_with_legend.png", width = 10, height = 8)
```

```
newmeta_update <- newmeta_update |>
    mutate(
    sex = if_else(sex == "unknown", NA_character_, sex)
    )

newmeta_update |>
    filter(newDisease != "normal") |>
    ggplot(
    aes(x = sex, fill = renamed_tissue)) +
    geom_bar(position = "fill") +
    facet_wrap(~newDisease) +
    labs(
        title = "Proportional gender differences in tissue across cancer and non-cancer dise
ases"
    ) +
# scale_fill_manual(values = mypal, na.value = "grey50") +
    theme_classic()
```


Proportional gender differences in tissue across cancer and non-cancer disease



```
library(wesanderson)


newmeta_update |>
    filter(large_tissue_unit == "Immune System") |>
    ggplot(
        aes(x = sex, fill = tissue)) +
    geom_bar(position = "stack", color = "black") +
    # scale_fill_manual(values = wes_palette("GrandBudapest2", n = 4)) +
    scale_fill_paletteer_d("MoMAColors::Althoff") +
    facet_wrap(~newDisease) +
    labs(
        title = "Gender differences in the immune system across cancer and non-cancer diseases"
    ) +
    theme_classic()
```

Gender differences in the immune system across cancer and non-cancer disease



```
newmeta_update |>
filter(large_tissue_unit == "Immune System") |>
filter(newDisease != "normal") |>
ggplot(
   aes(x = sex, fill = tissue)) +
geom_bar(position = "stack", color = "black") +
# scale_fill_manual(values = wes_palette("GrandBudapest2", n = 4)) +
scale_fill_paletteer_d("nationalparkcolors::Badlands") +
facet_wrap(~newDisease) +
labs(
   title = "Gender differences in the immune system across cancer and non-cancer diseases"
  ) +
theme_classic()
```


Gender differences in the immune system across cancer and non-cancer disease



```
newmeta_update |>
  filter(large_tissue_unit == "Digestive System") |>
  filter(newDisease != "normal") |>
  ggplot(
    aes(x = sex, fill = tissue)) +
  geom_bar(position = "stack", color = "white") +


# scale_fill_manual(values = brewer.pal(8, "Paired")) +
  scale_fill_paletteer_d("MetBrewer::Cross") +
    facet_wrap(~newDisease) +
  labs(
    title = "Gender differences in the digestive system across cancer and non-cancer diseases"
  ) +
  theme_classic()
```


Gender differences in the digestive system across cancer and non-cancer disea



```
newmeta_update |>
  filter(large_tissue_unit == "Digestive System") |>
  ggplot(
    aes(x = sex, fill = tissue)) +
  geom_bar(color="black") +
  #scale_fill_manual(values =brewer.pal(8, "Paired")) +
  scale_fill_paletteer_d("MetBrewer::Cassatt1") +
  labs(
    title = "Gender differences in tissue types within the digestive system",
    subtitle = "No specifications for cancer/other"
  ) +
  theme_classic()
```


Gender differences in tissue types within the digestive system






```
nona_newmeta <- newmeta_update |>
  #filter(large_tissue_unit == "Digestive System") |>
  filter(!is.na(renamed_tissue)) |>
  filter(!is.na(sex))
nona_newmeta |>
  filter(large_tissue_unit == "Digestive System") |>
  ggplot(
    aes(x = sex, fill = tissue)) +
  geom_bar(position = "fill") +
  scale_y_continuous(labels = scales::percent) +
  #scale fill manual(values =brewer.pal(8, "Paired")) +
  scale_fill_paletteer_d("MoMAColors::Ernst") +
  labs(
    title = "Proportional gender differences in tissue types within the digestive syste
m",
    subtitle = "No specifications for cancer/other, NAs excluded"
  ) +
  theme classic()
```

Proportional gender differences in tissue types within the digestive system No specifications for cancer/other, NAs excluded




```
newmeta_update |>
  filter(large_tissue_unit == "Nervous System") |>
  ggplot(
    aes(x = sex, fill = tissue)) +
  geom_bar(position = "stack") +
  scale_fill_manual(values = brewer.pal(8, "Paired")) +
    facet_wrap(~newDisease) +
  labs(
    title = "Gender differences in the nervous system across cancer and non-cancer diseases"
  ) +
  theme_classic()
```

Gender differences in the nervous system across cancer and non-cancer diseas




```
newmeta_update |>
  filter(large_tissue_unit == "Nervous System") |>
  ggplot(
    aes(x = sex, fill = tissue)) +
  geom_bar() +
  scale_fill_manual(values = brewer.pal(8, "Paired")) +
  labs(
    title = "Gender differences in tissue types within the nervous system"
  ) +
  theme_classic()
```

Gender differences in tissue types within the nervous system



```
newmeta_update |>
  filter(large_tissue_unit == "Nervous System") |>
  ggplot(
   aes(x = sex, fill = tissue)) +
  geom_bar(position = "fill") +
  scale_fill_manual(values = brewer.pal(8, "Paired")) +
  labs(
   title = "Gender differences in tissue types within the nervous system"
  ) +
  theme_classic()
```

Gender differences in tissue types within the nervous system



```
library(wordcloud)

word_freqs <- newmeta_update |>
    #mutate(dataset_name = str_replace(dataset_name, "^([\\d]{4}_[A-Za-z]+)_.*", "\\l'")) |

summarize(frequency = n()) |>
    arrange(desc(Frequency))


print(word_freqs)
```

```
## # A tibble: 35 × 2
##
      dataset_name
                                         Frequency
##
      <chr>
                                             <int>
    1 2022 Ghose CommunicationsBiology
                                               884
##
##
    2 2023_Nanostring_website_03
                                               684
##
    3 2023_Sorin_Nature
                                               416
##
    4 2023_Karimi_Nature
                                               393
    5 2023_Nanostring_website_02
                                               392
##
##
    6 2022_Liu_LI
                                               330
##
    7 2024_Xu_ScienceAdvances_01
                                               295
    8 2022_Kim_NatureMethods_02
                                               237
##
    9 2023 Greenbaum Nature 01
##
                                               211
## 10 2021_Burlingame_PubMed
                                               145
## # i 25 more rows
```



```
word_freqs |>
  ggplot(
  aes(x = dataset_name, y = Frequency, size = Frequency, color = dataset_name)) +
     geom_point(alpha = .7) +
     scale_size(range = c(5, 20)) +
     theme_minimal() +
  theme(legend.position = "none",
         axis.text.x = element_blank(),
        axis.ticks.x = element_blank()) +
  labs(
     title = "Frequency of 35 Datasets (11/06/24)",
     x = ""
  )
```

Frequency of 35 Datasets (11/06/24)




ggsave("heygirl.png", width = 10, height = 8)

```
library(treemap)

treemap(word_freqs,
    index = c("dataset_name"),
    vSize = "Frequency",
    vColor = "Frequency",
    title = "Frequency: 35 Unique Datasets",
    palette = "Pastel2",
    draw = TRUE)
```

Frequency: 35 Unique Datasets




print(length(unique(word_freqs\$dataset_name)))

[1] 35

```
newmeta_update |>
  filter(large_tissue_unit == "Endocrine System") |>
  ggplot(
   aes(x = sex, fill = tissue)) +
  geom_bar(color="black") +
  #scale_fill_manual(values =brewer.pal(8, "Paired")) +
  scale_fill_brewer(palette = "Pastel1") +
  labs(
    title = "Gender differences in tissue types within the endocrine system",
    subtitle = "Very small sample size"
  ) +
  theme_classic()
```


Gender differences in tissue types within the endocrine system

Very small sample size



```
newmeta_update |>
  filter(large_tissue_unit == "Musculoskeletal System") |>
  ggplot(
   aes(x = sex, fill = tissue)) +
  geom_bar(color="black") +
  #scale_fill_manual(values =brewer.pal(8, "Paired")) +
  scale_fill_brewer(palette = "Paired") +
  labs(
    title = "Gender differences in tissue types within the musculoskeletal system",
    subtitle = "n = 43"
  ) +
  theme_classic() +
  coord_flip()
```

Gender differences in tissue types within the musculoskeletal system



```
newmeta_update |>
  filter(large_tissue_unit == "Circulatory System") |>
  ggplot(
   aes(x = sex, fill = tissue)) +
  geom_bar(color="black") +
  #scale_fill_manual(values =brewer.pal(8, "Paired")) +
  scale_fill_brewer(palette = "Paired") +
  labs(
    title = "Gender differences in tissue types within the respiratory system",
    subtitle = "Very small sample size"
  ) +
  theme_classic() +
  coord_flip()
```

Gender differences in tissue types within the respiratory system

