R Reference Card for Data Mining

by Yanchang Zhao, yanchangzhao@gmail.com, May 16, 2011

The latest version is available at http://www.rdatamining.com. See the link also for document R and Data Mining: Examples and Case Studies – an introduction on using R for data mining applications.

The package name is in parentheses.

Association Rules & Frequent Itemsets

APRIORI Algorithm

a level-wise, breadth-first algorithm which counts transactions to find frequent

apriori () mine associations with APRIORI algorithm (arules)

ECLAT Algorithm

employs equivalence classes, depth-first search and set intersection instead of

eclat () mine frequent itemsets with the Eclat algorithm (arules)

arules mine frequent itemsets, maximal frequent itemsets, closed frequent itemsets and association rules. It includes two algorithms, Apriori and Eclat.

arules Viz visualizing association rules

Sequential Patterns

Functions

cspade () mining frequent sequential patterns with the cSPADE algorithm (arulesSequences)

seqefsub () searching for frequent subsequences (*TraMineR*)

Packages

arulesSequences add-on for arules to handle and mine frequent sequences TraMineR mining, describing and visualizing sequences of states or events

Classification & Prediction

Decision Trees

ctree() conditional inference trees, recursive partitioning for continuous, censored, ordered, nominal and multivariate response variables in a conditional inference framework (party)

rpart () recursive partitioning and regression trees (*rpart*)

mob () model-based recursive partitioning, yielding a tree with fitted models associated with each terminal node (party)

Random Forest

cforest () random forest and bagging ensemble (party)

randomForest() random forest(randomForest)

rpart recursive partitioning and regression trees

party recursive partitioning

randomForest classification and regression based on a forest of trees using random inputs

rpartOrdinal ordinal classification trees, deriving a classification tree when the response to be predicted is ordinal

rpart.plot plots rpart models with an enhanced version of plot.rpart in the rockCluster () cluster a data matrix using the Rock algorithm (cba) rpart package

Regression

Functions

1m() linear regression

qlm() generalized linear regression

nls() non-linear regression

predict () predict with models

residuals () residuals, the difference between observed values and fitted

gls () fit a linear model using generalized least squares (*nlme*)

gnls () fit a nonlinear model using generalized least squares (nlme)

Packages

nlme linear and nonlinear mixed effects models

Clustering

Partitioning based Clustering

partition the data into k groups first and then try to improve the quality of clustering by moving objects from one group to another

kmeans () perform k-means clustering on a data matrix

pam () the Partitioning Around Medoids (PAM) clustering method (cluster)

kmeansCBI () interface function for clustering methods (fpc)

kmeansruns () call kmeans for the k-means clustering method and includes estimation of the number of clusters and finding an optimal solution from several starting points (fpc)

cluster.optimal() search for the optimal k-clustering of the dataset

pamk () the Partitioning Around Medoids (PAM) clustering method with estimation of number of clusters (fpc)

clara() Clustering Large Applications (cluster)

fanny (x, k, . . .) compute a fuzzy clustering of the data into k clusters (cluster)

kcca() k-centroids clustering (flexclust)

ccfkms () clustering with Conjugate Convex Functions

apcluster() affinity propagation clustering for a given similarity matrix (apcluster)

apclusterK() affinity propagation clustering to get K clusters (apcluster) cclust () Convex Clustering, incl. k-means and two other clustering algorithms (cclust)

KMeansSparseCluster() sparse k-means clustering (*sparcl*)

tclust (x, k, alpha, ...) trimmed k-means with which a proportion alpha of observations may be trimmed (tclust)

Hierarchical Clustering

a hierarchical decomposition of data in either bottom-up (agglomerative) or top-down (divisive) way

hclust (d, method, ...) hierarchical cluster analysis on a set of dissimilarities d using the method for agglomeration

pvclust() hierarchical clustering with p-values via multi-scale bootstrap resampling (pvclust)

agnes () agglomerative hierarchical clustering (cluster)

diana () divisive hierarchical clustering (*cluster*)

mona () divisive hierarchical clustering of a dataset with binary variables only (cluster)

proximus () cluster the rows of a logical matrix using the Proximus algo-

isopam() Isopam clustering algorithm (isopam)

LLAhclust () hierarchical clustering based on likelihood linkage analysis

flashClust() optimal hierarchical clustering (*flashClust*)

fastcluster() fast hierarchical clustering (fastcluster)

cutreeDynamic(), cutreeHybrid() detection of clusters in hierarchical clustering dendrograms (dynamicTreeCut)

HierarchicalSparseCluster() Hierarchical sparse clustering (sparcl)

Model based Clustering

Mclust() model-based clustering (mclust)

HDDC () a model-based method for high dimensional data clustering (HDclassif)

fixmahal () Mahalanobis Fixed Point Clustering (fpc)

fixreg () Regression Fixed Point Clustering (fpc)

mergenormals () clustering by merging Gaussian mixture components

Density based Clustering

generate clusters by connecting dense regions

dbscan (data, eps, MinPts, . . .) generate a density based clustering of arbitrary shape. eps and MinPts (fpc)

pdfCluster() clustering via kernel density estimation (pdfCluster)

Other Clustering Techniques

mixer() random graph clustering (mixer)

nncluster() fast clustering with restarted minimum spanning tree

orclus () ORCLUS subspace clustering (orclus)

Plotting Clustering Solutions

plotcluster() visualisation of a clustering or grouping in data (fpc)

plot.hclust() plot clusters (fpc)

plot.agnes(), plot.diana(), plot.mona(),

plot.partition() plot clusters (cluster)

bannerplot () a horizontal barplot visualizing a hierarchical clustering (cluster)

Cluster Validation

silhouette() compute or extract silhouette information (*cluster*)

cluster.stats() compute several cluster validity statistics from a clustering and a dissimilarity matrix (fpc)

clValid() calculate validation measures for a given set of clustering algorithms and number of clusters (clValid)

clustIndex() calculate the values of several clustering indexes, which can be independently used to determine the number of clusters existing in a data set

Packages

cluster cluster analysis

fpc various methods for clustering and cluster validation

mclust model-based clustering and normal mixture modeling

pvclust hierarchical clustering with p-values

apcluster Affinity Propagation Clustering

cclust Convex Clustering methods, including k-means algorithm, On-line Update algorithm and Neural Gas algorithm and calculation of indexes for finding the number of clusters in a data set

cba Clustering for Business Analytics, including clustering techniques such as Proximus and Rock

bclust Bayesian clustering using spike-and-slab hierarchical model, suitable for clustering high-dimensional data

biclust algorithms to find bi-clusters in two-dimensional data

clue cluster ensembles

clues clustering method based on local shrinking

clValid validation of clustering results

clv cluster validation techniques, contains popular internal and external cluster validation methods for outputs produced by package cluster

clustTool GUI for clustering data with spatial information

bayesclust tests/searches for significant clusters in genetic data

clustvarsel variable selection for model-based clustering

clustsig significant cluster analysis, tests to see which (if any) clusters are statistically different

clusterfly explore clustering interactively

clusterSim search for optimal clustering procedure for a data set

clusterGeneration random cluster generation

clusterCons calculate the consensus clustering result from re-sampled clustering experiments with the option of using multiple algorithms and parameter

gcExplorer graphical cluster explorer

hybridHclust hybrid hierarchical clustering via mutual clusters

Modalclust hierarchical modal Clustering

iCluster integrative clustering of multiple genomic data types

EMCC Evolutionary Monte Carlo (EMC) methods for clustering

rEMM Extensible Markov Model (EMM) for Data Stream Clustering

SGCS Spatial Graph based Clustering Summaries for spatial point patterns

Time Series Analysis

Construction & Plot

ts() create time-series objects (stats)

plot.ts() plot time-series objects (stats)

smoothts() time series smoothing (ast)

sfilter() remove seasonal fluctuation using moving average (ast)

Decomposition

decomp () time series decomposition by square-root filter (timsac)

decompose() classical seasonal decomposition by moving averages (stats)

stl() seasonal decomposition of time series by loess (stats)

tsr() time series decomposition (ast)

ardec() time series autoregressive decomposition (ArDec)

Forecasting

arima() fit an ARIMA model to a univariate time series (stats)

predict.Arima forecast from models fitted by arima (stats)

Packages

 $\it timsac$ time series analysis and control program

ast time series analysis

ArDec time series autoregressive-based decomposition

 $\it ares$ a toolbox for time series analyses using generalized additive models $\it dse$ tools for multivariate, linear, time-invariant, time series models

forecast displaying and analysing univariate time series forecasts

Text Mining

Functions

TermDocumentMatrix(), **DocumentTermMatrix()** construct a term-document matrix or a document-term matrix (tm)

Dictionary () construct a dictionary from a character vector or a term-document matrix (tm)

findAssocs () find associations in a term-document matrix (tm)

findFreqTerms () find frequent terms in a term-document matrix (tm)

stemDocument () stem words in a text document (tm)

stemCompletion() complete stemmed words (tm)

termFreq() generate a term frequency vector from a text document (tm) stopwords (language) return stopwords in different languages (tm)

removeNumbers(), removePunctuation(), removeWords()
 remove numbers, punctuation marks, or a set of words from a text
 document (tm)

removeSparseTerms () remove sparse terms from a term-document ma-

textcat() n-gram based text categorization (textcat)

SnowballStemmer() Snowball word stemmers (Snowball)

Packages

tm a framework for text mining applications

 $\it tm.plugin.dc$ a plug-in for package $\it tm$ to support distributed text mining

tm.plugin.mail a plug-in for package tm to handle mail

RemdrPlugin.TextMining GUI for demonstration of text mining concepts and *tm* package

textir a suite of tools for inference about text documents and associated sentiment

tau utilities for text analysis

textcat n-gram based text categorization

YjdnJlp Japanese text analysis by Yahoo! Japan Developer Network

Social Network Analysis

Functions

Packages

egonet ego-centric measures in social network analysis

sna social network analysis

snort social network-analysis on relational tables

igraph network analysis and visualization

bipartite visualising bipartite networks and calculating some (ecological) indices

blockmodeling generalized and classical blockmodeling of valued networks *diagram* visualising simple graphs (networks), plotting flow diagrams

NetCluster clustering for networks

NetData network data for McFarland's SNA R labs

NetIndices estimating network indices, including trophic structure of foodwebs in R

NetworkAnalysis statistical inference on populations of weighted or unweighted networks

tnet analysis of weighted, two-mode, and longitudinal networks *triads* triad census for networks

Statistics

Analysis of Variance

aov () fit an analysis of variance model (stats)

anova () compute analysis of variance (or deviance) tables for one or more fitted model objects (*stats*)

Statistical Test

t.test() student's t-test (stats)

prop.test() test of equal or given proportions (stats)

binom.test() exact binomial test (stats)

Mixed Effects Models

lme () fit a linear mixed-effects model (nlme)

nlme () fit a nonlinear mixed-effects model (*nlme*)

Principal Components and Factor Analysis

princomp() principal components analysis (stats)

prcomp () principal components analysis (stats)

Other Functions

var(), cov(), cor() variance, covariance, and correlation (stats)

density() compute kernel density estimates (*stats*)

Packages

nlme linear and nonlinear mixed effects models

Graphics

Functions

plot () generic function for plotting (graphics)

boxplot () box-and-whisker plot (graphics)

stripchart () one dimensional scatter plot (graphics)

dotchart () Cleveland dot plot (graphics)

 ${\tt qqnorm(), qqplot(), qqline()} \ QQ \ (quantile-quantile) \ plot \ ({\it stats})$

coplot () conditioning plot (graphics)

 ${\tt splom}$ () conditional scatter plot matrices (lattice)

pairs () a matrix of scatterplots (graphics)

cpairs () enhanced scatterplot matrix (gclus)

parcoord() parallel coordinate plot (MASS)

cparcoord() enhanced parallel coordinate plot (gclus)

paracoor() parallel coordinates plot (denpro)

parallel () parallel coordinates plot (lattice)

densityplot() kernel density plot (lattice)

contour(), filled.contour() contour plot (graphics)

levelplot(), contourplot() level plots and contour plots (lattice)
sunflowerplot() a sunflower scatter Plot (graphics)

assocplot() association plot (graphics)

mosaicplot() mosaic plot(graphics)

matplot () plot the columns of one matrix against the columns of another (graphics)

fourfoldplot () a fourfold display of a $2 \times 2 \times k$ contingency table (graphics)

persp() perspective plots of surfaces over the xy plane (graphics)

cloud(), wireframe() 3d scatter plots and surfaces (lattice)

interaction.plot() two-way interaction plot (stats)

iplot(), ihist(), ibar(), ipcp() interactive scatter plot, histogram, bar plot, and parallel coordinates plot (iplots)

Packages

lattice a powerful high-level data visualization system, with an emphasis on multivariate data

ggplot2 an implementation of the Grammar of Graphics

vcd visualizing categorical data

denpro visualization of multivariate, functions, sets, and data

iplots interactive graphics

Data Manipulation

Options

na.fail, na.omit, na.exclude, na.pass handle missing values

Functions

scale () scaling and centering of matrix-like objects

t () matrix transpose

aperm() array transpose

sample() sampling

table(), tabulate(), xtabs() cross tabulation (stats)

stack(), unstack() stacking vectors

reshape () reshape a data frame between "wide" format and "long" format (stats)

merge () merge two data frames

aggregate() compute summary statistics of data subsets (stats)

by () apply a function to a data frame split by factors

tapply() apply a function to each cell of a ragged array

melt(), cast() melt and then cast data into the reshaped or aggregated form you want (reshape)

Packages

reshape flexibly restructure and aggregate data

Data Access

Functions

save (), load () save and load R data objects

read.csv(), write.csv() import from and export to .CSV files

write.matrix() write a matrix or data frame (MASS)

sqlQuery () submit an SQL query to an ODBC database (RODBC)

odbcConnect(), odbcClose() open/close connections to ODBC
databases (RODBC)

dbSendQuery execute an SQL statement on a given database connection (DBI)

dbConnect(), dbDisconnect() create/close a connection to a DBMS (DBI)

Packages

RODBC ODBC database access

DBI a database interface (DBI) between R and relational DBMS

RMySQL interface to the MySQL database

RJDBC access to databases through the JDBC interface

ROracle Oracle database interface (DBI) driver

RODM interface to Oracle Data Mining

Generating Reports

Sweave () mixing text and S code for automatic report generation *R2HTML* making HTML reports

R2PPT generating Microsoft PowerPoint presentations

Interface to Weka

Package *RWeka* is an R interface to Weka, and enables to use the following Weka functions in R.

Association rules:

Apriori(), Tertius()

Regression and classification:

LinearRegression(), Logistic(), SMO()

Lazy classifiers:

IBk(), LBR()

Meta classifiers:

AdaBoostM1(), Bagging(), LogitBoost(),

MultiBoostAB(), Stacking(),

CostSensitiveClassifier()

Rule classifiers:

JRip(), M5Rules(), OneR(), PART()

Regression and classification trees:

J48(), LMT(), M5P(), DecisionStump()

Clustering:

Cobweb(), FarthestFirst(), SimpleKMeans(),

XMeans(), DBScan()

Filters:

Normalize(), Discretize()

Word stemmers:

IteratedLovinsStemmer(), LovinsStemmer()

Tokenizers:

AlphabeticTokenizer(), NGramTokenizer(),

WordTokenizer()

Editors/GUIs

Tinn-R a free GUI for R language and environment

RStudio a free integrated development environment (IDE) for R

rattle graphical user interface for data mining in R

Rpad workbook-style, web-based interface to R

RPMG graphical user interface (GUI) for interactive R analysis sessions

Other R Reference Cards

R Reference Card, by Tom Short

http://rpad.googlecode.com/svn-history/r76/Rpad_homepage/

R-refcard.pdf or

http://cran.r-project.org/doc/contrib/Short-refcard.pdf

R Reference Card, by Jonathan Baron

http://cran.r-project.org/doc/contrib/refcard.pdf

R Functions for Regression Analysis, by Vito Ricci

http://cran.r-project.org/doc/contrib/Ricci-refcard-regression.

R Functions for Time Series Analysis, by Vito Ricci

http://cran.r-project.org/doc/contrib/Ricci-refcard-ts.pdf