

MASTER_PLATFORM_EXTENSIBILITY_AND_PLUGIN_GOVERNANCE_MODEL_V2_0

Founder Approval and Authority Status

Field	Controlling Value
Founder Approval Status	**FOUNDER APPROVED**
Founder Approval Date	**July 16, 2026**
Constitutional Status	**CONTROLLING SUBSTANTIVE CANON**
Canon Adoption	**PENDING SEPARATE ADOPTION EVIDENCE**
Canon Lock	**NOT LOCKED BY THIS DIRECTIVE**
Implementation Authority	**FALSE**
Schema / Migration Authority	**FALSE**
Runtime Activation Authority	**FALSE**
Production Authority	**FALSE**
External-Provider Activation Authority	**FALSE**
Public-Claims Authority	**FALSE**
Public-Launch Authority	**FALSE**

Founder approval establishes the controlling substantive constitutional text. Adoption, lock, implementation, runtime, production, provider, public-claims, and launch authority remain separately gated.

EQUINESYNC CONSTITUTIONAL CANON

Field	Controlling Value
Document Title	Master Platform Extensibility and Plugin Governance Model
Document Identifier	`MASTER_PLATFORM_EXTENSIBILITY_AND_PLUGIN_GOVERNANCE_MODEL_V2_0`
Version	2.0
Document Class	Master Constitutional Governance Model
Primary Domain	Platform Extensibility, Plugins, Applications, Embedded Services, APIs, Events, Automation, Agents, and Marketplace Governance
Founder Decision Basis	PE01-PE130
Draft Status	FOUNDER-APPROVED CONTROLLING SUBSTANTIVE CANON
Adoption Status	ADOPTION PENDING SEPARATE EVIDENCE
Lock Status	Not Locked
Implementation Authority	False
Runtime Activation Authority	False
Production Authority	False
Public API Authority	False
SDK Publication Authority	False
Marketplace Authority	False
Third-Party Plugin Activation Authority	False
External Processor Activation Authority	False
Public Launch Authority	False
Public Trust-Claim Authority	False

***Constitutional boundary:** This document governs what an EquineSync extensibility ecosystem may become. It does not authorize construction, activation, publication, deployment, customer installation, third-party data access, or public launch of any extensibility capability.*

DOCUMENT CONTROL

Revision History

Version	Status	Summary
2.0	FOUNDER-APPROVED CONTROLLING SUBSTANTIVE CANON	Full constitutional model implementing founder decisions PE01-PE130 across platform extensibility, plugin lifecycle, marketplace, security, data, AI, offline, safety, audit, and enforcement governance.

Normative Language

Within this Model:

- **Must** and **shall** state mandatory constitutional requirements.
- **Must not** and **shall not** state constitutional prohibitions.
- **Should** states a strong default that may be varied only through documented, authorized, risk-based reasoning.
- **May** states permitted discretion that remains subject to all controlling governance.
- **Approved** means approved for the specific scope, purpose, environment, version, and duration identified. Approval in one context does not imply approval in another.
- **EquineSync-controlled service** means a platform capability whose authorization, validation, records, evidence, and operational authority remain under EquineSync governance, regardless of infrastructure provider.

Reading Rule

This Model must be read as a unified constitutional instrument. No sentence, table, example, implementation artifact, or exception may be isolated and used to weaken the document's governing principles, protected-domain boundaries, or authority limitations.

EXECUTIVE CONSTITUTIONAL SUMMARY

EquineSync may support extensibility to increase customer value, interoperability, specialized equine workflows, reporting, automation, and innovation. Extensibility is not a license to create an alternate platform government.

EquineSync shall operate under a **secure-by-default, extensible-by-exception** model. Every extension must remain identifiable, bounded, purpose-limited, least-privileged, monitored, isolated, reviewable, and revocable. Plugins and integrations are subordinate platform participants. They may add capability, but they may not add hidden authority.

No extension may establish or control an alternate:

- identity authority;
- permission system;
- ownership truth;
- financial truth;
- consent authority;
- safeguarding authority;
- horse-welfare authority;
- record-retention authority;
- audit or evidentiary authority;
- encryption or key-management authority;
- or constitutional system of record.

Every plugin, publisher, developer, API consumer, marketplace participant, external processor, automation, agent, integration, and embedded service automatically inherits all applicable current and future EquineSync constitutional governance.

The constitutional promise of this Model is simple:

Extensibility may connect systems and enrich workflows. It may not dissolve the boundaries that protect horses, people, records, money, identity, and trust.

1. PURPOSE

1.1 Primary Purpose

This Model establishes the constitutional governance framework for software and services that extend, connect to, act through, or materially influence the EquineSync platform.

It governs:

- plugins;
- marketplace applications;
- private tenant applications;
- enterprise extensions;
- connectors;
- integrations;
- embedded services;
- widgets;
- API clients;
- event subscribers and publishers;
- webhooks;
- workflow extensions;
- automation services;
- AI assistants and agents;
- offline-capable extensions;
- developer tools;
- and functionally equivalent technology, regardless of label.

1.2 Governance Objective

The objective is to permit controlled innovation without weakening:

- constitutional governance;
- platform security;
- tenant isolation;
- identity and authorization integrity;
- privacy and data minimization;
- record stewardship;
- auditability and evidentiary continuity;
- financial truth;
- ownership continuity;
- safeguarding and minor protections;
- horse-welfare protections;
- resilience and safe degradation;
- or meaningful human authority over consequential decisions.

1.3 Non-Objective

This Model does not require EquineSync to support third-party plugins, a public marketplace, public APIs, or developer self-service. It creates governance prerequisites, not a product commitment.

1.4 Drafting and Implementation Separation

Founder approval of PE01-PE130 authorizes this constitutional drafting work. It does not authorize:

- plugin runtime development;
- marketplace creation;
- public API publication;
- SDK distribution;
- developer onboarding;
- production credentials;
- production webhooks;
- customer installation;
- customer-data disclosure;
- external processor activation;
- schema mutation;
- migration;
- public announcement;
- or public launch.

Each such action requires separate governed authority.

2. CONSTITUTIONAL AUTHORITY AND SCOPE

2.1 Constitutional Supremacy

This Model controls over lower-level technical specifications, developer documentation, publisher agreements, marketplace policies, commercial terms, customer configurations, and plugin behavior within its domain.

No lower-level artifact may weaken a requirement in this Model.

2.2 Functional Classification Over Labels

Governance applies according to actual function, access, execution, data flow, user effect, and risk. A party may not evade this Model by renaming a plugin as an integration, script, app, widget, bot, agent, connector, automation, browser extension, or external service.

A capability falls within this Model when it does one or more of the following:

- accesses EquineSync data;
- acts through EquineSync APIs;
- subscribes to or publishes EquineSync events;
- contributes user-interface components;
- modifies or supplements EquineSync workflows;
- performs actions on behalf of users;
- stores EquineSync or EquineSync-derived data;
- processes EquineSync credentials;
- provides AI or automated decisions using EquineSync context;
- communicates through EquineSync surfaces;
- influences a material EquineSync user experience;
- or creates operational dependence connected to EquineSync.

2.3 In-Scope Environments

This Model applies across:

- development;
- testing;
- sandbox;
- demonstration;
- staging;
- pilot;
- production;
- disaster-recovery;
- offline;
- and archived or decommissioning environments.

Approval, credentials, data access, and operational authority are environment-specific.

2.4 In-Scope Actors

This Model applies to:

- EquineSync personnel and contractors;
- plugin developers;
- publishers;
- commercial partners;
- enterprise customers;
- tenant administrators;
- facility administrators;
- end users;
- external processors;
- subprocessors;
- AI providers;
- automated agents;
- and any successor or acquiring entity.

2.5 In-Scope Data

This Model applies to:

- source records;
- event data;
- audit records;
- credentials;
- metadata;
- derived data;
- embeddings;
- indexes;
- caches;
- exports;
- backups;
- telemetry;
- usage records;
- prompts and responses;

- model context;
- and externally retained copies.

3. DEFINITIONS

3.1 Extension

Any software, service, application, agent, workflow, component, or processing arrangement that adds to, connects to, modifies, supplements, renders within, or acts through EquineSync.

3.2 Plugin

An extension authorized to execute, render, process, communicate, or act through an EquineSync-approved extension mechanism.

3.3 Integration

A governed connection between EquineSync and an external system. An integration is treated as a plugin where its functional behavior falls within plugin governance.

3.4 Embedded Service

A third-party or separately operated capability presented within an EquineSync-controlled surface or workflow.

3.5 Publisher

The identified legal person or organization responsible for a plugin's publication, operation, representations, support, security, and compliance.

3.6 Developer

A verified person or authorized team that creates, maintains, tests, or supports an extension.

3.7 Plugin Installation

A specific authorized deployment or connection of a plugin to a tenant, organization, facility, user population, environment, or other bounded context.

3.8 Plugin Service Identity

A unique non-human identity assigned to a plugin installation, service, or execution context.

3.9 Extension Point

A documented and governed interface through which extension behavior may occur.

3.10 Protected Constitutional Domain

A platform domain whose truth, authority, security, evidence, or final decision control may not be independently altered or replaced by a plugin.

3.11 Derived Data

Information created from EquineSync data, including summaries, scores, classifications, recommendations, embeddings, indexes, profiles, behavioral patterns, predictions, risk indicators, and transformed datasets.

3.12 External Processing

Processing performed outside an EquineSync-controlled environment or by an external processor.

3.13 Material Change

A change that may affect permissions, data access, processing purpose, external destination, subprocessor use, security posture, AI provider, runtime behavior, user experience, risk classification, commercial terms, ownership, or compliance.

3.14 Constitutional Record

A record, event, relationship, claim, authorization, decision, status, or evidence object governed by EquineSync constitutional canon.

3.15 Shadow System of Record

An undisclosed, uncontrolled, or conflicting external repository or decision system that is treated as authoritative for an EquineSync constitutional domain.

3.16 Permission Laundering

Any pooling, combining, transferring, inferring, or reusing of authority across users, tenants, facilities, horses, roles, installations, sessions, environments, or plugins to produce access broader than any valid authorization permits.

3.17 Safety-Critical Extension

An extension whose failure, delay, incorrect output, or unavailability could materially affect horse welfare, human safety, emergency response, medication, feeding, turnout, safeguarding, or another time-sensitive protective function.

3.18 Material Plugin Action

An action that reads, creates, changes, exports, transmits, suppresses, recommends, or influences data, rights, money, access, workflows, safety, or authoritative records in a manner requiring evidence and review.

4. FOUNDATIONAL CONSTITUTIONAL PRINCIPLES

4.1 Secure by Default, Extensible by Exception

No extension capability is presumed safe or permitted merely because it is technically possible. Extensibility must be affirmatively designed, reviewed, authorized, monitored, and revocable.

4.2 Extensibility Is a Privilege

Developer, publisher, marketplace, API, and installation access are privileges. EquineSync may condition, restrict, delay, suspend, quarantine, revoke, or withdraw them when necessary to protect constitutional interests.

4.3 Plugins Are Subordinate Participants

Plugins do not possess independent constitutional authority. They may act only through approved mechanisms and within a valid authority chain.

4.4 Least Privilege

A plugin may receive only the minimum permissions, data, duration, destination, and operational authority necessary for its approved function.

4.5 Purpose Limitation

Plugin authority is limited by approved purpose as well as by data category and action. Data accessed for one purpose may not be repurposed without new review and authorization.

4.6 Data Minimization

Plugins must not collect data merely because it may be useful later. Requested data must be necessary, proportionate, and tied to the approved function.

4.7 Explicit Attribution

Every material action must be attributable to the publisher, plugin, version, installation, environment, service identity, initiating actor, and authority relied upon.

4.8 Isolation

Plugin execution, data, credentials, network access, resource use, and failures must be isolated from the platform, other tenants, and other plugins.

4.9 Revocability

EquineSync and properly authorized customer administrators must be able to terminate or restrict plugin authority promptly, including queued, cached, event-driven, tokenized, and offline pathways.

4.10 Safe Degradation

Plugin failure must not cause uncontrolled platform failure, corrupt constitutional records, conceal incomplete work, or abandon time-sensitive welfare tasks.

4.11 Human Authority

Plugins may assist consequential decisions. They may not hold final authority where EquineSync governance requires human, professional, legal, guardian, owner, or organizational decision-making.

4.12 No Shadow Systems of Record

Plugins may not create undisclosed or uncontrolled external systems of record for protected constitutional domains.

4.13 No Permission Laundering

No plugin may combine or reuse authority to create broader access than any valid grant permits.

4.14 Evidentiary Continuity

Plugin activity must preserve provenance, auditability, historical reconstruction, correction, dispute review, and legal-hold obligations.

4.15 Provider Neutrality

This Model is independent of any specific cloud, marketplace, sandbox, payment, AI, identity, or infrastructure provider.

4.16 Portability and Exit

Plugins must not create unreasonable customer lock-in or destroy access to customer-controlled information when a relationship ends.

4.17 Future Constitutional Inheritance

Every extension automatically inherits later EquineSync constitutional requirements. Prior approval does not preserve weaker governance indefinitely.

5. EXTENSION TAXONOMY

5.1 Recognized Categories

EquineSync may recognize the following categories:

1. EquineSync-authored modules;
2. verified third-party plugins;
3. private enterprise extensions;
4. user-interface extensions;
5. dashboards and reporting extensions;
6. workflow and automation extensions;
7. notification and communication extensions;
8. data import and export tools;
9. external-system connectors;
10. event subscribers and publishers;
11. AI-assisted tools and agents;
12. offline-capable extensions;
13. embedded third-party services;
14. developer utilities;
15. marketplace products;
16. and safety-relevant operational extensions.

5.2 Classification Is Cumulative

A plugin may occupy multiple categories. The most protective applicable controls govern.

5.3 Private Does Not Mean Exempt

A private plugin used by one enterprise customer remains subject to review, security, audit, and constitutional requirements even if it is not publicly listed.

5.4 Internal Does Not Mean Exempt

EquineSync-authored extensions are subject to the same constitutional principles. Internal authorship does not eliminate review or evidence obligations.

5.5 Embedded Services

An embedded service must not mislead users into believing an external provider is part of EquineSync's authoritative core. Provider identity, data movement, and responsibility must be clear where material.

6. PROTECTED CONSTITUTIONAL DOMAINS

6.1 Permanently Protected Domains

The following domains are non-extensible except through EquineSync-controlled constitutional services:

- identity authority;
- authentication;
- authorization and permission evaluation;
- account recovery;
- constitutional governance;
- audit evidence;
- financial truth and settlement authority;
- ownership truth and transfer authority;
- consent and agreement authority;
- safeguarding and minor protection;
- legal hold and disposition authority;
- record authority and retention authority;
- encryption and key management;
- security control and incident authority;
- privileged platform administration;
- core horse-welfare protections;
- authoritative medical status;
- authoritative legal status;
- and authoritative transfer status.

6.2 Permitted Assistance

A plugin may assist users in a protected domain only through approved EquineSync services that preserve:

- platform validation;
- authoritative permission checks;
- final decision authority;
- required human review;
- provenance;
- immutable or protected evidence;
- and correction or appeal pathways.

6.3 Prohibited Conduct

A plugin must not:

- directly rewrite protected records;
- substitute its own authority for EquineSync authority;
- bypass required approvals;
- obscure or suppress required evidence;
- create conflicting external truth;
- silently change legal, financial, ownership, medical, safeguarding, or access status;
- or represent derived output as authoritative constitutional truth.

6.4 Constitutional Service Boundary

Where plugins participate in protected workflows, EquineSync-controlled services must remain the authoritative boundary for validation, state mutation, evidence creation, and final acceptance.

7. PLUGIN RISK CLASSIFICATION

7.1 Mandatory Classification

Every plugin must receive a documented risk classification before approval, installation, or production operation.

7.2 Class I: Low Risk

Typical characteristics:

- no sensitive data;
- no write authority;
- no external transmission;
- no background processing;
- no safety dependence;
- no financial effect;
- and no persistent customer data.

Examples may include static presentation components, public-data views, and isolated calculators.

7.3 Class II: Moderate Risk

Typical characteristics:

- bounded customer-data access;
- limited reporting or workflow assistance;
- low-consequence notifications;
- no protected-domain control;
- and limited or no external processing.

7.4 Class III: High Risk

Typical characteristics:

- record modification;
- sensitive personal data;
- equine health or treatment information;
- financial integrations;
- minors' data;
- AI processing;

- offline storage;
- external transmission;
- high-volume exports;
- or operational dependence.

7.5 Class IV: Critical or Restricted

Typical characteristics:

- identity-adjacent services;
- authorization-adjacent services;
- settlement or payment authority;
- safeguarding;
- ownership transfer;
- legal evidence;
- emergency horse-welfare workflows;
- cryptographic authority;
- or privileged administration.

Class IV functionality shall ordinarily remain EquineSync-controlled. Third-party operation may be prohibited regardless of proposed safeguards.

7.6 Classification Factors

Classification must consider:

- data sensitivity and volume;
- read, write, delete, or export capability;
- external destinations;
- AI or automated agency;
- offline storage;
- affected populations, including minors;
- horse-welfare and human-safety impact;
- financial or legal consequence;
- operational dependency;
- reversibility;
- number of tenants;
- scope of permissions;
- processor and subprocessor chain;
- execution privilege;
- and likelihood and severity of failure.

7.7 Reclassification

EquineSync may reclassify a plugin after a material change, incident, vulnerability, usage expansion, regulatory change, publisher change, constitutional amendment, or new evidence.

7.8 Minimum Control Rule

A risk class establishes a minimum control floor. EquineSync may impose stronger controls based on actual circumstances.

8. PUBLISHER AND DEVELOPER GOVERNANCE

8.1 Eligible Publishers

Plugins may be developed or published by:

- EquineSync;
- verified and certified partners;
- approved commercial developers;
- approved enterprise customers;
- approved specialist providers;
- and other expressly authorized entities.

8.2 No Anonymous Plugins

Anonymous or unattributed plugins are prohibited.

8.3 Verification

Risk-appropriate verification may include:

- identity verification;
- business verification;
- beneficial-ownership disclosure;
- legal agreement acceptance;
- sanctions and export screening;
- tax verification;
- financial verification;
- security contact registration;
- support contact registration;
- and insurance evidence.

8.4 Publisher Accountability

The publisher remains responsible for:

- code and services;
- documentation and representations;
- dependencies and subprocessors;
- security obligations;
- privacy obligations;
- customer support;
- legal compliance;
- incident cooperation;
- data return and deletion;
- and lifecycle continuity.

8.5 Developer Attribution

Material releases must be traceable to authorized publisher personnel or controlled build systems.

8.6 Change of Control

Publishers must notify EquineSync of material changes involving:

- ownership or control;
- merger or acquisition;
- insolvency or bankruptcy;
- beneficial ownership;
- operating jurisdiction;
- key personnel;
- material subprocessors;
- security posture;
- or business model.

Approval does not automatically transfer to a successor. EquineSync may require renewed review, customer notice, reauthorization, restriction, suspension, or termination.

8.7 Publisher Abandonment

Publishers must maintain current contacts and continuity plans. Failure to respond, maintain the service, or remediate material risk may result in quarantine, delisting, or termination.

8.8 Support Obligation

Customer-facing plugins must disclose support channels, supported versions, expected response practices, and end-of-life procedures appropriate to their risk.

9. PLUGIN IDENTITY, CREDENTIALS, AND DELEGATED AUTHORITY

9.1 Independent Service Identity

Every plugin installation must use a unique non-human service identity. A plugin may not operate solely through a shared human credential.

9.2 Identity Separation

Plugin identities must remain distinguishable from:

- human users;
- tenant administrators;
- EquineSync system services;
- other plugins;
- publisher staff;
- and test identities.

9.3 Credential Requirements

Credentials must be:

- independently issued;
- least privileged;

- environment-specific;
- securely stored;
- attributable;
- monitored;
- rotatable;
- and immediately revocable where necessary.

9.4 Credential Prohibitions

Credentials must not be:

- embedded in public client code;
- stored in plaintext;
- shared across unrelated tenants;
- reused across production and non-production;
- transferred between plugins;
- or exposed to publisher personnel beyond the minimum necessary access.

9.5 Delegated Authority Chain

Every material action must preserve the chain between:

- the initiating human or system actor;
- the plugin;
- the plugin installation;
- the plugin version;
- the service identity;
- the publisher;
- the tenant and environment;
- the permission grant;
- and any delegated relationship authority.

9.6 Human Credential Impersonation

Plugins must not impersonate human users or conceal automated action as human action.

9.7 Revocation Scope

EquineSync must be able to revoke:

- publisher access;
- developer access;
- plugin service identities;
- installations;
- tokens;
- certificates;
- signing keys;
- webhook secrets;
- event subscriptions;
- and environment credentials.

9.8 Production Isolation

Production credentials may not be used in development, testing, demonstration, sandbox, or staging environments.

10. PERMISSION GOVERNANCE

10.1 Granular Least Privilege

Permissions must be limited by all relevant dimensions, including:

- tenant;
- organization;
- facility;
- horse;
- record category;
- role;
- relationship;
- actor;
- action;
- purpose;
- workflow;
- time;
- environment;
- and data classification.

10.2 Broad Permissions

Broad or unrestricted administrative permissions are prohibited by default. Any exception requires a defined need, heightened review, explicit authorization, continuous monitoring, and periodic reassessment.

10.3 No Permission Laundering

A plugin may not combine, pool, infer, transfer, or reuse permissions across:

- users;
- tenants;
- facilities;
- organizations;
- horses;
- installations;
- sessions;
- environments;
- or plugins.

Authority granted in one context may not satisfy an authorization requirement in another.

10.4 No Plugin-to-Plugin Permission Inheritance

One plugin may not inherit, borrow, or depend on another plugin's permissions. Any mediated inter-plugin workflow must independently validate authority.

10.5 Permission Expiration

Temporary, delegated, elevated, pilot, trial, and incident-specific permissions must expire. Expiration must invalidate, as applicable:

- access tokens;
- refresh tokens;
- cached credentials;
- queued jobs;
- scheduled automation;
- offline authority;
- background processes;
- and event subscriptions.

10.6 Immediate Revocation

EquineSync and properly authorized administrators must be able to revoke plugin authority promptly. Revocation must address logical authorization, token invalidation, queued work, events, offline operations, external processor access, and residual data.

10.7 Permission Renewal

Material permission expansion requires renewed review and authorization. Silent permission expansion through an update is prohibited.

10.8 Relationship-Scoped Authority

Where access depends on ownership, guardianship, facility membership, provider relationship, delegated care, employment, or another relationship, the plugin must inherit the narrowest valid relationship scope.

10.9 Shared Care and Delegated Assistance

Where EquineSync permits horse-specific, task-limited, time-limited delegated assistance, plugins may expose only the minimum horse and task information necessary to perform the authorized activity. Such access does not create general record access, ownership authority, continuing access, or unrelated private-data access.

11. PURPOSE-BOUND AUTHORIZATION AND CONSENT

11.1 Purpose Limitation

Plugin access must be limited by the approved purpose for which authority was granted.

11.2 Secondary Use Prohibition

Data accessed for one purpose must not be reused for:

- advertising;
- unrelated analytics;
- product development;
- benchmarking;
- resale;
- lead generation;
- profiling;
- cross-customer comparison;
- general model training;
- or other secondary use

unless separately authorized and constitutionally permitted.

11.3 Purpose Change

A purpose change is a material change and requires renewed review and authorization.

11.4 Consent Quality

Where consent is the applicable basis, it must be informed, specific, separable from unrelated terms, capable of withdrawal, and obtained from the proper rights-holder.

11.5 Consent Is Not a Cure-All

Consent does not authorize prohibited processing, eliminate another person's rights, waive safeguarding duties, or validate an otherwise unlawful or constitutionally impermissible disclosure.

11.6 Organizational Authorization

An administrator's approval does not automatically waive the rights of horse owners, guardians, employees, providers, boarders, riders, or other affected persons. Additional authorization may be required.

11.7 Withdrawal

Withdrawal of consent or authority must propagate to plugin access, tokens, background processing, event subscriptions, offline data, and external processors as required.

12. DATA ACCESS, MODIFICATION, EXPORT, AND DELETION

12.1 Read Access

Plugins may read only the minimum data necessary for approved functionality and only within the originating authority chain.

12.2 Write Access

Plugins may modify records only through approved EquineSync services that enforce:

- authority;
- validation;
- provenance;
- data integrity;
- conflict handling;
- required human review;
- and auditability.

12.3 No Direct Constitutional Record Mutation

Plugins may not directly modify protected constitutional records or bypass platform validation.

12.4 Deletion

Plugins may not directly and permanently delete constitutional records. Deletion, suppression, erasure, and disposition must occur through governed EquineSync services consistent with retention, privacy, claims, evidence, and legal-hold requirements.

12.5 Historical Access

Historical access remains subject to current authorization, relationship status, record stewardship, transfer rules, retention, privacy, legal hold, and evidentiary continuity.

A plugin does not acquire historical entitlement broader than the actor possesses.

12.6 Export

Plugin-facilitated export requires:

- proper authority;
- defined purpose;
- approved scope;
- secure delivery;
- provenance;
- classification;
- and audit evidence.

12.7 External Transmission

External transmission is permitted only to declared, approved, and authorized destinations. Undeclared routing, shadow replication, silent secondary disclosure, and hidden enrichment are prohibited.

12.8 Data Residency

Plugins must not violate applicable tenant, contractual, jurisdictional, regulatory, or user-specific data-residency requirements.

12.9 Data-Subject and User Rights

Plugins may not interfere with access, correction, deletion, restriction, objection, portability, consent withdrawal, or other applicable rights.

12.10 No Data Hoarding

Plugins must not retain data longer than necessary for the approved purpose or applicable lawful obligation.

13. DERIVED DATA, INFERENCES, AND ANALYTICAL OUTPUTS

13.1 Derived Data Remains Governed

Data derived from EquineSync records remains subject to governance based on source sensitivity, identifiability, purpose, effect, and constitutional significance.

13.2 Covered Derived Data

Derived data includes:

- summaries;
- predictions;
- recommendations;

- rankings;
- risk indicators;
- embeddings;
- indexes;
- classifications;
- behavioral patterns;
- profiles;
- scores;
- and transformed datasets.

13.3 No Unrestricted Ownership Claim

A publisher may not claim unrestricted ownership over derived data merely because the publisher generated the transformation or inference.

13.4 Use and Retention Limits

Derived data may not be retained, sold, transferred, cross-linked, used for general model training, or repurposed beyond the authority applicable to the source data.

13.5 Inference Sensitivity

An inference may be as sensitive as, or more sensitive than, the source data. Risk classification must consider what the output reveals, not only what the input contained.

13.6 De-Identification

De-identification claims must be verified. A plugin may not treat data as unrestricted where re-identification, singling out, or sensitive inference remains reasonably possible.

13.7 No Cross-Tenant Learning

Identifiable or tenant-linkable derived data must not be used to improve outputs for another tenant unless a separately approved, constitutionally compliant, non-identifiable process expressly permits it.

14. SUBPROCESSORS, EXTERNAL PROVIDERS, AND DATA FLOWS

14.1 Disclosure

Publishers must disclose material subprocessors that receive, store, transmit, or materially process EquineSync data.

14.2 Data-Flow Documentation

Publishers must maintain current documentation showing:

- data categories;
- sources;
- destinations;
- purposes;
- processors;

- regions;
- retention;
- encryption boundaries;
- and deletion paths.

14.3 Subprocessor Changes

Material subprocessor additions or changes require risk review, contract review, security review, residency assessment, data-flow updates, and customer notice or renewed authorization where required.

14.4 Publisher Responsibility

Publishers remain responsible for subprocessor conduct and cannot disclaim responsibility through delegation.

14.5 Undisclosed Subprocessors

Undisclosed subprocessors are prohibited.

14.6 Provider Exit

Publishers must maintain reasonable exit, replacement, and continuity plans for material providers.

14.7 Cross-Border Processing

Cross-border transfer must be lawful, disclosed where required, consistent with data-residency commitments, and supported by appropriate safeguards.

15. SECURITY ARCHITECTURE AND RUNTIME ISOLATION

15.1 Mandatory Isolation

Executable plugins must operate within approved isolation boundaries. Isolation must address code execution, memory, storage, network access, credentials, events, queues, and tenant data.

15.2 Arbitrary Code Execution

Unrestricted arbitrary code execution is prohibited. Extension execution must occur through controlled runtimes, approved interfaces, or provider-isolated services.

15.3 Filesystem Access

Plugins may not directly access host or customer filesystems. Any storage access must use scoped, isolated, encrypted, and governed platform services.

15.4 Network Access

Inbound and outbound network access must be:

- declared;
- authenticated;
- integrity-protected;
- allow-listed or otherwise tightly controlled;
- monitored;

- rate limited;
- and limited to approved destinations and purposes.

15.5 Resource Controls

Risk-appropriate controls must include:

- CPU limits;
- memory limits;
- storage limits;
- execution timeouts;
- concurrency limits;
- queue limits;
- recursion limits;
- retry limits;
- backpressure;
- and termination controls.

15.6 Failure Isolation

Plugin failure must not:

- crash the platform;
- corrupt platform state;
- deadlock shared services;
- expose another tenant's data;
- compromise another plugin;
- impair audit evidence;
- or silently strand critical workflows.

15.7 Inter-Plugin Isolation

Plugins may not communicate directly unless communication occurs through an approved EquineSync mediation layer. Each mediated interaction must independently validate permissions and purpose.

15.8 No Host Trust

Plugins must not depend on implicit trust in private APIs, undocumented behavior, internal network position, or platform implementation details.

15.9 Secret Handling

Plugin secrets, tokens, certificates, webhook secrets, signing keys, and encryption materials must be stored and used through approved secret-management controls.

15.10 Security Boundary Testing

EquineSync may require technical testing that demonstrates tenant isolation, privilege separation, network restrictions, failure containment, and resistance to common abuse paths.

16. SECURE DEVELOPMENT AND SOFTWARE SUPPLY CHAIN

16.1 Code Signing

Every executable or distributable plugin package must be digitally signed by an approved publisher using EquineSync-approved signing and verification controls. Unsigned or unverifiable packages may not execute.

16.2 Integrity Verification

Integrity must be verified at installation and update. Higher-risk plugins may require runtime attestation or equivalent continuing integrity evidence.

16.3 Software Bill of Materials

Publishers must provide a current Software Bill of Materials or equivalent dependency inventory appropriate to the plugin's architecture and risk.

16.4 Dependency Monitoring

Publishers must monitor dependencies for:

- known vulnerabilities;
- malicious or compromised packages;
- abandoned maintenance;
- compromised maintainers;
- prohibited telemetry;
- license conflicts;
- unauthorized network behavior;
- and integrity failures.

16.5 Secure Development Lifecycle

Risk-appropriate approval may require evidence of:

- threat modeling;
- abuse-case analysis;
- peer code review;
- static analysis;
- dynamic testing;
- dependency scanning;
- secret scanning;
- penetration testing;
- privacy review;
- accessibility review;
- and remediation verification.

16.6 Publisher Assertions Are Not Always Sufficient

EquineSync may require independent or reproducible evidence where the risk, data sensitivity, operational dependency, or history warrants it.

16.7 Vulnerability Disclosure

Publishers must maintain a coordinated vulnerability disclosure and remediation process. Material vulnerabilities must be reported promptly to EquineSync.

16.8 Critical Dependencies

Critical dependencies must have a remediation, isolation, replacement, or exit plan.

16.9 Build and Release Provenance

Material releases must be traceable to approved source, authorized build systems, reviewed changes, and signed release artifacts.

16.10 Emergency Security Updates

Expedited processing is permitted only for critical security, safety, resilience, or legal updates. Expedited review does not eliminate evidence, rollback, attribution, or post-release review.

17. ENVIRONMENT SEPARATION

17.1 Separate Authority

Development, test, sandbox, staging, pilot, and production environments require separate credentials, data access, approval, and operational authority.

17.2 No Automatic Promotion

Approval in one environment does not authorize another. Sandbox approval does not create production authority.

17.3 Production Data

Production data must not be copied to non-production environments except through an approved, minimized, protected, and auditable process.

17.4 Test Data

Testing should use synthetic, masked, or otherwise appropriately protected data whenever reasonably possible.

17.5 Demonstrations

Demonstration environments must not expose live customer data or create misleading claims about production readiness.

17.6 Pilot Controls

Pilots must have bounded participants, defined duration, monitoring, rollback, customer disclosure, and a clear statement that pilot participation does not equal general availability.

18. API GOVERNANCE

18.1 Public APIs

Only APIs expressly designated, documented, versioned, secured, and approved for external use may be treated as public APIs.

18.2 Private APIs

Internal, constitutional, administrative, migration, security, evidence, and platform-control APIs remain private unless formally elevated through governance.

18.3 Versioning

Public APIs must use a documented versioning model addressing behavior, schemas, events, security expectations, and compatibility.

18.4 Compatibility

EquineSync should preserve backward compatibility where reasonably possible and safe. Compatibility is not guaranteed for:

- undocumented behavior;
- private APIs;
- deprecated fields;
- insecure behavior;
- unsupported scraping;
- security defects;
- or behavior conflicting with later constitutional requirements.

18.5 Deprecation

The standard target for material API deprecation notice is at least twelve months. Shorter notice may be used where required for security, privacy, law, safeguarding, horse welfare, severe reliability risk, or constitutional conflict.

18.6 Breaking Changes

Breaking changes require:

- classification;
- impact analysis;
- migration guidance;
- version separation;
- notice;
- testing;
- rollback planning;
- and controlled release authority.

18.7 Rate and Abuse Controls

APIs must support risk-appropriate rate limiting, quota controls, anomaly detection, and abuse response.

18.8 No Scraping as Substitute

Publishers may not use scraping, browser automation, or undocumented endpoints to bypass unavailable or restricted APIs.

18.9 API Credentials

API credentials must be scoped, environment-specific, monitored, and revocable.

19. EVENT, WEBHOOK, AND MESSAGE GOVERNANCE

19.1 Approved Events Only

Plugins may subscribe only to approved events within authorized scope.

19.2 Event Publication

Plugins may publish only approved extension events through governed channels. Plugins may not impersonate native constitutional events.

19.3 Delivery Guarantees

Ordering, duplication, latency, consistency, replay, and delivery guarantees apply only where documented.

19.4 Replay

Event replay remains subject to authorization, retention, privacy, classification, and evidentiary requirements.

19.5 Webhook Security

Webhooks must be authenticated, integrity-protected, replay-resistant, destination-controlled, and revocable.

19.6 Event Abuse

Event flooding, recursion loops, uncontrolled fan-out, hidden retries, and unbounded replay are prohibited.

19.7 Event Data Minimization

Event payloads must contain only the data necessary for the event's approved purpose. Where feasible, subscribers should retrieve authorized detail through controlled APIs rather than receive unnecessary sensitive data in event payloads.

19.8 Delivery Failure

Failed delivery must not silently erase or falsely complete a consequential workflow. Retry, dead-letter, escalation, and reconciliation behavior must be documented where material.

20. WORKFLOW, AUTOMATION, AND AGENT GOVERNANCE

20.1 Designated Extension Points

Plugins may add optional workflow steps only through designated and governed extension points.

20.2 Native Workflow Protection

Plugins may not replace, bypass, shadow, or silently override constitutional workflows.

20.3 Blocking Authority

Plugins may not permanently block constitutional operations. Temporary holds must be expressly authorized, visible, time-bounded, attributable, reviewable, and safely bypassable under governed conditions.

20.4 Approval Requests

Plugins may request additional approvals through approved mechanisms. They may not independently create binding legal, financial, ownership, medical, welfare, safeguarding, consent, or access authority.

20.5 Automated Action Scope

Plugins, bots, agents, and automated services may act only within expressly authorized scopes and thresholds.

20.6 Prohibited Autonomous Decisions

Automation must not independently:

- transfer ownership;
- establish or terminate legal rights;
- waive required rights or notices;
- approve material financial transactions;
- change safeguarding status;
- determine medical diagnosis;
- make final welfare determinations;
- expand access rights;
- or eliminate required human approval.

20.7 Human Review

Material automated actions must be attributable, reviewable, explainable where applicable, reversible where appropriate, and subject to human authority.

20.8 Tool-Using Agents

An agent's tool access must not exceed the narrowest permissions of the initiating actor, plugin, installation, and approved purpose. Agents must not discover or chain tools to create unapproved authority.

20.9 Automation Transparency

Users must be able to identify when an action was automated and, where material, what rule, trigger, recommendation, or approval caused it.

20.10 Automation Failure

Failed or partial automation must not be presented as successful completion. Material failures require visible state, retry governance, and reconciliation.

21. USER INTERFACE, COMMUNICATION, BRANDING, AND ACCESSIBILITY

21.1 Designated Interface Zones

Plugins may contribute interface elements only within approved extension zones.

21.2 Native Screen Protection

Plugins must not:

- rewrite constitutional screens;
- obscure required notices;
- alter authoritative meaning;
- conceal source or publisher identity;
- interfere with permissions or consent;
- or hide material limitations.

21.3 Script Injection

Direct JavaScript or equivalent script injection into EquineSync-controlled pages is prohibited unless a separately approved controlled mechanism provides equivalent isolation and governance.

21.4 Branding

Plugins must comply with EquineSync branding and marketplace standards. They may not imply EquineSync authorship, endorsement, warranty, certification, or professional approval beyond the actual status granted.

21.5 Communication Identity

Plugin-generated messages must identify the responsible plugin or publisher unless EquineSync has expressly approved platform-issued or co-branded communication.

21.6 Notice Integrity

Plugins must not:

- impersonate EquineSync;
- conceal the sender;
- bypass controlling communication preferences;
- create misleading urgency;
- present automated messages as human-authored;
- or issue legally operative notices without authority.

21.7 Delivery Evidence

Material communications must generate delivery and notice evidence consistent with the controlling Communication, Notification, and Notice Model.

21.8 Accessibility

User-facing plugins must satisfy applicable accessibility requirements. Review may include:

- keyboard operation;
- screen-reader compatibility;
- focus behavior;
- accessible names and descriptions;
- contrast;
- error communication;
- reduced motion;
- captions or transcripts;
- and accessible alternatives.

21.9 Dark Patterns

Plugins must not use deceptive design, forced consent, hidden charges, confusing cancellation, manipulative urgency, obscured permissions, or other dark patterns.

21.10 Minor-Facing Interfaces

Plugins used by minors require heightened review. Behavioral advertising, manipulative engagement, unsafe communications, and unnecessary profiling are prohibited and may be categorically disallowed.

22. AI PLUGIN AND AGENT GOVERNANCE

22.1 Full AI Governance Inheritance

All AI-enabled plugins inherit the EquineSync AI Governance Model without exception.

22.2 Assistive Role

AI functionality remains assistive and may not hold final authority over consequential legal, financial, medical, welfare, safeguarding, ownership, consent, or access decisions.

22.3 Minimum Necessary Context

AI plugins may receive only the minimum necessary authorized data for the specific request.

22.4 Training Restrictions

Identifiable customer operational data, including financial and health-related data, must not be used to train general or shared models.

22.5 Output Requirements

AI outputs must:

- be identified as AI-assisted;
- distinguish fact from inference;
- disclose material uncertainty;
- identify sources or provenance where applicable;
- avoid presenting recommendations as determinative authority;
- and preserve meaningful human review.

22.6 Provider Requirements

AI providers must satisfy EquineSync requirements concerning privacy, security, provider training, retention, deletion, regional processing, incident response, contractual control, monitoring, and vendor exit.

22.7 Prompt and Tool Security

AI plugins must address prompt injection, data exfiltration, untrusted content, tool abuse, hidden instructions, and cross-user context contamination.

22.8 No Permission Expansion Through Retrieval

Search, retrieval, embeddings, or model context must not expose data beyond the user's and plugin's authorized scope.

22.9 No Silent Canonicalization

AI output is not automatically canonical. A plugin may not silently convert generated output into authoritative records without the required review, validation, and user action.

22.10 Insufficient Evidence

AI plugins must refuse, defer, or request additional information where evidence is insufficient for a reliable answer or action.

23. OFFLINE EXTENSION GOVERNANCE

23.1 Express Approval

A plugin may operate offline only when expressly approved for offline use.

23.2 Native Synchronization Authority

Offline plugin behavior must comply with EquineSync's controlling native offline synchronization governance.

23.3 No Independent Truth Rules

Plugins may not create independent conflict-resolution, reconciliation, or truth-precedence rules.

23.4 Offline Storage

Offline data must use approved encryption, device protection, scope limitation, expiration, secure deletion, and revocation controls.

23.5 Revocation Propagation

Revoked authority must be enforced against queued and offline actions before those actions are accepted as authoritative.

23.6 Safe Degradation

Offline plugin failure must not silently discard, duplicate, reorder, or incorrectly elevate records.

23.7 Device Loss

Offline-capable plugins must support risk-appropriate response to device loss, compromise, reassignment, or decommissioning.

23.8 Offline Evidence

Offline actions must preserve sufficient local and synchronized evidence to reconstruct who acted, under what authority, at what time, on what data, and with what eventual synchronization result.

24. HORSE-WELFARE AND HUMAN-SAFETY GOVERNANCE

24.1 Safety-Critical Dependence

A plugin may not become the sole authoritative mechanism for a time-sensitive horse-welfare or human-safety action unless separately approved as a safety-critical system.

24.2 Required Safeguards

Safety-relevant workflows may require:

- visible human confirmation;
- escalation;
- fallback procedures;
- missed-action detection;
- emergency contact access;
- safe degradation;
- and continuity when the plugin is unavailable.

24.3 Professional Judgment

Plugins may not replace veterinary judgment, emergency services, responsible human supervision, direct welfare assessment, or legally required professional authority.

24.4 Critical Task Visibility

Medication, feeding, turnout, emergency, and other welfare-critical tasks must not disappear merely because a plugin is disabled, unavailable, or removed.

24.5 Safety Notifications

A plugin must not represent that a safety-critical notice was received, acknowledged, or completed without supporting evidence.

24.6 Operational Continuity

High-dependence plugins may be required to support export, fallback views, read-only continuity, emergency access, or migration procedures.

24.7 No Convenience Override

Convenience, automation, or commercial value may not justify weakening horse-welfare or human-safety protections.

25. MARKETPLACE GOVERNANCE

25.1 Curated Marketplace

EquineSync may operate a curated marketplace. An unrestricted public plugin marketplace is not approved by this Model.

25.2 EquineSync Marketplace Authority

EquineSync retains authority over:

- marketplace access;
- publisher eligibility;
- listing standards;
- review requirements;
- publication;
- ranking;
- installation eligibility;
- restriction;
- suspension;
- delisting;
- and removal.

25.3 Paid and Free Plugins

Paid and free plugins may be permitted, subject to commercial policy, consumer protections, financial governance, and transparent terms.

25.4 Commercial Terms Cannot Rewrite Governance

Revenue-share or pricing changes may evolve through commercial policy only where they do not materially alter data use, access, ranking, user rights, or constitutional protections.

25.5 Ranking Integrity

Marketplace ranking may consider relevance, verified quality, security, reliability, privacy, accessibility, support, customer value, adoption, and satisfaction.

25.6 Sponsored Placement

Sponsored placement must be clearly labeled. Paid placement must not be disguised as independent quality ranking.

25.7 Sensitive Segmentation

Publishers may not purchase access to sensitive user segments or protected categories through marketplace promotion.

25.8 Privacy-Preserving Competition

Ranking must not penalize a plugin solely because it collects less data or uses more privacy-protective architecture.

25.9 Approval and Certification Semantics

EquineSync must define the meaning and limits of statuses such as:

- submitted;

- reviewed;
- approved;
- verified;
- certified;
- restricted;
- suspended;
- deprecated;
- and removed.

Approval means only that the plugin satisfied the applicable review requirements at the relevant time. It is not a warranty, guarantee, professional endorsement, legal suitability opinion, or assumption of publisher liability.

25.10 Geographic Availability

Plugins may be limited by jurisdiction, language, residency, regulation, processor availability, sanctions, or publisher eligibility.

25.11 Advertising

Advertising, where permitted, must be clearly labeled and separated from authoritative content. Advertising may be prohibited in medical, safeguarding, ownership, financial, safety, and minor-facing workflows.

25.12 Data Monetization

Plugins may not monetize customer data through sale, rental, data brokerage, behavioral targeting, unrelated lead generation, audience creation, or undisclosed profiling.

26. BILLING, METERING, AND FINANCIAL GOVERNANCE

26.1 Financial Truth Supremacy

Plugin charges, usage, refunds, revenue shares, commissions, and settlement records must remain subordinate to EquineSync's controlling Financial Truth and Responsibility Model.

26.2 Transparent Pricing

Customers must receive clear disclosure of price, billing basis, renewal, cancellation, taxes, usage thresholds, and material limitations.

26.3 Metering

Usage metering must be attributable, reproducible, auditable, and limited to data necessary for billing and service operation.

26.4 No Hidden Charges

Plugins must not create hidden, misleading, or duplicative charges.

26.5 Refunds

Refunds must follow applicable law and controlled marketplace policy. Refund processing must preserve financial truth and audit evidence.

26.6 Publisher Payouts

Publisher payouts and revenue shares require governed reconciliation and may not be based solely on unverifiable publisher-reported usage.

26.7 Billing Disputes

Customers must have a clear route to challenge charges, usage, refunds, and marketplace transactions.

26.8 Financial Permissions

A billing relationship does not create broader data, workflow, or administrative permissions.

27. INSTALLATION AND ORGANIZATIONAL GOVERNANCE

27.1 Installation Authority

Only authorized tenant administrators or other expressly delegated actors may install plugins.

27.2 Facility Administrators

Facility administrators may install plugins only where organizational governance grants that authority. Facility authority may not exceed tenant or organization authority.

27.3 Organizational Prohibition

Organizations may prohibit all third-party plugins, particular risk classes, categories, publishers, or individual plugins.

27.4 Allow Lists

Organizations may maintain approved-plugin allow lists and installation policies.

27.5 Default State

Third-party plugins are disabled by default for new tenants. No tenant may be opted in without affirmative authorization.

27.6 Installation Disclosure

Installation must disclose, as applicable:

- publisher identity;
- plugin purpose;
- requested permissions;
- data categories;
- destinations;
- subprocessors;
- retention;
- AI use;
- offline behavior;
- pricing;
- support;
- and material risks.

27.7 Rights of Affected Persons

Organizational approval does not automatically waive the rights of owners, guardians, minors, employees, providers, riders, boarders, or other affected persons.

27.8 Installation Scope

Installation must specify the authorized tenant, facilities, horses, users, environments, and duration where applicable.

27.9 Trial Installations

Trials must use bounded permissions, defined duration, clear conversion terms, and automatic expiration or reauthorization.

28. UPDATES, FEATURE FLAGS, AND MATERIAL CHANGE

28.1 Signed and Versioned Updates

Updates must be signed, versioned, and attributable to an approved publisher.

28.2 Review Requirements

Updates are subject to risk-appropriate security, privacy, compatibility, permission, accessibility, and operational review.

28.3 Renewed Authorization

Renewed approval is required for material changes, including:

- permission expansion;
- new data categories;
- changed purpose;
- new destinations;
- new processors;
- new AI providers;
- new offline storage;
- changed monetization;
- changed publisher control;
- or changed risk classification.

28.4 No Silent Expansion

A plugin must not silently expand permissions, data use, processing purpose, network destinations, or user-facing authority through an update.

28.5 Feature Flags

Experimental plugin functionality must use governed feature flags, limited cohorts, monitoring, rollback, and disclosure where appropriate.

28.6 Experiment Boundaries

Experiments must not weaken constitutional protections, use unauthorized sensitive segmentation, or conceal material user impact.

28.7 Rollback

Plugins must support safe rollback or disablement appropriate to risk. Rollback must preserve required evidence and authoritative records.

28.8 Compatibility Testing

Material updates must be tested against supported platform versions and documented extension contracts.

29. MONITORING, TELEMETRY, AND ASSURANCE

29.1 Continuous or Risk-Appropriate Monitoring

Approved plugins are subject to continuous or risk-appropriate operational and security monitoring.

29.2 Monitoring Scope

Monitoring may include:

- error rates;
- latency;
- resource use;
- access patterns;
- export volume;
- destination changes;
- permission behavior;
- data anomalies;
- event flooding;
- credential misuse;
- retry behavior;
- and unexpected processing.

29.3 Telemetry Minimization

Monitoring must not become an excuse for excessive collection. Telemetry must be proportionate to operational, security, billing, and governance needs.

29.4 Security Scanning

Security scanning must occur during submission, for every release, after material dependency changes, when threat intelligence warrants, and continuously where feasible.

29.5 Abuse Detection

EquineSync may monitor for unusual access, permission abuse, excessive exports, credential misuse, undeclared destinations, data scraping, event flooding, cross-tenant behavior, and other suspicious activity.

29.6 Periodic Reassessment

Plugins must undergo periodic reassessment based on risk class, material changes, incident history, dependency changes, publisher status, regulatory developments, usage, and constitutional updates.

29.7 Renewal Evidence

Continued operation may require renewed security evidence, publisher verification, insurance, subprocessor disclosure, compatibility evidence, privacy disclosure, and customer authorization.

29.8 Assurance Records

Review findings, approvals, exceptions, remediation, test evidence, and reassessment decisions must be retained according to applicable evidence and retention governance.

30. AUDIT EVENTS AND EVIDENTIARY CONTINUITY

30.1 Mandatory Audit Evidence

All material plugin actions must generate attributable audit evidence.

30.2 Required Audit Elements

Audit events should identify, where applicable:

- plugin;
- plugin version;
- installation;
- publisher;
- initiating actor;
- human or automated initiation;
- tenant;
- organization;
- facility;
- horse;
- environment;
- service identity;
- credential class;
- permission grant version;
- authorization decision reference;
- request and response correlation identifiers;
- object affected;
- material field changes;
- purpose;
- destination;
- result;
- retry or replay status;
- failure state;
- and external processor.

30.3 Evidence Protection

Plugins may not alter, suppress, overwrite, forge, or delete required audit evidence.

30.4 Evidence Retention

Plugin evidence must follow the controlling Audit Event and Evidence, Claims and Retention, Record Stewardship, Privacy, Security, and Legal Hold models.

30.5 Dispute Reconstruction

Evidence must support reasonable reconstruction of:

- what occurred;
- who or what initiated it;
- what authority was used;
- what version acted;
- what data changed;
- where data traveled;
- what automation or retry occurred;
- and whether the action was accepted, rejected, corrected, or reversed.

30.6 Correction and Withdrawal

Where plugin output or action is corrected, withdrawn, superseded, or invalidated, the history and reason must remain reconstructable.

31. INCIDENT RESPONSE, SUSPENSION, AND EMERGENCY CONTROL

31.1 Incident Governance

Plugin incidents must follow applicable EquineSync security, privacy, audit, communication, resilience, and incident-response governance.

31.2 Emergency Control Capability

EquineSync must be able to:

- globally disable a plugin;
- disable it for selected tenants;
- disable a specific version;
- disable a feature;
- revoke credentials;
- terminate events and webhooks;
- isolate networks;
- block destinations;
- quarantine data paths;
- suspend a publisher;
- or place the plugin into read-only containment.

31.3 Automatic Restriction

Repeated failure, anomalous behavior, vulnerability, policy violation, or unacceptable health signals may trigger automatic throttling, quarantine, rollback, or disablement.

31.4 Evidence and Review

Automated restriction must be logged, attributable, reviewable, and followed by risk-appropriate investigation and notice.

31.5 Safe Containment

Containment must consider whether full shutdown would create greater welfare or operational risk than read-only or partial containment.

31.6 Publisher Cooperation

Publisher cooperation does not replace EquineSync incident authority.

31.7 Customer and Regulatory Notice

Material incidents may require affected-customer notice, mitigation guidance, access revocation, correction, processor disclosure, and regulatory reporting.

31.8 Reinstatement

Suspended plugins may be reinstated only after documented remediation, verification, risk reassessment, and authorized approval.

32. REMOVAL, END OF LIFE, DATA RETURN, AND EXIT

32.1 Removal Preservation

Plugin removal must preserve authoritative records, audit evidence, claims, financial records, legal holds, provenance, and historical attribution.

32.2 Access Termination

Removal must terminate credentials, webhooks, callbacks, events, scheduled jobs, offline authority, and continuing access.

32.3 Data Return

Publishers must return or export customer-controlled data where required and in a usable, documented form appropriate to the data and service.

32.4 Data Deletion

Publishers must delete data not subject to lawful retention, including copies, caches, indexes, derived data, temporary data, and backups where required and technically applicable.

32.5 Deletion Certification

Publishers may be required to certify:

- deletion completed;
- remaining retained data;
- legal or technical basis;
- retention period;
- and final disposition timeline.

Uninstallation within EquineSync is not proof of external deletion.

32.6 End-of-Life Notice

End-of-life procedures must address notice, migration, support, export, data disposition, credential termination, webhook termination, and continuity.

32.7 Abandonment and Insolvency

Governance must address publisher abandonment, bankruptcy, acquisition, sudden shutdown, revoked API access, unsupported dependencies, and unavailable subprocessors.

32.8 Portability

Plugins must not create unreasonable lock-in. Operationally significant plugins may be required to provide usable exports, documented formats, migration tools, transition support, and reasonable wind-down periods.

32.9 Continuity

Continuity protections may be required where plugin loss could disrupt horse care, financial reconciliation, facility operations, scheduling, or critical record access.

32.10 Residual Data Disclosure

If data cannot be deleted immediately, the publisher must identify what remains, why, where it is held, how it is protected, and when it will be disposed of.

33. NATIVE CONVERGENCE, REPLACEMENT, AND COMPETITIVE NEUTRALITY

33.1 No Feature Exclusivity

Marketplace participation does not grant a publisher exclusivity over a feature category or prevent EquineSync from developing similar native functionality.

33.2 Respect for Rights

EquineSync must not copy protected publisher intellectual property or represent publisher-created work as native without appropriate rights.

33.3 Transition Preservation

Where plugin functionality is replaced, absorbed, superseded, or converged into native functionality, the transition must preserve:

- customer records;
- provenance;
- permissions;
- audit evidence;
- contractual rights;
- portability;
- and clear customer communication.

33.4 No Punitive Ranking

A publisher must not be unfairly penalized in marketplace ranking merely because EquineSync is developing a competing native feature. Security, quality, policy, and customer-value factors may still be applied.

34. LEGAL, COMMERCIAL, AND COMPLIANCE GOVERNANCE

34.1 Licensing

Publishers may retain ownership of qualifying intellectual property while licensing distribution and operation through EquineSync agreements.

34.2 Rights Warranty

Publishers must possess the rights necessary to distribute and operate the plugin and to authorize any included content, code, models, data, or dependencies.

34.3 Liability

Publishers remain responsible for their code, services, representations, support, security obligations, and legal compliance. EquineSync responsibilities are governed by contract and applicable law.

34.4 Insurance

Risk-based insurance may be required, particularly for plugins involving financial data, health-related data, minors, safeguarding, AI, high-volume processing, external transmission, or operational dependence.

34.5 International Compliance

Plugins must comply with applicable privacy, consumer, accessibility, sanctions, export, tax, residency, employment, and sector-specific obligations.

34.6 Geographic Restriction

Availability may be limited where compliance cannot be demonstrated.

34.7 Law-Enforcement and Government Requests

Publishers must not disclose EquineSync data in response to a request without following applicable law, contract, and EquineSync notification and review requirements where legally permitted.

34.8 Research and Benchmarking

Use of EquineSync data for research, benchmarking, publication, model evaluation, or cross-customer comparison requires separate authorization and must not be inferred from ordinary plugin access.

34.9 Records of Compliance

Publishers must retain and provide risk-appropriate evidence of compliance, review, certifications, insurance, incidents, and remediation.

35. PUBLIC REPRESENTATIONS AND TRUST CLAIMS

35.1 No Implied Endorsement

Listing, review, approval, verification, or certification must not be represented beyond the meaning formally assigned by EquineSync.

35.2 Accuracy of Claims

Publishers must not make false or misleading claims regarding:

- security;
- privacy;
- legal compliance;
- accessibility;
- AI accuracy;
- veterinary or medical suitability;
- financial reliability;
- uptime;
- EquineSync endorsement;
- or marketplace status.

35.3 EquineSync Claims

EquineSync must not publicly claim marketplace, API, plugin, certification, or ecosystem capabilities before the applicable governance, implementation, verification, and launch authority exists.

35.4 Trust Marks

Any badge, certification, or trust mark must have defined criteria, duration, scope, monitoring, and revocation rules.

36. ENFORCEMENT

36.1 Available Measures

Violations may result in:

- warning;
- corrective action;
- remediation plan;
- increased monitoring;
- installation restriction;
- update freeze;
- quarantine;
- suspension;
- credential revocation;
- delisting;
- removal;
- termination;
- customer notice;

- regulatory reporting;
- contractual remedies;
- or legal action.

36.2 Proportionality

Enforcement should be proportionate to risk, intent, impact, recurrence, cooperation, and remediation. Immediate action is permitted where necessary to protect horses, people, data, the platform, or legal obligations.

36.3 No Grandfathered Noncompliance

A previously approved plugin may be restricted or removed when later evidence or governance shows unacceptable risk.

36.4 Publisher Appeal

Where appropriate and safe, publishers may receive a documented review or appeal path. Appeal does not automatically stay emergency protective action.

36.5 Customer Protection

Enforcement actions must consider customer continuity, data return, critical-task access, and safe migration.

37. INVIOABLE GUARANTEES

No plugin may weaken or bypass:

- identity authority;
- least-privilege authorization;
- tenant isolation;
- privacy and data minimization;
- purpose limitation;
- consent authority;
- record stewardship;
- financial truth;
- ownership truth;
- audit integrity;
- evidentiary continuity;
- safeguarding;
- minor protection;
- horse-welfare protections;
- encryption and key-management boundaries;
- AI assistive-only limits;
- resilience;
- data-subject rights;
- customer portability;
- or constitutional governance supremacy.

No plugin may create:

- a shadow system of record;
- undisclosed external retention;
- permission laundering;
- hidden cross-tenant learning;

- unauthorized derived-data transfer;
- dark patterns;
- misleading source attribution;
- concealed automation;
- or a mechanism that obscures uncertainty, provenance, or responsibility.

38. CONSTITUTIONAL INHERITANCE AND CONFLICT RULES

38.1 Automatic Inheritance

Every plugin, publisher, developer, marketplace participant, API consumer, integration, processor, and extension automatically inherits all applicable current and future EquineSync constitutional governance.

38.2 No Legacy Safe Harbor

A plugin may not continue operating under an older, weaker standard merely because it was approved before a later constitutional rule.

38.3 Specific and Protective Rules

Where multiple canons apply:

17. the more specific rule governs over a general rule;
18. the more protective rule governs where both remain applicable;
19. constitutional authority governs over implementation guidance;
20. and unresolved conflicts require formal reconciliation.

38.4 No Silent Override

No contract, configuration, technical behavior, marketplace term, or customer preference may silently override constitutional requirements.

39. GOVERNANCE GATES

A plugin may not progress to production without passing all applicable gates.

Gate 1: Functional Classification

The capability is classified by function, category, scope, and protected-domain proximity.

Gate 2: Risk Classification

The plugin receives a documented risk class and minimum control profile.

Gate 3: Publisher Verification

The publisher, responsible persons, ownership, security contacts, and legal eligibility are verified.

Gate 4: Architecture and Data-Flow Review

Architecture, extension points, data categories, destinations, subprocessors, retention, and credentials are documented.

Gate 5: Identity and Permission Review

Service identity, delegated authority, permission scope, expiration, and revocation are approved.

Gate 6: Security and Supply-Chain Review

Runtime isolation, secure development, dependencies, signing, vulnerability management, and monitoring satisfy the risk profile.

Gate 7: Privacy, Purpose, and Consent Review

Data minimization, processing purposes, consent or other authority, residency, rights, and deletion are approved.

Gate 8: Constitutional Review

The plugin is checked against protected domains and all controlling canon.

Gate 9: Operational and Welfare Review

Reliability, safe degradation, continuity, incident response, rollback, and any welfare or safety impact are approved.

Gate 10: Customer Disclosure and Commercial Review

Installation disclosures, pricing, support, marketplace claims, and affected-rights-holder requirements are approved.

Gate 11: Environment Authorization

The plugin receives approval for a specific environment, scope, and version.

Gate 12: Production Authorization

A separate authorized decision permits production use.

Passing an earlier gate does not imply passing a later gate.

40. EXCEPTION GOVERNANCE

40.1 Written and Bounded

Exceptions must be documented, time-limited, attributable, risk-assessed, monitored, and revocable.

40.2 Required Content

An exception record must identify:

- the rule affected;
- the reason;
- scope;
- duration;
- risk;
- compensating controls;
- approving authority;
- monitoring;
- and expiration or review date.

40.3 Non-Waivable Protections

No exception may permit:

- cross-tenant access;
- unidentified publishing;
- unlogged constitutional action;
- direct alteration of protected evidence;
- unrestricted arbitrary code execution;
- permission laundering;
- or permanent bypass of constitutional controls.

40.4 Emergency Exceptions

Emergency processing may accelerate review but may not eliminate evidence, rollback, attribution, containment, or post-event review.

41. REQUIRED SUPPORTING GOVERNANCE ARTIFACTS

This Model requires the following subordinate artifacts:

21. `PLUGIN\_TAXONOMY\_SCOPE\_AND\_RISK\_CLASSIFICATION\_STANDARD\_V1\_0`
22. `PLUGIN\_IDENTITY\_CREDENTIAL\_AND\_DELEGATED\_AUTHORITY\_STANDARD\_V1\_0`
23. `PLUGIN\_PERMISSION\_DATA\_ACCESS\_PURPOSE\_AND\_CONSENT\_STANDARD\_V1\_0`
24. `PLUGIN\_SECURITY\_SANDBOX\_RUNTIME\_AND\_SUPPLY\_CHAIN\_STANDARD\_V1\_0`
25. `PLUGIN\_API\_EVENT\_AUTOMATION\_AND\_WORKFLOW\_EXTENSION\_STANDARD\_V1\_0`
26. `PLUGIN\_UI\_COMMUNICATION\_BRANDING\_AND\_ACCESSIBILITY\_STANDARD\_V1\_0`
27. `PLUGIN\_MARKETPLACE\_PUBLISHER\_COMMERCIAL\_AND\_RANKING\_STANDARD\_V1\_0`
28. `PLUGIN\_DATA\_PORTABILITY\_DELETION\_AND\_EXIT\_STANDARD\_V1\_0`
29. `PLUGIN\_LIFECYCLE\_MONITORING\_INCIDENT\_AND\_REVOCATION\_STANDARD\_V1\_0`
30. `PLUGIN\_AI\_OFFLINE\_DERIVED\_DATA\_AND\_EXTERNAL\_PROCESSING\_STANDARD\_V1\_0`
31. `PLUGIN\_HORSE\_WELFARE\_SAFETY\_AND\_OPERATIONAL\_CONTINUITY\_STANDARD\_V1\_0`
32. `PLUGIN\_GOVERNANCE\_CROSS\_CANON\_TRACEABILITY\_MATRIX\_V1\_0`
33. `PLUGIN\_FOUNDER\_DECISION\_AND\_OPEN\_ISSUE\_LEDGER\_V1\_0`

Subordinate standards may add detail but may not weaken this Model.

42. REQUIRED IMPLEMENTATION ARTIFACTS

Before implementation authorization, EquineSync must develop and review, as applicable:

- plugin architecture specification;
- runtime isolation design;
- extension-point catalog;
- protected API register;
- public API register;
- event and webhook catalog;
- permission catalog;
- permission request schema;
- service identity and credential lifecycle design;
- installation and consent disclosure templates;
- data-flow and subprocessor register;

- code-signing design;
- SBOM requirements;
- publisher verification procedure;
- risk assessment methodology;
- security-review checklist;
- secure-development evidence requirements;
- AI provider assessment;
- offline plugin control model;
- monitoring and telemetry specification;
- audit-event schema;
- incident playbook;
- emergency disable architecture;
- data-return and deletion procedure;
- marketplace ranking policy;
- publisher and developer terms;
- customer marketplace terms;
- and plugin lifecycle register.

Creation of an implementation artifact does not itself authorize implementation.

43. GOVERNANCE OWNERSHIP AND REVIEW

43.1 Constitutional Owner

The constitutional owner must be designated through EquineSync governance. No implementation team may unilaterally redefine this Model.

43.2 Operational Owners

Operational ownership must be assigned for, at minimum:

- publisher verification;
- security review;
- privacy review;
- marketplace operations;
- API governance;
- incident response;
- customer support;
- billing;
- and lifecycle enforcement.

43.3 Review Triggers

This Model must be reviewed when:

- marketplace scope changes;
- public APIs are proposed;
- plugin runtime architecture changes;
- major incidents occur;
- AI agent capability expands;
- offline plugin execution is introduced;

- new protected data categories are introduced;
- law or regulation materially changes;
- or constitutional conflicts are discovered.

43.4 Periodic Review

Even without a trigger, the Model should receive periodic constitutional review appropriate to ecosystem maturity and risk.

44. CROSS-CANON DEPENDENCIES

This Model must be interpreted and reconciled with, at minimum:

- Master Product Vision;
- Master Ecosystem Model;
- Master Identity, Account, and Actor Model;
- Master Relationship Model;
- Master Agreement, Consent, and Authorization Model;
- Master Privacy and Data Protection Model;
- Master Data Protection, Encryption, and Key Management Model;
- Master Audit Event and Evidence Model;
- Master Claims and Retention Model;
- Master Record Stewardship and Retention Model;
- Master Financial Truth and Responsibility Model;
- Master Communication, Notification, and Notice Model;
- Master External Architecture and Adapter Model;
- Master Platform Operations, Reliability, and Release Model;
- Master Platform Resilience, Backup, and Recovery Model;
- Master AI Governance Model;
- Master Horse Transfer and Continuity Policy;
- Master Media, Files, and Digital Asset Governance Model;
- Master Reporting, Analytics, and Business Intelligence Model;
- Master Developer, Platform, and Integration Governance Model;
- Configuration and Feature Flag Governance;
- Search, Discovery, Ranking, and Retrieval Governance;
- Minor and Guardian Governance;
- Safeguarding Governance;
- Offline Synchronization Governance;
- Vendor and Subprocessor Governance;
- and all later controlling canon.

45. OPEN IMPLEMENTATION AND COMMERCIAL MATTERS

The following matters may remain unresolved until implementation planning:

- exact marketplace revenue share;
- plugin review fees;
- supported programming languages;
- runtime provider;
- sandbox provider;
- exact CPU, memory, and storage limits;

- exact API rate limits;
- exact signing technology;
- insurance minimums;
- detailed deprecation exceptions;
- marketplace launch date;
- marketplace ranking weights;
- certification fees;
- support-level requirements;
- regional launch sequence;
- and initial permitted plugin categories.

These matters must not be silently assumed. They must be recorded in controlled implementation or commercial decision ledgers.

46. ADOPTION, LOCK, AND AUTHORITY BOUNDARY

46.1 Current Status

This document is a FOUNDER-APPROVED CONTROLLING SUBSTANTIVE CANON. It is ADOPTION PENDING SEPARATE EVIDENCE and not locked.

46.2 Separate Founder Authority Required

The following require separate authority:

- constitutional adoption;
- constitutional lock;
- implementation planning where not already authorized;
- runtime implementation;
- marketplace creation;
- API publication;
- SDK publication;
- developer onboarding;
- third-party data access;
- customer installation;
- production execution;
- processor activation;
- public trust claims;
- and public launch.

46.3 No Implied Authority

Founder approval of the PE01-PE130 decision set does not itself convert this completed draft into adopted or locked canon.

47. FINAL CONSTITUTIONAL STATEMENT

EquineSync may become extensible, but it may not become governless.

Every plugin must remain identifiable, bounded, purpose-limited, least-privileged, monitored, isolated, reviewable, and revocable.

Extensibility may add capability. It may not add hidden authority.

It may improve workflows. It may not rewrite truth.

It may connect systems. It may not dissolve boundaries.

It may assist the people responsible for horses, facilities, businesses, and records. It may never replace the constitutional protections that keep those people, horses, records, and relationships safe.

APPENDIX A. MINIMUM CONTROL PROFILE BY RISK CLASS

Control Area	Class I	Class II	Class III	Class IV
Publisher verification	Basic	Verified	Enhanced	EquineSync-controlled or exceptional approval
Human review	Risk-based	Required	Enhanced required	Constitutional and executive review
Manual security review	Risk-based	Required	Required with evidence	Required; third-party operation generally restricted
Sensitive data	Prohibited or minimal	Limited	Permitted only with heightened controls	Generally prohibited for third-party control
Write access	No	Limited	Governed	Restricted constitutional services only
External transmission	No or minimal	Declared and approved	Enhanced review	Generally restricted
Offline storage	No	Exceptional	Heightened approval	Generally prohibited or EquineSync-controlled
AI processing	No or low impact	Assistive	Heightened AI review	No final authority; often prohibited
Horse-welfare dependence	None	Low	Continuity safeguards	Safety-critical review; generally EquineSync-controlled
Penetration testing	Not ordinarily required	Risk-based	Required where material	Required with independent assurance
SBOM	Basic dependency inventory	Required	Required and monitored	Required with enhanced provenance
Continuous monitoring	Basic health	Required	Enhanced	Highest available assurance
Reassessment	On change	Periodic	Frequent	Continuous or tightly scheduled
Emergency disablement	Required	Required	Required with safe containment	Required with continuity design

APPENDIX B. REQUIRED PLUGIN GOVERNANCE RECORDS

For each approved plugin, EquineSync should maintain a controlled record containing, as applicable:

34. plugin identifier and name;
35. publisher identity;
36. responsible security and support contacts;
37. ownership and control information;
38. plugin category and risk class;
39. approved version and environments;
40. architecture and data-flow documentation;
41. requested and approved permissions;
42. approved purposes;
43. data categories and classifications;
44. external destinations and subprocessors;
45. retention and deletion terms;
46. AI providers and models, where applicable;
47. offline behavior, where applicable;

48. security review evidence;
49. SBOM and dependency status;
50. signing and integrity evidence;
51. accessibility review;
52. welfare and safety assessment;
53. operational monitoring profile;
54. incident history;
55. exceptions and compensating controls;
56. customer disclosure text;
57. pricing and billing basis;
58. approval dates and decision-makers;
59. reassessment schedule;
60. suspension or enforcement history;
61. end-of-life and exit plan;
62. data-return and deletion evidence;
63. and final disposition.

APPENDIX C. FOUNDER DECISION CONCORDANCE

Founder Decisions	Primary Implementing Sections
PE01-PE04	Sections 1, 2, 4, 5, and 6
PE05-PE13	Sections 8, 16, 29, 31, and 36
PE14-PE20	Sections 25, 26, 33, 34, and 35
PE21-PE32	Sections 9, 10, 11, 12, and 13
PE33-PE40	Sections 15, 16, and 17
PE41-PE50	Sections 18 and 19
PE51-PE59	Sections 20 and 21
PE60-PE64	Section 22
PE65-PE68	Section 23
PE69-PE72	Sections 15, 24, 29, and 31
PE73-PE77	Sections 21, 29, 30, and 34
PE78-PE87	Sections 27, 28, and 32
PE88-PE92	Sections 29 and 31
PE93-PE100	Sections 34, 36, 37, and 38
PE101-PE110	Sections 7, 13, 14, 16, 20, 23, 25, 26, 28, and 38
PE111-PE120	Sections 2, 3, 9, 10, 11, 13, 14, and 17
PE121-PE130	Sections 16, 20, 21, 24, 25, 29, 32, 33, and 35

APPENDIX D. PROHIBITED EXTENSIBILITY PATTERNS

The following patterns are constitutionally prohibited unless a later controlling canon expressly authorizes a narrower exception:

- anonymous or unattributed plugins;
- unrestricted arbitrary code execution;
- shared credentials across unrelated tenants;
- direct access to host filesystems;
- silent permission expansion;
- permission laundering;
- cross-tenant identifiable learning;
- direct mutation of protected constitutional records;

- shadow systems of record;
- undisclosed subprocessors;
- undeclared external destinations;
- hidden data brokerage or advertising use;
- direct JavaScript injection into core pages;
- plugins impersonating EquineSync;
- AI output silently treated as authoritative truth;
- autonomous ownership, safeguarding, medical, welfare, access, or material financial decisions;
- plugin removal that destroys required evidence;
- uninstallation represented as proof of external deletion;
- and public claims of approval, certification, or launch authority beyond actual status.

APPENDIX E. IMPLEMENTATION-NEUTRAL ACCEPTANCE QUESTIONS

Before any plugin or extension architecture advances toward production, reviewers must be able to answer, with evidence:

64. What exact function is being extended?
65. Why is an extension needed instead of native capability?
66. What protected domains are adjacent?
67. What is the risk class and why?
68. Who is the publisher and who controls it?
69. What service identity acts?
70. Whose authority is relied upon?
71. What permissions are requested?
72. What purpose justifies each permission?
73. What data is read, written, exported, derived, or retained?
74. Where does the data travel?
75. Which processors and subprocessors are involved?
76. What happens when authority expires or is revoked?
77. How is the plugin isolated?
78. How are code, dependencies, and releases verified?
79. What audit evidence is created?
80. What happens when the plugin fails?
81. Could failure affect horse welfare or human safety?
82. How can EquineSync disable or contain it?
83. How can the customer retrieve data and exit?
84. What remains after uninstall?
85. What public or marketplace claims are permitted?
86. What changes would require reauthorization?
87. What unresolved risks remain?
88. What separate authority is still required before production?

END OF FOUNDER-APPROVED CONTROLLING SUBSTANTIVE CANON

Document: MASTER_PLATFORM_EXTENSIBILITY_AND_PLUGIN_GOVERNANCE_MODEL_V2_0

Version: 2.0

Status: FOUNDER-APPROVED CONTROLLING SUBSTANTIVE CANON

Canon Adoption: PENDING SEPARATE ADOPTION EVIDENCE

Canon Lock: NOT LOCKED BY THIS DIRECTIVE

Implementation Authorized: False

Production Authorized: False

Marketplace Authorized: False

Public API Authorized: False

Third-Party Plugin Activation Authorized: False