Question ID: acd30391

Question

A circle in the xy-plane has equation $(x+3)^2+(y-1)^2=25$. Which of the following points does NOT lie in the interior of the circle?

Answer

A. $(-7, 3)$

B. $(-3, 1)$

C. $(0, 0)$

D. $(3, 2)$

Question ID: fb58c0db

Question

Points A and B lie on a circle with radius 1, and arc $\overset{\frown}{AB}$ has length $\frac{\pi}{3}$. What fraction of the circumference of the circle is the length of arc $\overset{\frown}{AB}$?

Question ID: 89661424

Question

A circle in the *xy*-plane has its center at $(-5, 2)$ and has a radius of 9. An equation of this circle is $x^2 + y^2 + ax + by + c = 0$, where a, b, and c are constants. What is the value of c?

Question ID: 981275d2

Question

$(x-6)^2+(y+5)^2=16$

In the xy-plane, the graph of the equation above is a circle. Point P is on the circle and has coordinates $(10,-5)$. If $\overline{PQ}$ is a diameter of the circle, what are the coordinates of point Q ?

Answer

A. $(2,-5)$

B. $(6,-1)$

C. $(6,-5)$

D. $(6,-9)$

Question ID: ca2235f6

Question

A circle has center O, and points A and B lie on the circle. The measure of arc AB is $45°$ and the length of arc AB is 3 inches. What is the circumference, in inches, of the circle?

Answer

A. 3


B. 6

C. 9

D. 24

Question ID: 1b2b20b9

Question



Circle A shown is defined by the equation $x^2 + (y - 6)^2 = 7$. Circle B (not shown) has the same radius but is translated 96 units to the right. If the equation of circle B is $(x - h)^2 + (y - k)^2 = a$, where h, k, and a are constants, what is the value of $4a$?

Question ID: 2855cb58

Question

A circle in the *xy*-plane has its center at $(16, 17)$ and has a radius of $7k$. Which equation represents this circle?

Answer

A. $(x-16)^2+(y-17)^2=49k$

B. $(x-16)^2+(y-17)^2=49k^2$

C. $(x-16)^2+(y-17)^2=7k$

D. $(x-16)^2+(y-17)^2=7k^2$

Question ID: 9e44284b

Question

In the xy-plane, the graph of $2x^2-6x+2y^2+2y=45$ is a circle. What is the radius of the circle?

Answer

A. 5

B. 6.5

C. $\sqrt{40}$

D. $\sqrt{50}$

Question ID: fa2771d5

Question

Circle A has equation $(x-7)^2+(y+3)^2=1$. In the xy-plane, circle B is obtained by translating circle A to the right 4 units. Which equation represents circle B?

Answer

A. $(x-7)^2+(y+7)^2=1$

B. $(x-3)^2+(y+3)^2=1$

C. $(x-11)^2+(y+3)^2=1$

D. $(x-7)^2+(y-1)^2=1$

Question ID: 3e577e4a

Question

A circle in the *xy*-plane has its center at $(-4, -6)$. Line k is tangent to this circle at the point $(-7, -7)$. What is the slope of line k?

Answer

A. -3

B. $-\frac{1}{3}$

C. $\frac{1}{3}$

D. 3


Question ID: ab176ad6

Question

The equation $(x+6)^2+(y+3)^2=121$ defines a circle in the xy-plane. What is the radius of the circle?

Question ID: c8345903

Question



The circle above has center O, the length of arc $\overset{\frown}{ADC}$ is 5π, and $x = 100$. What is the length of arc $\overset{\frown}{ABC}$?

Answer

A. 9π

B. 13π

C. 18π

D. $\frac{13}{2}\pi$

Question ID: 35d37640

Question

Point F lies on a unit circle in the *xy*-plane and has coordinates $(1, 0)$. Point G is the center of the circle and has coordinates $(0, 0)$. Point H also lies on the circle and has coordinates $(-1, y)$, where y is a constant. Which of the following could be the positive measure of angle FGH, in radians?

Answer

A. $\frac{27\pi}{2}$

B. $\frac{29\pi}{2}$

C. 24π

D. 25π

Question ID: 2266984b

Question

$x^2+20x+y^2+16y=-20$

The equation above defines a circle in the xy-plane. What are the coordinates of the center of the circle?

Answer

A. $(-20,-16)$


B. $(-10,-8)$

C. $(10,8)$

D. $(20,16)$

Question ID: 69b0d79d

Question



Point O is the center of the circle above, and the measure of $\angle OAB$ is $30°$. If the length of $\overline{OC}$ is 18, what is the length of arc $\overset{\frown}{AB}$?

Answer

A. 9π

B. 12π

C. 15π

D. 18π

Question ID: b8a225ff

Question

Circle A in the *xy*-plane has the equation $(x+5)^2+(y-5)^2=4$. Circle B has the same center as circle A. The radius of circle B is two times the radius of circle A. The equation defining circle B in the *xy*-plane is $(x+5)^2+(y-5)^2=k$, where k is a constant. What is the value of k?