
ID: d3b9c8d8



The box plots summarize the masses, in kilograms, of two groups of gazelles. Based on the box plots, which of the following statements must be true?


A. The mean mass of group 1 is greater than the mean mass of group 2.

B. The mean mass of group 1 is less than the mean mass of group 2.

C. The median mass of group 1 is greater than the median mass of group 2.

D. The median mass of group 1 is less than the median mass of group 2.

ID: fb866265



The scatterplot shows the relationship between two variables, x and y. An equation for the exponential model shown can be written as $y = a(b)^x$, where a and b are positive constants. Which of the following is closest to the value of b?

A. 0.83

B. 1.83

C. 18.36

D. 126.35


ID: 190be2fc

Data set A consists of 10 positive integers less than 60. The list shown gives 9 of the integers from data set A.

$$43, 45, 44, 43, 38, 39, 40, 46, 40$$

The mean of these 9 integers is 42. If the mean of data set A is an integer that is greater than 42, what is the value of the largest integer from data set A?

ID: 2e8027b0



The scatterplot shows the relationship between two variables, x and y, for data set E. A line of best fit is shown. Data set F is created by multiplying the y-coordinate of each data point from data set E by 3.9. Which of the following could be an equation of a line of best fit for data set F?

A. $y = 46.8 + 5.9x$

B. $y = 46.8 + 1.5x$

C. $y = 12 + 5.9x$

D. $y = 12 + 1.5x$

ID: c178d4da

Value	Data set A frequency	Data set B frequency
30	2	9
34	4	7
38	5	5
42	7	4
46	9	2

Data set A and data set B each consist of 27 values. The table shows the frequencies of the values for each data set. Which of the following statements best compares the means of the two data sets?

A. The mean of data set A is greater than the mean of data set B.

B. The mean of data set A is less than the mean of data set B.

C. The mean of data set A is equal to the mean of data set B.

D. There is not enough information to compare the means of the data sets.

ID: 457d2f2c

A data set of 27 different numbers has a mean of 33 and a median of 33. A new data set is created by adding 7 to each number in the original data set that is greater than the median and subtracting 7 from each number in the original data set that is less than the median. Which of the following measures does NOT have the same value in both the original and new data sets?


A. Median

B. Mean

C. Sum of the numbers

D. Standard deviation

ID: d6af3572



The scatterplot above shows the federal-mandated minimum wage every 10 years between 1940 and 2010. A line of best fit is shown, and its equation is $y = 0.096x - 0.488$. What does the line of best fit predict about the increase in the minimum wage over the 70-year period?


A. Each year between 1940 and 2010, the average increase in minimum wage was 0.096 dollars.

B. Each year between 1940 and 2010, the average increase in minimum wage was 0.49 dollars.

C. Every 10 years between 1940 and 2010, the average increase in minimum wage was 0.096 dollars.

D. Every 10 years between 1940 and 2010, the average increase in minimum wage was 0.488 dollars.


ID: 6c9444cd



The two box plots show the distribution of number of books read over the summer by the students in two different English classes. What is the positive difference between the ranges of number of books read over the summer for the two classes?

ID: d65b9a87

The dot plots represent the distributions of values in data sets A and B.



Which of the following statements must be true?

I. The median of data set A is equal to the median of data set B.

II. The standard deviation of data set A is equal to the standard deviation of data set B.

A. I only

B. II only

C. I and II

D. Neither I nor II

ID: 241f1db7

Weight (pounds)	Frequency
13	12
14	8
15	5
16	7
17	9
18	10
19	13
20	7

The frequency table summarizes a data set of the weights, rounded to the nearest pound, of 71 tortoises. A weight of 39 pounds is added to the original data set, creating a new data set of the weights, rounded to the nearest pound, of 72 tortoises. Which statement best compares the mean and median of the new data set to the mean and median of the original data set?

A. The mean of the new data set is greater than the mean of the original data set, and the median of the new data set is greater than the median of the original data set.

B. The mean of the new data set is greater than the mean of the original data set, and the medians of the two data sets are equal.

C. The mean of the new data set is less than the mean of the original data set, and the median of the new data set is less than the median of the original data set.

D. The mean of the new data set is less than the mean of the original data set, and the medians of the two data sets are equal.

ID: ecbdbe84

The table shown summarizes the number of employees at each of the 17 restaurants in a town.

Number of employees	Number of restaurants
2 to 7	2
8 to 13	4
14 to 19	2
20 to 25	7
26 to 31	2

Which of the following could be the median number of employees for the restaurants in this town?


A. 2

B. 9

C. 15

D. 21

ID: f8a322d9



Two data sets of 23 integers each are summarized in the histograms shown. For each of the histograms, the first interval represents the frequency of integers greater than or equal to 10, but less than 20. The second interval represents the frequency of integers greater than or equal to 20, but less than 30, and so on. What is the smallest possible difference between the mean of data set A and the mean of data set B?

A. 0

B. 1

C. 10

D. 23

ID: 1142af44

Value	Frequency
1	a
2	$2a$
3	$3a$
4	$2a$
5	a

The frequency distribution above summarizes a set of data, where a is a positive integer. How much greater is the mean of the set of data than the median?

A. 0

B. 1

C. 2

D. 3

ID: 1e8ccffd

The mean score of 8 players in a basketball game was 14.5 points. If the highest individual score is removed, the mean score of the remaining 7 players becomes 12 points. What was the highest score?


A. 20

B. 24

C. 32

D. 36

ID: 1e1027a7



The scatterplot above shows a company's ice cream sales d, in dollars, and the high temperature t, in degrees Celsius (°C), on 12 different days. A line of best fit for the data is also shown. Which of the following could be an equation of the line of best fit?


A. $d = 0.03t + 402$

B. $d = 10t + 402$

C. $d = 33t + 300$

D. $d = 33t + 84$

ID: e7d48c8a



The dot plot represents a data set of the number of bursts for 13 eruptions of a steam vent. If an additional eruption with 11 bursts is added to this data set to create a new data set of 14 eruptions, which of the following measures will be greater for the new data set than for the original data set?

I. The median number of bursts

II. The mean number of bursts

A. I and II

B. I only

C. II only

D. Neither I nor II

ID: bf47ad54

Each of the following frequency tables represents a data set. Which data set has the greatest mean?

A.

Value	Frequency
70	4
80	5
90	6
100	7

B.

Value	Frequency
70	6
80	6
90	6
100	6

C.

Value	Frequency
70	7
80	6
90	6
100	7

D.

Value	Frequency
70	8
80	5
90	5

100	8

ID: 4ff597db

The mean amount of time that the 20 employees of a construction company have worked for the company is 6.7 years. After one of the employees leaves the company, the mean amount of time that the remaining employees have worked for the company is reduced to 6.25 years. How many years did the employee who left the company work for the company?

A. 0.45


B. 2.30

C. 9.00

D. 15.25


ID: 7b52985c

The scatterplot shows the relationship between the length of time y, in hours, a certain bird spent in flight and the number of days after January 11, x.



What is the average rate of change, in hours per day, of the length of time the bird spent in flight on January 13 to the length of time the bird spent in flight on January 15?

ID: d0430601



Each dot in the scatterplot above represents the temperature and the number of people who visited a beach in Lagos, Nigeria, on one of eleven different days. The line of best fit for the data is also shown. The line of best fit for the data has a slope of approximately 57. According to this estimate, how many additional people per day are predicted to visit the beach for each 5°C increase in average temperature?