Question ID: 94237701

Question

For a certain computer game, individuals receive an integer score that ranges from 2 through 10. The table below shows the frequency distribution of the scores of the 9 players in group A and the 11 players in group B.

Score	Score Frequencies	
	Group A	Group B
2	1	0
3	1	0
4	2	0
5	1	4
6	3	2
7	0	0
8	0	2
9	1	1
10	0	2
Total	9	11

The median of the scores for group B is how much greater than the median of the scores for group A?

Question ID: 54d93874

Question

	Masses (kilograms)					
Andrew	2.4	2.5	3.6	3.1	2.5	2.7
Maria	x	3.1	2.7	2.9	3.3	2.8

Andrew and Maria each collected six rocks, and the masses of the rocks are shown in the table above. The mean of the masses of the rocks Maria collected is 0.1 kilogram greater than the mean of the masses of the rocks Andrew collected. What is the value of x ?

Question ID: 9d935bd8

Question

Percent of Residents Who Earned a Bachelor's Degree or Higher

State	Percent of residents
State A	21.9%
State B	27.9%
State C	25.9%
State D	19.5%
State E	30.1%
State F	36.4%
State G	35.5%

A survey was given to residents of all 50 states asking if they had earned a bachelor's degree or higher. The results from 7 of the states are given in the table above. The median percent of residents who earned a bachelor's degree or higher for all 50 states was 26.95%. What is the difference between the median percent of residents who earned a bachelor's degree or higher for these 7 states and the median for all 50 states?

Answer

A. 0.05%

B. 0.95%

C. 1.22%

D. 7.45%

Question ID: 98958ae8

Question

Data set A consists of the heights of 75 objects and has a mean of 25 meters. Data set B consists of the heights of 50 objects and has a mean of 65 meters. Data set C consists of the heights of the 125 objects from data sets A and B. What is the mean, in meters, of data set C?

Question ID: 4ff597db

Question

The mean amount of time that the 20 employees of a construction company have worked for the company is 6.7 years. After one of the employees leaves the company, the mean amount of time that the remaining employees have worked for the company is reduced to 6.25 years. How many years did the employee who left the company work for the company?

Answer

A. 0.45

B. 2.30

C. 9.00

D. 15.25

Question ID: 1e8ccffd

Question

The mean score of 8 players in a basketball game was 14.5 points. If the highest individual score is removed, the mean score of the remaining 7 players becomes 12 points. What was the highest score?

Answer

A. 20

B. 24

C. 32

D. 36

Question ID: 1142af44

Question

Value	Frequency
1	a
2	2a
3	3a
4	2a
5	a

The frequency distribution above summarizes a set of data, where *a* is a positive integer. How much greater is the mean of the set of data than the median?

Answer

A. 0

B. 1

C. 2

D. 3

Question ID: 457d2f2c

Question

A data set of 27 different numbers has a mean of 33 and a median of 33. A new data set is created by adding 7 to each number in the original data set that is greater than the median and subtracting 7 from each number in the original data set that is less than the median. Which of the following measures does NOT have the same value in both the original and new data sets?

Answer

A. Median

B. Mean

C. Sum of the numbers

D. Standard deviation

Question ID: c178d4da

Question

Value	Data set A frequency	Data set B frequency
30	2	9
34	4	7
38	5	5
42	7	4
46	9	2

Data set A and data set B each consist of 27 values. The table shows the frequencies of the values for each data set. Which of the following statements best compares the means of the two data sets?

Answer

A. The mean of data set A is greater than the mean of data set B.

B. The mean of data set A is less than the mean of data set B.

C. The mean of data set A is equal to the mean of data set B.

D. There is not enough information to compare the means of the data sets.

Question ID: 190be2fc

Question


Data set A consists of 10 positive integers less than 60. The list shown gives 9 of the integers from data set A.

$$43, 45, 44, 43, 38, 39, 40, 46, 40$$

The mean of these 9 integers is 42. If the mean of data set A is an integer that is greater than 42, what is the value of the largest integer from data set A?

Question ID: d3b9c8d8

Question



The box plots summarize the masses, in kilograms, of two groups of gazelles. Based on the box plots, which of the following statements must be true?

Answer

A. The mean mass of group 1 is greater than the mean mass of group 2.

B. The mean mass of group 1 is less than the mean mass of group 2.

C. The median mass of group 1 is greater than the median mass of group 2.

D. The median mass of group 1 is less than the median mass of group 2.