Question ID: d4413871

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

	Blood type			
Rhesus factor	A	B	AB	O
+	33	9	3	37
−	7	2	1	x

Human blood can be classified into four common blood types—A, B, AB, and O. It is also characterized by the presence $(+)$ or absence $(-)$ of the rhesus factor. The table above shows the distribution of blood type and rhesus factor for a group of people. If one of these people who is rhesus negative $(-)$ is chosen at random, the probability that the person has blood type B is $\frac{1}{9}$. What is the value of x ?

Rationale

The correct answer is 8. In this group, $\frac{1}{9}$ of the people who are rhesus negative have blood type B. The total number of people who are rhesus negative in the group is $7+2+1+x$, and there are 2 people who are rhesus negative with blood type B. Therefore, $\frac{2}{(7+2+1+x)}=\frac{1}{9}$. Combining like terms on the left-hand side of the equation yields $\frac{2}{(10+x)}=\frac{1}{9}$. Multiplying both sides of this equation by 9 yields $\frac{18}{(10+x)}=1$, and multiplying both sides of this equation by $(10+x)$ yields $18=10+x$. Subtracting 10 from both sides of this equation yields $8=x$.

Question ID: 585de39a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

On May 10, 2015, there were 83 million Internet subscribers in Nigeria. The major Internet providers were MTN, Globacom, Airtel, Etisalat, and Visafone. By September 30, 2015, the number of Internet subscribers in Nigeria had increased to 97 million. If an Internet subscriber in Nigeria on September 30, 2015, is selected at random, the probability that the person selected was an MTN subscriber is 0.43. There were p million MTN subscribers in Nigeria on September 30, 2015. To the nearest integer, what is the value of p ?

Rationale

The correct answer is 42. It's given that in Nigeria on September 30, 2015, the probability of selecting an MTN subscriber from all Internet subscribers is 0.43, that there were p million, or $p(1{,}000{,}000)$, MTN subscribers, and that there were 97 million, or 97,000,000, Internet subscribers. The probability of selecting an MTN subscriber from all Internet subscribers can be found by dividing the number of MTN subscribers by the total number of Internet subscribers. Therefore, the equation $\frac{p(1{,}000{,}000)}{97{,}000{,}000} = 0.43$ can be used to solve for p. Dividing 1,000,000 from the numerator and denominator of the expression on the left-hand side yields $\frac{p}{97} = 0.43$. Multiplying both sides of this equation by 97 yields $p = (0.43)(97) = 41.71$, which, to the nearest integer, is 42.

Question ID: 6a715bed

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	$0–9$ years	$10–19$ years	$20+$ years	Total
Group A	7	14	9	30
Group B	6	4	20	30
Group C	17	12	1	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age? (Express your answer as a decimal or fraction, not as a percent.)

Correct Answer: .3833, 23/60

Rationale

The correct answer is $\frac{23}{60}$. It's given that one of the participants will be selected at random. The probability of selecting a participant from group A given that the participant is at least 10 years of age is the number of participants in group A who are at least 10 years of age divided by the total number of participants who are at least 10 years of age. The table shows that in group A, there are 14 participants who are $10–19$ years of age and 9 participants who are $20+$ years of age. Therefore, there are $14 + 9$, or 23, participants in group A who are at least 10 years of age. The table also shows that there are a total of 30 participants who are $10–19$ years of age and 30 participants who are $20+$ years of age. Therefore, there are a total of $30 + 30$, or 60, participants who are at least 10 years of age. It follows that the probability of selecting a participant from group A given that the participant is at least 10 years of age is $\frac{23}{60}$. Note that 23/60, .3833, and 0.383 are examples of ways to enter a correct answer.

Question ID: 5dc386fb

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

The table below shows the distribution of US states according to whether they have a state-level sales tax and a state-level income tax.

2013 State-Level Taxes

	State sales tax	No state sales tax
State income tax	39	4
No state income tax	6	1

To the nearest tenth of a percent, what percent of states with a state-level sales tax do not have a state-level income tax?

Answer

A. 6.0%

B. 12.0%

C. 13.3%

D. 14.0%

Correct Answer: C

Rationale

Choice C is correct. The sum of the number of states with a state-level sales tax is $39 + 6 = 45$. Of these states, 6 don't have a state-level income tax. Therefore, $\frac{6}{45} = 0.1333...$, or about 13.3%, of states with a state-level sales tax don't have a state-level income tax.

Choice A is incorrect. This is the number of states that have a state-level sales tax and no state-level income tax. Choice B is incorrect. This is the percent of states that have a state-level sales tax and no state-level income tax. Choice D is incorrect. This is the percent of states that have no state-level income tax.

Question ID: 014c47ab

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

	Site A	Site B	Total
Tulip	35	15	50
Daffodil	31	21	52
Total	66	36	102

The table shows the distribution of two types of flowers at two different sites. If a flower represented in the table is selected at random, what is the probability of selecting a flower from site A, given that the flower is a tulip? (Express your answer as a decimal or fraction, not as a percent.)

Correct Answer: 0.7, 7/10

Rationale

The correct answer is $\frac{35}{50}$. Based on the table, there are a total of 50 tulips, and 35 of these tulips are from site A. The probability of selecting at random a flower from site A, given that the flower is a tulip, is equal to the number of tulips from site A divided by the total number of tulips, which can be written as $\frac{35}{50}$, or $\frac{7}{10}$. Note that 35/50, 7/10, and .7 are examples of ways to enter a correct answer.

Question ID: 89f20d9e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	$0–9$ years	$10–19$ years	$20+$ years	Total
Group A	5	17	8	30
Group B	6	8	16	30
Group C	19	5	6	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age?

Answer

A. $\frac{5}{18}$

B. $\frac{5}{12}$

C. $\frac{17}{30}$

D. $\frac{5}{6}$

Correct Answer: B

Rationale

Choice B is correct. Since the participant will be selected at random, the probability of selecting a participant from group A, given that the participant is at least 10 years of age, is equal to the number of participants from group A who are at least 10 years of age divided by the total number of participants who are at least 10 years of age. Based on the table, in group A, there are 17 participants who are $10–19$ years of age and 8 participants who are $20+$ years of age. Therefore, there are a total of $17 + 8$, or 25, participants in group A who are at least 10 years of age. Based on the table, of the total number of participants, there are 30 participants who are $10–19$ years of age and 30 participants who are $20+$ years of age. Therefore, a total of $30 + 30$, or 60, of the participants are at least 10 years of age. Thus, the probability of selecting a participant from group A, given that the participant is at least 10 years of age, is $\frac{25}{60}$, or $\frac{5}{12}$.

Choice A is incorrect. This is the number of participants from group A who are at least 10 years of age divided by the total number of participants, rather than divided by the number of participants who are at least 10 years of age.

Choice C is incorrect. This is the probability of randomly selecting a participant from group A, given that the participant is $10–19$ years of age, rather than given that the participant is at least 10 years of age.

Choice D is incorrect. This is the probability of randomly selecting a participant who is at least 10 years of age, given that the participant is in group A.