Question ID: d4413871

Question

	Blood type			
Rhesus factor	A	B	AB	O
+	33	9	3	37
−	7	2	1	x

Human blood can be classified into four common blood types—A, B, AB, and O. It is also characterized by the presence $(+)$ or absence $(-)$ of the rhesus factor. The table above shows the distribution of blood type and rhesus factor for a group of people. If one of these people who is rhesus negative $(-)$ is chosen at random, the probability that the person has blood type B is $\frac{1}{9}$. What is the value of x ?

Question ID: 585de39a

Question

On May 10, 2015, there were 83 million Internet subscribers in Nigeria. The major Internet providers were MTN, Globacom, Airtel, Etisalat, and Visafone. By September 30, 2015, the number of Internet subscribers in Nigeria had increased to 97 million. If an Internet subscriber in Nigeria on September 30, 2015, is selected at random, the probability that the person selected was an MTN subscriber is 0.43. There were p million MTN subscribers in Nigeria on September 30, 2015. To the nearest integer, what is the value of p ?

Question ID: 6a715bed

Question

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	$0-9$ years	$10-19$ years	$20+$ years	Total
Group A	7	14	9	30
Group B	6	4	20	30
Group C	17	12	1	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age? (Express your answer as a decimal or fraction, not as a percent.)

Question ID: 5dc386fb

Question

The table below shows the distribution of US states according to whether they have a state-level sales tax and a state-level income tax.

2013 State-Level Taxes

	State sales tax	No state sales tax
State income tax	39	4
No state income tax	6	1

To the nearest tenth of a percent, what percent of states with a state-level sales tax do not have a state-level income tax?

Answer

A. 6.0%

B. 12.0%

C. 13.3%

D. 14.0%

Question ID: 014c47ab

Question

	Site A	Site B	Total
Tulip	35	15	50
Daffodil	31	21	52
Total	66	36	102

The table shows the distribution of two types of flowers at two different sites. If a flower represented in the table is selected at random, what is the probability of selecting a flower from site A, given that the flower is a tulip? (Express your answer as a decimal or fraction, not as a percent.)

Question ID: 89f20d9e

Question

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	$0-9$ years	$10-19$ years	$20+$ years	Total
Group A	5	17	8	30
Group B	6	8	16	30
Group C	19	5	6	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age?

Answer

A. $\frac{5}{18}$

B. $\frac{5}{12}$

C. $\frac{17}{30}$

D. $\frac{5}{6}$