

Arquitectura y modularización

Por: Ricardo Cuellar

app/
main.py

```
app/  
  main.py  
core/  
  db.py  
models/  
  author.py  
  tag.py  
  post.py  
api/  
  posts.py
```

```
app/  
  main.py  
core/  
  db.py  
models/  
  author.py  
  tag.py  
  post.py  
api/  
  v1/  
    posts/  
      router.py  
      schemas.py  
      repository.py
```

{dev/talles}

```
app/
  main.py
core/
  db.py
  config.py
  exceptions.py
  security.py
  logging.py
  deps.py
models/
  user.py
  author.py
  tag.py
  post.py
  webhook_event.py
api/
  v1/
    posts/
      router.py
      schemas.py
      repository.py
      service.py
    authors/
    tags/
    auth/
    webhooks/
    sockets/
migrations/
tests/
```



```
app/
    main.py
api/
    __init__.py
    deps.py
    routers/
        __init__.py
        users.py
        auth.py
        posts.py
core/
    config.py
    security.py
    logging.py
db/
    session.py
    migrations/
models/
    user.py
    post.py
schemas/
    user.py
    post.py
repositories/
    user.py
    post.py
services/
    user_service.py
    post_service.py
utils/
tests/
    conftest.py
    test_users.py
    test_posts.py
alembic.ini
.env.example
pyproject.toml / requirements.txt
```

Gracias



www.devtalles.com



[/ricardocuellar](https://www.linkedin.com/in/ricardocuellar)



[@DevTalles](https://twitter.com/@DevTalles)