

```
1  -- 01. Insertar propietario
2  INSERT INTO owners (
3      first_name, last_name, company_name, email,
4      phone, address_line1, city, state, country,
5      postal_code
6  )
7  VALUES (
8      'Ricardo', 'Melara', 'INFRAMEN', 'ricardo@gmail.com',
9      '87545655', 'Apopa', 'Apopa', 'Apopa',
10     'El salvador', '1101'
11 );
12
13
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 164 msec.

```
12
13 -- 02. Insertar alojamiento
14 INSERT INTO accommodations (
15     owner_id, accommodation_type_id, location_id,
16     name, description, bedroom_count, bathroom_count,
17     base_price_per_night, currency_code, check_in_time,
18     check_out_time, is_active
19 )
20 VALUES (
21     1, 2, 3, 'Casa de Playa', 'Hermosa casa frente al mar con vista panorámica', 8,
22     4, 3, 120.00, 'USD', '14:00', '11:00', TRUE
23 );
24
25
```

Data Output Messages Notifications

ERROR: INSERT tiene más expresiones que columnas de destino
LINE 10: 4, 3, 120.00, 'USD', '14:00', '11:00', TRUE
^

SQL state: 42601
Character: 389

```
24
25 -- 03. Insertar huésped y reserva
26 INSERT INTO guests (
27     first_name, last_name, email, phone, date_of_birth, nationality, passport_number,
28     emergency_contact_name, emergency_contact_phone
29 )
30 VALUES (
31     'Ricardo', 'Melara', 'ricardo.melara@example.com', '77454554', '1985-04-20', 'El Salvador', 'SV123456',
32     'José Melara', '70001234'
33 );
34
35 INSERT INTO bookings (
36     guest_id, accommodation_id, room_id, booking_status_id, check_in_date, check_out_date, adult_count,
37     child_count, subtotal_amount, tax_amount, discount_amount, total_amount, special_requests,
38     booking_reference
39 )
40 VALUES (
41     1, 1, NULL, 1, '2026-07-01', '2026-07-05', 2, 0, 480.00, 57.60, 0.00, 537.60,
42     'Sin solicitudes especiales', 'RES-20260701-001'
43 );
44
45
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 122 msec.

```

45
46 -- 04. Insertar pago
47 INSERT INTO payments (
48     booking_id, payment_date, amount, payment_method, payment_status, transaction_reference, notes
49 )
50 VALUES (
51     1, '2026-07-01', 537.60, 'Tarjeta de crédito', 'Completado', 'TRANS-20260701-001', 'Pago realizado por Ricardo Melara'
52 );
53
54
55
56

```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 100 msec.

```

-- 05. Alojamientos activos
SELECT
    a.name,
    at.type_name as tipo,
    l.city,
    a.base_price_per_night,
    a.is_active
FROM accommodations a
JOIN accommodation_types at ON a.accommodation_type_id = at.accommodation_type_id
JOIN locations l ON a.location_id = l.location_id
WHERE a.is_active = true
ORDER BY a.base_price_per_night DESC;

```

Data Output Messages Notifications

name	tipo	city	base_price_per_night	is_active
character varying (150)	character varying (50)	character varying (100)	numeric (10,2)	boolean
Panoramic Suite Ville	Guesthouse	Vieja Chipre	597.44	true
Charming Stay los bajos	Hotel	Vieja Brasil	590.96	true
Panoramic Stay Ville	House	South Angel	560.30	true
Rustic Lodge boeuf	Hostel	South Angel	523.75	true
Boutique Nest boeuf	Guesthouse	North Ryanstad	445.08	true
Boutique Suite los bajos	House	Augsburg	378.70	true
Luxury Nest Ville	Hotel	Caronnec	359.02	true
Rustic Lodge Ville	Resort	Tessier	354.37	true
Luxury Escape de la Montaña	Apartment	South Angel	321.60	true
Rustic Retreat Ville	Hotel	Blanchet	309.56	true
Rustic Getaway de la Monta	Apartment	Augsburg	306.16	true

```
66
67 -- 06. Huéspedes por país
68 SELECT
69     nationality,
70     COUNT(*) as total_huespedes,
71     MIN(date_of_birth) as mas_joven,
72     MAX(date_of_birth) as mas_mayor
73 FROM guests
74 GROUP BY nationality
75 ORDER BY total_huespedes DESC;
76
```

Data Output Messages Notifications

	nationality character varying (100)	total_huespedes bigint	mas_joven date	mas_mayor date
1	Bulgaria	3	1969-02-18	2000-02-22
2	Niue	2	1946-07-03	1964-01-21
3	Mali	2	1995-04-28	2002-05-13
4	Finlande	1	2000-03-16	2000-03-16
5	Dominican Republic	1	1987-02-16	1987-02-16
6	American Samoa	1	1992-03-08	1992-03-08
7	Sri Lanka	1	1985-07-19	1985-07-19
8	Uzbekistan	1	1973-02-01	1973-02-01
9	Territoires français du sud	1	1986-11-10	1986-11-10
10	Irak	1	2000-10-18	2000-10-18
11	Ukraine	1	1947-04-09	1947-04-09

```
77
78 -- 07. Reservas por fechas
79 SELECT
80     b.booking_id,
81     g.first_name as huesped,
82     a.name as alojamiento,
83     b.check_in_date,
84     b.check_out_date,
85     b.total_amount
86 FROM bookings b
87 JOIN guests g ON b.guest_id = g.guest_id
88 JOIN accommodations a ON b.accommodation_id = a.accommodation_id
89 WHERE b.check_in_date BETWEEN '2026-07-01' AND '2026-07-31'
90 ORDER BY b.check_in_date;
91
```

Data Output Messages Notifications

	booking_id bigint	huesped character varying (100)	alojamiento character varying (150)	check_in_date date	check_out_date date	total_amount numeric (10,2)
1	101	Fredy	Rustic Lodge Ville	2026-07-01	2026-07-05	537.60
2	85	Benjamin	Modern Escape Ville	2026-07-06	2026-07-11	364.39
3	60	Corey	Rustic Lodge Ville	2026-07-13	2026-07-22	3016.65

```
91
92 -- 08. Actualizar precio
93 UPDATE accommodations
94 SET base_price_per_night = 95.00,
95     updated_at = CURRENT_TIMESTAMP
96 WHERE accommodation_id = 1;
97
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 141 msec.

```
97
98
99 -- 09. Actualizar estado de reserva
100 UPDATE bookings
101 SET booking_status_id = 2, -- Ej: 2 = Cancelada
102    updated_at = CURRENT_TIMESTAMP
103 WHERE booking_id = 1;
104
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 96 msec.

```
105
106 -- 10. Eliminar reseña
107 DELETE FROM reviews
108 WHERE review_id = 5;
109
110
111
112
```

Data Output Messages Notifications

DELETE 1

Query returned successfully in 110 msec.

```
10
11 -- 11. JOIN reservas + huésped
12 SELECT
13     b.booking_id,
14     g.first_name,
15     g.last_name,
16     g.email,
17     b.check_in_date,
18     b.total_amount,
19     bs.status_name
20 FROM bookings b
21 INNER JOIN guests g ON b.guest_id = g.guest_id
22 INNER JOIN booking_statuses bs ON b.booking_status_id = bs.booking_status_id;
23
```

Data Output Messages Notifications

Showing rows: 1 to 101							
booking_id	first_name	last_name	email	check_in_date	totalAmount	status_name	
bigint	character varying (100)	character varying (100)	character varying (150)	date	numeric (10,2)	character varying (50)	
2	Karl-Josef	Louis	bernwardputz@example.com	2025-06-08	2409.77	Cancelled	
3	Irmtraut	Hettner	jordan10@example.com	2025-06-11	2000.69	NoShow	
4	Henri	Schmidtke	schneidereric@example.com	2025-05-27	1384.24	CheckedIn	
5	Claude	Miller	mauriciomoliner@example.net	2025-07-31	2225.85	Pending	
6	Thomas	Gutiérrez	hurtadocarolina@example.net	2026-04-08	1076.88	Confirmed	
7	Tiburcio	Acuña	mirelagiralt@example.net	2026-05-16	1969.64	CheckedIn	
8	Isaac	Cotto	grauseverino@example.com	2025-11-02	237.00	Pending	
9	Orhan	Boutin	brunsophie@example.org	2025-12-05	2904.41	Pending	
10	Marcela	Figueroa	bertha79@example.net	2026-01-07	1363.61	Confirmed	

```

123
124 -- 12. JOIN alojamiento completo
125 SELECT
126     a.name,
127     at.type_name,
128     o.first_name || ' ' || o.last_name as propietario,
129     l.city,
130     l.country,
131     a.base_price_per_night
132 FROM accommodations a
133 JOIN accommodation_types at ON a.accommodation_type_id = at.accommodation_type_id
134 JOIN owners o ON a.owner_id = o.owner_id
135 JOIN locations l ON a.location_id = l.location_id;
136

```

Data Output Messages Notifications

Showing rows: 1 to 20

	name character varying (150)	type_name character varying (50)	propietario text	city character varying (100)	country character varying (100)	base_price_per_night numeric (10,2)
1	Rustic Hideaway Ville	Hostel	Ismael Jacquot	Vallet	Niue	129.59
2	Boutique Retreat Ville	Resort	Ignacio Stafford	Blanchet	Botsuana	230.50
3	Modern Escape Ville	House	Ignacio Stafford	Vieja Chipre	Fidschi	527.49
4	Panoramic Stay Ville	House	Ignacio Stafford	South Angel	República Popular Democrática de Co...	560.30
5	Rustic Getaway de la Monta...	Apartment	Zacharie Hethur	Augsburg	Frankreich	306.16
6	Panoramic Getaway dan	Guesthouse	Miguel Ángel Hod...	Almería	Kenya	285.34
7	Cozy Lodge Ville	House	Hugo Bellido	Leconte	Qatar	44.03
8	Boutique Nest boeuf	Guesthouse	Cynthia Benavidez	North Ryanstad	Timor-Leste	445.08
9	Rustic Lodge boeuf	Hostel	Hugo Bellido	South Angel	República Popular Democrática de Co...	523.75
10	Boutique Stay Ville	House	Audrey Voisin	Leconte	Qatar	142.75

```

136
137 -- 13. JOIN pagos + reservas
138 SELECT
139     p.payment_id,
140     b.booking_id,
141     g.first_name as cliente,
142     p.amount,
143     p.payment_method,
144     p.payment_status,
145     p.created_at
146 FROM payments p
147 JOIN bookings b ON p.booking_id = b.booking_id
148 JOIN guests g ON b.guest_id = g.guest_id;
149

```

Data Output Messages Notifications

Showing rows: 1 to 91

	payment_id bigint	booking_id bigint	cliente character varying (100)	amount numeric (10,2)	payment_method character varying (50)	payment_status character varying (50)	created_at timestamp without time zone
1	1	1	Ian	2447.60	CreditCard	Completed	2026-04-15 01:23:25.356206
2	2	2	Karl-Josef	2437.43	CreditCard	Failed	2026-04-15 01:23:25.356206
3	3	3	Irmtraut	199.38	Cash	Refunded	2026-04-15 01:23:25.356206
4	4	4	Henri	136.97	Crypto	Refunded	2026-04-15 01:23:25.356206
5	5	5	Claude	602.10	BankTransfer	Refunded	2026-04-15 01:23:25.356206
6	6	7	Tiburcio	775.07	BankTransfer	Refunded	2026-04-15 01:23:25.356206
7	7	8	Isaac	229.89	BankTransfer	Refunded	2026-04-15 01:23:25.356206
8	8	9	Orhan	2659.72	Cash	Pending	2026-04-15 01:23:25.356206
9	9	10	Marcela	2394.80	PayPal	Failed	2026-04-15 01:23:25.356206
10	10	11	Claude	1064.90	Cash	Failed	2026-04-15 01:23:25.356206
11	11	12	Benjamin	900.60	CreditCard	Completed	2026-04-15 01:23:25.356206

```

150
151 -- 14. LEFT JOIN sin reseñas
152 SELECT
153     a.name,
154     a.base_price_per_night,
155     COUNT(r.review_id) as total_resenas,
156     COALESCE(AVG(r.rating), 0) as promedio_rating
157 FROM accommodations a
158 LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id
159 GROUP BY a.accommodation_id, a.name, a.base_price_per_night
160 HAVING COUNT(r.review_id) = 0;
161

```

Data Output Messages Notifications

name character varying (150)	base_price_per_night numeric (10,2)	total_resenas bigint	promedio_rating numeric

162
163
164
165
166
167
168
169
170
171
172
173

```
-- 15. LEFT JOIN sin reservas
SELECT
    g.guest_id,
    g.first_name,
    g.last_name,
    g.email,
    g.nationality
FROM guests g
LEFT JOIN bookings b ON g.guest_id = b.guest_id
WHERE b.booking_id IS NULL;
```

Data Output Messages Notifications

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	nationality character varying (100)
	82	Louise	Lübs	sibilla57@example.net	Namibia
	17	Rosario	Richard	xpons@example.org	Chad
	34	Renata	Pozo	victor43@example.org	Mónaco
	10	Marcel	Lejeune	blanca28@example.com	Eritrea
	98	Philippine	Franklin	anais99@example.net	Moldova
	64	Thomas	Hartmann	strejo@example.net	Ägypten
	71	Katalin	Davis	pradoliliana@example.com	Bermuda
	15	Willibald	Artigas	rachel90@example.org	Thailand
	56	Abbas	Conner	romana88@example.org	Ucrania
0	40	Simone	Siering	estherbenavides@example.o...	Mexico

174
175
176
177
178
179
180
181
182

```
-- 16. Total ingresos
SELECT
    SUM(total_amount) as ingresos_totales,
    COUNT(*) as total_reservas,
    AVG(total_amount) as ticket_promedio
FROM bookings;
```

Data Output Messages Notifications

	ingresos_totales numeric	total_reservas bigint	ticket_promedio numeric
1	174875.51	101	1731.4406930693069307

182
183
184
185
186

```
-- 17. Promedio rating
SELECT ROUND(AVG(rating)::numeric, 2) AS promedio_rating
FROM reviews;
```

Data Output Messages Notifications

	promedio_rating numeric
1	3.12

```

.86
.87 -- 18. Top alojamientos
.88 SELECT a.name, COUNT(b.booking_id) AS total_reservas
.89 FROM accommodations a
.90 JOIN bookings b ON a.accommodation_id = b.accommodation_id
.91 GROUP BY a.name
.92 ORDER BY total_reservas DESC
.93 LIMIT 5;
.94

```

Data Output Messages Notifications

	name character varying (150)	total_reservas bigint
	Charming Stay los bajos	9
	Panoramic Stay Ville	8
	Luxury Nest Ville	6
	Boutique Stay Ville	6
	Panoramic Suite Ville	5

```

195
196 -- 19. HAVING más de 3 reservas
197 SELECT g.first_name AS nombre, COUNT(b.booking_id) AS total_reservas
198 FROM guests g
199 JOIN bookings b ON g.guest_id = b.guest_id
200 GROUP BY g.first_name, g.last_name
201 HAVING COUNT(b.booking_id) > 3
202 ORDER BY total_reservas DESC;
203

```

Data Output Messages Notifications

	nombre character varying (100)	total_reservas bigint
1	Orhan	4

```

204
205 -- 20. Subconsulta alojamiento más caro
206 SELECT name, base_price_per_night
207 FROM accommodations
208 ORDER BY base_price_per_night DESC
209 LIMIT 1;
210

```

Data Output Messages Notifications

	name character varying (150)	base_price_per_night numeric (10,2)
1	Panoramic Suite Ville	597.44