Beauty book-1

Ricardo

2020-03-16

Universidad Nacional De San Cristobal De Huamanga

$$\sum_{1}^{2}$$

Índice general

Prerequisites V

Introducción VII

1. Literature 1
1.1. R Markdown 1
1.2. Including Plots 1

2. Methods 3

3. Applications 5
3.1. Example one 5
3.2. Example two 5
3.3. R Markdown 5
3.4. Including Plots 5

Apéndice 6

A. Final Words 7

B. We have finished a nice book. 9

Prerequisites

Sea la ecuación $a + b = c$ *god* **entonces**

Introducción

Los números son elementos You can write citations, too. For example, we are using the **bookdown** package (Xie, 2020) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Capítulo 1

Literature

Here is a review of existing methods.

1.1. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed           dist       
##  Min.   : 4.0   Min.   :  2.00  
##  1st Qu.:12.0   1st Qu.: 26.00  
##  Median :15.0   Median : 36.00  
##  Mean   :15.4   Mean   : 42.98  
##  3rd Qu.:19.0   3rd Qu.: 56.00  
##  Max.   :25.0   Max.   :120.00
```

1.2. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Capítulo 2

Methods

We describe our methods in this chapter.

Capítulo 3

Applications

Some *significant* applications are demonstrated in this chapter.

3.1. Example one

3.2. Example two

3.3. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed           dist       
##  Min.   : 4.0   Min.   :  2.00  
##  1st Qu.:12.0   1st Qu.: 26.00  
##  Median :15.0   Median : 36.00  
##  Mean   :15.4   Mean   : 42.98  
##  3rd Qu.:19.0   3rd Qu.: 56.00  
##  Max.   :25.0   Max.   :120.00
```

3.4. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Capítulo A

Final Words

Capítulo B

We have finished a nice book.

Bibliografía

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2020). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.17.

Índice alfabético

chapter, 3