

IAM-02: SSO and Authentication Configuration

Series: IAM — IAM Administration | **Notebook:** 2 of 10 | **Created:** January 2026 |
Last Updated: 02/27/2026

Setting Up Enterprise Authentication

Single Sign-On (SSO) is the foundation of enterprise IAM. Configure SSO before setting up groups, policies, or user provisioning. This notebook covers SAML configuration, IdP integration, and authentication best practices.

Table of Contents

- [1. Why SSO First?](#)
 - [2. SAML 2.0 Fundamentals](#)
 - [3. IdP Configuration](#)
 - [4. Dynatrace SAML Setup](#)
 - [5. Attribute Mapping](#)
 - [6. Testing SSO](#)
 - [7. Multi-Factor Authentication](#)
 - [8. Troubleshooting SSO](#)
-

Prerequisites

Requirement	Details
Dynatrace Environment	SaaS with Gen3 IAM enabled
Permissions	Account administrator
IdP Access	Admin access to enterprise IdP (Okta, Azure AD, etc.)

1. Why SSO First?

SSO must be configured before other IAM components because:

Dependency	Reason
Groups	Groups are synced from IdP via SAML assertions
Users	Users are provisioned through SSO (SCIM or JIT)
Policies	Policies are assigned to groups that come from IdP
Audit	Authentication events require SSO integration

Authentication Flow

```
User → IdP Login → SAML Assertion → Dynatrace
      ↓
    Contains: Email, Groups, Attributes
      ↓
  Dynatrace maps to local groups
      ↓
  Policies and boundaries applied
```

Order of Operations

1. **Configure SSO** (this notebook)
2. Design group architecture (IAM-03)
3. Create policies (IAM-04)
4. Design boundaries (IAM-05)

5. Enable SCIM/JIT provisioning (IAM-06)

2. SAML 2.0 Fundamentals

Dynatrace uses SAML 2.0 for SSO authentication.

Key Concepts

Term	Definition
IdP	Identity Provider - authenticates users (Okta, Azure AD, etc.)
SP	Service Provider - Dynatrace, the application being accessed
Assertion	XML document containing user identity and attributes
ACS URL	Assertion Consumer Service - where Dynatrace receives assertions
Entity ID	Unique identifier for each party

SAML Flow

1. User accesses Dynatrace
2. Dynatrace redirects to IdP
3. User authenticates with IdP
4. IdP generates SAML assertion
5. IdP redirects back to Dynatrace with assertion
6. Dynatrace validates assertion
7. User is logged in with appropriate permissions

Required SAML Attributes

Attribute	Purpose	Example
NameID	User identifier (email)	user@company.com
Groups	Group memberships	IT-DT-Admins, All-Employees
FirstName	Display name	John
LastName	Display name	Smith

3. IdP Configuration

Configure your Identity Provider to work with Dynatrace.

Supported Identity Providers

IdP	SSO Support	SCIM Support	Notes
Okta	Full	Full	Native integration
Azure AD (Entra ID)	Full	Full	Enterprise app
OneLogin	Full	Full	App catalog
PingFederate	Full	Full	Federation server
Google Workspace	Full	Partial	Custom SAML app
ADFS	Full	Manual	On-premises

IdP Setup Steps (Generic)

1. Create SAML Application

- Log into IdP admin console
- Create new SAML 2.0 application
- Name it "Dynatrace" or "Dynatrace [Environment]"

2. Configure Service Provider Settings

- ACS URL: `https://sso.dynatrace.com/sso/saml2/<account-uuid>`
- Entity ID: `https://sso.dynatrace.com/sso/saml2/<account-uuid>`
- Name ID Format: Email address

3. Configure Attributes

- Map user email to NameID
- Add groups attribute
- Add first/last name attributes

4. Assign Users/Groups

- Assign IdP groups that should access Dynatrace
- Or assign all users and control access via Dynatrace groups

Okta Configuration Example

1. Create Application

- Applications → Create App Integration
- Select SAML 2.0
- Name: "Dynatrace"

2. SAML Settings

Single sign-on URL: `https://sso.dynatrace.com/sso/saml2/<account-uuid>`
Audience URI (SP Entity ID): `https://sso.dynatrace.com/sso/saml2/<account-uuid>` Name ID format: EmailAddress Application username: Email

3. Attribute Statements

Name	Value
email	user.email
firstName	user.firstName
lastName	user.lastName

4. Group Attribute Statements

Name	Filter
groups	Matches regex <code>.*</code> (or filter to DT groups)

Azure AD (Entra ID) Configuration Example

1. Enterprise Application

- Enterprise Applications → New Application
- Create your own application
- Name: "Dynatrace"

2. Single Sign-On → SAML

Identifier (Entity ID): `https://sso.dynatrace.com/sso/saml2/<account-uuid>` Reply URL (ACS URL): `https://sso.dynatrace.com/sso/saml2/<account-uuid>`

3. Attributes & Claims

Claim	Source attribute
emailaddress	user.mail
givenname	user.givenname

| surname | user.surname |
| groups | Group IDs or names |

4. Dynatrace SAML Setup

Configure Dynatrace to accept SAML assertions from your IdP.

Steps in Dynatrace Account Management

1. Navigate to Identity Providers

- Account Management → Identity & access management → Identity providers

2. Add SAML Configuration

- Click "Add identity provider"
- Select "SAML 2.0"

3. Enter IdP Information

- **Name:** Descriptive name (e.g., "Corporate Okta")
- **IdP Entity ID:** From IdP metadata
- **IdP SSO URL:** From IdP metadata
- **IdP Certificate:** Upload X.509 certificate from IdP

4. Get Dynatrace SP Information

- Copy ACS URL and Entity ID to configure in IdP
- Download Dynatrace SP metadata if IdP supports it

Configuration Options

Option	Recommendation	Notes
Sign assertions	Required	Validate IdP signatures
Encrypt assertions	Optional	Additional security
Sign requests	Optional	SP signs auth requests
Allow IdP-initiated	Optional	Direct IdP login

5. Attribute Mapping

Map SAML attributes to Dynatrace user properties.

User Attribute Mapping

SAML Attribute	Dynatrace Field	Required
NameID	User email/login	Yes
firstName	First name	Recommended
lastName	Last name	Recommended
email	Email (if not NameID)	If NameID is different

Group Attribute Mapping

Groups from SAML assertions map to Dynatrace groups:

```
IdP Group (in assertion) → Dynatrace Group
IT-DT-Platform-Admins    → dt-platform-admins
IT-DT-Checkout-Team      → dt-checkout-editors
IT-DT-Security-Audit     → dt-security-viewers
```

Configuring Group Mapping

1. In Dynatrace Account Management

- Identity providers → Select your IdP
- Group mapping section

2. Add Mappings

- IdP group name (exact match)
- Dynatrace group to assign

3. Options

- | Option | Description |
- |-----|-----|
- | Auto-create groups | Create DT group if not exists |
- | Default group | Assign all users to a base group |
- | Strict mapping | Only mapped groups, ignore others |

Group Naming Strategy

Approach	IdP Group	DT Group	Pros/Cons
Exact match	dt-admins	dt-admins	Simple, but IdP naming restricted
Prefixed	IT-DT-Admins	dt-admins	Explicit mapping needed
Descriptive	Dynatrace Platform Admins	dt-platform-admins	Clear in IdP, mapping required

6. Testing SSO

Verify SSO works correctly before rolling out.

Test Checklist

- ☐ SP-initiated login works (start from Dynatrace)
- ☐ IdP-initiated login works (start from IdP portal)
- ☐ User attributes map correctly (name, email)
- ☐ Groups sync correctly
- ☐ Logout works (single logout)
- ☐ Session timeout behaves correctly

Testing Steps

1. Test with Admin Account First

- Use an IdP admin account
- Verify login works
- Check group assignments

2. Test SP-Initiated Login

- Go to Dynatrace login page
- Click SSO login
- Should redirect to IdP
- Authenticate and return to Dynatrace

3. Test IdP-Initiated Login

- Go to IdP portal

- Click Dynatrace app tile
- Should land in Dynatrace authenticated

4. Verify User Profile

- Check user's name is correct
- Check user's email is correct
- Check group memberships

Common Test Failures

Symptom	Likely Cause	Fix
Redirect loop	Misconfigured ACS URL	Verify URL matches exactly
Invalid signature	Certificate mismatch	Re-upload IdP certificate
User not found	NameID format wrong	Use email format
No groups	Groups attribute missing	Add groups to assertion

7. Multi-Factor Authentication

MFA should be enforced at the IdP level for Dynatrace access.

MFA Strategy

Approach	Description	Recommendation
IdP MFA	MFA at IdP login	Recommended
Dynatrace MFA	Additional MFA in Dynatrace	For sensitive actions
Conditional	MFA based on risk	For adaptive security

IdP MFA Configuration

Okta:

- Security → Authenticators
- Add factors (TOTP, Push, WebAuthn)
- Create sign-on policy requiring MFA for Dynatrace app

Azure AD:

- Azure AD → Security → MFA
- Conditional Access policies
- Require MFA for Dynatrace enterprise app

MFA Best Practices

Practice	Rationale
Require MFA for all users	Baseline security
Use phishing-resistant factors	WebAuthn > TOTP > SMS
Allow backup factors	Prevent lockout
Enforce for privileged users	Critical for admins

8. Troubleshooting SSO

Common SSO issues and their resolutions.

SAML Debugging Tools

Tool	Purpose
Browser dev tools	View SAML response in network tab
SAML tracer extension	Decode SAML in browser
Base64 decoder	Decode assertion manually
IdP logs	View authentication events

Decoding SAML Response

1. Open browser dev tools → Network
2. Perform SSO login
3. Find POST to ACS URL
4. Copy SAMLResponse value
5. Base64 decode to see XML

Common Issues

Issue	Symptom	Resolution
Clock skew	"Assertion expired"	Sync IdP/Dynatrace time
Certificate expired	Signature invalid	Renew and update cert
Wrong ACS URL	404 or loop	Correct URL in IdP
Missing groups	No permissions	Add groups to assertion
Wrong NameID	User mismatch	Use email format
Audience mismatch	Audience error	Match Entity ID exactly

```
// Monitor SSO authentication events
fetch logs, from: now() - 24h
| filter matchesPhrase(log.source, "audit")
| filter matchesPhrase(content, "saml") or matchesPhrase(content, "sso") or
matchesPhrase(content, "authentication")
| fields timestamp, content
| sort timestamp desc
| limit 50
```

```
// Find failed authentication attempts
fetch logs, from: now() - 7d
| filter matchesPhrase(log.source, "audit")
| filter matchesPhrase(content, "failed") and (matchesPhrase(content,
"login") or matchesPhrase(content, "authentication"))
| fields timestamp, content
| sort timestamp desc
| limit 50
```

Next Steps

With SSO configured, proceed to group architecture:

Recommended Path

1. **IAM-03: Group Architecture and Design** - Design groups that map from IdP
2. **IAM-04: Policy Authoring** - Create policies for groups

3. IAM-06: User Lifecycle - Enable SCIM/JIT provisioning

SSO Checklist

Before moving on, ensure you have:

- ☐ IdP SAML application configured
 - ☐ Dynatrace identity provider added
 - ☐ Attribute mapping configured
 - ☐ Group mapping planned
 - ☐ SSO login tested successfully
 - ☐ MFA enabled at IdP
-

Summary

In this notebook, you learned:

- Why SSO must be configured first
 - SAML 2.0 fundamentals
 - IdP configuration for Okta and Azure AD
 - Dynatrace SAML setup process
 - Attribute and group mapping
 - SSO testing methodology
 - MFA best practices
 - Troubleshooting common SSO issues
-

References

- [Single Sign-On](#)
- [SAML 2.0 Configuration](#)
- [Okta Integration](#)
- [Azure AD Integration](#)

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.