

S2D-05: Alert Migration - Workflow-Based Alerts

Series: S2D | Notebook: 5 of 9 | Created: January 2026 | Last Updated: 01/30/2026

Overview

While Davis Anomaly Detectors are preferred for continuous monitoring, some Splunk alerts are better suited for workflow-based alerting. This notebook explains when and how to use Dynatrace Workflows for alert migration.




Table of Contents

- [1. When to Use Workflows for Alerting](#)
- [2. Drawbacks of Workflow-Based Alerts](#)

3. [Basic Alerting Workflow Structure](#)
 4. [Example Workflow Query](#)
 5. [Event Creation JavaScript](#)
 6. [Schedule Configuration](#)
 7. [Alternative: Business Hours with Anomaly Detectors](#)
 8. [Important Disclaimers](#)
 9. [Migration Checklist](#)
-

Prerequisites

Requirement	Details
Dynatrace Environment	SaaS with Workflows enabled
Permissions	<code>automation.write</code> , <code>logs.read</code>
Knowledge	Understanding of Dynatrace Workflows

Learning Objectives

By the end of this notebook, you will be able to:

1. Identify when workflows are more appropriate than anomaly detectors
2. Structure a basic alerting workflow
3. Configure scheduled triggers
4. Create events from workflow results

When to Use Workflows for Alerting

Use Workflows When:

1. **Query timeframe exceeds 1 hour**
 - Davis Anomaly Detectors have a maximum sliding window of 60 minutes
 - Example: Alert on 7-day log volume trends

2. Alert runs on a schedule (few times per day)

- Scheduled reports that happen at specific times
- Example: Run every weekday at 6 AM

3. Alert is disabled for extended periods

- Business hours-only alerting
- Example: Alert every 5 minutes during 8 AM - 6 PM only

4. Alert is actually a report

- Some Splunk "alerts" are reports that always trigger
- Indicators:
 - o Returns multiple appended datasets
 - o Threshold of 0 for consistently large results
 - o Very large timeframes

Use Anomaly Detectors When:

- Continuous, real-time monitoring is needed
- Timeframe is ≤ 60 minutes
- Alert should run every minute
- Davis AI problem correlation is beneficial

Drawbacks of Workflow-Based Alerts

Before choosing workflows, consider these limitations:

Aspect	Impact
License consumption	Workflows consume workflow hours
Setup effort	More complex than anomaly detectors
Event handling	Manual event creation required
No auto-update	Events won't update or auto-close
No Davis correlation	Won't be correlated with other problems

Basic Alerting Workflow Structure

A typical alerting workflow has three main components:

1. Trigger (Schedule)

Defines when the workflow runs:

Schedule Type	Use Case	Example
Fixed time	Daily reports	Every day at 9:00 AM
Time interval	Regular checks	Every 10 minutes
Cron	Complex schedules	Weekdays at 6 AM

2. Query (DQL Execution)

Executes the DQL query to retrieve data:

- Unlike anomaly detectors, does NOT require timeseries output
- Can return single aggregated values
- Timeframe specified in the query, not from notebook/dashboard selector

3. Event Creation (JavaScript)

Evaluates results and creates events if threshold exceeded:

- Extracts values from query results
- Compares against threshold
- Creates custom event with appropriate properties

Example Workflow Query

Unlike Davis Anomaly Detectors, workflow queries often return a single aggregated value:

```
// Workflow alert query - returns single count
// Timeframe explicitly specified (last 7 days)
fetch logs, from:now()-7d
| filter loglevel == "ERROR"
| filter matchesPhrase(k8s.deployment.name, "payment-service")
| summarize error_count = count()
```

Query with Dimensions

Add dimensions to provide context in the event:

```
// Query with dimensions for event context
fetch logs, from:now()-24h
| filter loglevel == "ERROR"
| summarize
    error_count = count(),
    by:{k8s.deployment.name, k8s.namespace.name, dt.entity.cloud_application}
| filter error_count > 100
| sort error_count desc
```

Event Creation JavaScript

The final workflow step uses JavaScript to create events. Here's a template:

```
// Event Creation Template
export default async function ({ execution_id }) {
  // Get query results from previous step
  const queryResult = await getResult('query_step_name');
  const records = queryResult.records;

  // Configuration
  const THRESHOLD = 100;
  const ALERT_TITLE = '[AppName] High Error Count';

  // Check each result against threshold
  for (const record of records) {
    const errorCount = record.error_count;

    if (errorCount > THRESHOLD) {
      // Create event
      await sendEvent({
        eventType: 'ERROR_EVENT',
        title: ALERT_TITLE,
        properties: {
          'error.count': errorCount,
          'deployment.name': record['k8s.deployment.name']
        },
        timeout: 15 // minutes
      });
    }
  }
}
```

Schedule Configuration

Fixed Time Schedule

Run at specific times:

```
# Every day at 9:00 AM
schedule:
  type: fixed
  time: "09:00"
  timezone: "America/New_York"
```

Interval Schedule

Run at regular intervals:

```
# Every 6 hours
schedule:
  type: interval
  interval: "6h"
```

Cron Schedule

Complex scheduling with cron expressions:

```
# Weekdays at 6 AM
schedule:
  type: cron
  expression: "0 6 * * 1-5"
  timezone: "America/New_York"
```

Alternative: Business Hours with Anomaly Detectors

For business hours-only alerting, consider these alternatives before using workflows:

Option A: Filter by Hour in Query

Add hour-of-day filtering to exclude off-hours:

```
// Filter logs to business hours only (8 AM - 6 PM)
fetch logs, from:-24h
| filter loglevel == "ERROR"
| fieldsAdd hour = toLong(formatTimestamp(timestamp, format:"HH"))
| filter hour >= 8 AND hour < 18
| makeTimeseries count = count(), interval:1m
```

Option B: Workflow to Enable/Disable Detector

Create a workflow that enables/disables the anomaly detector on schedule:

1. Morning workflow (8 AM): Enable detector

2. Evening workflow (6 PM): Disable detector

This preserves the benefits of Davis AI while limiting alert times.

Important Disclaimers

1. Workflows do NOT send notifications directly

- The workflow generates a problem/event
- Notifications are handled by alerting profiles and problem notification workflows

2. Event lifecycle is manual

- Events won't auto-update or auto-close
- Consider event timeout settings

3. License considerations

- Workflow hours are consumed
- See [Workflow consumption documentation](#)

Migration Checklist

Step	Action
1	Confirm workflow is appropriate (see criteria above)
2	Create DQL query with explicit timeframe
3	Configure schedule trigger
4	Implement event creation logic
5	Test workflow execution
6	Configure notification routing

Next Steps

- **S2D-06: ArrayMovingSum** - For extending anomaly detector timeframes
- **S2D-07: Metric Creation** - For performance-critical alerting queries

References

- [Dynatrace Workflows](#)
 - [Workflow Schedules](#)
 - [Workflow Consumption](#)
 - [Event Ingest API](#)
-

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.