



Grail Buckets & OpenPipeline

Series: SPANS | **Notebook:** 7 of 8 | **Created:** December 2025 | **Last Updated:** 03/05/2026

Data Architecture and Processing for Distributed Traces

This notebook covers Dynatrace Grail's bucket architecture for span storage, OpenPipeline configuration patterns, and data governance strategies.

Table of Contents

1. [Understanding Grail Buckets](#)
 2. [Querying from Specific Buckets](#)
 3. [Bucket Discovery](#)
 4. [OpenPipeline Concepts](#)
 5. [Filtering & Dropping Unwanted Spans](#)
 6. [Transforming & Enriching Data](#)
 7. [Routing to Different Buckets](#)
 8. [Sampling Strategies](#)
 9. [Measuring Span Traffic per Application](#)
 10. [Access Control Patterns](#)
 11. [Best Practices Summary](#)
-


Prerequisites

Before starting this notebook, ensure you have:

- ☒ Completed previous SPANS notebooks (01-06)
- ☒ Understanding of Dynatrace Grail architecture
- ☒ Admin access for bucket/pipeline configuration (optional)

1. Understanding Grail Buckets

Grail stores observability data in **buckets** - logical containers that provide data isolation, retention control, and access management.



Why Use Buckets?

Purpose	Benefit
Cost Control	Different retention periods per bucket
Access Control	Restrict who can query which data
Compliance	Separate sensitive data for audit
Performance	Query specific buckets for efficiency
Team Isolation	Each team queries their own bucket

💡 **Tip:** The default bucket for spans is `default_spans`. Custom buckets are configured via OpenPipeline.

2. Querying from Specific Buckets

Use the `bucket:` parameter to query from specific buckets for improved performance and cost efficiency.

```
// Query spans from the default bucket
fetch spans, bucket: {"default_spans"}
| filter span.kind == "server"
| fields start_time, dt.entity.service, span.name, duration
| sort start_time desc
| limit 50
```

```
// Query from multiple buckets (if you have custom buckets)
// Replace with your actual bucket names
fetch spans, bucket: {"default_spans"}
| filter span.kind == "server"
| summarize {span_count = count()}, by:{dt.entity.service}
| sort span_count desc
| limit 20
```

3. Bucket Discovery

Discover which buckets contain your data and their characteristics.

```
// Find out which bucket your spans are stored in
fetch spans, from:-1h
| fieldsAdd bucket = dt.system.bucket
| summarize {span_count = count()}, by:{bucket}
| sort span_count desc
```

```
// Analyze span distribution by bucket and service
fetch spans, from:-1h
| fieldsAdd bucket = dt.system.bucket
| summarize {span_count = count()}, by:{bucket, dt.entity.service}
| sort bucket, span_count desc
| limit 50
```

4. OpenPipeline Concepts

OpenPipeline processes incoming telemetry **before** storage. It enables filtering, transformation, routing, and sampling of span data.

 OpenPipeline Flow

 **Note:** OpenPipeline configuration is done in the Dynatrace UI under **Settings > OpenPipeline**. This notebook shows how to identify candidates and verify results.

5. Filtering & Dropping Unwanted Spans

 OpenPipeline Actions

Candidates for Dropping

1. **Health checks** - `/health`, `/ready`, `/alive` endpoints
2. **Metrics endpoints** - `/metrics`, `/prometheus`
3. **Static assets** - `.js`, `.css`, `.png` requests
4. **Internal noise** - Very frequent internal operations

```
// Find health check spans (candidates for dropping)
fetch spans, from:-1h
| filter contains(span.name, "health") or
      contains(span.name, "ready") or
      contains(span.name, "alive") or
      contains(span.name, "ping")
| summarize {count = count()}, by:{dt.entity.service, span.name}
| sort count desc
```

```
// Find static asset requests (often low value)
fetch spans, from:-1h
| filter isNotNull(url.path)
| filter endsWith(url.path, ".js") or
      endsWith(url.path, ".css") or
      endsWith(url.path, ".png") or
      endsWith(url.path, ".ico")
| summarize {count = count()}, by:{dt.entity.service}
| sort count desc
```

```
// Find high-volume, low-value spans
// High volume but almost no errors = candidates for filtering
fetch spans, from:-1h
| summarize {
    count = count(),
    error_count = countIf(span.status_code == "error")
}, by:{dt.entity.service, span.name}
| fieldsAdd error_rate = (error_count * 100.0) / count
| filter count > 1000 and error_rate < 0.1
| sort count desc
```

OpenPipeline Example: Drop Health Checks

```
# Configure in Settings > OpenPipeline > Spans
pipelines:
  - name: spans_pipeline
    stages:
      - name: drop_health_checks
        rules:
          - condition: |
              contains(span.name, "health") or
              contains(span.name, "ready") or
              contains(span.name, "alive")
            action: drop
```

6. Transforming & Enriching Data

Pre-compute fields at ingestion time for faster queries.

OpenPipeline Example: Add Computed Fields

```
stages:
  - name: add_computed_fields
    rules:
      - transform:
          fields:
            duration_ms: duration / 1000000
            is_slow: duration > 1000000000
```

OpenPipeline Example: Add Business Context

```
stages:
  - name: add_business_context
    rules:
      - condition: contains(service.name, "checkout")
        transform:
          fields:
            business.domain: "commerce"
            business.criticality: "high"

      - condition: contains(service.name, "payment")
        transform:
          fields:
            business.domain: "finance"
            business.criticality: "critical"
```

```
// Example: Fields you might want to pre-compute
fetch spans, from:-1h
| fieldsAdd
  duration_ms = duration / 1000000,
  is_error = span.status_code == "error",
  latency_bucket = if(
    duration < 100ms, "fast",
    else: if(duration < 1s, "normal",
    else: "slow"))
| fields dt.entity.service, span.name, duration_ms, is_error, latency_bucket
| limit 10
```

```
// Identify services by domain for enrichment planning
fetch spans, from:-1h
| summarize {count = count()}, by:{dt.entity.service}
| sort count desc
| limit 20
```

7. Routing to Different Buckets

Route spans to buckets based on:

- **Retention needs** (short vs. long term)
- **Sensitivity** (PII vs. non-PII)
- **Environment** (prod vs. dev)
- **Cost** (high-value vs. low-value)

OpenPipeline Example: Route by Environment

```
stages:
  - name: route_by_environment
    rules:
      - condition: deployment.environment == "production"
        route:
          bucket: spans_production_90d

      - condition: deployment.environment == "staging"
        route:
          bucket: spans_staging_7d

      - condition: true # Default
        route:
          bucket: spans_default_3d
```

OpenPipeline Example: Route by Sensitivity

```
stages:
  - name: route_by_sensitivity
    rules:
      - condition: |
          contains(service.name, "payment") or
          contains(service.name, "auth")
        route:
          bucket: spans_sensitive

      - condition: true
        route:
          bucket: spans_default
```

```
// Check what environments/namespaces exist for routing planning
fetch spans, from:-1h
| summarize {count = count()}, by:{k8s.namespace.name}
| sort count desc
```



```
// Identify sensitive services for routing
fetch spans, from:-1h
| filter contains(span.name, "payment") or
      contains(span.name, "auth") or
      contains(span.name, "login")
| summarize {count = count()}, by:{dt.entity.service, span.name}
| sort count desc
```

8. Sampling Strategies

For very high volume services, consider sampling to reduce costs while maintaining visibility.

OpenPipeline Example: Smart Sampling

```
stages:
- name: smart_sampling
  rules:
    # Always keep all errors (100%)
    - condition: span.status_code == "error"
      action: keep

    # Always keep slow requests (100%)
    - condition: duration > 1000000000
      action: keep

    # Sample 10% of normal requests for high-volume service
    - condition: service.name == "high-volume-service"
      sample:
        rate: 0.1

    # Sample 50% for other services
    - condition: true
      sample:
        rate: 0.5
```

```
// Identify high-volume services for sampling consideration
fetch spans, from:-1h
| summarize {
    total = count(),
    errors = countIf(span.status_code == "error"),
    slow = countIf(duration > 1s)
}, by:{dt.entity.service}
| fieldsAdd error_rate = (errors * 100.0) / total
| fieldsAdd important = errors + slow
| fieldsAdd droppable = total - errors - slow
| filter total > 10000 // High volume services
| sort total desc
```

```
// Calculate potential savings from filtering
fetch spans, from:-1h
| summarize {
    total = count(),
    health_checks = countIf(
        contains(span.name, "health") or
        contains(span.name, "ready") or
        contains(span.name, "alive")),
    static_assets = countIf(
        endsWith(span.name, ".js") or
        endsWith(span.name, ".css") or
        endsWith(span.name, ".png")),
    errors = countIf(span.status_code == "error"),
    slow = countIf(duration > 1s)
}
| fieldsAdd droppable = health_checks + static_assets
| fieldsAdd must_keep = errors + slow
| fieldsAdd savings_percent = (droppable * 100.0) / total
```

9. Measuring Span Traffic per Application

Understanding how much span data each application generates is critical for effective **data partitioning** and **cost allocation**. Every span has a `dt.ingest.size` attribute that records its byte size at ingestion. By extracting a metric from this field in OpenPipeline, you can track span traffic per application over time.

Step 1: Verify `dt.ingest.size` Exists

First, confirm that spans carry the `dt.ingest.size` attribute:

```
// Verify dt.ingest.size is present on spans
fetch spans, from:-1h
| fieldsKeep span.name, dt.ingest.size
| filter isNotNull(dt.ingest.size)
| limit 10
```

Step 2: Create a Metric Extraction Rule in OpenPipeline

Navigate to **Settings > Process and contextualize > OpenPipeline > Spans** and create a metric extraction rule:

1. Go to the **Pipelines** tab and create a new pipeline (e.g., `General Pipeline`)
2. In the pipeline, click **Metric Extraction** and add a rule:
 - **Metric key:** `span.ingest.size.by.app`
 - **Value field:** `dt.ingest.size`
 - **Dimension:** `primary_tags.app` (or your organization's app dimension)
3. Go to **Dynamic Routing** and create a route that sends all spans to this pipeline
4. Click **Save**

Note: The dimension field (`primary_tags.app`) varies by customer. Use whichever enrichment field identifies applications in your environment.

Step 3: Query Span Traffic per Application

Once the metric is flowing (allow a few minutes after saving), query it:


```
// Span ingest volume per application (after metric extraction is configured)
timeseries span_ingest = sum(span.ingest.size.by.app), from:-24h, by:
{primary_tags.app}
| fieldsAdd daily_gb = arraySum(span_ingest) / 1073741824
| sort daily_gb desc
```

Why this matters: Knowing which applications generate the most span traffic helps you make informed decisions about bucket partitioning, retention policies,

sampling strategies, and cost attribution. See **ORGNZ-03: Bucket Strategy and Design** for the complete data partitioning best practice.

10. Access Control Patterns

Use bucket-based queries to implement access control patterns.



💡 **Tip:** Bucket permissions are configured in the Dynatrace UI under **Account Management > Identity & Access Management**.

```
// Data retention analysis: Span volume by day
fetch spans, from:-1h
| fieldsAdd day = bin(start_time, 1d)
| summarize {span_count = count()}, by:{day}
| sort day desc
| limit 30
```

```
// Volume analysis by service (for cost allocation)
fetch spans, from:-1h
| summarize {
    span_count = count(),
    avg_duration_ms = avg(duration) / 1000000
}, by:{dt.entity.service}
| sort span_count desc
| limit 30
```

Best Practices Summary

DO

- Drop health checks and metrics endpoints
- Pre-compute commonly used fields
- Route by environment and sensitivity
- Mask PII before storage
- Sample high-volume, low-value spans

DON'T

- Drop error spans (you'll need them for RCA)
- Drop slow spans (they indicate problems)
- Over-sample (lose visibility into patterns)
- Forget to test rules before deploying

Summary

In this notebook, you learned:

- ✓ **Grail bucket architecture** for organizing and isolating data
 - ✓ **Querying from specific buckets** using the bucket: parameter
 - ✓ **Bucket discovery** to understand data distribution
 - ✓ **OpenPipeline concepts** with YAML configuration examples
 - ✓ **Filtering & dropping** unwanted spans (health checks, static assets)
 - ✓ **Transforming & enriching** data with computed fields
 - ✓ **Routing to buckets** by environment and sensitivity
 - ✓ **Measuring span traffic** per application using OpenPipeline metric extraction
 - ✓ **Sampling strategies** for high-volume services
 - ✓ **Access control patterns** using bucket-based isolation
-

Next Steps

Continue to **SPANS-08: Cost-Efficient DQL Queries** to learn:

- Optimizing DQL queries for DDU efficiency
 - Query cost estimation techniques
 - Best practices for production queries
 - Indexed fields and performance strategies
-

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.