

MZ2POL-05: Segments

Implementation

Series: MZ2POL | Notebook: 6 of 8 | Created: December 2025

Overview

This notebook provides a comprehensive guide to **Segments** - the DQL-powered data filtering mechanism that replaces Management Zone filtering. Segments allow you to create reusable, dynamic filter conditions for cross-app data segmentation.

Prerequisites

- Completed MZ2POL-01 through MZ2POL-04
- Understanding of DQL basics
- Knowledge of your MZ filtering patterns

Learning Objectives

By the end of this notebook, you will:

1. Understand how Segments work with Grail
 2. Be able to create Segments that replace MZ filtering
 3. Know how to use variables for dynamic filtering
 4. Understand Segment application across apps
-

1. What Are Segments?

Definition

Segments are reusable, pre-defined filter conditions powered by DQL. They provide query-time filtering to control what data users see.

Key Characteristics


Feature	Description
DQL-powered	Full query language flexibility
Query-time	Evaluated at query execution, not precalculated
Multi-dimensional	Can be layered for precise filtering
Dynamic	Support variables for runtime flexibility
Cross-app	Work across all Grail-based apps

Segments vs. Management Zones

Aspect	Management Zone	Segment
Evaluation	Precalculated	Query-time
Performance	Bottleneck at scale	Highly scalable
Flexibility	Entity rules only	Any DQL filter
Variables	Not supported	Supported
Multi-dimensional	No	Yes
Grail support	No	Yes

2. How Segments Work

Query-Time Injection



When a segment is active:

1. User executes a DQL query or opens an app
2. Segment conditions are injected into the query
3. Grail evaluates only conditions relevant to the data type
4. Filtered results returned

```
User Query:      fetch logs | limit 100
Active Segment:  filter matchesValue(tags, "env:production")
Effective Query: fetch logs | filter matchesValue(tags,
"env:production") | limit 100
```

Segment Condition Evaluation

- `fetch logs` → Only log-related conditions apply
- `fetch spans` → Only span-related conditions apply
- `timeseries` → Only metric-related conditions apply

Multiple Conditions (OR Logic)

Multiple conditions for the same data type in a segment are OR-combined:

```
// Segment with multiple conditions
filter dt.entity.service == "SERVICE-123"
filter dt.entity.service == "SERVICE-456"

// Results in: Show data for SERVICE-123 OR SERVICE-456
```

3. Creating Segments

Via Segments App

1. Navigate to **Segments** app in Dynatrace
2. Click **Create segment**
3. Configure:
 - **Name:** Descriptive segment name
 - **Description:** Purpose and scope
 - **Filter conditions:** DQL filter expressions
4. Click **Save**

Segment Filter Syntax

Segments use DQL filter syntax:

```
// Basic entity filter
filter dt.entity.host == "HOST-ABC123"

// Tag-based filter
filter matchesValue(tags, "env:production")

// Multiple conditions (AND)
filter matchesValue(tags, "env:production") and matchesValue(tags,
"team:frontend")

// Pattern matching
filter matchesPhrase(dt.entity.service.name, "payment")
```

4. Segment Examples

Example 1: Team-Based Segment

Replaces: Management Zone filtering by team ownership

Segment Name: Frontend Team

Description: Shows data for frontend team services

Filter:

```
filter matchesValue(tags, "team:frontend")
```

Example 2: Environment Segment

Replaces: Production Management Zone

Segment Name: Production Environment

Description: Filters to production environment only

Filter:

```
filter matchesValue(tags, "env:production")
```

Example 3: Regional Segment

Replaces: Geographic Management Zone

Segment Name: North America

Description: Data from NA region infrastructure

Filter:

```
filter matchesValue(tags, "region:us-east-1") or matchesValue(tags, "region:us-west-2")
```

Example 4: Application Segment

Replaces: Application-specific Management Zone

Segment Name: Payment System

Description: Payment system services and dependencies

Filter:

```
filter matchesPhrase(dt.entity.service.name, "payment")
  or matchesPhrase(dt.entity.service.name, "checkout")
```

5. Variables in Segments

What Are Variables?

Variables make segments dynamic - users can select values at runtime instead of hardcoding them.

Variable Types

Type	Description	Example
Entity	Select from entities	Kubernetes clusters
String	Free text input	Environment name
List	Predefined options	[prod, staging, dev]

Creating a Variable Segment

Segment Name: Dynamic Environment

Variable: \$environment (type: list, values: production, staging, development)

Filter:

```
filter matchesValue(tags, concat("env:", $environment))
```

Entity Variable Example

Segment Name: By Kubernetes Cluster

Variable: \$cluster (type: entity, entity type: kubernetes_cluster)

Filter:

```
filter dt.entity.kubernetes_cluster == $cluster
```

Users can then select which cluster to filter by when using the segment.

6. Testing Segments with DQL

Validate Segment Logic

Before creating a segment, test the filter logic with DQL queries:

```
// Test: Team-based filter for segment
// Verify this returns expected services
fetch dt.entity.service
| filter matchesValue(tags, "team:frontend")
| fields entity.name, tags
| limit 20
```

```
// Test: Environment filter for segment
// Should return only production entities
fetch dt.entity.host
| filter matchesValue(tags, "env:production")
| fields entity.name, tags
| limit 20
```

```
// Test: Combined filter (environment AND team)
// For layered segment filtering
fetch dt.entity.service
| filter matchesValue(tags, "env:production")
      and matchesValue(tags, "team:frontend")
| fields entity.name, tags
| limit 20
```

Test Segment on Logs

```
// Test log filtering with segment condition
// Validates segment will work for log queries
fetch logs
| filter matchesValue(dt.entity.service.tags, "team:frontend")
| fields timestamp, content, dt.entity.service
| sort timestamp desc
| limit 20
```

7. Mapping MZ Rules to Segment Filters

Common MZ Rule Patterns

MZ Rule Type	Segment Filter Equivalent
Host tag equals	<code>filter matchesValue(tags, "key:value")</code>
Service name contains	<code>filter matchesPhrase(dt.entity.service.name, "text")</code>
Process group tag	<code>filter matchesValue(dt.entity.process_group.tags, "key:value")</code>
Kubernetes namespace	<code>filter dt.entity.cloud_application.namespace == "namespace"</code>
Cloud provider tag	<code>filter matchesValue(tags, "cloud:aws")</code>

Conversion Examples

MZ Rule: Host with tag `env` equals `production`

Segment Filter:

```
filter matchesValue(tags, "env:production")
```

MZ Rule: Service name contains `payment`

Segment Filter:


```
filter matchesPhrase(dt.entity.service.name, "payment")
```

MZ Rule: Host in AWS

Segment Filter:

```
filter matchesValue(tags, "cloud:aws")
```

MZ Rule: Kubernetes namespace equals `production`

Segment Filter:

```
filter dt.entity.cloud_application.namespace == "production"
```

8. Using Segments in Apps

Segment Selection

Most Grail-based apps have a segment selector:

- **Location:** Usually top of the app interface
- **Multiple selection:** Can select multiple segments (layered)
- **Persistence:** Selection persists across navigation

Dashboard Integration

Segments can be applied at two levels:

1. **Dashboard level:** Applies to all tiles
2. **Tile level:** Overrides dashboard segment for specific tile

Apps Supporting Segments

App	Segment Support
Logs	✓ Full support
Distributed Traces	✓ Full support
Services	✓ Full support
Dashboards	✓ Dashboard + Tile level
Notebooks	✓ Full support
Problems	✓ Full support

Classic Apps

Classic apps still use Management Zones. During migration:

- Use MZs for classic apps
- Use Segments for new apps
- Both can coexist during transition

9. Segment Sharing and Permissions

Sharing Segments

Segments can be:

- **Private:** Only creator can see/use
- **Shared:** Available to specified users/groups
- **Public:** Available to all users in environment

Required Permissions

Action	Required Permission
View segments	<code>storage:filter-segments:read</code>
Create segments	<code>storage:filter-segments:write</code>
Share segments	<code>storage:filter-segments:share</code>
Delete segments	<code>storage:filter-segments:delete</code>

These permissions are included in default policies:

- **Dynatrace Standard User:** Read, Write, Share
- **Dynatrace Professional User:** Read, Write, Share, Delete

10. Segment Best Practices

Design Principles

1. **Align with business structure:** Teams, products, regions
2. **Use consistent naming:** Clear, descriptive names
3. **Leverage variables:** For flexibility
4. **Test thoroughly:** Verify filtering works as expected
5. **Document purpose:** Help users understand when to use

Naming Conventions

```
// Good segment names
"Production Environment"
"Frontend Team Services"
"North America Region"
"Payment System"

// Bad segment names
"Segment 1"
"Test"
"My filter"
```

Performance Considerations

- Segments are evaluated at query time
- Complex filters may impact performance
- Use indexed fields when possible (tags, entity IDs)
- Avoid expensive operations like regex on large datasets

Migration Checklist

- ☐ Identify all MZ filtering use cases
 - ☐ Design segment for each use case
 - ☐ Test segment filter logic with DQL
 - ☐ Create segment in Segments app
 - ☐ Share segment with appropriate users
 - ☐ Update dashboards to use segments
 - ☐ Train users on segment selection
-

Summary

In this notebook, you learned:

1. **Segment fundamentals:** DQL-powered, query-time filters
2. **Creating segments:** Via Segments app with DQL filters
3. **Variables:** Making segments dynamic with runtime values
4. **MZ mapping:** Converting MZ rules to segment filters
5. **App integration:** How segments work across Dynatrace apps

Next Steps

Continue to **MZ2POL-06: Migration Execution** to:

- Execute the migration plan step-by-step
- Handle parallel running period
- Perform cutover from MZs to new model

Additional Resources

- [Segments in DQL Queries](#)
 - [Log Filtering with Segments](#)
 - [Power Dashboarding: Filter Data Effectively](#)
-

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.