



Synthetic Network Monitoring

Series: SYNTH | **Notebook:** 5 of 6 | **Created:** December 2025

Network Availability, DNS, and ICMP Monitoring

This notebook covers Dynatrace Synthetic Network Availability Monitors, including ICMP (ping), DNS, and TCP port monitoring capabilities introduced in recent Dynatrace releases.

Table of Contents

1. Network Monitoring Overview
2. ICMP (Ping) Monitors
3. DNS Monitors
4. TCP Port Monitors
5. Multi-Protocol Monitors
6. Use Cases and Patterns
7. Analyzing Network Results

Prerequisites

-  Access to a Dynatrace environment with Synthetic Monitoring
-  Completed SYNTH-01 through SYNTH-04
-  Private synthetic locations (for internal network monitoring)

1. Network Monitoring Overview


Synthetic Network Availability Monitors

Dynatrace provides network-level synthetic monitoring to verify:

Protocol	Purpose	Use Case
ICMP	Host reachability	Server availability
DNS	Name resolution	DNS infrastructure health
TCP	Port connectivity	Service port availability

Why Network Monitoring?

Network monitors complement application-level monitoring by testing at different layers of the stack:



Benefits

- **Root Cause Isolation:** Distinguish network vs application issues
- **Infrastructure Validation:** Verify network paths are operational
- **DNS Health:** Monitor critical DNS infrastructure
- **Low Overhead:** Minimal resource consumption
- **High Frequency:** Run every minute if needed

2. ICMP (Ping) Monitors

What ICMP Monitors Test

Metric	Description
Reachability	Host responds to ping
Latency	Round-trip time (RTT)
Packet Loss	Percentage of lost packets
Jitter	Latency variation

Configuration Options

Setting	Description	Typical Value
Target	IP address or hostname	192.168.1.1 or server.example.com
Packet Count	Pings per execution	3-10
Timeout	Wait time per packet	5 seconds
Frequency	Execution interval	1-60 minutes

Creating an ICMP Monitor

Dynatrace menu → Synthetic → Create synthetic monitor → Create network availability monitor → ICMP

Metrics Captured

ICMP Monitor Execution

PING RESULTS

Ping 1:		45ms	✓
Ping 2:		52ms	✓
Ping 3:		48ms	✓

● Healthy

RESULTS SUMMARY

—	Availability:	100%
—	Avg Latency:	48.3ms
—	Min Latency:	45ms
—	Max Latency:	52ms
—	Jitter:	3.5ms
—	Packet Loss:	0%

```
// ICMP monitor results (last 24h)
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*") OR matchesValue(event.type,
"*ping*")
| fields timestamp,
    monitor = dt.entity.synthetic_test,
    location = dt.entity.synthetic_location,
    availability = synthetic.availability,
    latency_ms = toDouble(synthetic.response_time),
    packet_loss = toDouble(synthetic.packet_loss_pct)
| sort timestamp desc
| limit 100
```

```
// ICMP latency statistics by target
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*") OR matchesValue(event.type,
"*ping*")
| filter synthetic.availability == true
| summarize {
    avg_latency_ms = avg(toDouble(synthetic.response_time)),
    min_latency_ms = min(toDouble(synthetic.response_time)),
    max_latency_ms = max(toDouble(synthetic.response_time)),
    p95_latency_ms = percentile(toDouble(synthetic.response_time), 95),
    executions = count()
}, by: {dt.entity.synthetic_test}
| sort avg_latency_ms desc
| limit 20
```

3. DNS Monitors

What DNS Monitors Test

Check	Description
Resolution	Hostname resolves to IP
Response Time	DNS query duration
Expected IP	Resolves to correct address
Record Type	A, AAAA, CNAME, MX, etc.

Configuration Options

Setting	Description	Example
Hostname	Domain to resolve	api.example.com
DNS Server	Specific resolver (optional)	8.8.8.8
Record Type	DNS record type	A, AAAA, CNAME
Expected IP	Validation (optional)	10.0.0.50
Timeout	Query timeout	10 seconds

DNS Record Types

Type	Purpose	Example
A	IPv4 address	192.168.1.1
AAAA	IPv6 address	2001:db8::1
CNAME	Canonical name	www → app.example.com
MX	Mail exchanger	mail.example.com
TXT	Text records	SPF, DKIM
NS	Name servers	ns1.example.com

```
// DNS monitor results (last 24h)
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*dns*")
| fields timestamp,
    monitor = dt.entity.synthetic_test,
    location = dt.entity.synthetic_location,
    availability = synthetic.availability,
    response_time_ms = toDouble(synthetic.response_time),
    resolved_ip = synthetic.dns_resolved_ip
| sort timestamp desc
| limit 100
```

```
// DNS resolution time by location
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*dns*")
| filter synthetic.availability == true
| summarize {
    avg_resolution_ms = avg(toDouble(synthetic.response_time)),
    p95_resolution_ms = percentile(toDouble(synthetic.response_time), 95),
    executions = count()
}, by: {dt.entity.synthetic_test, dt.entity.synthetic_location}
| sort avg_resolution_ms desc
| limit 30
```

4. TCP Port Monitors

What TCP Monitors Test

Check	Description
Port Open	TCP connection succeeds
Connect Time	Time to establish connection
SSL Handshake	TLS negotiation (if applicable)

Common Ports to Monitor

Port	Service	Use Case
22	SSH	Server management access
80	HTTP	Web server (plain)
443	HTTPS	Web server (secure)
3306	MySQL	Database connectivity
5432	PostgreSQL	Database connectivity
6379	Redis	Cache connectivity
9200	Elasticsearch	Search connectivity
27017	MongoDB	Database connectivity

Configuration

Setting	Description	Example
Host	Target server	db.example.com
Port	TCP port number	5432
Timeout	Connection timeout	10 seconds
TLS	Enable TLS check	true/false

```
// TCP port monitor results (last 24h)
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*tcp*") OR matchesValue(event.type,
"*port*")
| fields timestamp,
    monitor = dt.entity.synthetic_test,
    location = dt.entity.synthetic_location,
    availability = synthetic.availability,
    connect_time_ms = toDouble(synthetic.response_time)
| sort timestamp desc
| limit 100
```

```
// TCP connection time statistics
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*tcp*") OR matchesValue(event.type,
"*port*")
| filter synthetic.availability == true
| summarize {
    avg_connect_ms = avg(toDouble(synthetic.response_time)),
    min_connect_ms = min(toDouble(synthetic.response_time)),
    max_connect_ms = max(toDouble(synthetic.response_time)),
    executions = count()
}, by: {dt.entity.synthetic_test}
| sort avg_connect_ms desc
| limit 20
```

5. Multi-Protocol Monitors

Combining Network Checks

Create comprehensive monitoring by combining multiple protocol checks:

Multi-Protocol Monitor Example:

Target: db.example.com

Step 1: DNS Resolution

- Query: db.example.com
- Expected: 10.0.1.50

Step 2: ICMP Ping

- Target: 10.0.1.50
- Check: Host reachable

Step 3: TCP Port Check

- Target: 10.0.1.50:5432
- Check: PostgreSQL port open

Monitoring Strategy by Layer

Layer	Monitor Type	Purpose
DNS	DNS Monitor	Name resolution works
Network	ICMP Monitor	Host reachable
Transport	TCP Monitor	Service port open
Application	HTTP Monitor	Service responding

6. Use Cases and Patterns


Infrastructure Monitoring

Component	Monitor Type	Target
Load Balancer	TCP/443	VIP address
Database Cluster	TCP/5432	Each node
Cache Layer	TCP/6379	Redis instances
Message Queue	TCP/5672	RabbitMQ nodes

DNS Infrastructure

Scenario	Configuration
Primary DNS	Query internal DNS server
Secondary DNS	Query backup DNS server
External DNS	Query public resolvers
Record validation	Verify expected IP

Multi-Region Connectivity



```
// All network monitor types summary
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
  OR matchesValue(event.type, "*dns*")
  OR matchesValue(event.type, "*tcp*")
  OR matchesValue(event.type, "*ping*")
  OR matchesValue(event.type, "*port*")
| summarize {
  total_executions = count(),
  successful = countIf(synthetic.availability == true),
  failed = countIf(synthetic.availability == false)
}, by: {event.type}
| fieldsAdd availability_pct = round((successful * 100.0) / total_executions,
decimals: 2)
| sort total_executions desc
```

7. Analyzing Network Results

```
// Network monitor availability dashboard
fetch bizevents, from: now() - 7d
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| fieldsAdd hour_bucket = bin(timestamp, 1h)
| summarize {
    success_count = countIf(synthetic.availability == true),
    total_count = count()
}, by: {event.type, hour_bucket}
| fieldsAdd availability_pct = round((success_count * 100.0) / total_count,
decimals: 2)
| sort hour_bucket desc
```

```
// Latency trends for network monitors
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter synthetic.availability == true
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| makeTimeseries {
    avg_latency_ms = avg(toDouble(synthetic.response_time)),
    p95_latency_ms = percentile(toDouble(synthetic.response_time), 95)
}, interval: 15m
```

```
// Failed network checks with details
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter synthetic.availability == false
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| fields timestamp,
    event.type,
    monitor = dt.entity.synthetic_test,
    location = dt.entity.synthetic_location,
    error = synthetic.error_message
| sort timestamp desc
| limit 50
```

```
// Network health score by monitor
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| summarize {
    total = count(),
    successful = countIf(synthetic.availability == true),
    avg_latency_ms = avg(toDouble(synthetic.response_time))
}, by: {dt.entity.synthetic_test, event.type}
| fieldsAdd availability_pct = round((successful * 100.0) / total, decimals:
2)
| fieldsAdd health_status = if(availability_pct >= 99.9, "HEALTHY",
    else: if(availability_pct >= 99.0, "DEGRADED",
    else: "CRITICAL"))
| sort availability_pct asc
| limit 30
```

Summary

In this notebook, you learned:

- ✓ **Network monitoring types** - ICMP, DNS, TCP
 - ✓ **ICMP monitors** - Ping, latency, packet loss
 - ✓ **DNS monitors** - Resolution time, record validation
 - ✓ **TCP monitors** - Port connectivity checks
 - ✓ **Multi-protocol patterns** - Comprehensive infrastructure monitoring
 - ✓ **Use cases** - Infrastructure, DNS, cross-region
 - ✓ **Analysis queries** - Availability, latency, failures
-

Next Steps

Continue to **SYNTH-06: Analytics & Alerting** to learn about dashboards, SLOs, and alerting strategies.

References

- [Network Availability Monitors](#)
 - [ICMP Monitors](#)
 - [DNS Monitors](#)
 - [TCP Port Monitors](#)
-

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.