

AUTOM-01: Automation Landscape

Series: AUTOM — Dynatrace Automation | **Notebook:** 1 of 9 | **Created:** January 2026 |
Last Updated: 05/12/2026

Dynatrace provides multiple ways to automate configuration management and operational tasks. This series covers all major automation options, helping you choose the right approach for your needs.

Table of Contents

- 1. [Introduction](#)
- 2. [Automation Options Overview](#)
- 3. [Choosing the Right Tool](#)
- 4. [Decision Framework](#)
- 5. [When a Terraform Shop Should Add Monaco](#)
- 6. [Authentication & Token Reference](#)
- 7. [Emerging Capabilities](#)
- 8. [Next Steps](#)

Prerequisites

Before starting this series, ensure you have:

Requirement	Description
Dynatrace SaaS tenant	Active tenant with admin access
Authentication	Access token, platform token, or OAuth client (see Authentication & Token Reference)
Basic familiarity	Understanding of Dynatrace configuration concepts

Learning Objectives

By the end of this notebook, you will:

- Understand all available automation options for Dynatrace
 - Know when to use each tool or approach
 - Be able to choose the right automation strategy for your use case
 - Have a framework for evaluating automation approaches
-

1. Introduction

What This Series Covers

Notebook	Focus
AUTOM-01 (this notebook)	Automation landscape overview
AUTOM-02	Settings API - REST API for configuration
AUTOM-03	Monaco - Configuration-as-code CLI
AUTOM-04	Terraform Provider - Infrastructure-as-code
AUTOM-05	Dynatrace Workflows - Event-driven automation
AUTOM-06	Dynatrace SDKs - TypeScript and Python clients
AUTOM-07	CI/CD Integration - GitOps patterns
AUTOM-08	Migration Automation - Bulk configuration transfer
AUTOM-09	Terraform GitOps Setup Recipe - Repo layout, state backends, lifecycle protections, team onboarding

Why Automate?


Benefit	Description
Consistency	Same configuration across all environments
Repeatability	Deploy identical setups reliably
Version Control	Track changes in Git, enable rollbacks

Benefit	Description
Scale	Manage hundreds or thousands of configurations
Speed	Faster deployments, reduced manual effort
Compliance	Auditable changes, approval workflows

2. Automation Options Overview

The Automation Pyramid

Dynatrace automation tools form a hierarchy from low-level APIs to high-level abstractions:



Tool Comparison Matrix

Tool	Best For	Learning Curve	CI/CD Ready	Multi-Tenant
Settings API	Custom integrations, scripts	Medium	Manual	Yes
Monaco	Config-as-code, migrations	Low	Yes	Yes
Terraform	IaC environments, full stack	Medium	Yes	Yes

Tool	Best For	Learning Curve	CI/CD Ready	Multi-Tenant
Workflows	Event-driven, auto-remediation	Low	N/A	No
SDKs	Custom apps, complex logic	Medium	Yes	Yes

Automation Tool Comparison					
Tool	Best For	Learning	CI/CD	State Mgmt	Use Case
Settings API	Custom scripts	Medium	Manual	None	One-off ops · custom integrations
Monaco	Config-as-code	Low	Native	Implicit	Tenant migration · GitOps
Terraform	IaC, full-stack	Medium	Native	Built-in	Multi-cloud IaC · state-managed
Workflows	Event-driven	Low	N/A	N/A	Auto-remediation · incident routing
SDKs	Custom apps	Medium	Yes	Custom	Integration apps · bespoke UIs

Learning Curve

- Low
- Medium
- High / not applicable

Settings API

The foundation for all configuration automation. Direct REST API access to Dynatrace settings.

Aspect	Details
Type	REST API
Access	HTTP calls with API token
Schema	JSON with schema validation
Use Case	Custom scripts, one-off operations
Documentation	Settings API Reference

Monaco

Dynatrace's official configuration-as-code CLI tool. YAML-based configuration management.

Aspect	Details
Type	CLI tool

Aspect	Details
Configuration	YAML files
Features	Download, deploy, delete, validate
Use Case	Config management, migrations
Documentation	Monaco on GitHub

Terraform Provider

Official HashiCorp Terraform provider for Dynatrace. Infrastructure-as-code approach.

Aspect	Details
Type	Terraform provider
Configuration	HCL (HashiCorp Configuration Language)
Features	Plan, apply, destroy, state management
Use Case	IaC pipelines, environment provisioning
Documentation	Terraform Registry

Dynatrace Workflows

Built-in automation engine for event-driven actions within Dynatrace.

Aspect	Details
Type	Platform feature
Configuration	UI or YAML
Features	Triggers, actions, conditions, JavaScript
Use Case	Auto-remediation, notifications, integrations
Documentation	Workflows Documentation

Dynatrace SDKs

Official client libraries for programmatic access to Dynatrace APIs.

Aspect	Details
Type	Client libraries

Aspect	Details
Languages	TypeScript/JavaScript, Python
Features	Type-safe, auto-generated from OpenAPI
Use Case	Custom applications, complex automation
Documentation	Dynatrace SDK

3. Choosing the Right Tool

Use Case Mapping

Use Case	Recommended Tool	Why
One-off configuration change	Settings API	No setup overhead — just a curl. Other tools require authoring + state
Repeatable deployments	Monaco	One manifest → N tenants, no per-env state. Terraform can do this via directory-per-env (see AUTOM-09 §6) but with more setup
Full environment provisioning	Terraform	Cross-system orchestration — cloud (AWS/Azure/GCP) + Dynatrace + Git in one apply. Monaco is Dynatrace-only
Auto-remediation	Workflows	Built-in event triggers (problem detected → action). Settings API / SDK require building event subscription yourself
Custom application	SDK	Programmatic access — Monaco/Terraform are declarative-config tools, not application frameworks
Tenant migration	Monaco	<code>monaco download</code> pulls every config in one command. <code>terraform import</code> is per-resource and requires authoring matching HCL first
GitOps pipeline	Monaco or Terraform	CI/CD integration

Team Skill Considerations

Team Background	Best Fit
DevOps with Terraform experience	Terraform Provider
Developers comfortable with APIs	Settings API or SDK
SRE teams wanting GitOps	Monaco
Operations needing quick automation	Workflows
Mixed skill levels	Monaco (lowest barrier)

Feature Coverage Comparison


Not all tools support all Dynatrace features equally:

Configuration Type	Settings API	Monaco	Terraform
Settings 2.0 objects	Full	Full	Full
Classic config (legacy)	N/A	Full	Full
Dashboards	Full	Full	Full
Synthetic monitors	Full	Full	Full
Alerting profiles	Full	Full	Full
Management zones	Full	Full	Full
Auto-tagging rules	Full	Full	Full
SLOs	Full	Full	Full
Workflows	Full	Partial	Partial
OpenPipeline	Full	Full	Full

Note: Monaco and Terraform use the Settings API under the hood. Feature parity depends on schema availability.

4. Decision Framework

Use this flowchart to choose the right automation approach:



Combining Tools

These tools aren't mutually exclusive. Common combinations:

Combination	Use Case
Monaco + Workflows	Deploy configs with auto-remediation
Terraform + Monaco	Infra provisioning + config management
SDK + Settings API	Custom app with direct API fallback
Monaco + CI/CD	GitOps config deployments

Anti-Patterns to Avoid

Anti-Pattern	Problem	Solution
Mixing Monaco and Terraform for same config	State conflicts	Choose one for each config type
Manual changes alongside automation	Configuration drift	Use automation exclusively

Anti-Pattern	Problem	Solution
No version control	No rollback capability	Always use Git
Hardcoded secrets	Security risk	Use environment variables or vaults

5. When a Terraform Shop Should Add Monaco

If your team is already a confident Terraform shop, the question isn't "Monaco or Terraform?" — it's "what specific task patterns make Monaco worth adding as a second tool?" The general guidance in §4 (Combining Tools) is to pick one tool per config and avoid overlap. This section names the patterns where Monaco genuinely earns its place alongside an established Terraform footprint.

Five Patterns Where Monaco Wins for a Terraform Shop

Pattern	Why Monaco wins
Bulk download from an existing tenant	<code>monaco download</code> pulls every config from a tenant into YAML in one command. <code>terraform import</code> is resource-by-resource and requires you to author matching HCL first. For onboarding an inherited tenant with hundreds of pre-existing configs, Monaco is the faster on-ramp — <i>then</i> convert to Terraform later if desired.
N tenants, identical configs	Monaco's <code>manifest.yaml</code> lists multiple environments and deploys to all with variable substitution — no per-environment state, no workspaces. For “ <i>we have prod + EU-prod + APAC-prod and they should all look the same</i> ”, Monaco is less ceremony. Terraform workspaces can do it, but each has its own state and the divergence-over-time tax is real.
App-team self-service	Letting product teams commit Dynatrace configs alongside their app code with a CI job running <code>monaco deploy</code> on merge — no state backend per team, no state-locking infrastructure. The platform team keeps Terraform-managed shared infra; app teams get a low-floor path for their own SLOs / dashboards / management zones.
Bleeding-edge Settings 2.0 schemas	When a new schema ships, Monaco supports it immediately (generic schema-id pattern). The Terraform provider catches up later. For configs that haven't reached the provider yet, Monaco is the fallback while you wait for typed resources.

Pattern	Why Monaco wins
Drift inspection without ownership	<code>monaco deploy --dry-run</code> shows drift on configs you didn't automate — without the implication that running <code>apply</code> would now manage them. Terraform's import-then-plan flow does more than needed for read-only drift checks on classic UI-managed configs.

What's NOT a Good Reason for a Terraform Shop

Reason	Why it's weak
<i>"Monaco's YAML is nicer than HCL"</i>	Preference, not technical. For an existing shop, stick with what works.
<i>"Monaco doesn't need state"</i>	True, but you'll want some equivalent (Git history at minimum) for audit. The state-less property is a benefit only when state management is genuinely a barrier (the self-service pattern above).
<i>"Adding Monaco gives us redundancy / a backup"</i>	Two tools managing overlapping resources is the documented anti-pattern in §4 Combining Tools. The coordination cost dwarfs the perceived resilience.

The Practical Boundary

For an experienced Terraform shop adopting Monaco selectively, the rule is **boundary, not choice** — each config belongs to exactly one tool, and the line runs along these natural seams:

Use Monaco for	Use Terraform for
Tenant cloning / bulk migration	Cross-cloud orchestration (AWS / Bitbucket / Dynatrace in one apply — see AUTOM-07 §5.4)
Per-app self-service configs	Platform-team shared infra
Bleeding-edge schemas	Anything with cross-system dependencies
Multi-tenant N×deploy of identical sets	State-backed, dependency-graphed infra
Drift inspection on UI-managed legacy configs	Configs you actively manage

Document the boundary explicitly (in `DECISIONS.md` or your tenant runbook) so teams know which tool owns which config category — that's what prevents the anti-pattern of overlap.

When You're Doing the Bulk Download

The bulk-download-then-decide path is the most common reason a Terraform shop adds Monaco. The workflow:

1. `monaco download --manifest manifest.yaml --environment <tenant>` — pulls every config to YAML
2. Review and clean up (delete noise, parameterize sensitive values, split into logical projects)
3. Commit to Git as your *source-of-truth* baseline
4. Either:
 - **Stay on Monaco** if the configs are stable and the deploy cadence is low → Monaco's lower-ceremony loop wins
 - **Convert to Terraform** if the configs need cross-system orchestration → use the cleaned YAML as your reference to write HCL deliberately

This sequence lets you delay the Monaco-vs-Terraform commitment until you can see what's actually in the tenant.

6. Authentication & Token Reference

Dynatrace supports three types of credentials for automation tools. Which you need depends on the tool and the resources you manage.

Token Types

Token Type	Description	Use Case
Access Token (Classic)	Scope-based token with explicit permissions (e.g., <code>settings.read</code>)	Settings API, Monaco, Terraform (settings/classic)
Platform Token	Long-lived token bound to a user's permissions; simpler to create	Same as access token, but scopes are limited to user's existing permissions
OAuth Client	Client ID + secret exchanged for short-lived tokens	Required for Terraform automation, document, and IAM resources

Tool Authentication Matrix

Tool	Access/Platform Token	OAuth Client	Notes
Settings API	<code>settings.read</code> , <code>settings.write</code>	N/A	Direct REST calls
Monaco	<code>settings.read</code> , <code>settings.write</code> , <code>ReadConfig</code> , <code>WriteConfig</code>	N/A	CLI tool
Terraform (settings/classic)	<code>settings.read</code> , <code>settings.write</code> , <code>ReadConfig</code> , <code>WriteConfig</code>	N/A	IaC for config objects
Terraform (automation/documents)	N/A	<code>automation:workflows:read/write</code> , <code>document:documents:read/write</code>	OAuth required
Terraform (account management)	N/A	IAM scopes + <code>DT_ACCOUNT_ID</code>	OAuth required
Workflows	Built-in (no external token needed)	N/A	Platform feature
SDKs	Depends on operations performed	N/A	Client libraries

Token Best Practices

Practice	Description
Least privilege	Only grant required scopes
Environment-specific	Separate tokens per environment
Rotation	Rotate tokens regularly
Secret storage	Use HashiCorp Vault, AWS Secrets Manager, etc.
Platform tokens	Prefer over classic access tokens for simpler management
OAuth for automation	Use OAuth clients when managing Workflows or Documents via Terraform

Key Distinction: Platform tokens work within the user's existing permissions (a scope only grants access if the user already has that permission). OAuth clients operate with their own independent scopes, making them more suitable for service accounts and CI/CD pipelines.

7. Emerging Capabilities

Dynatrace Intelligence Agents

Announced at Perform 2026, **Dynatrace Intelligence** is an agentic operations system that fuses deterministic and agentic AI. Intelligence Agents transform insights into autonomous outcomes across IT and business operations.

Aspect	Details
Type	Agentic AI layer built into the platform
Capabilities	Autonomous SRE, security, and development agents
Integration	Works through Dynatrace Workflows for agentic workflows
Governance	Built-in guardrails for supervised or autonomous operation
Use Case	Auto-prevention, auto-remediation, auto-optimization

Note: Dynatrace Intelligence Agents represent a shift from rule-based automation (Workflows, Monaco, Terraform) to AI-driven autonomous operations. They complement existing tools rather than replacing them.

Dynatrace MCP Server

The [Dynatrace MCP Server](#) implements the Model Context Protocol (MCP), enabling AI assistants (Claude, GitHub Copilot, Amazon Q) to interact with Dynatrace using natural language.

Aspect	Details
Type	Open-source MCP server
Access	AI assistants can query problems, metrics, traces, logs, topology

Aspect	Details
Use Case	AI-assisted development, triage, incident management
Documentation	MCP Server Documentation

How Emerging Capabilities Fit

Automation Maturity	Approach
Manual	Settings API, one-off scripts
Automated	Monaco, Terraform, CI/CD pipelines
Supervised	Workflows with human approval gates
Autonomous	Intelligence Agents with guardrails
AI-Assisted	MCP Server for developer and SRE tooling

8. Next Steps

Learning Path by Goal

Your Goal	Recommended Path
Quick script automation	AUTOM-02 (Settings API)
GitOps config management	AUTOM-03 (Monaco) → AUTOM-07 (CI/CD)
Full IaC environment	AUTOM-04 (Terraform) → AUTOM-07 (CI/CD)
Auto-remediation	AUTOM-05 (Workflows)
Custom application	AUTOM-06 (SDKs)
Tenant migration	AUTOM-08 (Migration)

Continue the Series

Next Notebook	Focus
AUTOM-02: Settings API	Deep dive into REST API configuration

Additional Resources

- [Dynatrace API Documentation](#)
 - [Monaco GitHub Repository](#)
 - [Terraform Provider Documentation](#)
 - [Dynatrace Developer Portal](#)
-

Summary

In this notebook, you learned:

- The automation options available for Dynatrace configuration
- When to use Settings API, Monaco, Terraform, Workflows, or SDKs
- How to choose the right tool based on your use case and team skills
- Best practices for combining automation tools

Key Takeaway: Choose the automation tool that matches your team's skills and your operational model. Monaco is the best starting point for most teams due to its low barrier to entry and GitOps compatibility.

Continue to AUTOM-02: Settings API to learn direct REST API configuration.

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.