

Custom Notification Templates

Series: WFLOW | **Notebook:** 6 of 9 | **Created:** January 2026

Rich Message Formatting

Create professional, informative notifications with dynamic content, formatting, and data enrichment. This notebook covers Jinja templating, Slack Block Kit, Teams Adaptive Cards, and data enrichment patterns.

Table of Contents

1. Template Design Principles
 2. Jinja2 Expression Deep Dive
 3. Slack Block Kit Templates
 4. Teams Adaptive Card Templates
 5. Data Enrichment
 6. Template Library
 7. Testing Templates
 8. Next Steps
-

Prerequisites

Requirement	Details
Dynatrace Environment	SaaS with Platform subscription
Permissions	<code>automation:workflows:write</code>
Prior Knowledge	WFLOW-01 through WFLOW-05

1. Template Design Principles

Effective Alert Messages

Principle	Good	Bad
Scannable	Key info in first line	Important details buried
Actionable	Include link to problem	"Check Dynatrace"
Contextual	Show affected service	Generic "problem detected"
Severity-coded	Visual severity indicator	Plain text only
Concise	Essential details only	Long descriptions

Message Structure

```
[1] SEVERITY INDICATOR + TITLE
[2] Key metrics/impact
[3] Affected entities
[4] Action button/link
```

Severity Visual Guide

Severity	Slack	Teams	Email
CRITICAL	:red_circle:	Red header	Red banner
HIGH	:large_orange_circle:	Orange header	Orange banner
MEDIUM	:large_yellow_circle:	Yellow header	Yellow banner
LOW	:large_blue_circle:	Blue header	Blue banner

2. Jinja2 Expression Deep Dive

Variable Access

```
{{ event()["title"] }}           {# Direct field access #}
{{ event().get("field", "default") }} {# With default value #}
{{ result("task_name").output }} {# Previous task result #}
{{ env.SECRET_NAME }}           {# Environment secret #}
{{ now() }}                      {# Current timestamp #}
```

Filters

```
{{ event()["title"] | upper }}   {# UPPERCASE #}
{{ event()["title"] | lower }}   {# lowercase #}
{{ event()["title"] | truncate(50) }} {# Limit length #}
{{ list_field | join(", ") }}   {# Join array #}
{{ number | round(2) }}         {# Round decimals #}
{{ timestamp | format_datetime }} {# Format date #}
```

Conditionals

```
{% if event()["severity"] == "CRITICAL" %}
    :rotating_light: CRITICAL ALERT
{% elif event()["severity"] == "HIGH" %}
    :warning: HIGH ALERT
{% else %}
    :information_source: {{ event()["severity"] }} ALERT
{% endif %}
```

Loops

```
Affected Entities:
{% for entity in event()["affected_entity_ids"][:5] %}
    - {{ entity }}
{% endfor %}
{% if event()["affected_entity_ids"] | length > 5 %}
    ... and {{ event()["affected_entity_ids"] | length - 5 }} more
{% endif %}
```

Inline Conditionals

```
{{ ":red_circle:" if event()["severity"] == "CRITICAL" else
    ":large_yellow_circle:" }}

{{ event().get("root_cause_entity_id", "Pending analysis") }}
```

Dictionary Mapping

```
{# Severity to emoji mapping #}
{{ {
    "CRITICAL": ":red_circle:",
    "HIGH": ":large_orange_circle:",
    "MEDIUM": ":large_yellow_circle:",
    "LOW": ":large_blue_circle:"
}.get(event()["severity"], ":white_circle:") }}
```

3. Slack Block Kit Templates

Full-Featured Alert Template

```
input:
  connection: slack-production
  channel: "#alerts-production"
  blocks:
    # Header with severity
    - type: header
      text:
        type: plain_text
        text: "{{ {\\"CRITICAL\\": \":rotating_light:\", \\"HIGH\\":
\\":warning:\", \\"MEDIUM\\": \":large_yellow_circle:\", \\"LOW\\":
\\":information_source:\"}.get(event()[\\"severity\\"], \":grey_question:\") }}"
        {{ event()[\\"severity\\"] }} Problem"

    # Problem title
    - type: section
      text:
        type: mrkdown
        text: "*{{ event()['title'] }}"

    # Details in two columns
    - type: section
      fields:
        - type: mrkdown
          text: "*Problem ID:*\\n{{ event()['display_id'] }}"
        - type: mrkdown
          text: "*Status:*\\n{{ event()['status'] }}"
        - type: mrkdown
          text: "*Started:*\\n{{ event()['start_time'] }}"
        - type: mrkdown
          text: "*Severity:*\\n{{ event()['severity'] }}"

    # Root cause (if available)
    - type: section
      text:
        type: mrkdown
        text: "*Root Cause:*\\n{{ event().get('root_cause_entity_id',
'Analysis in progress...') }}"

    # Affected entities
    - type: section
      text:
```

```
    type: mrkdw
    text: "*Affected ({{ event()['affected_entity_ids'] | length
}}):*\n{{ event()['affected_entity_ids'][:3] | join('\n') }}{{ '\n...' if
event()['affected_entity_ids'] | length > 3 else '' }}"

# Divider
- type: divider

# Action buttons
- type: actions
  elements:
    - type: button
      text:
        type: plain_text
        text: "View Problem"
      url: "{{ event()['problem_url'] }}"
      style: primary
    - type: button
      text:
        type: plain_text
        text: "View Service"
      url: "https://{{ env.DYNATRACE_HOST }}/ui/services"

# Footer context
- type: context
  elements:
    - type: mrkdw
      text: "Detected by Dynatrace Davis AI | {{ now() }}"
```

4. Teams Adaptive Card Templates

Full-Featured Alert Card

```
input:
  connection: teams-production
  card:
    type: AdaptiveCard
    $schema: "http://adaptivecards.io/schemas/adaptive-card.json"
    version: "1.4"
    body:
      # Header with color
      - type: TextBlock
        text: "{{ event()['severity'] }}" Problem Detected"
        size: Large
        weight: Bolder
        color: "{{ {'CRITICAL': 'Attention', 'HIGH': 'Warning', 'MEDIUM':
'Accent', 'LOW': 'Good'}.get(event()['severity'], 'Default') }}"

      # Problem title
      - type: TextBlock
        text: "{{ event()['title'] }}"
        wrap: true
        weight: Bolder

      # Details table
      - type: FactSet
        facts:
          - title: "Problem ID"
            value: "{{ event()['display_id'] }}"
          - title: "Severity"
            value: "{{ event()['severity'] }}"
          - title: "Status"
            value: "{{ event()['status'] }}"
          - title: "Started"
            value: "{{ event()['start_time'] }}"
          - title: "Root Cause"
            value: "{{ event().get('root_cause_entity_id', 'Analyzing...')
}}"

      # Affected entities
      - type: TextBlock
        text: "Affected Entities ({{ event()['affected_entity_ids'] | length
}})"
        weight: Bolder
```

```
        spacing: Medium
      - type: TextBlock
        text: "{{ event()['affected_entity_ids'][:5] | join(', ') }}{{ ' ',
... ' if event()['affected_entity_ids'] | length > 5 else ' ' }}"
        wrap: true
        size: Small

    actions:
      - type: Action.OpenUrl
        title: "View in Dynatrace"
        url: "{{ event()['problem_url'] }}"
```

5. Data Enrichment

Enrich with DQL Query

Add recent error logs to notification:


```

import { queryExecutionClient } from '@dynatrace-sdk/client-query';

export default async function({ event }) {
  // Get recent error logs for the affected service
  const rootCause = event.root_cause_entity_id;

  if (!rootCause) {
    return { event, recent_errors: [] };
  }

  const result = await queryExecutionClient.queryExecute({
    body: {
      query: `
        fetch logs, from: now() - 30m
        | filter dt.entity.service == "${rootCause}"
        | filter loglevel == "ERROR"
        | fields timestamp, content
        | sort timestamp desc
        | limit 5
      `,
      requestTimeoutMilliseconds: 30000
    }
  });

  return {
    event,
    recent_errors: result.result.records || []
  };
}

```

Use Enriched Data in Template

```

*Recent Error Logs:*
{% for log in result("enrich_data").recent_errors[:3] %}
  • `{{ log.content | truncate(100) }}`
{% endfor %}
{% if result("enrich_data").recent_errors | length == 0 %}
  _No recent errors found_
{% endif %}

```

Enrich with Entity Details

```
import { entitiesClient } from '@dynatrace-sdk/client-classic-environment-v2';

export default async function({ event }) {
  const entityId = event.root_cause_entity_id;

  if (!entityId) {
    return { entity_name: 'Unknown', entity_type: 'Unknown' };
  }

  const entity = await entitiesClient.getEntity({
    entityId: entityId
  });

  return {
    entity_name: entity.displayName,
    entity_type: entity.type,
    tags: entity.tags || []
  };
}
```

6. Template Library

Compact Alert (Slack)

```
message: |
  {{ {"CRITICAL": ":red_circle:", "HIGH": ":large_orange_circle:", "MEDIUM":
  ":large_yellow_circle:", "LOW": ":large_blue_circle:"}.get(event()
  ["severity"], ":white_circle:") }} *{{ event()["title"] }}*
  `{{ event()["display_id"] }}` | {{ event()["severity"] }} | &lt;{{ event()
  ["problem_url"] }}|View&gt;
```

Problem Resolved (Slack)

```
message: |
:white_check_mark: *Problem Resolved*

*{{ event()["title"] }}*

• *Duration:* {{ event().get("duration", "N/A") }}
• *Problem ID:* {{ event()["display_id"] }}
• *Resolved:* {{ event().get("end_time", now()) }}
```

Daily Summary (Scheduled)

```
message: |
:bar_chart: *Daily Problem Summary*

*Last 24 Hours:*
• Problems opened: {{ result("query_stats").opened }}
• Problems resolved: {{ result("query_stats").resolved }}
• Currently open: {{ result("query_stats").open }}

*By Severity:*
:red_circle: Critical: {{ result("query_stats").critical }}
:large_orange_circle: High: {{ result("query_stats").high }}
:large_yellow_circle: Medium: {{ result("query_stats").medium }}
```

Escalation Notice

```
message: |
:rotating_light: *ESCALATION*

Problem *{{ event()["display_id"] }}* has not been acknowledged after 15
minutes.

*{{ event()["title"] }}*

This alert is being escalated to the on-call team.
&lt;{{ event()["problem_url"] }}|View Problem&gt;
```

7. Testing Templates

Test with On-Demand Trigger

1. Create workflow with On-Demand trigger
2. Add JavaScript task to create mock event:

```
export default async function() {  
  return {  
    mock_event: {  
      display_id: "P-TEST-001",  
      title: "High response time on checkout-service",  
      severity: "CRITICAL",  
      status: "OPEN",  
      start_time: new Date().toISOString(),  
      affected_entity_ids: ["SERVICE-ABC123", "SERVICE-DEF456"],  
      root_cause_entity_id: "HOST-XYZ789",  
      management_zones: ["Production", "Checkout"],  
      problem_url: "https://example.dynatrace.com/ui/problems/P-TEST-001"  
    }  
  };  
}
```

3. Use mock data in notification:

```
message: |  
  {{ result("mock_data").mock_event.severity }} Alert  
  {{ result("mock_data").mock_event.title }}
```

Preview Templates in Slack Block Kit Builder

Use <https://app.slack.com/block-kit-builder> to preview your block templates before deployment.

Query Notification Effectiveness

```
// Notification task performance
fetch events, from: now() - 7d
| filter event.type == "automation.task.execution"
| filter contains(task.type, "slack") or contains(task.type, "msteams") or
contains(task.type, "email")
| summarize
    avg_duration = avg(task.duration),
    max_duration = max(task.duration),
    total = count(),
    by:{task.type}
| sort total desc
```

```
// Template errors (usually from malformed Jinja)
fetch events, from: now() - 24h
| filter event.type == "automation.task.execution"
| filter task.status == "FAILED"
| filter contains(task.error, "template") or contains(task.error, "jinja") or
contains(task.error, "expression")
| fields timestamp, workflow.name, task.name, task.error
| sort timestamp desc
| limit 20
```

Next Steps

With custom templates ready, implement auto-remediation:

Recommended Path

1. **WFLOW-07: Problem-Triggered Remediation** - Auto-remediation patterns
2. **WFLOW-08: JavaScript & HTTP Actions** - Custom integrations
3. **WFLOW-09: Security & Governance** - Best practices

Key Takeaways

- **Jinja2** enables dynamic, conditional content
- **Slack Block Kit** creates rich, interactive messages
- **Teams Adaptive Cards** provide structured formatting

- **Data enrichment** adds context from DQL queries
 - **Test templates** with mock data before production
-

Summary

In this notebook, you learned:

- Alert message design principles
 - Jinja2 expressions, filters, and conditionals
 - Slack Block Kit template structure
 - Teams Adaptive Card formatting
 - Data enrichment with DQL and entity lookups
 - Template library patterns
 - Testing strategies
-

References

- [Jinja2 Template Designer](#)
 - [Slack Block Kit](#)
 - [Teams Adaptive Cards](#)
 - [Workflow Expressions](#)
-

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.