http://localhost:3000/products

93

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100



METRICS Expand view

● First Contentful Paint 0.8 s	■ Largest Contentful Paint 2.6 s
■ Total Blocking Time 240 ms	● Cumulative Layout Shift 0
● Speed Index	

1.4 s



Show audits relevant to: All FCP LCP TBT

INSIGHTS

Legacy JavaScript — Est savings of 13 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

URL	Wasted bytes
localhost 1st Party	13.5 KiB
...chunks/43x-n-siv_s-n.js (localhost)	13.5 KiB
...chunks/43x-n-siv_s-n.js:1:229202 (localhost) `Array.prototype.at`	
...chunks/43x-n-siv_s-n.js:1:228590 (localhost) `Array.prototype.flat`	
...chunks/43x-n-siv_s-n.js:1:228703 (localhost) `Array.prototype.flatMap`	
...chunks/43x-n-siv_s-n.js:1:229079 (localhost) `Object.fromEntries`	
...chunks/43x-n-siv_s-n.js:1:229337 (localhost) `Object.hasOwn`	
...chunks/43x-n-siv_s-n.js:1:228332 (localhost) `String.prototype.trimEnd`	
...chunks/43x-n-siv_s-n.js:1:228247 (localhost) `String.prototype.trimStart`	

Render-blocking requests — Est savings of 130 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
localhost 1st Party	5.8 KiB	170 ms
...chunks/3q1imi7538h8w.css (localhost)	5.8 KiB	170 ms

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- fetchpriority=high should be applied to the image preload request
- Request is discoverable in initial document
- LCP resources should not use loading=lazy



AMD Ryzen 5 7600X

```
<img alt="AMD Ryzen 5 7600X" decoding="async" data-nimg="fill"
class="object-contain p-4 transition duration-500 group-hover:scale-105"
style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="
(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 25vw"
srcset="/_next/image?url=%2Fimages%2Fproducts%2Famd-ryzen-5-7600x.jpg&amp;w=256&amp;q=75 2…"
src="http://localhost:3000/_next/image?url=%2Fimages%2Fproducts%2Famd-ryzen-5-7…">
```

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **273 ms**

Initial Navigation

- /products (localhost) - **160 ms,** 8.00 KiB
  - ...chunks/3q1imi7538h8w.css (localhost) - **273 ms,** 5.79 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 50 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP Unscored

	URL	Resource Size	Est Savings
localhost 1st Party		**71.2 KiB**	**50.3 KiB**
 NVIDIA RTX 4070 Super <img alt="NVIDIA RTX 4070 Super" loading="lazy" decoding="async" data-nimg="fill" class="object-contain p-4 transition duration-500 group-hover:scale-105" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 25vw" srcset="/_next/image?url=%2Fimages%2Fproducts%2Fnvidia-rtx-4070-super.jpg&w=256&q=…" src="http://localhost:3000/_next/image?url=%2Fimages%2Fproducts%2Fnvidia-rtx-40…">	/_next/image?url=… (localhost)	51.6 KiB	36.7 KiB
	This image file is larger than it needs to be (750x767) for its displayed dimensions (404x413). Use responsive images to reduce the image download size.		36.7 KiB
 Intel Core i5-14600K <img alt="Intel Core i5-14600K" loading="lazy" decoding="async" data-nimg="fill" class="object-contain p-4 transition duration-500 group-hover:scale-105" style="position: absolute;	/_next/image?url=… (localhost)	19.6 KiB	13.6 KiB

URL	Resource Size	Est Savings
`height: 100%; width: 100%; inset: 0px;" sizes="(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 25vw" srcset="/_next/image?url=%2Fimages%2Fproducts%2Fintel-core-i5-14600k.jpg&w=256&q=7… " src="http://localhost:3000/_next/image?url=%2Fimages%2Fproducts%2Fintel-core-i5…">` This image file is larger than it needs to be (750x750) for its displayed dimensions (413x413). Use responsive images to reduce the image download size.		13.6 KiB

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	50 ms
Resource load delay	100 ms
Resource load duration	130 ms
Element render delay	380 ms



AMD Ryzen 5 7600X

```
<img alt="AMD Ryzen 5 7600X" decoding="async" data-nimg="fill" class="object-contain p-4 transition duration-500 group-hover:scale-105" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 25vw" srcset="/_next/image?url=%2Fimages%2Fproducts%2Famd-ryzen-5-7600x.jpg&amp;w=256&amp;q=75 2…" src="http://localhost:3000/_next/image?url=%2Fimages%2Fproducts%2Famd-ryzen-5-7…">
```

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 2.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Other	989 ms
Script Evaluation	920 ms
Script Parsing & Compilation	91 ms
Style & Layout	60 ms
Parse HTML & CSS	42 ms
Rendering	39 ms

▲ Reduce unused JavaScript — Est savings of 29 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	**70.3 KiB**	**28.8 KiB**
...chunks/43x-n-siv_s-n.js (localhost)	70.3 KiB	28.8 KiB

▲ Page prevented back/forward cache restoration — 2 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Unscored

Failure reason	Failure type
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. /products (localhost)	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header.	Not actionable

Failure reason	Failure type
/products (localhost)	

Avoid long main-thread tasks — 6 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

URL	Start Time	Duration
localhost 1st Party		**400 ms**
...chunks/43x-n-siv_s-n.js (localhost)	2,914 ms	229 ms
/products (localhost)	914 ms	115 ms
...chunks/43x-n-siv_s-n.js (localhost)	3,169 ms	56 ms
Unattributable		**352 ms**
`Unattributable`	676 ms	238 ms
`Unattributable`	1,029 ms	59 ms
`Unattributable`	621 ms	55 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (19) Hide

Use efficient cache lifetimes

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. FCP LCP Unscored

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored


Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- Avoids redirects
- Server responds quickly (observed 42 ms)
- Applies text compression

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		168
DOM depth	 $229.00 `<p class="text-2xl font-bold text-white">`	8
Most children	 body.antialiased `<body class="antialiased">`	11

Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

Consider setting `font-display` to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with font metric overrides. Unscored

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

INP breakdown

Start investigating how to improve INP by looking at the longest subpart. Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP. FCP LCP Unscored

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

Optimize viewport for mobile

Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP Unscored

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP Unscored

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

Avoids enormous network payloads — Total size was 300 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

URL	Transfer Size
localhost 1st Party	**257.0 KiB**
...chunks/43x-n-siv_s-n.js (localhost)	70.6 KiB
/_next/image?url=... (localhost)	52.0 KiB
...chunks/0n9st2focn1-j.js (localhost)	45.7 KiB
/_next/image?url=... (localhost)	20.0 KiB
/_next/image?url=... (localhost)	16.2 KiB
/favicon.ico?favicon.117ezoe8m31dk.ico (localhost)	15.1 KiB
/_next/image?url=... (localhost)	10.8 KiB
/_next/image?url=... (localhost)	10.7 KiB
/products (localhost)	8.0 KiB
...chunks/1kuvrsz7k3ed4.js (localhost)	7.9 KiB

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

JavaScript execution time — 1.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	**1,334 ms**	**834 ms**	**66 ms**
...chunks/43x-n-siv_s-n.js (localhost)	581 ms	532 ms	22 ms
/products (localhost)	519 ms	124 ms	13 ms
...chunks/0n9st2focn1-j.js (localhost)	234 ms	178 ms	30 ms
Unattributable	**738 ms**	**54 ms**	**0 ms**
`Unattributable`	738 ms	54 ms	0 ms

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored

Image elements have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

Captured at Oct 15, 2026, 6:56 PM CST
Initial page load
Emulated Moto G Power with Lighthouse 13.4.1
Slow 4G throttling
Single page session
Using Chromium 155.0.0.0 with devtools

Generated by **Lighthouse** 13.4.1 | File an issue