DATA DICTIONARY

BFP Station Operations and Emergency Response Management System

Final schema reference based on the logical ERD provided for this document

34 database entities | Primary keys, foreign keys, data types, lengths, enum values, examples and field definitions

Version 1.0
08 October 2026

Schema Fidelity Statement
This document transcribes the final logical ERD as provided. No entity or attribute has been added, removed, renamed, or restructured in this data dictionary.

Document Conventions

The data dictionary below documents the final BFP Operations ERD. Field names, key designations, data types, declared lengths, references and enum values are reproduced from the final diagram. Example values are illustrative and are provided only to demonstrate the expected format of each field.

Notation	Meaning
PK	Primary Key - uniquely identifies a record in its table.
FK	Foreign Key - references a primary or unique key in a related table.
UQ	Unique Constraint - prevents duplicate values for the designated field.
Length	Declared field size shown in the ERD where applicable; '-' means no explicit length is specified.
enum	The field accepts only the values listed in the Allowed Values entry.
Example	Illustrative sample value consistent with the field data type and allowed values.

Entity Summary

No.	Entity	Module	Purpose
1	**FIRE_STATION**	Core Station and Access Management	Stores identifying and contact information for the BFP fire station represented in the system.
2	**ROLE**	Core Station and Access Management	Defines user roles used to classify system access and responsibilities.
3	**PERSONNEL**	Core Station and Access Management	Stores profile, rank, contact, station assignment, and availability information for BFP personnel.
4	**USER_ACCOUNT**	Core Station and Access Management	Stores authenticated system accounts linked to personnel and assigned roles.
5	**DUTY_SHIFT**	Personnel Scheduling, Attendance and Tasks	Defines duty shift schedules configured for the fire station.
6	**PERSONNEL_SHIFT**	Personnel Scheduling, Attendance and Tasks	Records the assignment of personnel to a specific duty shift and duty date.
7	**ATTENDANCE**	Personnel Scheduling, Attendance and Tasks	Records check-in, check-out, attendance status, and recorder information for a personnel shift assignment.

No.	Entity	Module	Purpose
8	**TRAINING_RECORD**	Personnel Scheduling, Attendance and Tasks	Stores personnel training schedules and completion status.
9	**TASK_ASSIGNMENT**	Personnel Scheduling, Attendance and Tasks	Stores tasks assigned to system users and identifies the user who created each task.
10	**INCIDENT**	Incident Response, Dispatch and Resource Deployment	Stores reported incident details, location, status, and key incident timestamps.
11	**INCIDENT_STATUS_HISTORY**	Incident Response, Dispatch and Resource Deployment	Keeps a chronological record of incident status changes and the user who made each change.
12	**DISPATCH**	Incident Response, Dispatch and Resource Deployment	Stores dispatch records associated with incidents, including timing, response time, and dispatch status.
13	**PERSONNEL_DEPLOYMENT**	Incident Response, Dispatch and Resource Deployment	Records personnel assigned to a dispatch, including deployment role, timing, and status.
14	**VEHICLE**	Incident Response, Dispatch and Resource Deployment	Stores fire station vehicle records and current availability status.
15	**VEHICLE_DEPLOYMENT**	Incident Response, Dispatch and Resource Deployment	Records vehicles assigned to a dispatch and their post-deployment condition.
16	**GPS_LOCATION_LOG**	Incident Response, Dispatch and Resource Deployment	Stores GPS location points transmitted during a vehicle deployment and identifies the assigned driver deployment.
17	**EQUIPMENT**	Incident Response, Dispatch and Resource Deployment	Stores station equipment records and current availability status.
18	**EQUIPMENT_DEPLOYMENT**	Incident Response, Dispatch and Resource Deployment	Records equipment deployed for a dispatch and its condition after use.
19	**CONDITION_AFTER**	Incident Response, Dispatch and Resource Deployment	Defines condition labels used for vehicles and equipment after deployment.
20	**ESTABLISHMENT**	Fire Safety Inspection and Community Operations	Stores establishments monitored by the station for inspection-related activities.
21	**INSPECTION_TYPE**	Fire Safety Inspection and Community Operations	Defines the types or categories of inspections used by the system.
22	**FIRE_SAFETY_INSPECTION**	Fire Safety Inspection and Community Operations	Stores fire safety inspection records and links each inspection to its station, inspector, establishment, incident, and inspection type.
23	**COMMUNITY_ACTIVITY**	Fire Safety Inspection and Community Operations	Stores community fire safety activities conducted by the station.
24	**REPORT_TYPE**	Reports and Document Monitoring	Defines the available categories of accomplishment reports.
25	**ACCOMPLISHMENT_REPORT**	Reports and Document Monitoring	Stores accomplishment reports prepared for the station and their reporting periods.
26	**DOCUMENT**	Reports and Document Monitoring	Stores metadata for uploaded documents and their document status.

No.	Entity	Module	Purpose
27	**INCIDENT_DOCUMENT**	Reports and Document Monitoring	Links uploaded documents to incident records.
28	**INSPECTION_DOCUMENT**	Reports and Document Monitoring	Links uploaded documents to fire safety inspection records.
29	**ACTIVITY_DOCUMENT**	Reports and Document Monitoring	Links uploaded documents to community activity records.
30	**REPORT_DOCUMENT**	Reports and Document Monitoring	Links uploaded documents to accomplishment report records.
31	**NOTIFICATION_TYPE**	Notifications, Station Logbook and Audit Trail	Defines the categories of notifications used by the system.
32	**NOTIFICATION**	Notifications, Station Logbook and Audit Trail	Stores notifications sent to user accounts.
33	**STATION_LOGBOOK**	Notifications, Station Logbook and Audit Trail	Stores station logbook entries covering operational and administrative events.
34	**AUDIT_LOG**	Notifications, Station Logbook and Audit Trail	Stores audit trail entries for user actions performed on system entities.

Module 1: Core Station and Access Management

4 entities documented in this module.

Table 1. FIRE_STATION | Module 1

Stores identifying and contact information for the BFP fire station represented in the system.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**station_id**	int (11)	11	-	*1*	Unique identifier of the fire station.
-	**station_name**	varchar (100)	100	-	*Cogon Fire Station*	Official name of the fire station.
-	**district**	varchar (100)	100	-	*Cagayan de Oro Fire District*	District or service area associated with the fire station.
-	**address**	varchar (255)	255	-	*Cogon, Cagayan de Oro City*	Physical address of the fire station.
-	**contact_no**	varchar (15)	15	-	*09171234567*	Official contact number of the fire station.

Table 2. ROLE | Module 1

Defines user roles used to classify system access and responsibilities.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**role_id**	int (11)	11	-	*2*	Unique identifier of the user role.
-	**role_name**	varchar (50)	50	-	*Administrator*	Name of the system role.
-	**description**	varchar (255)	255	-	*Manages system operations*	Description of the role and its purpose.

Module 1: Core Station and Access Management - continued

Table 3. PERSONNEL | Module 1

Stores profile, rank, contact, station assignment, and availability information for BFP personnel.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**personnel_id**	int (11)	11	-	*101*	Unique identifier of a BFP personnel record.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**employee_no**	varchar (20)	20	-	*BFP-2026-001*	Official employee number of the personnel.
-	**first_name**	varchar (50)	50	-	*Juan*	Personnel's first name.
-	**middle_name**	varchar (50)	50	-	*Santos*	Personnel's middle name.
-	**last_name**	varchar (50)	50	-	*Dela Cruz*	Personnel's last name.
-	**rank**	varchar (50)	50	-	*FO2*	Current BFP rank of the personnel.
-	**contact_no**	varchar (15)	15	-	*09171234567*	Personnel's contact number.
-	**availability_status**	enum	-	Allowed: available, deployed, on_leave, off_duty	*available*	Current availability status of the personnel.

Table 4. USER_ACCOUNT | Module 1

Stores authenticated system accounts linked to personnel and assigned roles.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**user_id**	int (11)	11	-	*1001*	Unique identifier of the system user account.
FK	**role_id**	int (11)	11	References: ROLE.role_id	*2*	Identifies the role assigned to the user account.
FK, UQ	**personnel_id**	int (11)	11	References: PERSONNEL.personnel_id	*101*	Identifies the personnel associated with this record.
-	**email**	varchar (100)	100	-	*juan.delacruz@bfp.gov.ph*	Email address used by the account.
-	**password_hash**	varchar (255)	255	-	*hashed_password_value*	Hashed representation of the user password.
-	**account_status**	enum	-	Allowed: active, inactive, suspended	*active*	Current status of the user account.
-	**last_login_at**	datetime	-	-	*2026-10-08 08:00:00*	Date and time of the most recent account login.

Module 2: Personnel Scheduling, Attendance and Tasks

5 entities documented in this module.

Table 5. DUTY_SHIFT | Module 2

Defines duty shift schedules configured for the fire station.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**shift_id**	int (11)	11	-	*1*	Unique identifier of the duty shift.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**shift_name**	varchar (50)	50	-	*Day Shift*	Name or label of the duty shift.
-	**start_time**	time	-	-	*08:00:00*	Scheduled starting time of the duty shift.
-	**end_time**	time	-	-	*17:00:00*	Scheduled ending time of the duty shift.

Table 6. PERSONNEL_SHIFT | Module 2

Records the assignment of personnel to a specific duty shift and duty date.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**personnel_shift_id**	int (11)	11	-	*10001*	Unique identifier of the personnel shift assignment.
FK	**personnel_id**	int (11)	11	References: PERSONNEL.personnel_id	*101*	Identifies the personnel associated with this record.
FK	**shift_id**	int (11)	11	References: DUTY_SHIFT.shift_id	*1*	Identifies the duty shift assigned to the personnel.
-	**duty_date**	date	-	-	*2026-10-08*	Date on which the personnel is assigned to the shift.
-	**assignment_status**	enum	-	Allowed: scheduled, completed, absent, cancelled	*scheduled*	Current status of the personnel shift assignment.

Table 7. ATTENDANCE | Module 2

Records check-in, check-out, attendance status, and recorder information for a personnel shift assignment.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**attendance_id**	int (11)	11	-	*20001*	Unique identifier of the attendance record.
FK	**personnel_shift_id**	int (11)	11	References: PERSONNEL_SHIFT.personnel_shift_id	*10001*	Identifies the personnel shift assignment associated with the attendance record.
FK	**recorded_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who recorded the entry.
-	**check_in_at**	TIMESTAMPTZ	-	-	*2026-10-08 08:00:00+08*	Date and time the personnel checked in.
-	**check_out_at**	TIMESTAMPTZ	-	-	*2026-10-08 17:00:00+08*	Date and time the personnel checked out.
-	**attendance_status**	enum	-	Allowed: present, late, absent, excused	*present*	Recorded attendance status for the assigned shift.
-	**remarks**	text	-	-	*On time*	Additional attendance notes.

Table 8. TRAINING_RECORD | Module 2

Stores personnel training schedules and completion status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**training_id**	int (11)	11	-	*30001*	Unique identifier of the training record.
FK	**personnel_id**	int (11)	11	References: PERSONNEL.personnel_id	*101*	Identifies the personnel associated with this record.
-	**training_title**	varchar (100)	100	-	*Basic Firefighting Refresher*	Title or name of the training activity.
-	**training_date**	date	-	-	*2026-10-15*	Date of the training activity.
-	**completion_status**	enum	-	Allowed: scheduled, completed, cancelled, absent	*completed*	Current completion status of the training record.

Table 9. TASK_ASSIGNMENT | Module 2

Stores tasks assigned to system users and identifies the user who created each task.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**task_id**	int (11)	11	-	*40001*	Unique identifier of the assigned task.
FK	**assigned_to_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1002*	Identifies the user assigned to perform the task.
FK	**created_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who created the task.
-	**task_title**	varchar (100)	100	-	*Inspect fire truck equipment*	Title or brief description of the task.
-	**due_date**	date	-	-	*2026-10-10*	Due date of the assigned task.
-	**task_status**	enum	-	Allowed: pending, in_progress, completed, cancelled	*pending*	Current status of the task.

Module 3: Incident Response, Dispatch and Resource Deployment

10 entities documented in this module.

Table 10. INCIDENT | Module 3

Stores reported incident details, location, status, and key incident timestamps.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**incident_id**	int (11)	11	-	*5001*	Unique identifier of the incident.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
FK	**reported_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who reported or encoded the incident.
-	**incident_type**	varchar (100)	100	-	*Structural Fire*	Type or classification of the incident.
-	**location**	varchar (255)	255	-	*Cogon, Cagayan de Oro City*	Reported location of the incident.
-	**reported_at**	datetime	-	-	*2026-10-08 08:05:00*	Date and time the incident was reported.
-	**incident_status**	enum	-	Allowed: verified, reported, dispatched, responding, on_scene, resolved, closed	*reported*	Current operational status of the incident.
-	**verified_at**	datetime	-	-	*2026-10-08 08:08:00*	Date and time the incident was verified.
-	**closed_at**	datetime	-	-	*2026-10-08 10:10:00*	Date and time the incident was closed.

Table 11. INCIDENT_STATUS_HISTORY | Module 3

Keeps a chronological record of incident status changes and the user who made each change.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**history_id**	int (11)	11	-	*5101*	Unique identifier of the incident status history entry.
FK	**incident_id**	int (11)	11	References: INCIDENT.incident_id	*5001*	Identifies the incident associated with this record.
FK	**changed_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who changed the incident status.
-	**status**	enum	-	Allowed: reported, dispatched, responding, on_scene, resolved, closed	*dispatched*	Incident status recorded for this history entry.
-	**remarks**	varchar (255)	255	-	*Units dispatched to scene*	Additional notes about the status change.
-	**changed_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the incident status was changed.

Table 12. DISPATCH | Module 3

Stores dispatch records associated with incidents, including timing, response time, and dispatch status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**dispatch_id**	int (11)	11	-	*6001*	Unique identifier of the dispatch record.
FK	**incident_id**	int (11)	11	References: INCIDENT.incident_id	*5001*	Identifies the incident associated with this record.
FK	**dispatcher_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who initiated or recorded the dispatch.
-	**dispatched_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the dispatch was initiated.
-	**arrival_at**	datetime	-	-	*2026-10-08 08:17:00*	Date and time the dispatched response arrived.
-	**response_time_seconds**	int	-	-	*420*	Recorded response time measured in seconds.
-	**dispatch_status**	enum	-	Allowed: pending, dispatched, en_route, arrived, completed, cancelled	*completed*	Current status of the dispatch.

Table 13. PERSONNEL_DEPLOYMENT | Module 3

Records personnel assigned to a dispatch, including deployment role, timing, and status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**deployment_id**	int (11)	11	-	*6101*	Unique identifier of the personnel deployment.
FK	**dispatch_id**	int (11)	11	References: DISPATCH.dispatch_id	*6001*	Identifies the dispatch associated with this record.
FK	**personnel_id**	int (11)	11	References: PERSONNEL.personnel_id	*101*	Identifies the personnel associated with this record.
-	**deployment_role**	varchar (50)	50	-	*Driver*	Role assigned to the personnel for the dispatch.
-	**assigned_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the personnel was assigned to the deployment.
-	**released_at**	datetime	-	-	*2026-10-08 09:30:00*	Date and time the personnel was released from the deployment.
-	**deployment_status**	enum	-	Allowed: assigned, en_route, on_scene, completed	*completed*	Current status of the personnel deployment.

Table 14. VEHICLE | Module 3

Stores fire station vehicle records and current availability status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**vehicle_id**	int (11)	11	-	*701*	Unique identifier of the vehicle.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**vehicle_platenum**	varchar (20)	20	-	*BFP-1234*	Plate number of the vehicle.
-	**vehicle_name**	varchar (50)	50	-	*Fire Engine 01*	Name or designation of the vehicle.
-	**availability_status**	enum	-	Allowed: available, deployed, maintenance, out_of_service	*available*	Current availability status of the vehicle.

Table 15. VEHICLE_DEPLOYMENT | Module 3

Records vehicles assigned to a dispatch and their post-deployment condition.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**vehicle_deployment_id**	int (11)	11	-	*7101*	Unique identifier of the vehicle deployment.
FK	**dispatch_id**	int (11)	11	References: DISPATCH.dispatch_id	*6001*	Identifies the dispatch associated with this record.
FK	**vehicle_id**	int (11)	11	References: VEHICLE.vehicle_id	*701*	Identifies the vehicle associated with the deployment.
-	**assigned_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the vehicle was assigned to the dispatch.
-	**returned_at**	datetime	-	-	*2026-10-08 09:45:00*	Date and time the vehicle returned from deployment.
FK	**condition_after_id**	int(11)	11	References: CONDITION_AFTER.condition_after_id	*1*	Identifies the recorded condition after deployment.

Module 3: Incident Response, Dispatch and Resource Deployment - continued

Table 16. GPS_LOCATION_LOG | Module 3

Stores GPS location points transmitted during a vehicle deployment and identifies the assigned driver deployment.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**gps_log_id**	int (11)	11	-	*720001*	Unique identifier of the GPS location log.
FK	**vehicle_deployment_id**	int (11)	11	References: VEHICLE_DEPLOYMENT.vehicle_deployment_id	*7101*	Identifies the vehicle deployment associated with the GPS log.
FK	**driver_deployment_id**	int (11)	11	References: PERSONNEL_DEPLOYMENT.deployment_id	*6101*	Identifies the personnel deployment assigned as the driver for the GPS log.
-	**location**	geography(point, 4326)	-	-	*POINT(124.6513 8.4822)*	Recorded geographic point of the deployed vehicle.
-	**recorded_at**	timestamptz	-	-	*2026-10-08 08:12:30+08*	Date and time the GPS location was recorded.

Table 17. EQUIPMENT | Module 3

Stores station equipment records and current availability status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**equipment_id**	int (11)	11	-	*801*	Unique identifier of the equipment.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**equipment_code**	varchar (20)	20	-	*EQ-001*	Code assigned to identify the equipment.
-	**equipment_type**	varchar (50)	50	-	*Fire Hose*	Type or category of the equipment.
-	**equipment_name**	varchar (100)	100	-	*1.5-inch Fire Hose*	Name of the equipment.
-	**availability_status**	enum	-	Allowed: available, deployed, maintenance, out_of_service	*available*	Current availability status of the equipment.

Table 18. EQUIPMENT_DEPLOYMENT | Module 3

Records equipment deployed for a dispatch and its condition after use.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**equipment_deployment_id**	int (11)	11	-	*8101*	Unique identifier of the equipment deployment.
FK	**dispatch_id**	int (11)	11	References: DISPATCH.dispatch_id	*6001*	Identifies the dispatch associated with this record.
FK	**equipment_id**	int (11)	11	References: EQUIPMENT.equipment_id	*801*	Identifies the equipment associated with the deployment.
-	**deployed_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the equipment was deployed.
-	**returned_at**	datetime	-	-	*2026-10-08 09:45:00*	Date and time the equipment was returned.
FK	**condition_after_id**	int(11)	11	References: CONDITION_AFTER.condition_after_id	*1*	Identifies the recorded condition after deployment.

Table 19. CONDITION_AFTER | Module 3

Defines condition labels used for vehicles and equipment after deployment.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**condition_after_id**	int (11)	11	-	*1*	Unique identifier of the post-deployment condition.
-	**condition_name**	varchar(100)	100	-	*Serviceable*	Name of the recorded post-deployment condition.

Module 4: Fire Safety Inspection and Community Operations

4 entities documented in this module.

Table 20. ESTABLISHMENT | Module 4

Stores establishments monitored by the station for inspection-related activities.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**establishment_id**	int (11)	11	-	*901*	Unique identifier of the establishment.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**establishment_name**	varchar (150)	150	-	*Sample Commercial Building*	Name of the establishment.
-	**address**	varchar (255)	255	-	*Cogon, Cagayan de Oro City*	Physical address of the establishment.
-	**status**	enum	-	Allowed: active, inactive, closed	*active*	Current status of the establishment.

Table 21. INSPECTION_TYPE | Module 4

Defines the types or categories of inspections used by the system.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**inspection_type_id**	int (11)	11	-	*1*	Unique identifier of the inspection type.
-	**inspection_type_name**	varchar (50)	50	-	*Fire Safety*	Name of the inspection type.

Table 22. FIRE_SAFETY_INSPECTION | Module 4

Stores fire safety inspection records and links each inspection to its station, inspector, establishment, incident, and inspection type.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**inspection_id**	int (11)	11	-	*10001*	Unique identifier of the fire safety inspection record.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
FK	**inspector_id**	int (11)	11	References: PERSONNEL.personnel_id	*101*	Identifies the personnel assigned as the inspector.
FK	**establishment_id**	int (11)	11	References: ESTABLISHMENT.establishment_id	*901*	Identifies the establishment associated with the inspection.
FK	**incident_id**	int (11)	11	References: INCIDENT.incident_id	*5001*	Identifies the incident associated with this record.
FK	**inspection_type_id**	int (11)	11	References: INSPECTION_TYPE.inspection_type_id	*1*	Identifies the inspection type assigned to the inspection.
-	**inspection_date**	date	-	-	*2026-10-09*	Date of the inspection.
-	**inspection_status**	enum	-	Allowed: scheduled, passed, failed, for_followup	*scheduled*	Current status of the inspection.
-	**follow_up_due_date**	date	-	-	*2026-10-16*	Due date for the inspection follow-up.

Table 23. COMMUNITY_ACTIVITY | Module 4

Stores community fire safety activities conducted by the station.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**activity_id**	int (11)	11	-	*11001*	Unique identifier of the community activity.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
-	**activity_type**	varchar (50)	50	-	*Fire Safety Seminar*	Type or category of the community activity.
-	**activity_date**	date	-	-	*2026-10-12*	Date of the community activity.
-	**venue**	varchar (150)	150	-	*Barangay Hall*	Venue or location of the community activity.
-	**participant_count**	int	-	-	*50*	Number of participants recorded for the activity.

Module 5: Reports and Document Monitoring

7 entities documented in this module.

Table 24. REPORT_TYPE | Module 5

Defines the available categories of accomplishment reports.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**report_type_id**	int (11)	11	-	*1*	Unique identifier of the report type.
-	**report_type_name**	varchar(100)	100	-	*Monthly Accomplishment Report*	Name of the report type.

Table 25. ACCOMPLISHMENT_REPORT | Module 5

Stores accomplishment reports prepared for the station and their reporting periods.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**report_id**	int (11)	11	-	*12001*	Unique identifier of the accomplishment report.
FK	**station_id**	int (11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
FK	**prepared_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who prepared the accomplishment report.
FK	**report_type_id**	int (11)	11	References: REPORT_TYPE.report_type_id	*1*	Identifies the report type assigned to the accomplishment report.
-	**period_start**	date	-	-	*2026-10-01*	Starting date of the reporting period.
-	**period_end**	date	-	-	*2026-10-31*	Ending date of the reporting period.
-	**summary**	varchar (500)	500	-	*Summary of station activities for October 2026.*	Summary content of the accomplishment report.
-	**generated_at**	datetime	-	-	*2026-10-31 17:00:00*	Date and time the report was generated.

Module 5: Reports and Document Monitoring - continued

Table 26. DOCUMENT | Module 5

Stores metadata for uploaded documents and their document status.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**document_id**	int (11)	11	-	*13001*	Unique identifier of the document record.
FK	**uploaded_by_user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who uploaded the document.
-	**file_name**	varchar (255)	255	-	*incident_report_5001.pdf*	Name of the uploaded file.
-	**file_path**	varchar (500)	500	-	*/documents/incidents/ incident_report_5001.pdf*	Storage path of the uploaded file.
-	**document_status**	enum	-	Allowed: pending, approved, rejected, archived	*approved*	Current status of the document.
-	**uploaded_at**	datetime	-	-	*2026-10-08 10:20:00*	Date and time the document was uploaded.

Table 27. INCIDENT_DOCUMENT | Module 5

Links uploaded documents to incident records.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**incident_document_id**	int(11)	11	-	*14001*	Unique identifier of the incident-document link.
FK	**document_id**	int(11)	11	References: DOCUMENT.document_id	*13001*	Identifies the document associated with this link record.
FK	**incident_id**	int(11)	11	References: INCIDENT.incident_id	*5001*	Identifies the incident associated with this record.
-	**linked_at**	datetime	-	-	*2026-10-08 10:21:00*	Date and time the document was linked to the incident.

Table 28. INSPECTION_DOCUMENT | Module 5

Links uploaded documents to fire safety inspection records.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**inspection_document_id**	int (11)	11	-	*15001*	Unique identifier of the inspection-document link.
FK	**document_id**	int (11)	11	References: DOCUMENT.document_id	*13001*	Identifies the document associated with this link record.
FK	**inspection_id**	int (11)	11	References: FIRE_SAFETY_INSPECTION.inspection_id	*10001*	Identifies the fire safety inspection associated with the document.
-	**linked_at**	datetime	-	-	*2026-10-08 10:21:00*	Date and time the document was linked to the inspection.

Table 29. ACTIVITY_DOCUMENT | Module 5

Links uploaded documents to community activity records.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**activity_document_id**	int (11)	11	-	*16001*	Unique identifier of the activity-document link.
FK	**document_id**	int (11)	11	References: DOCUMENT.document_id	*13001*	Identifies the document associated with this link record.
FK	**activity_id**	int (11)	11	References: COMMUNITY_ACTIVITY.activity_id	*11001*	Identifies the community activity associated with the document.
-	**linked_at**	datetime	-	-	*2026-10-08 10:21:00*	Date and time the document was linked to the community activity.

Table 30. REPORT_DOCUMENT | Module 5

Links uploaded documents to accomplishment report records.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**report_document_id**	int (11)	11	-	*17001*	Unique identifier of the report-document link.
FK	**document_id**	int (11)	11	References: DOCUMENT.document_id	*13001*	Identifies the document associated with this link record.
FK	**report_id**	int (11)	11	References: ACCOMPLISHMENT_REPORT.report_id	*12001*	Identifies the accomplishment report associated with the document.
-	**linked_at**	datetime	-	-	*2026-10-08 10:21:00*	Date and time the document was linked to the accomplishment report.

Module 6: Notifications, Station Logbook and Audit Trail

4 entities documented in this module.

Table 31. NOTIFICATION_TYPE | Module 6

Defines the categories of notifications used by the system.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**notification_type_id**	int (11)	11	-	*1*	Unique identifier of the notification type.
-	**notification_name**	varchar(100)	100	-	*Dispatch Alert*	Name of the notification type.

Table 32. NOTIFICATION | Module 6

Stores notifications sent to user accounts.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**notification_id**	int (11)	11	-	*18001*	Unique identifier of the notification.
FK	**user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user account associated with this record.
-	**title**	varchar (100)	100	-	*New Incident Dispatch*	Title of the notification.
-	**message**	varchar (255)	255	-	*Assigned to Incident #5001.*	Message content of the notification.
FK	**notification_type_id**	int(11)	11	References: NOTIFICATION_TYPE.notification_type_id	*1*	Identifies the notification type assigned to the notification.
-	**is_read**	boolean	-	-	*FALSE*	Indicates whether the notification has been read.
-	**created_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the notification was created.

Table 33. STATION_LOGBOOK | Module 6

Stores station logbook entries covering operational and administrative events.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**log_id**	int(11)	11	-	*19001*	Unique identifier of the station logbook entry.
FK	**station_id**	int(11)	11	References: FIRE_STATION.station_id	*1*	Identifies the fire station associated with this record.
FK	**recorded_by_user_id**	int(11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user who recorded the entry.
-	**log_date**	date	-	-	*2026-10-08*	Date of the logbook entry.
-	**event_type**	enum	-	Allowed: incident, deployment, inspection, maintenance, training, personnel_activity, equipment_activity, administrative, other	*incident*	Category of the event recorded in the logbook.
-	**details**	varchar (500)	500	-	*Structural fire incident reported and dispatched.*	Detailed description of the logged event.
-	**remarks**	varchar (255)	255	-	*Response completed*	Additional notes about the logged event.
-	**created_at**	datetime	-	-	*2026-10-08 08:10:00*	Date and time the logbook entry was created.

Table 34. AUDIT_LOG | Module 6

Stores audit trail entries for user actions performed on system entities.

Key	Field Name	Data Type	Length	Reference / Allowed Values	Example	Description
PK	**audit_id**	int (11)	11	-	*20001*	Unique identifier of the audit log entry.
FK	**user_id**	int (11)	11	References: USER_ACCOUNT.user_id	*1001*	Identifies the user account associated with this record.
-	**action**	varchar (50)	50	-	*UPDATE*	Action performed by the user.
-	**entity_name**	varchar (100)	100	-	*INCIDENT*	Name of the system entity affected by the action.
-	**entity_id**	int (11)	11	-	*5001*	Identifier of the affected entity record.
-	**logged_at**	datetime	-	-	*2026-10-08 08:11:00*	Date and time the audit entry was recorded.

Reference: Final Logical ERD

The following figure is the final logical ERD used as the source for this data dictionary.




Figure 1. Appendix C: BFP Operations ERD