



Paired pulse stimulation

- Stimulate all 32 electrodes together, all at 2 microA
- Pairs at different delays (5ms - 300ms).
- 1 sec between successive pairs.
- 60 sec long recording (~60 stimulations per pair)
- Rest of simulation setup same as original code.


Stim raster + pulse onsets (delay=0 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=5 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=10 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=15 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=20 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=30 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=40 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=50 ms, gap=1000 ms)




Stim raster + pulse onsets (delay=100 ms, gap=1000 ms)



Stim raster + pulse onsets (delay=200 ms, gap=1000 ms)





Stim raster + pulse onsets (delay=300 ms, gap=1000 ms)



Stimulation triggered average


Average activation per stimulation pair
delay=0 ms, gap=1000 ms, 60 pairs, bin=1 ms







NOTE: very hard to get direct activation for excitatory neurons in L6 and L4 during refractory period

Average activation per stimulation pair
delay=10 ms, gap=1000 ms, 60 pairs, bin=1 ms




Average activation per stimulation pair
delay=15 ms, gap=1000 ms, 60 pairs, bin=1 ms






NOTE: paired stim elongates the inhibitory period. Can we play with inhibitory duration for different cell populations for better selectivity?


Average activation per stimulation pair
delay=30 ms, gap=1000 ms, 59 pairs, bin=1 ms




Average activation per stimulation pair
delay=40 ms, gap=1000 ms, 58 pairs, bin=1 ms




Average activation per stimulation pair
delay=50 ms, gap=1000 ms, 58 pairs, bin=1 ms



Average activation per stimulation pair
delay=100 ms, gap=1000 ms, 55 pairs, bin=1 ms



Average activation per stimulation pair
delay=200 ms, gap=1000 ms, 50 pairs, bin=1 ms



Average activation per stimulation pair
delay=300 ms, gap=1000 ms, 47 pairs, bin=1 ms

